



**SECTION 02080
MATERIAL**

This section contains KUB's entire material stock list with the approved vendor(s) for each item. Items without an approved vendor need to be cleared with a KUB inspector before being used.

ELECTRIC *CONDUIT AND FITTINGS
WIRE AND CABLE
HARDWARE
INSULATORS
SWITCHES & ARRESTERS
LIGHTING
FUSES
SUBSTA AND UNDERGROUND MTRL
METERING
POLES AND ARMS
FIBERGLASS MATERIAL*

WATER *PIPE AND FITTINGS
HARDWARE
METERING
SADDLES AND CLAMPS
VALVES
HYDRANTS AND PARTS
WATER PLANT PARTS*

GAS *PIPE AND FITTINGS
WIRE AND CABLE
HARDWARE
TRANSFORMERS AND METERS MTS
SADDLES AND CLAMPS
VALVES
WATER HEATERS
WATER HEATERS*

WASTE WATER *PIPE AND FITTINGS
VALVES
WASTE WATER PLANT PARTS*

**TRANSFORMERS
AND METERS** *Precap Electric Metering Equip

Precap Gas Loop Meters
Precap Residential Gas Meters
Precap Commercial Gas Meters
Precap Gas Regulators/Reliefs
Precap Transformers & Equip
Precap Water Meter Equipment*

KUB Item #	Description	Long Description	MFG	MFG Part #	Preferred Part
ELECTRIC					
CONDUIT AND FITTINGS					
103952	BUSHING CONDUIT 2" MALE	BUSHING CONDUIT 2" MALE	O.Z./GEDNEY	BB 200	Y
103960	BUSHING CONDUIT 2" FEMALE	BUSHING CONDUIT 2" FEMALE	ELASTIMOLD	K675BLR	Y
103962	BUSHING CONDUIT PVC 2-1/2" FEM	BUSHING CONDUIT PVC 2-1/2" FEMALE	CANTEX CO	BU-507	Y
104091	BUSHING CONDUIT 1" FEMALE	BUSHING CONDUIT 1" FEMALE	CANTEX CO	5140048	Y
104232	ADAPTER CND PVC 1" FEMALE	ADAPTER CONDUIT PVC 1" FEM	CANTEX CO	5140045	Y
			CARLON	E942F	N
			PICOMA	ME942F	N
			INDUSTRIES		
104240	COUPLING CND PVC 1" SLIP-JOINT	COUPLING COND PVC 1" SCH 80	CANTEX CO	6141625	Y
			CARLON	E940F	N
			PICOMA	ME942F	N
			INDUSTRIES		
104265	BUSHING CONDUIT 1" MALE	BUSHING CONDUIT 1" MALE	O.Z./GEDNEY	PEM-4	Y
104984	BEND CONDUIT PVC 1" 90 D STD	BEND CONDUIT PVC 1" 90 D STD R	CANTEX CO	5133825	Y
			CARLON	UA9AF	N
			PICOMA	MUA9AF	N
			INDUSTRIES		
			QUEEN CITY	2401017	N
			PLASTICS		
141036	SPACER BASE FOR 4" PVC 6" OC	SPACER BASE FOR 4" PVC 6" ON CTR SPACER, BASE, PLASTIC, INTERLOCKING, (HORIZONTAL AND VERTICAL), SINGLE, FOR USE WITH 4 INCH TYPE "EB" PVC CONDUIT INSTALLED WITH 6 INCH SPACING BETWEEN CENTERS	CANTEX CO	5335968	Y
			CARLON		N
			PICOMA	MS288NH	N
			INDUSTRIES		
			QUEEN CITY	8024158	N
			PLASTICS		
			UNDERGROUN		N
			D PRODUCTS		
141044	SPACER INTER FOR 4" PVC 6" OC	SPACER INTR FOR 4" PVC 6" ON CTR SPACER, INTERMEDIATE, PLASTIC, INTERLOCK ING (HORIZONTAL AND VERTICAL), SINGLE, FOR USE WITH 4IN TYPE "EB" PVC CONDUIT I NSTALLED WITH 6IN SPACING BETWEEN CENTERS	CANTEX CO	5336021	Y
			CARLON	S289NH	N
			PICOMA	MS289NH	N
			INDUSTRIES		
			QUEEN CITY	8034158	N
			PLASTICS		
			UNDERGROUN		N
			D PRODUCTS		
141085	CEMENT SOLVENT FOR PVC CONDUIT	CEMENT SOLVENT FOR PVC CONDUIT QUART CEMENT, SOLVENT, HEAVY DUTY, INDUSTRIAL GRADE FOR USE WITH PVC CONDUIT TYPES "EB", "DB", SCHEDULE 40, AND SCHEDULE 80 IN HOT OR COLD WEATHER. QUART CAN SIZE WITH APPLICATOR TOP.	CARLON	VC9982	N
			OATEY	31008	Y
			OATEY LEAD CO.	31008	N
			UNITED	UNIWELD	N
			ELCHEM		
141093	CONDUIT PVC 2" SCH-80	CONDUIT PVC 2" SCH 80 CONDUIT, PVC, 2 INCH, SCHEDULE 80 WITH INTEGRAL COUPLING FOR USE ON RISER POLES , ROAD CROSSINGS, ETC. WITH CONDUCTORS RATED TO 90 DEG. C. SUPPLIED IN 10 FT LENGTHS.	CANTEX CO	A53CA12	N
			CARLON	49411	Y
			QUEEN CITY	1182031	N
			PLASTICS		

141101	CONDUIT PVC 4" SCH-80	CONDUIT PVC 4" SCH 80 CONDUIT, PVC, 4 INCH, SCHEDULE 80 WITH INTEGRAL COUPLING FOR USE ON RISER POLES , ROAD CROSSINGS, ETC. WITH CONDUCTORS RATED TO 90 DEG C. SUPPLIED IN 10 FT LENGTHS.	CANTEX CO	A53EA12	N
			CARLON	49415	Y
			QUEEN CITY	1184031	N
			PLASTICS		
141192	ADAPTER CND PVC 2" FEMALE	ADAPTER CONDUIT PVC 2" FEM SCH 40 ADAPTER, CONDUIT, PVC, 2 INCH, FEMALE, FOR COUPLING SCHED. 40 PVC DUCT TO METALLIC TYPE DUCT. ADAPTER GLUES TO THE E PVC CONDUIT AND HAS FEMALE THREADS TO ALLOW THE METALLIC CONDUIT TO SCREW INTO	CANTEX CO	5140048	Y
			CARLON		N
			CERTAINNEED	59635	N
			CORP		
			PICOMA	ME942J	N
			INDUSTRIES		
			R & G SLOANE		N
			CO.		
			SEDCO	50720	N
141200	ADAPTER CND PVC 4" FEMALE	ADAPTER CONDUIT PVC 4" FEM TYPE EB ADAPTER, CONDUIT, PVC, 4 INCH, FEMALE, FOR COUPLING SCHEDULE 40 PVC DUCT TO METALLIC TYPE DUCT. ADAPTER GLUES TO THE E PVC CONDUIT AND HAS FEMALE THREADS TO ALLOW THE METALLIC CONDUIT TO SCREW INTO	CANTEX CO	5140052	Y
			CARLON		N
			CERTAINNEED	59639	N
			CORP		
			PICOMA	780-040	N
			INDUSTRIES		
			R & G SLOANE		N
			CO.		
			SEDCO	50740	N
141218	COUPLING CND PVC 2 SCH-80	COUPLING COND PVC 2" SCH 80 COUPLING, CONDUIT, PVC, 2 INCH, FOR USE WITH PVC CEMENT IN JOINING TWO SECTIONS OF PVC SCHEDULE 80 (OR 40) CONDUIT. COU PLING SHALL CONFORM TO NEMA STANDARD TC-3, LATEST REVISION, FOR PVC FITTINGS.	CANTEX CO	6141628	Y
			CARLON		N
			CERTAINNEED	59606	N
			CORP		
			KRALOY/MULTI	CP20	N
			FITTINGS CORP		
			PICOMA	ME940J	N
			INDUSTRIES		
			R & G SLOANE		N
			CO.		
			SEDCO	50120	N
141226	COUPLING CND PVC 4" SCH-80	COUPLING COND PVC 4" SCH 80 COUPLING, CONDUIT, PVC, 4 INCH, FOR USE WITH PVC CEMENT IN JOINING TWO SECTIONS OF PVC SCHEDULE 80 (OR 40) CONDUIT. COU PLING SHALL CONFORM TO NEMA STANDARDS TC-3, LATEST REVISION, FOR PVC FITTINGS.	CANTEX CO	6141632	Y
			CARLON	E940N	N
			CERTAINNEED	59610	N
			CORP		
			KRALOY/MULTI	CP40	N
			FITTINGS CORP		
			PICOMA	ME940N	N
			INDUSTRIES		

			R & G SLOANE CO.		N
141796	SPACER BASE FOR 2" PVC 4" OC	SPACER BASE FOR 2" PVC SPACER, BASE, PLASTIC, INTERLOCKING BOTH HORIZONTAL AND VERTICAL, SINGLE, FOR USE WITH 2 INCH TYPE "EB" PVC CONDUIT INSTALLED WITH A NOMINAL DUCT SEPARATION OF 1.5" AND SHALL BE COMPATIB	SED CANTEX CO	50140 5335961	N Y
			CARLON CERTAINEED CORP	S288JH 59502	N N
			PICOMA INDUSTRIES UNDERGROUN D PRODUCTS	MS288JH	N
141804	SPACER INTER FOR 2" PVC 4" OC	SPACER INTR FOR 2" PVC SPACER, INTERMEDIATE, PLASTIC, INTERLOCKING BOTH HORIZONTAL AND VERTICAL, SINGLE, FOR USE WITH 2 INCH TYPE "EB" PVC CONDUIT INSTALLED WITH A NOMINAL DUCT SEPARATION OF 1.5" AND SHALL BE COMPATIB	CANTEX CO	5336000	Y
			CARLON PICOMA INDUSTRIES QUEEN CITY PLASTICS UNDERGROUN D PRODUCTS	S289JH 8022158	N N N
142075	BEND CONDUIT PVC 2" 90-D 18R	BEND CONDUIT PVC 2" 90-D 18R SCH 80 BEND, CONDUIT, PVC, SCHEDULE 80, 90 DEGREE, 2 INCH, 18 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT USE WITH SCHEDULE 80 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6, LATEST REVISION.	CANTEX CO	5133844	Y
			CARLON CERTAINEED CORP P P S PICOMA INDUSTRIES R & G SLOANE CO.	UA9CJ 59704	N N N N
142083	BEND CONDUIT PVC 2" 90-D 24R	BEND CONDUIT PVC 2" 90-D 24R SCH 80 BEND, CONDUIT, PVC, SCHEDULE 80, 90 DEGREE, 2 INCH, 24 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT, USE WITH SCHEDULE 80 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6 LATEST REVISION.	SED CANTEX CO	79120 5133836	N Y
			CARLON CERTAINEED CORP P P S PICOMA INDUSTRIES R & G SLOANE CO.	UA9DJ 59711	N N N N
142091	BEND CND PVC-80 4" 90-DEG 24R	BEND CONDUIT PVC 4" 90-D 24R SCH 80 BEND, CONDUIT, PVC, SCHEDULE 80, 90 DEGREE, 4 INCH, 24 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT USE WITH SCHEDULE 80 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6, LATEST REVISION.	SED CANTEX CO	79120 5133822	N Y

			CARLON CERTAINEED CORP	UA9DN 59715	N N
			P P S PICOMA INDUSTRIES R & G SLOANE CO.	MUA9DN	N N
142109	BEND CND PVC-80 4" 90-DEG 36R	BEND CONDUIT PVC 4" 90-D 36R SCH 80 BEND, CONDUIT, PVC, SCHEDULE 80, 90 DEGREE, 4 INCH, 36 INCH RADIUS, FOR DIRECT BURIAL OR CONCRET ENCASEMENT USE WITH SC HEDULE 80 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6, LATEST REVISION.	SEDCO CANTEX CO	79240 5133821	N N
			CARLON CERTAINEED CORP	UA9FN 59734	Y N
			P P S PICOMA INDUSTRIES R & G SLOANE CO.	MUA9FN	N N
165837	STRAP PIPE 2 HL PLATED 4" PIP	STRAP PIPE 2 HL PLATED 4" PIPE	SEDCO ALUMA FORM INC.	STK-4	N Y
165845	STRAP PIPE 2 HL PLATED 2" PIP	STRAP PIPE 2 HL PLATED 2" PIPE	EGS MINERALLAC COOPER POWER SYSTEMS	TH-1810 HD296 OLIVER 4522	N N Y
165846	STRAP PIPE 2 HOLE PLATED 2-1/2"	STRAP PIPE 2 HOLE PLATED 2-1/2" PIPE	KIN LINE (E E RULE) MINERALLAC CANTEX CO	477-2 HD 290 MSTK2.5	N Y
165852	STRAP PIPE 1 HL PLATED 1" PIP	STRAP PIPE 1 HL PLATED 1" PIPE	APPLETON COOPER LIGHTING STANDARD TRANSFORMER S	CL-100 MW412 193	Y N N
166371	BEND CND PVC-80 2" 90-DEG 12R	BEND CONDUIT PVC 2" 90-D 12R SCH 80 BEND, CONDUIT PVC, SCHEDULE 80, 90 DEGRE E, 2 INCH, 12 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT USE WITH SCHEDULE 80 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6, LATEST REVISION.	CANTEX CO	5133828	Y
			CARLON CERTAINEED CORP	UA9AJ 59593	N N
			P P S PICOMA INDUSTRIES R & G SLOANE CO.		N N
167189	TEE PVC 1"	TEE PVC 1"	SEDCO CANTEX CO	79020	N N
167387	WEATHERHEAD PVC WEATHERTITE 1	WEATHERHEAD PVC WEATHERTITE 1"	CARLON CANTEX CO	E983F 5133741	Y Y
168468	PROTECTOR CABLE PLASTIC 3"-6"	PROTECTOR CABLE PLASTIC 3"-6"	VIRGINIA PLASTICS CO.	LG-345	Y
171868	CONDUIT PVC 1" SLIP-JOINT	CONDUIT PVC 1" , SCHEDULE 80, SLIP JOINT	CANTEX CO	A52BA12	N
177626	CONDUIT GLV 2"	CONDUIT GLV 2"	CARLON REPUBLIC UTC UNITED PIPE	49008 2" GALV STEEL	Y N Y

182006	BEND CND PVC-80 2" 22-DEG 24R	BEND CONDUIT PVC 2" 22 D 24R SCH 80 BEND,CONDUIT,PVC,2 INCH,SCHEDULE 80,22 1 /2 DEGREE,WITH 24 INCH RADIUS.FOR USE W/SCHEDULE 80 PVC CONDUIT AND OTHER PVC FITTINGS TO INSTALL H/V URD TY	CANTEX CO	5133915	Y
			CARLON PICOMA INDUSTRIES	UA5DJ MUA5DJ	N N
182014	BEND CND PVC-80 2" 45-DEG 24R	BEND CONDUIT PVC 2" 45 D 24R SCH 80 BEND,CONDUIT,PVC,2 INCH,SCHEDULE 80,45 DEGREE,WITH 24 INCH RADIUS.FOR USE W/SCHEDULE 80 PVC CONDUIT AND OTHER PVC FITTINGS TO INSTALL H/V URD TY	CANTEX CO	5133815	N
			CARLON PICOMA INDUSTRIES	UA7DJ MUA7DJ	Y N
182022	BEND CND PVC-80 4" 22-DEG 24R	BEND CONDUIT PVC 4" 22 D 24R SCH 80 BEND,CONDUIT,PVC,4 INCH,SCHEDULE 80,22 1 /2 DEGREE,WITH 24 INCH RADIUS. FOR USE W/SCHEDULE 80 PV C CONDUIT AND OTHER PVC FITTINGS TO INSTALL H/V URD TY	CANTEX CO	5133869	N
			CARLON PICOMA INDUSTRIES	UA5DN MUA5DN	Y N
182030	BEND CND PVC-80 4" 45-DEG 24R	BEND CONDUIT PVC 4" 45 D 24R SCH 80 BEND,CONDUIT,PVC,4 INCH,SCHEDULE 80,45 D EGREE,WITH 24 INCH RADIUS. FOR USE W/SCHEDULE 80 CONDU IT AND OTHER PVC FITTINGS TO INSTALL H/V URD TYPE CABLE.	CANTEX CO	5133812	N
			CARLON PICOMA INDUSTRIES	UA7DN MUA7DN	Y N
182048	COUPLING CND PVC 2" 5 DEG S-80	COUPLING COND PVC 2" SCH 80 5 - DEG BEND COUPLING,CONDUIT,PVC,SCHEDUL E 80,2 INCH, 5 DEGREE BEND. SOCKET/SOCKET TYPE FOR USE W/SHEDULE 80 CONDUIT TO MAKE SMALL ANGLE BENDS.	CANTEX CO	6151457	Y
182360	ADAPTER CND PVC 2" MALE	ADAPTER CONDUIT PVC 2" MALE	CARLON CANTEX CO	E245J 5140108	N Y
			CARLON CERTAINEED CORP	59620	N
			PICOMA INDUSTRIES	ME943J	N
182362	ADAPTER CONDUIT PVC 2-1/2" MAL	ADAPTER CONDUIT PVC 2-1/2" MALE	CANTEX CO	TA250	Y
182378	ADAPTER CND PVC 1" MALE	ADAPTER CONDUIT PVC 1" MALE	CANTEX CO	5140105	N
			CARLON CERTAINEED CORP	E943F 59617	Y N
			PICOMA INDUSTRIES		N
182386	FITTING CONDUIT PVC 2" TYPE LB	FITTING CONDUIT PVC 2" TYPE LB FITTING, CONDUIT BODIES, TYPE LB, 2IN SC HEDULE 40. FOR ABOVE GROUND, UNDERGROUND OR CONCRETE ENCASEMENT USE WITH SCHEDULE 40 CONDUIT.	CANTEX CO	5133668	N
			CARLON CERTAINEED CORP	E986J 59215	Y N
			PICOMA INDUSTRIES		N
182388	FITTING CONDUIT PVC 2-1/2" TYP	FITTING CONDUIT PVC 2-1/2" TYPE LB	CANTEX CO	5133669	Y

182394	FITTING CONDUIT PVC 2" TYPE LL	FITTING CONDUIT PVC 2" TYPE LL FITTING, CONDUIT BODIES TYPE LL, 2IN PVC SCHEDULE 40. FOR ABOVE GROUND, UNDERGROUND OR CONCRETE ENCASEMENT USE W IYH SCHEDULE 40 CONDUIT.	CANTEX CO	5133647	Y
			CARLON CERTAINEED CORP	E984J 59215	N
			PICOMA INDUSTRIES	ME984J	N
182402	FITTING CONDUIT PVC 2" TYPE LR	FITTING CONDUIT PVC 2" TYPE LR FITTING, CONDUIT BODIES TYPE LR, 2IN PVC SCHEDULE 40. FOR ABOVE GROUND UNDERGROUND OR CONCRETE ENCASEMENT USE WITH SCHEDULE 40 CONDUIT.	CANTEX CO	5133655	N
			CARLON CERTAINEED CORP	E985J 59225	Y
			PICOMA INDUSTRIES		N
182410	FITTING CONDUIT PVC 1" TYPE LB	FITTING CONDUIT PVC 1" TYPE LB FITTING, CONDUIT BODIES TYPE LB, 1IN PVC . FOR ABOVE GROUND, UNDERGROUND OR CONCRETE ENCASEMENT USE WITH 1IN PVC CONDUIT.	CANTEX CO	5133665	N
			CARLON PICOMA INDUSTRIES	E986F ME986F	Y
182428	WEATHERHEAD PVC FITTING 2"	WEATHERHEAD PVC FITTING 2"	CANTEX CO	5133743	Y
			CARLON PICOMA INDUSTRIES	E998J ME998J	N
182576	COUPLING DUCT HDPE 2"	COUPLING DUCT HDPE 2" SLIP-ON TYPE COUPLING, DUCT, 2IN, PVC SLEEVE WITH POLYURETHANE ELASTOMER. FOR JOINING PVC CONDUIT TO HDPE DUCT WITH E-LOC GROOVES OR SLIP-ON.	ETCO SPECIALTY PRODUCTS INC	EL-200	Y
182584	COUPLING DUCT HDPE 4"	COUPLING DUCT HDPE 4" SLIP-ON TYPE COUPLING, DUCT, 4IN, PVC SLEEVE WITH POLYURETHANE ELASTOMER. FOR JOINING PVC CONDUIT TO HDPE DUCT WITH E-LOC GROOVES OR SLIP-ON.	ETCO SPECIALTY PRODUCTS INC	EL-400	Y
183012	DUCT HDPE 2" RED SDR	DUCT HDPE 2" RED SDR 13.5 FOR BORES ER DUCT,ELEC., 2" SDR 13.5, HDPE #7C-15087- 92 W/UV STABILIZER TO WITHSTAND 24 MO EXPOSURE. INDENT PRINT MFG NAME, DUCT S IZE AND TYPE, SEQUENTIAL FOOTAGES DATE AND LOT# ON DUCT. DUCT SHALL MEET ASTM	ARNCO CORP		N
			DURA LINE CORP	2015-11220	Y
			PERFORMANCE PIPE		N
			PETROFLEX INC	P200SDR13,5	N
183020	DUCT HDPE 4" RED SDR	DUCT HDPE 4" RED SDR 13.5 FOR BORES ER DUCT,ELEC., 4" SDR 13.5, HDPE RED #7C-15 087-92 W/UV STABILIZER TO WITHSTAND 24 MO EXPOSURE.INDENT PRINT MFG NAME, DUCT SIZE AND TYPE,SEQUENTIAL FOOTAGES DATE AND LOT# ON DUCT. DUCT SHALL MEET ASTM D	ARNCO CORP		N
			DURA LINE CORP	3515-11220	Y
			PETROFLEX INC	P400SDR13.5	N
			PLEXCO	903955	N

183277	STRING PULL POLYETHYLENE	STRING, PULL, POLYETHYLENE, 210 LB AVERAGE BREAKING STRENGTH, 6500FT FURNISHED IN A 4 1/2 OR 5 GALLON PLASTIC BUCKET.	CONDUX	8561285	N
			GREENLEE TEXTRON	G430	Y
183590	DUCT HDPE 1" WAVE-RIBBED RED	DUCT HDPE 1" WAVE RIBBED RED & BLUE ER DUCT, HDPE, 1IN, STARBURST WAVE RIBBED TYPE 11, RED & BLUE PARALLELED (3500 FT EA COLOR), PRE-LUBRICATED, UV STABILIZED FOR ONE YEAR STORAGE, WITH 1250# POLYESTER PULL TAPE. DUCT TO BE SUPPLIED	ARNCO CORP	SR 511 100 Y022/66	N
			CARLON DURA LINE CORP		N Y
183632	DUCT HDPE 1" WAVE-RIBBED ORANG	DUCT HDPE 1" WAVE RIBBED ORANGE & GR ER DUCT, HDPE, 1IN, STARBURST WAVE RIBBED TYPE 11, ORANGE & GREEN PARALLELED (3500FT EA COLOR), PRE-LUBRICATED, UV STABILIZED FOR ONE YEAR STORAGE, WITH 1250# POLYESTER PULL TAPE. DUCT TO BE SU	ARNCO CORP	SR 511 100 Y033/55	N
			CARLON DURA LINE CORP	1015-17220	N Y
183640	DUCT HDPE 1" WAVE-RIBBED BLUE	DUCT HDPE 1" WAVE RIBBED BLUE ER DUCT, HDPE, 1IN, STARBURST WAVE RIBBED TYPE 11, BLUE, PRE-LUBRICATED, UV STABILIZED FOR ONE YEAR STORAGE, WITH 1250# POLYESTER PULL TAPE. DUCT TO BE SUPPLIED ON RETURNABLE BREAKD	ARNCO CORP	SR 511 100 Y066	N
			CARLON DURA LINE CORP		N Y
183822	BEND CND PVC-80 2" 90-DEG 36R	BEND CONDUIT PVC 2" 90-D 36R SCH 80 BEND, CONDUIT, PVC, SCHEDULE 80, 90 DEGREE, 2 INCH, 36 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT, USE WITH SCHEDULE 80 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6 LATEST EDITION.	CANTEX CO	5133848	Y
			CARLON PICOMA INDUSTRIES	UA9FJ MUA9FJ	N N
184317	PVC CLEANER/PRIMER 1QT-CAN	PVC CLEANER/PRIMER 1 QT CANS	CANTEX CO	7211303	Y
184531	COUPLING SPLIT PVC 2"	COUPLING SPLIT PVC 2" COUPLING, 2IN CONDUIT, PVC SPLIT, FOR USE IN JOINING SPLIT DUCT CONDUIT TO SPLIT DUCT CONDUIT. USED FOR REPAIRS OF DAMAGED PVC PIPE. COUPLING MUST BE INTERLOCKING (NO BANDS)	CONDUIT REPAIR SYSTEM	RC2F	Y
184556	COUPLING SPLIT PVC 4"	COUPLING SPLIT PVC 4" COUPLING, 4IN CONDUIT, PVC SPLIT DUCT, FOR USE IN JOINING SPLIT DUCT CONDUIT TO SPLIT DUCT CONDUIT. USED FOR REPAIRS OF DAMAGED PVC PIPE. COUPLING MUST BE INTERLOCKING (NO BANDS)	CONDUIT REPAIR SYSTEM	RC4F	Y
184564	CONDUIT PVC SPLIT 2	CONDUIT PVC SPLIT 2" CONDUIT, 2IN SPLIT DUCT, FOR REPAIRING SECTIONS OF DAMAGED PVC CONDUIT. CONDUIT MUST BE INTERLOCKING (NO BANDS) MIN. SCH. 40	CONDUIT REPAIR SYSTEM	P2F	Y

184580	CONDUIT PVC SPLIT 4"	CONDUIT PVC SPLIT 4" CONDUIT, 4IN SPLIT DUCT, FOR REPAIRING SECTIONS OF DAMAGED PVC CONDUIT. CONDUIT MUST BE INTERLOCKING (NO BANDS) MIN. SCH. 40	CONDUIT REPAIR SYSTEM	P4F	Y
186304	COUPLING HDPE SHUR-LOCK II	COUPLING HDPE SHUR-LOCK II	ARNCO CORP	SHUR-LOCK II SL602C200	N
			DURA LINE CORP	20000123/1-400761	Y
187294	PLUG DUCT 4"	4" DUCT PLUGS	CARLON	P258NT	Y
187302	PLUG DUCT 3"	3" DUCT PLUGS	CARLON	P258LT	Y
187310	PLUG DUCT 2"	2" DUCT PLUGS	CARLON	P258JT	Y
187559	ELBOWS EPOXY 6" 90-DEGREE FIBE	ELBOWS EPOXY 6" 90-DEGREE FIBERGLASS REINFORCED FOR CABLE RISER POLE (BELOW AND ABOVE GROUND) APPLICATIONS, 48" BENDING RADIUS, HEAVY WALL THICKNEWW, EQUIPPED WITH PVC COUPLING BONDED ON EACH END, 6.60" OUTSIDE DIAMETER, 12.67 LBS. NET WEIGHT	CHAMPION FIBERGLASS	60C-HW-93-2D	Y
187592	ELBOWS EPOXY 4" 90-DEGREE FIBE	ELBOWS EPOXY 4" 90-DEGREE FIBERGLASS REINFORCED FOR CABLE RISER POLE (BELOW AND ABOVE GROUND) APPLICATIONS, 36" BENDING RADIUS, HEAVY WALL THICKNESS, EQUIPPED IWTH PVC COUPLING BONDED ON EACH END, 4.51" OUTSIDE DIAMETER, 5.50 LBS. NET WEIGHT	CHAMPION FIBERGLASS	40C-HW-92-2D	Y
188011	CONDUIT PVC 6" SCH 80	CONDUIT PVC 6" SCH 80 CONDUIT, PVC, 6 INCH, SCHEDULE 80 WITH INTEGRAL COUPLING FOR USE ON RISER POLES , ROAD CROSSINGS, ETC. WITH CONDUCTORS RATED TO 90 DEG. C. SUPPLIED IN 10 FT LENGTHS.	CANTEX CO	A53GA12	Y
188029	COUPLING CND PVC 6" SCH80	COUPLING CND PVC 6" SCH80	CARLON	49417-010	N
			CANTEX CO	6141634	Y
188052	ADAPTER CND PVC 6" FEMALE	ADAPTER CND PVC 6" FEMALE	CARLON	E940R	N
			CANTEX CO	5140054	Y
188060	STRAP PIPE 2 HL PLATED 6" PIPE	STRAP PIPE 2 HL PLATED 6" PIPE	CARLON	E924R	N
			ALUMA FORM INC.	STK-6	Y
			TOPAZ	530B	N
			VICTOR	10034-S	N
188078	SPACER INTER FOR 6" PVC 9" ON	SPACER INTR FOR 6" PVC 9" ON CTR SPACER, INTERMEDIATE, PLASTIC, INTERLOCK ING (HORIZONTAL AND VERTICAL), SINGLE, FOR USE WITH 6 INCH SCH 80 PVC CONDUIT INSTALLED WITH 3 INCH SEPARATION.	SPECIALTIES UNDERGROUN D PRODUCTS	162-1	Y
188086	SPACER BASE FOR 6" PVC 9" ON C	SPACER BASE FOR 6" PVC 9" ON CTR SPACER, BASE, PLASTIC, INTERLOCKING, (HORIZONTAL AND VERTICAL), SINGLE, FOR USE WITH 6 INCH SCH 80 PVC CONDUIT INSTALLED WITH 3 INCH SEPARATION.	UNDERGROUN D PRODUCTS	163-1	Y
188102	BEND CONDUIT PVC6" 90-D 48R SC	BEND CONDUIT PVC 6" 90-D 48R SCH 80 BEND, CONDUIT, PVC, SCHEDULE 80, 90 DEGREE, 6 INCH, 48 INCH RADIUS, FOR DIRECT BURIAL USE WITH SCHEDULE 80 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC8, LATEST REVISION.	CANTEX CO	5121026	Y
188110	BEND CND PVC-80 6" 45-DEG 48R	BEND, CONDUIT, PVC, SCHEDULE 80, 45 DEGR EE, 6 INCH, 48 INCH RADIUS, FOR DIRECT BURIAL USE WITH SCHEDULE 80 & SCHEDULE 40 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD LATEST REVISION.	CANTEX CO	5119830	Y

188151	ELBOWS EPOXY 2" 90-DEGREE FIBRE	BEND CONDUIT EPOXY-FIBERGLASS 2 INCH I.D IPS, 90 DEGREE, 36 INCH RADIUS, STANDARD WALL THICKNESS, FOR ABOVE-GROUND APPLICATIONS, EQUIPPED WITH PVC COUPLING BONDED ON EACH END.	CHAMPION FIBERGLASS	20C-SW-92-2D	Y
188169	COUPLING PVC-HDPE 6"	COUPLING PVC-HDPE 6" Jackmoon Threaded Coupling	TE CONNECTIVITY	JM-CTC-60CP-FA60	Y
188177	COUPLING DUCT HDPE 6"	COUPLING DUCT HDPE 6" EL-600 E-LOC	ETCO SPECIALTY PRODUCTS INC	EL-600	Y
188300	DUCT HDPE 6" RED SDR	DUCT HDPE 6" RED SDR 13.5 FOR BORES ER DUCT, ELEC.,6" DUCT HDPE 6" SDR13.5, HDPE RED #7C-150 87-92 W/UV STABILIZER TO WITHSTAND 24 MO EXPOSURE. INDENT PRINT MFG NAME, DUCT SIZE AND TYPE, SEQUENTIAL FOOTAGES DATE AND LOT# ON DUCT. DUCT SHALL MEET ASTM D3	DURA LINE CORP	600RSDR013	Y
188979	ADAPTER CND PVC 6 X 5 REDUCER	ADAPTER CND PVC 6 X 5 REDUCER SWEDGED	CANTEX CO	5142209	N
189878	CONDUIT PVC SPLIT 6"	CONDUIT PVC SPLIT 6" CONDUIT, 4IN SPLIT DUCT, FOR REPAIRING SECTIONS OF DAMAGED PVC CONDUIT. CONDUIT MUST BE INTERLOCKING (NO BANDS) MIN. SCH. 40	CARLON CONDUIT REPAIR SYSTEM	E952RP P6F	Y
189910	FITTING CONDUIT GLV 2" TYPE LB	CONDUIT LB FITTING GLV 2"	O.Z./GEDNEY THOMAS & BETTS	200CG LB200MCG	Y
189928	CONDUIT UNION GLV 2"	CONDUIT UNION GLV 2"	APPLETON	UNF200NR	Y
189936	CLAMP CONDUIT UNISTRUT GLV 2"	CONDUIT UNISTRUT CLAMP GLV 2"	THOMAS & BETTS	C105-2	Y
189944	WEATHERHEAD GLV FITTING 2"	CONDUIT WEATHERHEAD GLV 2"	THOMAS & BETTS	SH106	Y
189951	CONDUIT GLV 1"	CONDUIT GLV 1"	MAC PRODUCTS		Y
189969	FITTING CONDUIT GLV 1" TYPE LB	CONDUIT LB FITTING GLV 1"	REPUBLIC UTC THOMAS & BETTS	1" GALV STEEL LB100MCG	N
189977	CONDUIT UNION GLV 1"	CONDUIT UNION GLV 1"	APPLETON	UNF100NR	N
189985	CLAMP CONDUIT UNISTRUT GLV 1"	CONDUIT UNISTRUT CLAMP GLV 1"	O.Z./GEDNEY THOMAS & BETTS	UNF-100S C105-1	Y
189993	COUPLING CND GLV 1"	COUPLING CONDUIT GLV 1"	PICOMA INDUSTRIES	8458P	Y
190009	BUSHING CONDUIT 1" GLV FEMALE	CONDUIT FEMALE BUSHING GLV 1"	THOMAS & BETTS	1224	Y
190017	TEE GLV 1"	CONDUIT TEE GLV 1"	THOMAS & BETTS	T100MCG	Y
190025	COUPLING SPLIT-STD ADAPTER 2"	COUPLING SPLIT ADAPTER 2". COUPLES SPLIT CONDUIT TO STANDARD CONDUIT.	CONDUIT REPAIR SYSTEM	C2F	Y
190033	BEND CND PVC-80 2 1/2" 90 DEG	ELBOW SCH 80 2 1/2" 90 DEG	CANTEX CO	5121059	Y
190041	WEATHERHEAD PVC SCH-80 2 1/2"	WEATHERHEAD SCH 80 2 1/2"	CANTEX CO	5133696	Y
190058	COUPLING CND PVC 2 1/2" SCH 80	COUPLING SCH 80 2 1/2"	CANTEX CO	6141629	Y
190082	COUPLING SPLIT-STD ADAPTER 4"	COUPLING SPLIT ADAPTER 4". COUPLES SPLIT CONDUIT TO STANDARD CONDUIT.	CONDUIT REPAIR SYSTEM	C4F	Y
190090	COUPLING SPLIT-STD ADAPTER 6"	COUPLING SPLIT ADAPTER 6". COUPLES SPLIT CONDUIT TO STANDARD CONDUIT.	CONDUIT REPAIR SYSTEM	C6F	Y
190124	COUPLING SPLIT PVC 6"	COUPLING REQUIRED FOR CONNECTING SPLIT DUCT CONDUIT TO SPLIT DUCT CONDUIT. SCHEDULE 40. 6 INCH DIAMETER.	CONDUIT REPAIR SYSTEM	RC6F	Y
190454	CONDUIT STAND OFF 4 WAY T SLOT	CONDUIT STAND OFF 4 WAY T SLOT, 120 INCHES LONG. CAPTURES 1/2 INCH BOLT HEADS.	ALUMA FORM INC.	4WT-120	Y
190462	CONDUIT S/O MOUNT BRACKET 6 IN	CONDUIT SO MOUNT BRACKET 6 IN	ALUMA FORM INC.	6B-CSO	Y
190470	CONDUIT S/O MOUNT BRACKET 9 IN	CONDUIT S/O MOUNT BRACKET 9 IN	ALUMA FORM INC.	9B-CSO	Y
190934	CONDUIT FLEX LIQUID TIGHT 1"	CONDUIT FLEX LIQUID TIGHT 1" FLEXIBLE , NON-METALLIC , CONDUIT , 1 INCH , LIQUID TIGHT , WEATHER RESISTANT , GRAY	CARLON	15008-100	Y

190942	CONDUIT FLEX LIQUID TIGHT 2"	CONDUIT FLEX LIQUID TIGHT 2" FLEXIBLE , NON-METALLIC , CONDUIT , 2 INCH , LIQUID TIGHT , WEATHER RESISTANT , GRAY	CARLON	15011-050	Y
199025	CONDUIT PVC SCH 80 2 1/2"	CONDUIT SCH 80 2 1/2"	CANTEX CO	A53CE12	Y
WIRE AND CABLE					
140004	CABLE 15KV EPR 1C 1000CU UD JK	Cable, 15 kV, 1000 MCM, 61 STR, compressed concentric round, strand filled, CU conductor, URD Type, LPDE jacketed with red tri-stripe, 220 mil EPR insulated, 133% Ins Level, and 1/6 CU Concentric Neutral per applicable ICEA and AEIC standards.	GENERAL CABLE CO.		N
			HENDRIX		N
			KERITE		N
			OKONITE		N
			PRYSMIAN	QXU841A	Y
			SOUTHWIRE		N
142620	CABLE 600V TRIPLEX 2AA CLAM	CABLE 2AA TRIPLEX XLP CLAM CABLE # 2AA AWG SELF-SUPPORTING ALL ALUM . TRIPLEX SERVICE DROP CABLE, CODE WORD CLAM PE (BLK). INSUL. THICK. 45 M ILS. ASTM B230, B231, & ICEA S-66-524. COIL LENGTH SHALL BE: 500 FT. COIL DIM.	GENERAL CABLE CO.		N
			NEXANS		Y
			SOUTHWIRE		N
142646	CABLE 600V DUPLEX 6AA COLLIE	CABLE 6AA DUPLEX XLP COLLIE CABLE # 6AA AWG SELF-SUPPORTING ALL ALUM . DUPLEX SERVICE DROP CABLE, CODE WORD COLLIE PE (BLK). INSUL. THICK. 45 MILS. ASTM B230, B231 & ICEA S-66-524. COIL LENGTH SHALL BE: 500 FT. COIL DIM S	GENERAL CABLE CO.		N
			NEXANS		Y
			SOUTHWIRE		N
142653	CABLE 600V QX 1/0AA CRIOLLO	CABLE 1/0AA QUADRUPLEX XLP CABLE # 1/0AA AWG SELF-SUPPORTING ALL AL UM. QUADRUPLEX SERVICE DROP CABLE, CODE WORD CRIOLLO XLP OR PE (BLK). INSUL. THI CK. 60 MILS. ASTM B230,B231, & ICEA S-66-524. LENGTH:STANDARD PACKAGING. CA	GENERAL CABLE CO.		N
			NEXANS		Y
			SOUTHWIRE		N
142661	CABLE 600V TRIPLEX 1/0AA MUREX	CABLE 1/0AA TRIPLEX XLP MUREX CABLE # 1/0AA AWG SELF-SUPPORTING ALL AL UM. TRIPLEX SERVICE DROP CABLE, CODE WORD MUREX PE (BLK). INSUL. THICK . 60 MILS. ASTM B230,B231, & S-66-524. COIL LENGTH:500 FT. COIL DIM.	GENERAL CABLE CO.		N
			NEXANS	MUREX	Y
			SOUTHWIRE		N
142679	CABLE 600V QX 4/0AA OLDENBERG	CABLE 4/0AA QUADRUPLEX XLP CABLE #4/0AA AWG SELF-SUPPORTING ALL ALUM. QUADRUPLEX SERVICE DROP CABLE, CODE WORD OLDENBURG-XLP(BLK) INSUL. THICKNESS 60 MILS. ASTM B230,B231, & ICEA S-66-524 LENGTH:STANDARD PACKAGING. CA	GENERAL CABLE CO.		N
			NEXANS		Y
			SOUTHWIRE		N
142687	CABLE 600V TX 4/0AA PORTUNUS	CABLE 4/0AA TRIPLEX XLP CABLE #4/0AA AWG SELF-SUPPORTING ALL ALUM. TRIPLEX SERVICE DROP CABLE, CODE WORD PORTUNUS-XLP(BLK) INSUL THICKNESS 60 MILS ASTM B230,B231, & ICEA S-66-5 LENGTH: STANDARD PACKAGING. CABLE & REEL	GENERAL CABLE CO.		N
			NEXANS	PORTUNUS	Y
			SOUTHWIRE		N

142927	CABLE CONTROL 19C #10-7STD 600	CONTROL CABLE, 19 CONDUCTOR, COPPER, NO. 10 AWG, 7 STRAND, 600 VOLT CLASS, 75 DEGREE CENTIGRADE RATING, POLYETHYLENE INSULATION, POLYVINYL CHLORIDE (PVC) SHEATH AND JACKET PER KUB SPECIFICATION C06-204.	GENERAL CABLE CO.	20/10	N
144881	CABLE COMM 600V 28PR 19CU SHLD	CABLE COMM 28PR 19AWG D SCREEN CABLE, COMMUNICATION, 25-28 PAIR #19AWG SO FT COPPER WIRES, THERMOPLASTIC INSULATED & JEL-FILLED, COVERED WITH DUAL D-SCREENE D 8 MIL ALUMINUM TAPE AND OUTER 6 MIL STEEL TAPE. JACKET SHALL BE BLACK, HMW PO	OKONITE PRYSMIAN ESSEX GROUP INC	P-30 344155	N Y Y
144923	CABLE INSTR 600V 6PR 18AWG	CABLE INSTR 600V 6PR 18AWG SHLD CU CABLE INSTRUMENTATION, 20 AWG 7 STRAND COPPER COND, 6 OR 8 PAIR, SHIELDED PAIRS, OVERALL SHIELD, 600V, 90 DEG C MIN, FLAME RETARDANT INSULATION AND JACKET, COATED STRANDED COPPER DRAIN WIRE. APPL	GENERAL CABLE CO. OKONITE SUPERIOR/CABLE ESSEX GROUP INC	SPEC. 2008 ASP KTG-F-B-PCM	N N N
148742	WIRE 600V STR 1C 2CU BLK	WIRE 2CU 1C STRND 600V BLACK THHN	GENERAL CABLE CO. PRYSMIAN GENERAL CABLE CO. PHILLIPS CABLE INC. PRYSMIAN SERVICE WIRE CO.		N Y N N Y
159392	WIRE 600V STR 1C 6CU BLK	WIRE 6CU 1C STRND 600V BLACK	GENERAL CABLE CO. OKONITE PHILLIPS CABLE INC. PRYSMIAN SERVICE WIRE CO.		N N N Y
164004	WIRE SWITCHBOARD 14CU-41STL	WIRE SWITCHBOARD 14CU-41ST 600V XLP 238 WIRE, SWITCHBOARD, TYPE SIS, SINGLE CONDUCTOR, 14AWG, 41 STRANDS, ANNEALED COPPER WIRE, TINNED, INSULATED, TO BE SUPPLIED IN COILS NOT EXCEEDING 500 FEET IN LENGTH.	GENERAL CABLE CO.		N
165639	CABLE 15KV 1/0AR 1/0 TREE WIRE	CABLE 15KV 1/0 ACSR TREE WIRE CABLE, TREE WIRE, 15KV, 1/0 ACSR 6/1 STRANDING, 150 MIL COVERING THICKNESS, BLACK HIGH DENSITY POLYETHYLENE COVERING .	HOUSTON WIRE OKONITE HENDRIX	HW05101401 HAC15-TPB	Y N Y
165670	CABLE 600V PVC 2CW/G 10CU	CABLE 10AWG CU 600V 2CW/G STLT CABLE, 600 VOLT, TWO CONDUCTOR WITH GROUND, NUMBER 10 AWG SOLID COPPER TYPE UF, WITH PVC INSULATION IN ACCORDANCE WITH FEDERAL SPECIFICATION JC-30A. TO BE SUPPLIED IN 250FT COIL IN A BOX.	SOUTHWIRE GENERAL CABLE CO.		N N
			SOUTHWIRE	UF	Y

165696	CABLE INSTR 300V 1PR 18CU	CABLE INSTR 300V 1PR 18AWG SHLD CU CABLE, INSTRUMENTATION, 18 AWG 7 STRAND COPPER COND, ONE PAIR , 300V, 90 C MIN, ALUMINUM/POLYESTER SHIELDING TAPE, FLAME RETARDANT INSULATION AND JACKET, COATED STRANDED COPPER DRAIN WIRE. APPLICAB	ANIXTER WIRE & CABLE CO.	323-221-1801	N
			CONTINENTAL WIRE & CABLE GENERAL CABLE CO. HOUSTON WIRE	PVIC-S300-18-2S AP 63570	N
			OKONITE GENERAL CABLE CO.		N
168815	CABLE 15KV EPR 1C 1/0AL UD JKT	CABLE 15KV EPR AL 1/0 UD JKT CABLE, 15KV, 175 MIL EPR INSULATION, 1/0 AWG, 19 STR COMPRESSED AL CONDUCTOR, URD TYPE, JACKETED, STRAND FILLED W/FULL NEUTRAL.			N
			HENDRIX KERITE OKONITE PRYSMIAN		N
168823	CABLE 15KV EPR 1C 3/0AL UD JKT	CABLE 15KV EPR AL 3/0 UD JKT	GENERAL CABLE CO.		N
			KERITE OKONITE PRYSMIAN		N
170019	WIRE BARE 795AA 37STR	WIRE AA BARE 795MCM 37STR ARBUTUS WIRE, AA BARE, 795 MCM, 37 STR (ARBUTUS) ,CLASS AA, 1350-H19 ALUMINUM AS PER ASTM STDS. B230 & B231. REEL LENGTH: APP ROX. 5,000 FT. IN ONE PIECE. REEL DIM. SHALL BE: MAX. FLANGE DIA. 78 IN.; MAX.	GENERAL CABLE CO.		N
			NEXANS SOUTH WIRE	ARBUTUS	Y
170043	WIRE GUY 1/4" SIEMENS-MART	WIRE GUY 1/4" SIEMENS-MART	BEKEART WIRE		Y
			NATIONAL STRAND PRODUCTS		N
170241	WIRE BARE SD 1000CU 61STR	WIRE CU BARE SD 1000MCM 61 STR WIRE, COPPER, 1000 MCM, BARE 61 STRAND, SOFT DRAWN (3088 LB/M.) ANSI C7.1-1964, ANSI C7.8-1965, ASTM B3 ,B8.	GENERAL CABLE CO.		N
			PRIORITY WIRE & CABLE REPUBLIC WIRE INC. SERVICE WIRE CO.		N
			SOUTH WIRE VIAKON		N
170746	WIRE GUY 7/16" HIGH STRENGTH	WIRE GUY 7/16" HIGH STRENGTH COILS WIRE, 7/16 IN HIGH STRENGTH, 7 STRAND GALVANIZED STEEL, WITH CLASS A ZINC COATING IN ACCORDANCE WITH ANSI/ASTM STANDARDS #475-72A, OR LATEST REVISIONS THEREOF. 250 FOOT COIL	BEKEART WIRE		Y
			NATIONAL STRAND PRODUCTS		N
170886	WIRE BARE SD 6CU SOL	WIRE CU BARE SD 6AWG SOL WIRE, #6 BARE COPPER, SOLID, SOFT DRAWN, ON 25LB(315FT) SPOOLS, MFG ACCORDING TO ANSI C7.1 AND/OR ASTM B3 AND ASTM B25 8.	ALAN WIRE		Y
			GENERAL CABLE CO. NEHRING PRIORITY WIRE & CABLE		N

			REPUBLIC WIRE INC.	N
			SEAL	N
			SERVICE WIRE CO.	N
171314	WIRE BARE 4AR 6/1STR	WIRE AR BARE 4AWG 6/1STR SWAN WIRE, AR BARE, 4 AWG, 6/1 STR SWAN OR 7/ 1 STR SWANATE, CLASS AA, 1350-H19 AL AS PER ASTM STDS B230, B232, & B498. STEEL CORE SHALL BE STND. WT GALV. COAT CL A. REEL LENGTH: APPROX. 15,000 FT. IN ON	SOUTHWIRE GENERAL CABLE CO.	N N
			NEHRING	N
171315	WIRE BARE 4AR 6/1STR STORM COILS	WIRE AR BARE 4AWG 6/1STR SWAN WIRE, AR BARE, 4 AWG, 6/1 STR SWAN OR 7/ 1 STR SWANATE, CLASS AA, 1350-H19 AL AS PER ASTM STDS B230, B232, & B498. STEEL CORE SHALL BE STND. WT GALV. COAT CL A. REEL LENGTH: APPROX. 15,000 FT. IN ON STORM COILS	NEXANS SWANATE SOUTHWIRE	Y N
171363	WIRE BARE SD 2/0CU 19STR	WIRE CU BARE SD 2/0AWG 19 STR WIRE, COPPER, 2/0 BARE, 19 STRAND, SOFT DRAWN (411 LB/M) ON REELS. ANSI C7.1-1964, ANSI C7.8-1965, ASTM B3, B8.	ALAN WIRE	N
			GENERAL CABLE CO.	N
			NEHRING	Y
			PRIORITY WIRE & CABLE	N
			REPUBLIC WIRE INC.	N
			SERVICE WIRE CO.	N
171371	CABLE 15KV PILC 3C 2/0CU SHLD	CABLE 15KV P&L CU 3C 2/0AWG SH CABLE, 15 KV, SOLID TYPE, THREE COMPACT- SECTOR 2/0 AWG STRANDED COPPER CONDUCTORS, IMPREGNATED PAPER INSULATED, CONDUCTOR STRAND SHIELDED, INSULATION SHIELDED WITH COPPER TAPE,LEAD ALLOY SHE	SOUTHWIRE GENERAL CABLE CO.	N N
			OKONITE	N
171389	CABLE 15KV PILC 3C 2CU SHLD	CABLE 15KV P&L CU 3C 2AWG SH CABLE, 15 KV, SOLID TYPE, THREE COMPACT- SECTOR 2AWG STRANDED COPPER CONDUCTORS, IMPREGNATED PAPER INSULATED, CONDUCTOR S TRAND SHIELDED, INSULATION SHIELDED, LEAD ALLOY SHEATHED, AND NEOPRENE JACKET	PRYSMIAN GENERAL CABLE CO.	Y N
			OKONITE	N
171819	CABLE 600V PVC 2C 12CU	CABLE 12AWG CU 600V 2C PVC ST LT CABLE, 2 COND #12 AWG STRANDED COPPER, 6 00 VOLT INSULATED CONDUCTORS, OVERALL SUNLIGHT RESISTANT PVC JACKET, ON 500 FT N/R REELS. APPLICABLE STANDARDS: ICEA S-61-402, ASTM B-8.	PRYSMIAN ANIXTER WIRE 2A-1202 & CABLE CO.	Y N
			HOUSTON WIRE	HW15101202 Y
			NEXANS	N
			OKONITE	202-31-3602 N
			PRYSMIAN	N
			SOUTHWIRE	ES-12301 FLAT N

171900	WIRE BARE 4/0AA 7STR	WIRE AA BARE 4/0AWG 7STR OXLIP WIRE, AA BARE, 4/0 AWG 7 STR (OXLIP),CLA SS AA, 1350-H19 ALUMINUM AS PER ASTM STDS. B230 &B231. REEL LENGTH: APPROX. 7 ,000 FT. IN ONE PIECE. REEL DIM. SHALL BE: MAX. FLANGE DIA. 78 IN.; MAX. OUTSID	GENERAL CABLE CO.		N
172817	WIRE WP 1000MCM 61 STR XLP WIR	WIRE CU WP SD 1000MCM 61 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER-RESISTANT, 1000 MCM 61 STRAND SOFT DRAWN. SPECS ANSI C7.1, C7.8, C8.35 (ICEA S-70-547), ASTM B3 AND B8, ON REELS. FOR USE ON OVERHEAD LINES. WIRE	NEXANS SOUTHWIRE NEHRING		Y N Y
172825	CABLE 600V EPR 1C 2CU BLK	CABLE 2 CU 1C 600V EPR BLK NETWK CABLE,2 AWG CU, 7 STRAND,TINNED COPPER C OND, 600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET.	SERVICE WIRE CO. SOUTHWIRE HOUSTON WIRE	CULW HW00500201	N N Y
172833	CABLE 600V EPR 1C 4CU BLK	CABLE 4 CU 1C 600V EPR BLK NETWK CABLE, 4 AWG, 7 STRAND,TINNED COPPER CON D,600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET.	NEXANS OKONITE PRYSMIAN HOUSTON WIRE	HW00500404	N N N Y
172841	CABLE 600V EPR 1C 2/0CU BLK	CABLE 2/0 CU 1C 600V EPR BLK NETWK CABLE, 2/0AWG, 19 STRAND,TINNED COPPER C OND,600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET. CABLE SHALL BE FURNISHED ON 1000FT REELS.	NEXANS OKONITE PRYSMIAN HOUSTON WIRE	HW00520101	N N N Y
173682	CABLE 600V EPR 1C 6CU BLK	CABLE 6 CU 1C 600V EPR BLK NETWK CABLE, 6 AWG, 7 STRAND,TINNED COPPER CON D,600V, NETWORK TYPE,E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET.	NEXANS OKONITE PRYSMIAN NEXANS		N N N N
173815	CABLE CONTROL 1C #10-7STD 600V	CONTROL CABLE, 1 CONDUCTOR, COPPER, NO. 10 AWG, 7 STRAND, 600 VOLT CLASS, 75 DEGREE CENTIGRADE RATING, POLYETHYLENE INSULATION, POLYVINYL CHLORIDE (PVC) SHEATH AND JACKET PER KUB SPECIFICATION C06-204. CABLE SHALL BE FURNISHED ON 2500 FOOT REELS.	OKONITE PRYSMIAN GENERAL CABLE CO.	112-11-2221 20/10	Y N N
173823	CABLE CONTROL 9C #10-7STD 600V	CONTROL CABLE, 9 CONDUCTOR, COPPER, NO. 10 AWG, 7 STRAND, 600 VOLT CLASS, 75 DEGREE CENTIGRADE RATING, POLYETHYLENE INSULATION, POLYVINYL CHLORIDE (PVC) SHEATH AND JACKET PER KUB SPECIFICATION C06-204.	OKONITE PRYSMIAN GENERAL CABLE CO.	116-83-1131 344481 20/10	N Y N

174078	CABLE 600V EPR 1C 500CU BLK	CABLE 500 CU 1C 600V EPR BLK NETWK CABLE, 500MCM, 37 STRAND, TINNED COPPER C OND. 600V, NETWORK TYPE, E. P. R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET. CABLE SHALL BE FURNISHED ON 1000FT REELS.	OKONITE PRYSMIAN AMERCABLE	P-30 074090	N Y N
174433	WIRE BARE 397AA 19STR	WIRE AA BARE 397MCM 19STR CANNA WIRE, AA BARE, 397 MCM 19 STR (CANNA), C LASS AA, 1350-H19 ALUMINUM AS PER ASTM B230 & B231. REEL LENGTH: APPROX. 10,000 FT. IN ONE PIECE. REEL DIM. SHALL BE: MAX. FLANGE DIA. 78 IN.; MAX. OUTSIDE TR	HOUSTON WIRE NEXANS OKONITE PRYSMIAN GENERAL CABLE CO.	HW00550001	Y N N N N
174508	WIRE CU WP SD 2AWG 7 STR	WIRE CU WP SD 2AWG 7 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER- RESISTANT, 2 AWG 7 STRAND SOFT DRAWN. SPECS ANSI C7.1, C7.8, C8.35 (ICEA S-70-547), ASTM B3 AND B8. 200 LBS COILS. (230 LB/M)	NEXANS SOUTHWIRE NEHRING	DRAKE	Y N Y
174516	WIRE WP SD 4CU SOLID	WIRE CU WP SD 4AWG SOLID XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER- RESISTANT, 4 AWG SOLID SOFT DRAWN. SPECS ANSI C7.1, C7.8, C8.35(ICE A S-70-547), ASTM B3 AND B8, IN 200 LB COILS. FOR USE ON OVERHEAD POWER LINES.	SERVICE WIRE CO. SOUTHWIRE NEHRING	CULW- 990/11:02:62	N N Y
174540	WIRE BARE HD 4CU SOL	WIRE CU BARE HD 4AWG SLD	SERVICE WIRE CO. SOUTHWIRE ALAN WIRE GENERAL CABLE CO. NEHRING PRIORITY WIRE & CABLE REPUBLIC WIRE INC. SEAL SERVICE WIRE CO. SOUTHWIRE NEHRING		N N N N Y N N N N N N
174573	WIRE WP SD 2/0CU 7STR	WIRE CU WP SD 2/0AWG 7 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER RESISTANT 2/0AWG 7 STRAND SOFT DRAWN . SPECS ANSI C7.1, C7.8, C8.35(IC EA S-70-547), ASTM B3 AND B8, ON APPROX 800 LB REELS. FOR USE ON OVERHEAD POWER	SERVICE WIRE CO. SOUTHWIRE NEHRING		N N N Y
174607	WIRE BARE SD 250CU 19STR	WIRE CU BARE SD 250MCM 19 STR WIRE, COPPER, 250 MCM BARE 19 STRAND SOFT DRAWN (772 LB/M). ANSI C7.1-1964, ANSI C7.8-1965, ASTM B3, B8.	ALAN WIRE GENERAL CABLE CO.	CULW- 990/11:03:20	N N N

			NEHRING		N
			PRIORITY WIRE		N
			& CABLE		
			REPUBLIC		N
			WIRE INC.		
			SEAL		N
			SERVICE WIRE		Y
			CO.		
			SOUTHWIRE		N
174615	WIRE WP SD 500CU 37STR	WIRE CU WP SD 500MCM 37 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, 500 MCM, 37 STRAND SOFT DRAWN, SPECS ANSI C7.1, C7.8, C8.35(ICEA S-70- 547), ASTM B3 AND B8, ON REELS. FOR USE ON OVERHEAD LINES.	NEHRING		Y
			SERVICE WIRE		N
			CO.		
			SOUTHWIRE		N
174617	750MCM CU WP	750MCM CU WP			
174649	WIRE BARE HD 2/0CU 7STR	WIRE CU BARE HD 2/0AWG 7 STR, 500 LB REELS	ALAN WIRE		N
			GENERAL		N
			CABLE CO.		
			NEHRING		Y
			PRIORITY WIRE		N
			& CABLE		
			REPUBLIC		N
			WIRE INC.		
			SEAL		N
			SERVICE WIRE		N
			CO.		
			SOUTHWIRE		N
174656	CABLE 15KV PILC 3C 250CU SHLD	CABLE 15KV P&L CU 3C 250MCM SH CABLE, 15 KV, SOLID TYPE, THREE COMPACT- SECTOR 250 MCM STRANDED COPPER CONDUCTORS, POLYBUTENE OIL IMPREGNATED PAPER INSULATION, CONDUCTOR STAND SHIELDED, COPPER TYPE INSULATION SHIELD,	GENERAL CABLE CO.		N
			OKONITE		Y
			PRYSMIAN		N
174805	WIRE GUY 3/8" UTILITY GRADE	WIRE GUY 3/8" UTILITY GRADE COILS WIRE, 3/8 IN - UTILITIES GRADE, 7 STRAND GALVANIZED STEEL, WITH CLASS A ZINC COATING IN ACCORDANCE WITH ANSI/ASTM STANDARDS #475-72A, OR LATEST REVISIONS THEREOF. 500 FOOT COIL	BEKEART WIRE		N
			NATIONAL		Y
			STRAND		
			PRODUCTS		
175067	CABLE 600V EPR 1C 4/0CU BLK	CABLE 4/0 CU 1C 600V EPR BLK NETWK CABLE, 4/0AWG, 19 STRAND, TINNED COPPER C OND, 600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET.	HOUSTON WIRE	HW00540101	Y
			NEXANS		N
			OKONITE		N
			PRYSMIAN		N
175182	WIRE WP SD 250CU 19STR	WIRE CU WP SD 250MCM 19 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER- RESISTANT, 250 MCM 19 STRAND SOFT DRAWN, SPECS ANSI C7.1, C7.8, C8.35 (ICEA S-70-547), ASTM B3 AND B8, ON 500 LB. REEL FOR USE ON OVERHEAD POWER LINES.	NEHRING		Y
			SOUTHWIRE	CULW- 990/11:04:11	N

175190	WIRE BARE 1590AA 61STR	WIRE AA BARE 1590MCM 61STR COREOPSIS ERM WIRE, AA BARE, 1590 MCM, 61 STR (COREOPI S) CLASS AA, 1350-H19 ALUMINUM AS PER ASTM STDS. B230 & B231. REEL LENGTH: APP ROX. 10,000 FT. IN ONE PIECE. REEL DIM. SHALL BE: MAX. FLANGE DIA. 78 IN.;MAX. O	NEXANS	COREOPI S	Y
175497	WIRE BARE 397AR 26/7STR	WIRE AR BARE 397MCM 26/7STR IBIS ERM WIRE, AR BARE, 397 MCM, 26/7 STR (IBIS) CLASS AA, 1350-H19 ALUMINUM, AS PER ASTM STDS. B230, B232, & B498. STEEL CORE SHALL BE STD. WEIGHT (CLASS A) GALV. COATING. REEL LENGTH: APROX. 7,000 FT. I	NEHRING		N
175828	WIRE BARE 4AA SOLID TIE	WIRE AA BARE 4AWG SOLID TIE	NEXANS SOUTHWIRE NEHRING SOUTHWIRE TIPPER TIE INC	IBIS	Y N Y N N
177022	CABLE 5KV 1C 6CU	CABLE 5KV CU 1C 6 AWG	OKONITE	114-24-2317	Y
177287	WIRE OGW 3/8" HIGH-STRENGTH	WIRE OGW 3/8" HIGH STRENGTH REELS WIRE, OVERHEAD GROUND, 3/8 IN, HIGH STRENGTH, 7 STRAND, GALVANIZED STEEL, WITH CLASS B ZINC COATING, IN ACCORDANCE WITH ANSI/ASTM A363-72 STANDARDS, OR LATEST REVISION THEREOF. 5,000 FT LENGTH REELS	BEKEART WIRE		Y
177485	CABLE 600V EPR 1C 1000CU BLK	CABLE 1000 CU 1C 600V EPR BLK NETWK CABLE, 1000MCM, 61 STRAND, TINNED COPPER COND, 600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET. CABLE SHALL BE FURNISHED ON 500FT REELS.	NATIONAL STRAND PRODUCTS GENERAL CABLE CO.		N N
178186	WIRE GUY 7/16" HIGH STRENGTH	WIRE GUY 7/16" HIGH STRENGTH REELS WIRE, 7/16 IN HIGH STRENGTH, 7 STRAND GALVANIZED STEEL, WITH CLASS A ZINC COATING IN ACCORDANCE WITH ANSI/ASTM STANDARDS #A475-72A, OR LATEST REVISIONS THEREOF. 5,000 FT REEL	NEHRING OKONITE PRYSMIAN BEKEART WIRE		Y N N N
178285	WIRE BARE SD 500CU 37STR	WIRE CU BARE SD 500MCM 37 STR WIRE, COPPER, 500 MCM, BARE, 37 STRAND, SOFT DRAWN (1544 LB/M) ON REELS. ANSI C7.1-1964, ANSI C7.8-1965, ASTM B3 , B8.	NATIONAL STRAND PRODUCTS GENERAL CABLE CO.		Y N
178293	WIRE BARE 1/0AR 6/1STR	WIRE AR BARE 1/0AWG 6/1STR RAVEN WIRE, ACSR BARE, 1/0 AWG, 6/1 STR (RAVEN) CLASS AA, 1350-H19 ALUMINUM, AS PER ASTM STDS. B230, B232, & B498. STEEL CORE SHALL BE STND. WEIGHT (CLASS A) GALV. COATING. REEL LENGTH: APPROX. 6,000 FT.	NEHRING PRIORITY WIRE & CABLE REPUBLIC UTC SERVICE WIRE CO. SOUTHWIRE GENERAL CABLE CO.		Y N N N N N
			NEXANS SOUTHWIRE	RAVEN	Y N

178294	WIRE BARE 1/0AR 6/1STR STORM COILS	WIRE AR BARE 1/0AWG 6/1STR RAVEN WIRE, ACSR BARE, 1/0 AWG, 6/1 STR (RAVEN) CLASS AA, 1350-H19 ALUMINUM, AS PER ASTM STDS. B230, B232, & B498. STEEL CORE SHALL BE STND. WEIGHT (CLASS A) GALV. COATING. REEL LENGTH: APPROX. 6,000 FT. STORM COILS				
178327	CABLE 600V 3C 4/0AL	CABLE 4/0AWG AL 600V 3C	NEXANS	SWEETBRIAR	Y	
178384	WIRE BARE 795AR 26/7STR	WIRE AR BARE 795MCM 26/7STR D DRAKE ERM WIRE, AR BARE, 795 MCM 26/7 STR (DRAKE) CLASS AA, 1350-H19 ALUMINUM, AS PER ASTM STDS. B230, B232, & B498. STEEL CORE SHALL BE STD. WEIGHT (CLASS A) GALV. COATING. REEL LENGTH: APPROX. 3,500 FT.	NEHRING		N	
179481	WIRE BARE HD 2CU 7STR	WIRE CU BARE HD 2AWG 7 STR WIRE, COPPER, 2 BARE, 7 STRAND, HARDDRAWN, (205 LB/M) ON REELS. ANSI C7.2-1974, ANSI C7.8-1965, ASTM B1, B8.	NEXANS SOUTHWIRE ALAN WIRE	DRAKE	Y N N	
180786	WIRE TRN RISER 4CU SOLID	WIRE CU TRANS RISER 4AWG SOL SD WIRE, TRANSFORMER RISER, #4 AWG COPPER, SOLID, SOFT DRAWN, 110 MIL POLYETHYLENE COVERING, FOR USE ON VOLTAGES UP TO 13.2 KV. APPLICABLE STANDARDS: ASTM B-3, ANSI C8.35., STANDARD COIL PACKAGING	GENERAL CABLE CO. NEHRING PRIORITY WIRE & CABLE REPUBLIC WIRE INC. SEAL SERVICE WIRE CO. SOUTHWIRE NEHRING		N Y N N N N N Y	
181578	CABLE CONTROL 4C #10-7STD 600V	CONTROL CABLE, 4 CONDUCTOR, COPPER, NO. 10 AWG, 7 STRAND, 600 VOLT CLASS, 75 DEGREE CENTIGRADE RATING, POLYETHYLENE INSULATION, POLYVINYL CHLORIDE (PVC) SHEATH AND JACKET PER KUB SPECIFICATION C06-204.	PRIORITY WIRE & CABLE SOUTHWIRE	CAT SECT 18, PAGE 5 20/10	N N	
182170	CABLE ST LT 600V 2C 12CU	CABLE ST LT 12AWG CU 600V 2C W/G CABLE, 600 VOLT, TWO CONDUCTOR WITH GROU ND, NUMBER 12AWG SOLID COPPER TYPE UF WITH PVC INSULATION IN ACCORDANCE WITH FEDERAL SPECIFICATION JC-30A. TO BE SUPPLIED IN 250FT COIL IN BOX.	OKONITE PRYSMIAN COLONIAL	P-30 74040-S UF	N Y N	
182535	CABLE 15KV EPR 1C 750AL UD JKT	CABLE 15KV EPR AL 750 UD JKT CABLE, 15KV, 175 MIL EPR INSULATION, 750 MCM, 61 STRAND COMPRESSED AL. CONDUCTOR, JACKETED, STRAND FILLED, WITH 1/3 CONCENTRIC NEUTRAL	SOUTHWIRE GENERAL CABLE CO. HENDRIX KERITE OKONITE PRYSMIAN SOUTHWIRE	ES-06279	Y N N N N Y N	

182725	CABLE 15KV EPR 1C 500CU UD JKT	CABLE 15KV EPR CU 500 UD JKT CABLE, 15KV, 175 MIL EPR INSULATION, 500 MCM, 37 STR COMPACT CU. CONDUCTOR, URD TYPE, JACKETED, WITH ONE-THIRD CU. CONCENTRIC NEUTRAL, 17#10. AS PER KUB SPECIFICATION C05- 725.	GENERAL CABLE CO.		N
			HENDRIX KERITE OKONITE PRYSMIAN SOUTHWIRE		N N N Y N
182731	CABLE 15KV EPR 1C 750CU UD JKT	CABLE 15KV EPR 750 CU UD JKT, 220 MIL EPR INSULATION, 750 MCM CU, 61 STRAND COMPRESSED CU, STRAND FILLED, WITH 1/3 CONCENTRIC NEUTRAL	AFL GLOBAL		N
183194	CABLE COMM 50PR 19AWG CU SHLD	CABLE COMM 50PR 19AWG CU SHLD #19AWG CABLE, COMMUNICATION 50 PAIR #19AWG SOFT COPPER WIRE, WITH A 5 MIL COPPER TAPE SHIELD. SELF- SUPPORTING FIGURE 8 DESIGN WITH A 1/4 INCH EHS, CLASS A GALVANIZED STEEL STRAND. CABLE & STRAND SHALL BE CO	PRYSMIAN OKONITE	704-15-4050	Y Y
184275	CABLE 600V UD TX 4/0AA SWEETBR	CABLE 4/0AA URD TRIPLEX	SUPERIOR/CAB LE	IM CU	N
184895	CABLE 69KV EPR CU 1500 KCMIL (CABLE 69KV EPR CU 1500 KCMIL (GENERAL CABLE CO. SOUTHWIRE		Y
185579	WIRE 600V STR 1C 4CU BLK	WIRE 4 CU 1C STRND 600V BLACK THHN/THWN WIRE,4AWG COPPER,ONE CONDUCTER,STRANDED, W/BLACK 600V, THHN/THWN INSULATION REFER TO SPEC 185579 2500 FT REELS VW-1 FIRE RATING	OKONITE SERVICE WIRE CO.		Y Y
187917	FIBER OPTIC PATCH PANEL - 144	FIBER OPTIC PATCH PANEL - 144	CLEARFIELD	GPG-144-H1F- FAZ-B	Y
187955	266 ACSR ALUMINUM WIRE WAX WIN	266 ACSR ALUMINUM WIRE WAX WING	NEXANS	WAXWING	Y
189183	CABLE 15KV EPR 1C 4/0 AL UD JK	CABLE 15KV 1C 4/0 AL 19 STRAND COMPRESSED ALUMINUM CONDUCTOR, STRAND-FILLED, URD TYPE, EXTRUDED CONDUCTOR SHIELDING, 100 % INSULATION, ETHYLENE PROPYLENE RUBBER, 175 MIL THICK, 1/3 AMPACITY CONCENTRIC NEUTRAL	OKONITE	160-23-2081	N
189225	CABLE ST LT 10CU 600V 1C XHHW	CABLE 600V FR-XLP, 10CU,-7 STRANDS, XHHW-2, 30 MIL INSULATION, VW-1 RATED, CHEMICAL/ GASOLINE/OIL RESISTANT	PRYSMIAN HOUSTON WIRE	QMT000A HW002-01001	Y Y
189530	OPGW OPTICAL GROUND WIRE-144 F	OPTICAL GROUND WIRE, 144 FIBER CAPACITY, SINGLE MODE, WITH PBT LOOSE BUFFER AND HYDROGEN ABSORBENT GEL FILLED CORE. TOTAL CABLE DIAMETER NOT TO EXCEED .634 INCHES PER KUB SPECIFICATION.	AFL GLOBAL	AC-75/633	N
189589	WIRE BARE 250 HD CU	WIRE BARE 250 HD CU	PRYSMIAN	61H70S	Y
189621	WIRE CU-STEEL 7-9AWG 40% CONDU	WIRE CU-STEEL 7-9AWG 40% CONDUCTIVITY, COPPER-COATED STEEL BARE, DEAD-SOFT ANNEALED, 7-STRANDS, 0.343 INCH O.D. 50 LB SPOOLS	ALAN WIRE AFL GLOBAL	- CCS07094D	Y Y
190252	OPTICAL ADSS CABLE - 48 FIBERS	OPTICAL CABLE, 48 FIBER CAPACITY, ALL DIELECTRIC SELF SUPPORTING PBT LOOSE BUFFER, GEL FILLED TUBES. LONG SPAN (600')	AFL GLOBAL	AE0489CA11BA 3 #DNA-32469	N

			PRYSMIAN	ADLD1661-12- HB-048- 144DESIGN	Y
190256	OPTICAL ADSS CABLE 144 FIBERS	OPTICAL ADSS CABLE 144 FIBERS, ADLD1242-12-ES-144-E3	PRYSMIAN	ADLD1242-12- ES-144-E3	Y
190258	OPTICAL ADSS CABLE - 288 FIBER	ADSS FIBER OPTIC CABLE 24 BUFFER TUBES - 288 FIBERS	PRYSMIAN	F-ADLD1972-24- HB-288-E3	Y
190265	OPTICAL FIBER MULTIMODE 6 FIBE	OPTICAL FIBER, MULTIMODE, ALL DIELECTRIC, 62.5/125 um CORE/CLADDING, TIGHT BUFFERED, INDIVIDUAL PROTECTION AT 900 um, UV RESISTANT JACKET, INDOOR/OUTDOOR CLASSIFICATION	GENERAL CABLE CO.	CG0061ANU.BK	Y
190512	WIRE GUY 9/16" EHS STEEL REEL	WIRE GUY 9/16" EHS STEEL REEL	BEKEART WIRE -		Y
190546	PREFORMED SIDE TIE 795AA	PREFORMED SIDE TIE 795AA	PREFORMED LINE PRODUCTS	STF-1163-P	Y
190629	CABLE 600V EPR 1C 6CU RED	CABLE 600V EPR 1C 6CU RED	GENERAL CABLE CO. SERVICE WIRE CO.	5050	N
190660	OPTICAL FIBER SINGLE MODE 12F	OPTICAL FIBER SINGLE MODE 12 FIBER CAPACITY, SINGLE MODE , WITH PBT LOOSE BUFFER AND WATER BLOCKING GEL FILLED CORE. SINGLE JACKET FLAT DROP CABLE FOR AERIAL AND DUCT APPLICATIONS.	PRYSMIAN	F-DFD1JKT-12- B1-012-E3	Y
190678	WIRE CU-STEEL 19-10AWG 40 %CON	WIRE CU-STEEL 19-10AWG 40 %CONDUCTIVITY , COPPER COATED STEEL BARE , DEAD-SOFT ANNEALED , 19-STRANDS , 0.5 IN O.D. 500LB REELS.	AFL GLOBAL		Y
190769	CABLE ST LT 4CU 1C XHHW	CABLE ST LT 4CU 1C XHHW, CABLE, STREET LIGHT,4AWG, COPPER,AHHW INSULATION, 1000 FT REELS	HOUSTON WIRE	HW002-00401	Y
190777	CABLE ST LT 6CU 1CXHHW	CABLE ST LT 6CU 1CXHHW	HOUSTON WIRE	HW002-0061	Y
HARDWARE					
102467	SPLICE LOOP 4/0AA	SPLICE LOOP AA 4/0AWG	BURNDY	YCS28A	Y
102483	SPLICE TENSION AUTO 4/0AA	SPLICE TENSION AUTO AA 4/0AWG	HUBBELL	GL-409A	N
			MACLEAN POWER SYSTEMS	7656AP	Y
102764	SPLICE LOOP 397AA	SPLICE LOOP AA 397MCM	BURNDY	YCS311A	Y
103085	SPLICE REDUCING 397AA-250CU	SPLICE REDUCING AL-CU 397 TO	BURNDY	YCR32RG5	Y
103184	CLAMP GROUND ROD 3/4"	CLAMP GROUND ROD 3/4" CLAMP, GROUND ROD, 3/4 IN HEAVY DUTY BRONZE OR COPPER ALLOY, WITH HEX HEAD BOLT. WIRE RANGE 8 SOL THRU 1/0 ST R. UL LISTED FOR DIRECT BURIAL	GALVAN INDUSTRIES	G-6	Y
103242	CONN 2-BOLT TN CU&AL 350-250 &	CONN 2 BOLT TN 350-250 & 350-450	BLACKBURN	2B350PW	N
			BURNDY	KVSU31	Y
			HUBBELL	KR4TP	N
103267	CONN 2-BOLT TN CU&AL 500-400 &	CONN 2 BOLT TN 500-400 &	PENN-UNION	VTA3	N
			BLACKBURN	2B500PW	N
			BURNDY	KVSU34	Y
			HUBBELL	KR-5-TP	N
			PENN-UNION	PTA4	N
103341	SPLICE REDUCING AL-CU 795 TO 5	SPLICE REDUCING AL-CU 795 TO 5	BURNDY	YCR391A34CA	Y
103481	CLAMP STRAIN BOLTED 2AA	CLAMP STRAIN BOLTED AA 2AWG	AMERICAN CONNECTOR ENGINEERING C & R PRODUCTS	SDA-52	N
			HUBBELL	ADS-48-N	N
			MACLEAN POWER SYSTEMS	ASD-1-N	Y

103549	CLAMP HOTLINE 4/0AA-TO-CU	CLAMP HOTLINE 4/0AA-CU CLAMP, HOT LINE, ALUMINUM TO COPPER 4/0A A-CU. THE CLAMP SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR RANGE. RUN 1.0IN TO 0.45IN, TAP 0.610IN TO 0.152IN.	HUBBELL	AH-7-GP	N
			MACLEAN POWER SYSTEMS	C1540AP-9	Y
103580	CLAMP HOTLINE 795AA-TO-CU	CLAMP HOTLINE 795AA-CU CLAMP, HOT LINE, ALUMINUM TO COPPER 795A A-CU. THE CLAMP SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR RANGE. RUN 1.795IN TO 0.980IN TAP 0.610IN TO 0.152IN.	HUBBELL	GH103AC	N
			RICHARDS MANUFACTURING	AHLC-2000	Y
103820	CLAMP SUSP 4/0AA-1/0AR	CLAMP SUSPEN 4/0AWG AA 1/0AR	AMERICAN CONNECTOR ENGINEERING	ALS-86-S	N
			HUBBELL	HAS-85-S	N
			MACLEAN POWER SYSTEMS	LS-1-S	Y
103994	SPLICE TENSION COMP 1590AA	SPLICE TENSION COMP AA 1590MCM	ARLINGTON INDUSTRIES	RGD200	Y
104042	CLAMP LASHING	CLAMP LASHING	GALVAN INDUSTRIES	26-09010	Y
			GENERAL MACHINE PRODUCTS	7886	N
104059	BLOCK TERM FOR 26PR CABLE	BLOCK TERM	3M	RPT25ALS	Y
			RELIANCE ELECTRIC	RPT25ALS	N
104133	JUMPER TERM AA TBLR 1590MCM 15	JUMPER TERM AA TBLR 1590MCM 15	SEFCOR	AL-1466-4B	Y
104166	CLAMP SUSPENSION 1590AA	CLAMP SUSPEN 1590 MCM AA	HUBBELL	HAS-227-S	N
			MACLEAN POWER SYSTEMS	ACS-10-S	Y
104323	SPLICE TENSION COMP AR 266MCM	SPLICE TENSION COMP AR 266MCM	AFL GLOBAL		Y
			ALCOA ALUMINIO SA	1476.1	N
104471	TAP TEE COMP 397AA 2-HOLE PAD	TAP TEE COMP AA 397 2 HOL PAD	BURNDY	YTA33R-2N	Y
104497	JUMPER TERM COMP 397AA	JUMPER TERM AA COMP 397MCM	BURNDY	YCA33R-2N	Y
			HOMAC	SAM400N	N
105148	SPLICE TENSION AUTO 6CU	SPLICE TENSION AUTO CU 6AWG	HUBBELL	GL-111	N
			MACLEAN POWER SYSTEMS	61	Y
105163	SPLICE TENSION AUTO 4CU	SPLICE TENSION AUTO CU 4AWG	HUBBELL	GL-112	N
			MACLEAN POWER SYSTEMS	41	Y
105189	SPLICE TENSION AUTO 2CU	SPLICE TENSION AUTO CU 2AWG	HUBBELL	GL-115	N
			MACLEAN POWER SYSTEMS	27	Y
105205	SPLICE TENSION AUTO 1/0CU	SPLICE TENSION AUTO CU 1/0AWG	HUBBELL	GL-117	N
			MACLEAN POWER SYSTEMS	107	Y
105221	SPLICE TENSION AUTO 2/0CU	SPLICE TENSION AUTO CU 2/0AWG	HUBBELL	GL-118	N
			MACLEAN POWER SYSTEMS	207	Y
105288	SPLICE TENSION AUTO 6CUWELD	SPLICE TENSION AUTO CW 6A AWG	HUBBELL	GL-113	N
			MACLEAN POWER SYSTEMS	#47	Y

120006	BOLT BRONZE 3/8" X 1-1/2" 20	BOLT BRONZE 3/8" X 1-1/2" 207 BOLT, 3/8 IN X 1-1/2 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 FIT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI	ATLAS BOLT		Y
120014	BOLT BRONZE 3/8" X 2-1/2" 20	BOLT BRONZE 3/8" X 2-1/2" 207 BOLT, 3/8 IN X 2-1/2 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 FIT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI	ATLAS BOLT		Y
120055	BOLT BRZ 1/4" X 1" 207	BOLT BRONZE 1/4" X 1" 207 BOLT, 1/4 IN X 1 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 FIT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI	ATLAS BOLT	25C100HCS/SIL	Y
120063	BOLT BRONZE 1/4" X 2-1/2" 20	BOLT BRONZE 1/4" X 2-1/2" 207 BOLT, 1/4 IN X 2 1/2 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 FIT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI	ATLAS BOLT		Y
120089	BOLT BRZ 3/8" X 2" 207	BOLT BRONZE 3/8" X 2" 207 BOLT, 3/8 IN X 2 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 FIT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI	ATLAS BOLT		Y
120113	NUT BRONZE 1/4"	NUT BRONZE 1/4" NUT, TO FIT BOLT SIZE 1/4 IN, SILICON BRONZE, REGULAR, SEMI-FINISHED HEXAGON, AMERICAN NATIONAL COARSE SERIES THREADS WITH A CLASS #2 FIT, SHALL CONFORM TO ANSI B18.2-1960.	ATLAS BOLT		Y
120139	NUT BRONZE 3/8"	NUT BRONZE 3/8"	ATLAS BOLT	37NWUS/SIL	Y
120170	WASHER LOCK BRONZE 1/4"	WASHER LOCK BRONZE 1/4"	ATLAS BOLT		Y
120196	WASHER LOCK BRONZE 3/8"	WASHER LOCK BRONZE 3/8"	ATLAS BOLT		Y
120220	WASHER FLAT BRONZE 1/4"	WASHER FLAT BRONZE 1/4"	ATLAS BOLT		Y
120246	WASHER FLAT BRONZE 3/8"	WASHER FLAT BRONZE 3/8"	ATLAS BOLT		Y
120287	BOLT BRZ 3/8" X 1" 207	BOLT BRONZE 3/8" X 1" 207 BOLT, 3/8 IN X 1 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 FIT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI	ATLAS BOLT		Y
121004	BOLT MACH 1/2" X 6" SQ	BOLT MACH 1/2" X 6" SQ	COOPER POWER SYSTEMS HUBBELL HUGHES BROS MACLEAN POWER SYSTEMS	DF2B6 8706 B 56 J8706	N N N Y
121145	SOCKET-EYE	SOCKET-EYE SOCKET EYE, DUCTILE IRON, HEAT TREATED, HOT DIP GALVANIZED, WITH COTTER PIN, FOR USE IN CONNECTING CONDUCTOR CLAMPING DEVICES TO BALL AND SOCKET INSULATORS.	AMERICAN CONNECTOR ENGINEERING	SE-04	N

			HUBBELL		N
			MACLEAN	SI-500	Y
			POWER		
			SYSTEMS		
121160	BOLT MACH 3/4" X 8" SQ	BOLT MACH 3/4X 8" SQ	COOPER		N
			POWER		
			SYSTEMS		
			HUBBELL	8908	N
			HUGHES BROS	B 78	N
			MACLEAN	J8908	Y
			POWER		
			SYSTEMS		
			STEEL CITY		N
121178	BOLT MACH 3/4" X 10" SQ	BOLT MACH 3/4 X 10" SQ	COOPER		N
			POWER		
			SYSTEMS		
			HUBBELL	8910	N
			HUGHES BROS	B 710	N
			MACLEAN	J8910	Y
			POWER		
			SYSTEMS		
			STEEL CITY		N
121244	BOLT MACH 3/4" X 12" SQ	BOLT MACH 3/4 X 12" SQ	COOPER	DF4B12	N
			POWER		
			SYSTEMS		
			HUBBELL	8912	N
			HUGHES BROS		N
			MACLEAN		Y
			POWER		
			SYSTEMS		
			STEEL CITY		N
121251	BOLT MACH 3/4" X 14" SQ	BOLT MACH 3/4 X 14" SQ	COOPER	DF4B14	N
			POWER		
			SYSTEMS		
			HUBBELL	8914	N
			HUGHES BROS	B 714	N
			MACLEAN	J8914	Y
			POWER		
			SYSTEMS		
			STEEL CITY		N
121269	BOLT OVAL-EYE 3/4" X 10"	BOLT OVAL EYE 3/4" X 10"	COOPER	DF3E10	N
			POWER		
			SYSTEMS		
			HUBBELL	29980	N
			HUGHES BROS	2724.7106	N
			MACLEAN	J9510	Y
			POWER		
			SYSTEMS		
121277	BOLT OVAL-EYE 3/4" X 12"	BOLT OVAL EYE 3/4" X 12"	COOPER	DF3E12	N
			POWER		
			SYSTEMS		
			HUBBELL	29982	N
			HUGHES BROS	2724.7126	N
			MACLEAN	J9512	Y
			POWER		
			SYSTEMS		
121327	BOLT MACH 3/4" X 16" SQ	BOLT MACH 3/4 X 16" SQ	COOPER	DF4B16	N
			POWER		
			SYSTEMS		
			HUBBELL	8916	N
			HUGHES BROS	B 716	N
			MACLEAN	J8916	Y
			POWER		
			SYSTEMS		
121335	BOLT MACH 3/4" X 18" SQ	BOLT MACH 3/4 X 18" SQ	COOPER	DF4B18	N
			POWER		
			SYSTEMS		
			HUBBELL	8918	N
			HUGHES BROS		N
			MACLEAN	J8918	Y
			POWER		
			SYSTEMS		
121343	BOLT OVAL-EYE 3/4" X 14"	BOLT OVAL EYE 3/4" X 14"	COOPER	DF3E14	N
			POWER		
			SYSTEMS		
			HUBBELL	29984	N
			HUGHES BROS	2724.7146	N
			MACLEAN	J8914	Y
			POWER		
			SYSTEMS		

121350	BOLT OVAL-EYE 3/4" X 16"	BOLT OVAL EYE 3/4" X 16"	COOPER POWER SYSTEMS		N
			HUBBELL	29986	N
			HUGHES BROS	2724.7166	N
			MACLEAN	J8920	Y
121400	BOLT MACH 3/4" X 20" SQ	BOLT MACH 3/4 X 20" SQ	POWER SYSTEMS		
			COOPER	DF4B20	N
			HUBBELL	8920	N
			HUGHES BROS	B 720	N
			MACLEAN	J8920	Y
121418	BOLT MACH 3/4" X 22" SQ	BOLT MACH 3/4 X 22" SQ	POWER SYSTEMS		
			COOPER	DF4B22	N
			HUBBELL	8922	N
			HUGHES BROS	B 722	N
			MACLEAN	J8922	Y
121426	BOLT OVAL-EYE 3/4" X 18"	BOLT OVAL EYE 3/4" X 18"	POWER SYSTEMS		
			COOPER	DF3E18	N
			HUBBELL	29988	N
			HUGHES BROS	2724.7186	N
			MACLEAN	J9518	Y
121483	BOLT MACH 3/4" X 24" SQ	BOLT MACH 3/4 X 24" SQ	POWER SYSTEMS		
			COOPER	DF4B24	N
			HUBBELL	8924	N
			HUGHES BROS	B 724	N
			MACLEAN	J8924	Y
121491	BOLT MACH 3/4" X 26" SQ	BOLT MACH 3/4 X 26" SQ	POWER SYSTEMS		
			COOPER	DF4B26	N
			HUBBELL	8926	N
			HUGHES BROS		N
			MACLEAN	J8926	Y
121657	NUT OVAL-EYE 3/4"	NUT OVAL EYE 3/4"	POWER SYSTEMS		
			AMERICAN CONNECTOR ENGINEERING	EN-6	N
			COOPER	DG2E4	N
			POWER SYSTEMS		
			MACLEAN	J1093	Y
121681	BALL CLEVIS FOR ANSI CL52-3	BALL CLEVIS FOR ANSI CL52-3 BALL CLEVIS, FORGED STEEL, HOT DIP GALVANIZED, WITH STEEL CLEVIS PIN AND STAINLESS STEEL COTTER KEY, FOR USE IN CONNECTING ANSI CLASS 52-3 BALL & SOCKET INSULATORS TO POLE HARDWARE	POWER SYSTEMS		
			AMERICAN CONNECTOR ENGINEERING	BC-55	N
			HUBBELL		N
			MACLEAN	CB-55	Y
121715	SPLICE REDUCING 1/0AR-2CU	SPLICE REDUCING AR-CU 1/0 TO	POWER SYSTEMS		
121731	SOCKET-CLEVIS	SOCKET-CLEVIS	BURNDY	YCR25R2CCA	Y
			HUBBELL	SC-30	N
			MACLEAN	SCR-55	Y
			POWER SYSTEMS		
121749	CLEVIS-EYE 90-DEG	CLEVIS-EYE 90-DEG	HUBBELL	CE-025-04	Y

121798	CLEVIS-EYE HOTLINE EXT-LINK	CLEVIS-EYE, 10 INCH EXTENSION LINK, DUCTILE IRON BODY, STEEL CLEVIS PIN, HOT DIP GALVANIZED, FOR HOT LINE USE. CLEVIS END SHALL HAVE A MINIMUM OPENING OF 13/16" INCH WIDTH AND 1-1/2 INCH DEPTH W	HUBBELL	HCE-100-05	N
			LAPP	75689	N
			INSULATOR CO		
			MACLEAN	CEHL-55-687	Y
			POWER		
			SYSTEMS		
121800	DEAD END LINK PLATE	DEAD END LINK PLATE; 40,000 LB ULTIMATE STRENGTH	AFL GLOBAL	ODELP10	Y
121806	WASHER SQUARE 4" 13/16" HOLE	WASHER SQUARE 4" 13/16"	COOPER	DF2W10	N
			POWER		
			SYSTEMS		
			HUGHES BROS	SW4-70	N
			MACLEAN	J1080	Y
			POWER		
			SYSTEMS		
121814	WASHER SQUARE 3" CURVED 13/16	WASHER SQUARE 3" CURVED 13/16"	COOPER	DF4W5	N
			POWER		
			SYSTEMS		
			HUBBELL	6822.5	N
			HUGHES BROS	SCW3-70	N
			MACLEAN	J6823	Y
			POWER		
			SYSTEMS		
121822	WASHER SQUARE 2-1/4" 13/16" HO	WASHER SQUARE 2-1/4" 13/16" HOLE	COOPER	DF2W5	N
			POWER		
			SYSTEMS		
			HUBBELL	6814	N
			HUGHES BROS		N
			MACLEAN	J1076	Y
			POWER		
			SYSTEMS		
121824	WASHER SQUARE 3" 13/16" HOLE	WASHER SQUARE 3"x 3" x 3/16". GALVANIZED STEEL. 13/16" HOLE DIAMETER FOR 3/4" BOLT DIAMETER.			
121830	JUMPER TERM AA COMP 795MCM 4 H	JUMPER TERM AA COMP 795MCM 4 H	BURNDY	YCAK391A-4N	N
121970	CLAMP SUSP 3/8" STL OGW	CLAMP SUSPEN 3/8" ST OGW CLAMP, SUSPENSION, GALVANIZED, FOR USE WITH 3/8 INCH STEEL OVERHEAD GROUND WIRE. U-BOLTS AND CLEVIS PINS SHALL BE OF STEEL.	HOMAC	SAL800-4N	Y
			AMERICAN		N
			CONNECTOR		
			ENGINEERING		
			HUBBELL	MS-46-N	N
			LAPP	9300	N
			INSULATOR CO		
			MACLEAN		Y
			POWER		
			SYSTEMS		
121988	CLAMP STRAIN BOLTED 2/0CU OGW	CLAMP STRAIN BOLTED CU 2/0 OGW	AMERICAN	FSD-64	N
			CONNECTOR		
			ENGINEERING		
			HUBBELL	BSD-55-N	N
			MACLEAN	FQD-58-2	Y
			POWER		
			SYSTEMS		
121996	SPLICE TENSION COMP 795AR	SPLICE TENSION COMP AR 795MCM	BURNDY	YTS391A	Y
122077	BALL Y-CLEVIS FOR ANSI CL52-3	BALL Y-CLEVIS FOR ANSI CL52-3 BALL Y-CLEVIS, FORGED STEEL HOT DIP GALVANIZED WITH STEEL CLEVIS PIN AND STAINLESS STEEL COTTER KEY, FOR USE IN ATTACHING ANSI CLASS 52-3 BALL AND SOCKET INSULATORS DIRECTLY TO TOWERS	AMERICAN	BYC-56	N
			CONNECTOR		
			ENGINEERING		
			HUBBELL	YBC-30	N
			MACLEAN	YCB-65A	Y
			POWER		
			SYSTEMS		
122234	SPLICE TENSION AUTO 1/0AR	SPLICE TENSION AUTO AR 1/0AWG	BLACKBURN	ATS1020	N
			HUBBELL	GL-406A	N

			MACLEAN POWER SYSTEMS	7653	Y
122267	SHACKLE ANCHOR	SHACKLE MPS-ASH55	ANDERSON ELECTRIC BARON	AS-25 193LR-1/2	N Y
			CONTINENTAL ELECTRIC FLAGG	AS-25-5-4 13300	N N
			MACLEAN POWER SYSTEMS	ASH-55	N
122333	SPLICE LOOP 1/0AR	SPLICE LOOP AR 1/0AWG	BURNDY	YCS25R	Y
122358	SLEEVE REPAIR 795AA	SLEEVE REPAIR AA 795MCM	BURNDY	YOU45R	Y
122432	SPLICE TENSION COMP 795AA	SPLICE TENSION COMP AA 795MCM	BURNDY	YDS391AT	Y
122457	TAP TEE COMP 795AA 4-HOLE PAD	TAP TEE COMP AA 795 4 HOL PAD NOTE: THESE T-TAPS CAN BE USED AT HEISKELL SUBSTATION ON TVA'S 636 ACSR LINES INSIDE THE SUBSTATION.	BURNDY	YNTA 43R	Y
122481	DEADEND-BODY 795AA DBL- TONGUE	DEADEND BODY 795AA DOU TONGUE	BURNDY	YTW 391AD	N
				YTW391AD431A EK	Y
122507	SPLICE LOOP 795AA	SPLICE LOOP AA 795MCM	BURNDY	YCS391A	Y
122556	SPLICE REDUCING 795AA-397AA	SPLICE REDUCING AL-AL 795 TO	BURNDY	YCR391A32CA	Y
122572	FTG-EYE END 795AA DE BODY	FTG-EYE END 795MCM AA DE BODY	BURNDY	YTW 431AE	Y
122622	YOKE BUNDLING VERT 12" 795AA	YOKE BUNDLIN VERT 12" 795AA	HUBBELL MACLEAN POWER SYSTEMS	YPW-15-204-12 BY-192-12	N Y
122804	CLAMP SUSPENSION 397AA	CLAMP SUSPEN 397 MCM AA	AMERICAN CONNECTOR ENGINEERING HUBBELL MACLEAN POWER SYSTEMS	ALS-119-S LS-3-S-BC	N N Y
122960	WIRE CABLE LASHING .045" SS	WIRE CABLE LASHING .045" S/S	CENTURY WIRE		Y
			MARYLAND SPECIALTY WIRE	45430	N
123000	CLAMP MESSGR SUSP LARGE ANGLE	CLAMP, MESSENGER SUSPENSION, LARGE ANGLE, TWO BOLT, 13/16 INCH MOUNTING HOLE. 1/4 TO 7/16 INCH MESSENGER CABLE DIAMETER. CLAMP LENTH 7 INCHES LONG.	HUBBELL	7902R	N
			MACLEAN POWER SYSTEMS	J7902	Y
123091	CLAMP MESSGR HANGER SUSP UNIVE	CLAMP, HANGER, UNIVERSAL TYPE MESSENGER. TWO 1/2 INCH CLAMP BOLTS. 11/16 INCH MOUNTING HOLE FOR 5/8 INCH BOLT AND 1/2 INCH LAG SCREW REQUIRED. 5/16 TO 1/2 INCH MESSENGER CABLE DIAMETER. USED FOR CORNERS AND STRAIGHT RUNS.	HUBBELL	7911	Y
				J1070	N
123364	BOLT MACH 3/4" X 3" HEX	BOLT MACH 3/4 X 3" HEX	HUGHES BROS STEEL CITY	B 73	Y N
123372	CONN 2-BOLT TN CU&AL 1000-750&	CONN 2 BOLT TN 1000-750 &	BLACKBURN BURNDY HUBBELL PENN-UNION BLACKBURN	2B1000PW KVSU44 KR-7-TP VTA6M MS4	N Y N N Y
123455	CLAMP MID-SPAN 4-4/0AA	CLAMP MID-SPAN 4 TO 4/0AA CLAMP MID-SPAN FOR 4AA to 4/0AA. THE CONNECTOR SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR NAME. FOR USE ON NEUTRAL OR TRIPLEX/QUADRAPLEX SECONDARIES.			
			HUBBELL PANDUIT CORP	MSE-4-16981 PRT2EH-QO	N Y
123679	TIE LASHED CABLE 7-11"	TIE LASHED CABLE 7-11"			

123703	CLAMP MESSGR CORNER DDE ATTACH	CLAMP MESSGR CORNER DDE ATTACH	RICHCO PLASTIC MACLEAN POWER SYSTEMS	CST-1	N
123810	CLAMP STRAIN BOLTED 1590AA	CLAMP STRAIN BOLTED AA 1590MCM	HUBBELL	ADE-155-N	N
123828	SPLICE LOOP 1590AA	SPLICE LOOP AA 1590MCM ER	MACLEAN POWER SYSTEMS	ADQH-155N	Y
123836	JUMPER TERM AA TBLR 1590MCM ST	JUMPER TERM AA TBLR 1590MCM STR ER JUMPER TERMINAL, ALL ALUMINUM COMPRESSION, FOR 1590 MCM AA 61 STRAND (COREOPSIS) WIRE, 4 HOLE NEMA LUGS, INHIBITER FILLED.	BURNDY ALCOA ALUMINIO SA	YTS463A 5638-156	Y N
124065	BOLT STAINLESS 1/2" X 2"	BOLT STAINLESS 1/2" X 2" BOLT, 1/2 IN DIAMETER X 2 IN, HEX HEAD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO	BURNDY SEFCOR ATLAS BOLT	YNA54R-T AL-1466-4B	Y N Y
124073	BOLT STAINLESS 1/2" X 2-1/4"	BOLT STAINLESS 1/2X 2-1/4" BOLT, 1/2 IN DIAMETER X 2 1/4 IN, HEX HEAD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593,ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO	ATLAS BOLT		Y
124081	BOLT STAINLESS 1/2" X 2-1/2"	BOLT STAINLESS 1/2X 2-1/2" BOLT, 1/2 IN DIAMETER X 2 1/2 IN, HEX HEAD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO	ATLAS BOLT		Y
124099	NUT STAINLESS 1/2"	NUT STAINLESS 1/2" NUT, 9/16 INCH, 13NC WITH CLASS 2B FIT, NON-MAGNETIC, ANSI 304 STAINLESS STEEL, IN ACCORDANCE WITH ANSI B18.2.2 LATEST REVISION.	ATLAS BOLT		Y
124115	WASHER FLAT STAINLESS 1/2"	WASHER FLAT STAINLESS 1/2"	ATLAS BOLT		Y
124123	BOLT STAINLESS 1/2" X 1-1/2"	BOLT STAINLESS 1/2" X 1-1/2" BOLT, 1/2 IN DIAMETER X 1 1/2 IN, HEX HEAD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO	ATLAS BOLT		Y
124263	TAP TEE COMP 1590AA 4-HOLE PAD	TAP TEE COMP AA 1590 4 HOL PAD	CONNECTOR PRODUCTS, INC	ATCF-1466-4A DIE 38AH	Y
124305	CLAMP POST-INS 795AA 69KV	CLAMP POST INS 795AA 69KV CLAMP, POST INSULATOR, 795 AA, FOR USE ON 69KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS, WITH LINE GUARD . ALUMINUM BODY AND KEEPER.	HUBBELL	TSC-200-ARIV	N
124313	CLAMP POST-INS 397AA 69KV	CLAMP POST INS 397AA 69KV CLAMP, POST INSULATOR, 397AA, FOR USE ON 69KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS, WITH LINE GUARD . ALUMINUM BODY AND KEEPER	MACLEAN POWER SYSTEMS HUBBELL	ACTS-200-SL-1	Y
			LAPP INSULATOR CO	47114	N

			MACLEAN POWER SYSTEMS	ACTS-150-SL-1	Y
124750	CONN CABLE 19-19CU 3-WIRE BUTT	CONN CABLE 19-19CU 3-WIRE BUTT	3M	UR	Y
124925	MARKER OH-LINE 9" ORANGE	LINE MARKER 9" DIA ORANGE FOR 1/0ACSR LINE MARKER, 9 INCH DIAMETER, INTERNATIONAL ORANGE PERMANENTLY COLORED GEL COAT , FIBERGLASS REINFORCED POLYESTER RESIN, COMPLETE WITH STAINLESS STEEL NUTS, BOLTS, LOCK WASHERS AND FLAT WASHERS.	P R INDUSTRIES	SG 9	Y
140384	CONN COMP PREINS 4/0AA M-PLEX	CONN COMP PREINS 4/0AA MULT	BLACKBURN	IKL69	Y
140434	BOLT MACH 5/8" X 2" HEX	BOLT MACH 5/8 X 2"	HOMAC	X1N4040	N
140442	CAPACITOR 200KVAR 7960V	CAPACITOR 200KVAR 7960V CAPACITOR 200 KVAR, 7960 VOLT, SINGLE PHASE, 95KV BIL, SINGLE BUSHING, ALL FILM DIELECTRIC, INSULATING CAPS, DISCHARGE RESISTOR, STAINLESS STEEL CASE, BIODEGRADABLE FLUID. CAPACITOR SHALL ME	HUGHES BROS ABB POWER T & D CO	B 62 AEE2000796A0	Y N
			COOPER POWER SYSTEMS	CEP140B8	Y
			GENERAL ELECTRIC	58L128RC	N
141333	ROD ANCHOR 1" X 7" PWR SCREW	ROD ANCHOR 1"X7" PWR SCREW- STD	MACLEAN POWER SYSTEMS	D100	Y
141358	SPLICE TENSION AUTO 397AA	SPLICE TENSION AUTO AA 397MCM	HUBBELL	GL-411	N
			MACLEAN POWER SYSTEMS	7658AP	Y
141416	ROD ANCHOR 42" EXTENSION	ROD ANCHOR 42" EXTENSION	MACLEAN POWER SYSTEMS	D10031/2C	Y
141457	EYENUT ANCH ROD 1" TRIPLE-EYE	EYENUT ANCHOR ROD 1" TRIP EYE	MACLEAN POWER SYSTEMS	D6567	Y
141481	CONN COMP UNINS 2AA MULTIPLEX	CONN COMP UNINS 2AA MULTIPLEX	BLACKBURN	TR 64	N
			BURNDY	YSS2R	N
			HOMAC	SNG 22	Y
			KEARNEY	30010	N
			MACLEAN POWER SYSTEMS	ACTS-118-SL1	N
141499	CONN COMP UNINS 4AA MULTIPLEX	CONN COMP UNINS 4AA MULTIPLEX	BLACKBURN	TR 63	N
			BURNDY	YSS4R	Y
			HOMAC		N
			KEARNEY	30011	N
141556	CAPACITOR 100KVAR 7960V	CAPACITOR 100KVAR 7960V CAPACITOR 100 KVAR, 7960 VOLT, SINGLE PHASE, 95KV BIL, SINGLE BUSHING, ALL FILM DIELECTRIC, INSULATING CAPS, DISCHARGE RESISTOR, STAINLESS STEEL CASE, BIODEGRADABLE FLUID. CAPACITOR SHALL ME	ABB POWER T & D CO	1HV5100A13	N
			COOPER POWER SYSTEMS	CEP131B8	Y
			GENERAL ELECTRIC	54L228WC51	N
141598	CLAMP POST-INS 1590AA 69KV	CLAMP POST INS 1590AA 69KV CLAMP, POST INSULATOR, 1590 AA, FOR USE ON 69KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS, WITH LINE GUARD . ALUMINUM BODY AND KEEPER	LAPP INSULATOR CO	98212	N
			MACLEAN POWER SYSTEMS	ACTS-230-SL-1	Y

142067	CONN 1-BOLT PG AL 1/0-8&1/0-8	CONN 1 BOLT PG 1/0-8 & 1/0-8 AL OR CU CONNECTOR, ONE BOLT ALUMINUM PARALLEL GR OOVE, 1/0AR-8 AND 1/0-8CU, WITH HEX HEAD GALVANIZED STEEL BOLT, LOCKWASHER, AND NUT, FILLED WITH OXIDE INHIBITING COMPOUND AND INDIVIDUALLY PACKAGED. THE	BLACKBURN	PAA59-3	N
			HUBBELL		Y
				LC-51-C-XB	N
142174	SPLICE TENSION AUTO 795AA	SPLICE TENSION AUTO AA 795MCM	HUBBELL	GL-1385A	Y
142216	CLAMP POST INS 795AA 69KV ANGL	CLAMP POST INS 795AA 69KV ANGLE CLAMP, POST INSULATOR, ANGLE 795AA FOR USE ON 69KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS. ALUMINUM BODY AND KEEPER, GALVANIZED STEEL HARDWARE.	LAPP INSULATOR CO	80484	Y
			MACLEAN POWER SYSTEMS	ACP-150-SL-1	N
142281	NUMBERS 3" AL 0-9	NUMBERS 3" ALUM 0 THRU 9	PREMAX PRODUCTS	UAR03	Y
142299	LETTERS 3" AL A-Z	LETTERS 3" ALUM-A THRU Z	PREMAX PRODUCTS	UAR03	Y
142300	LETTERS 3" AL A-Z BLK	LETTERS 3" AL A-Z BLK LETTERS 3" AL A-Z BLK, LETTERS 3 INCH ALUMINUM EMBOSSSED, ROMAN TYPEFACE, PAINTED BLACK, A-Z, 0-9, FOR DUCTILE IRON AND STEEL POLES.	PREMAX PRODUCTS	UAR03*-BLK(*= CHARACTER A-Z,0-9)	Y
142471	NAIL GLV 3D	NAIL GLV 3D	NATIONAL PREMAX PRODUCTS	54072	Y
					N
142570	SPLICE TENSION AUTO 4-6CU	SPLICE TENSION AUTO CU 4-6AWG	HUBBELL	GL-150	N
			MACLEAN POWER SYSTEMS	4161	Y
142802	CONN COMP PREINS 6AA MULTIPLEX	CONN COMP PREINS 6AA MULT	BURNDY	ES4W4W	Y
			HOMAC	UBB66	N
142810	CONN COMP UNINS 6AA MULTIPLEX	CONN COMP UNINS 6AA MULTIPLEX	KEARNEY BLACKBURN	58-BLBL TR 61	N
			BURNDY	YSS6RG2	Y
			HOMAC	SNG 66	N
			KEARNEY	30008	N
142828	DEADEND SLACK-SPAN 1/0AR	DEAD END SLACK SPAN 1/0 ACSR	HUBBELL	F61-0365	N
			PREFORMED LINE PRODUCTS	SSDE-9126	Y
142901	CLOSURE CABLE-SPLICE 50PR KIT	CLOSURE CBL SPLICE 50PR KIT Y BRANCH "Y" BRANCH KIT FOR USE ON 50 PAIR COMMUNICATION CABLE SPLICE CLOSURES WHERE 25 AND 50 PAIR CABLES BRANCH OFF FROM MAIN CABLE.	3M	SLIC-3 6X33-BA/SAS	Y
			RELIANCE ELECTRIC	173	N
144618	CLAMP POST-INS 397-795AA 15KV	CLAMP POST INS 397-795AA 15KV ANGLE CLAMP, POST INSULATOR, ANGLE 397-795AA FOR USE ON 15KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS. ALUMINUM BODY AND KEEPER, GALVANIZED STEEL HARDWARE	LAPP INSULATOR CO	80483	Y
			MACLEAN POWER SYSTEMS	ACP-106-SL-1	N
144626	CONN CABLE SHIELD GND C4043	CONN CABLE SHIELD GND C4043	3M COMMUNICATIONS TECHNOLOGY CORP	4460-S C4043	Y
					N

144659	CLAMP POST-INS 4/0-795AA 15KV	CLAMP POST INS 4/0AA-397AA-795AA 15KV CLAMP, POST INSULATOR, 397AA-795AA, FOR USE ON 15KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS, WITHOUT LINE GUARD. ALUMINUM BODY AND KEEPER	HUBBELL	TSC106-ARIV	Y
			LAPP INSULATOR CO	47113	N
			MACLEAN POWER SYSTEMS	ACTS-118-SL1	N
144667	CONN 1-BLT PG AL 4/0-1/0&2/0-6	CONN 1 BOLT PG 4/0-1/0 & 2/0-8 AL&CU CONNECTOR, ONE BOLT ALUMINUM PARALLEL GROOVE, 4/0AA-1/0 & 2/0CU, WITH HEX HEAD GALVANIZED STEEL BOLT, LOCKWASHER, AND NUT, FILLED WITH OXIDE INHIBITING COMPOUND AND INDIVIDUALLY PACKAGED. THE	BLACKBURN	PAA 129-3	Y
144832	GUARD BIRD & SQUIRREL GRAY	GUARD BIRD & SQUIRREL GRAY GUARD, BIRD & SQUIRREL, GRAY COLOR, ONE PIECE, HINGED CONSTRUCTION FOR EASY INSTALLATION OR RETROFIT BETWEEN FIRST & SECOND SKIRTS OF BUSHING, WITH UV INHIBITORS	HUBBELL CENTRAL MALONEY	LC-52-C-XB 70380467	N N
			MACLEAN POWER SYSTEMS	S635	Y
145417	BOLT DOUBLE-ARMING 5/8" X 32"	BOLT DOUBLE ARMING 5/8" X 32	COOPER POWER SYSTEMS	DF2D32	N
			HUBBELL	8879	N
			MACLEAN POWER SYSTEMS	J8879	Y
145474	BOLT DOUBLE-ARMING 5/8" X 36"	BOLT DOUBLE-ARMING 5/8" X 36"	STEEL CITY COOPER POWER SYSTEMS	DF2D36	N N
			MACLEAN POWER SYSTEMS	J8881	Y
145870	LINK DOUBLE 8	LINK DOUBLE 8	STEEL CITY HUBBELL	LK8-30	N N
			MACLEAN POWER SYSTEMS	F8L-30-4.5	Y
146456	INHIBITOR OXIDE AL-AR-CU 8-OZ	INHIBITOR OXIDE AL-AR-CU 8 OZ BOTTLE INHIBITOR, OXIDE, FOR USE ON ALUMINUM TO ALUMINUM OR ALUMINUM TO COPPER SURFACES TO REDUCE THE OXIDATION OF THE METALS AND TO ENHANCE THE ELECTRICAL CONNECTION	BLACKBURN	CONTAX CT-B8	N
			BURNDY	PENATROX A13-8	N
			KEARNEY PENN-UNION	KEARNALEX CUAL-AID #11	N
146514	CONN TERM CU 250-4 2-HOLE	CONN TERM CU 250MCM THRU 4 CA TO 2 HOLE CONNECTOR TERMINAL 250 MCM THRU NO 4 CU CABLE TO 2 HOLE FLAT, 1/2 IN BOLTS, HIGH STRENGTH SILICON BRONZE HARDWARE, S TRAITHT PAD	UTILCO	DE-OX 8	Y
			HOMAC	7M-30-2N	N
146779	FITTING SIDEWALK GUY POLE-PLAT	FITTING SIDEWALK GUY POLE-PLAT	HUBBELL SEFCOR	SWH-025-B FNCT-12-2A	N Y
			COOPER POWER SYSTEMS		N
			HUBBELL	501	N
			MACLEAN POWER SYSTEMS	J1501	Y

147033	CONN TERM CU 500-1/0 2-HOLE	CONN TERM CU 500-1/0 2"	HOMAC HUBBELL PENN-UNION	7M-50-2N SWH-050-B2 RAR-050-HD	N N Y
147314	FITTING SIDEWALK GUY CLAMP-END	FITTING SIDEWALK GUYCLAMP- END	COOPER POWER SYSTEMS HUBBELL MACLEAN POWER SYSTEMS	502 PX33A	N Y
148056	DISC DATING BRONZE 1/16" X 1"	DISC DATING BRONZE 1/16 X1"	PREMAX PRODUCTS	BD1	Y
148072	NAIL POLE DATING 1/4" X 3"	NAIL POLE DATING 1/4 X 3"	PREMAX PRODUCTS	BDN3M	Y
148296	SPLICE TENSION COMP 250CU	SPLICE TENSION COMP CU 250MCM	BURNDY	YDS29-12	Y
148346	CONN TRN-TANK-GND CU	CONN TRANS TANK GROUND CONNECTOR, TRANSFORMER TANK GROUNDING, COPPER ALLOY OR SILICON BRONZE, FOR USE IN CONNECTING GROUND WIRES TO TRANSFORMERS OR STEEL POLES.	BLACKBURN	TTC-2	N
			HUBBELL KEARNEY MACLEAN POWER SYSTEMS	GTCS-21 17546 TG-820	N N Y
148494	SPLICE TENSION AUTO 4AR	SPLICE TENSION AUTO AR 4AWG	PENN-UNION BLACKBURN HUBBELL MACLEAN POWER SYSTEMS	HGSE-C1-SBH ATS4 GL-402A	N N N Y
148692	WASHER SQUARE 2" 9/16" HOLE	WASHER SQUARE 2" 9/16" HOLE	COOPER POWER SYSTEMS HUBBELL HUGHES BROS MACLEAN POWER SYSTEMS	DF2W1 6811 SW2-50 J1073	N N N Y
149419	CONN COMP PREINS 4AA MULTIPLEX	CONN COMP PREINS 4AA MULT	BURNDY	ES2W2W	Y
149476	BOLT CARRIAGE 1/2" X 8"	BOLT CARRIAGE 1/2" X 8"	HOMAC KEARNEY COOPER POWER SYSTEMS MACLEAN POWER SYSTEMS	U1N44 58-OO DF2C8 J8648	N N N Y
149567	CLEVIS STRAIGHT	CLEVIS-CLEVIS, STRAIGHT, DUCTILE IRON BODY, STEEL CLEVIS PINS, HOT DIP GALVANIZED, FOR USE IN ATTACHING HARDWARE TO AN INSULATOR STRING	HUBBELL	CCC-30	N
149716	HOOK DRIVE GLV 7/16" X 4-3/4"	HOOK DRIVE GLV 7/16" X 4-3/4"	MACLEAN POWER SYSTEMS HUBBELL MACLEAN POWER SYSTEMS	CC-55A C205-0190 J3316P	Y N Y
150029	CONN COMP PREINS 2AA MULTIPLEX	CONN COMP PREINS 2AA MULT	BURNDY	ES2R2R	Y
150045	CONN COMP PREINS 1/0AA M-PLEX	CONN COMP PREINS 1/0AA MULT	HOMAC BURNDY HOMAC KEARNEY HUBBELL SEFCOR	U1N22 ES25R25R U1N1010 58-YY TP-D ATP-D	N N Y N N Y
150177	PAD TRANSITION AL TO CU	PAD TRANSITION AL TO CU	BLACKBURN	6H	N
150375	CONN SPLIT-BOLT BRZ 6CU	CONN SPLIT BOLT BRNZ 6AWG CU- CU CONNECTOR, SPLIT BOLT, 6AWG CU-CU HIGH STRENGTH SILICON BRONZE OR COPPER ALLOY, WITHOUT SPACER, FOR USE ON COPPER AND COPPERWELD WIRES.	BURNDY	KS17 KS17-3	N Y

			GREAVES	A-3	N
			KEARNEY	118102	N
			MACLEAN	6F	N
			POWER		
			SYSTEMS		
150391	CONN SPLIT-BOLT BRZ 4CU	CONN SPLIT BOLT BRNZ 4AWG CU-CU CONNECTOR, SPLIT BOLT, 4AWG CU-CU HIGH STRENGTH SILICON BRONZE OR COPPER ALLOY, WITHOUT SPACER, FOR USE ON COPPER AND COPPERWELD WIRES.	PENN-UNION		N
			BLACKBURN		N
			BURNDY	KS20	Y
			GREAVES	A-5	N
			KEARNEY	118104	N
			MACLEAN	4F	N
			POWER		
			SYSTEMS		
150417	CONN SPLIT-BOLT TN CU&AL 2AWG	CONN SPLIT BOLT TINNED 2AWG TINNED CONNECTOR, SPLIT BOLT, 2AWG HIGH STRENGTH SILICON BRONZE OR COPPER ALLOY COMPLETELY TIN PLATED, WITH TIN PLATED SPACER.	PENN-UNION	S-4	N
			BLACKBURN	1-HPS	N
			BURNDY	KSU-23	N
			GREAVES	A-8 SP	N
			HUBBELL	LC52CXB	Y
			KEARNEY	118108-02	N
			MACLEAN		N
			POWER		
			SYSTEMS		
150433	CONN SPLIT-BOLT TN CU&AL 1/0AW	CONN SPLIT BOLT TINNED 1/0AWG AR-CU CONNECTOR, SPLIT BOLT, 1/0AWG AR-CU HIGH STRENGTH SILICON BRONZE OR COPPER ALLOY COMPLETELY TIN PLATED, WITH TIN PLATED SPACER, FOR USE ON COPPER, ALUMINUM, STEEL, OR ACSR WIRES	BLACKBURN	20 HPS	N
			BURNDY	KSU-26	Y
			GREAVES	A-11 SP	N
			KEARNEY	118110-02	N
150573	SPLICE TENSION AUTO 4/0CU	SPLICE TENSION AUTO CU 4/0AWG	HUBBELL	GL-120	N
			MACLEAN	407	Y
			POWER		
			SYSTEMS		
150961	NUT OVAL-EYE 5/8"	NUT OVAL EYE 5/8"	AMERICAN	EN-5	N
			CONNECTOR		
			ENGINEERING		
			COOPER	DG2E3	N
			POWER		
			SYSTEMS		
			MACLEAN	J1092	Y
			POWER		
			SYSTEMS		
150995	CLAMP DEADEND WEDGE 2-6AA	CLAMP DEADEND WEDGE	MACLEAN	7195	Y
			POWER		
			SYSTEMS		
			PENN UNION	WDC-2S	N
			PORCELAIN	1061	N
			PRODUCTS		
			(KNOX)		
			RELIABLE	7195	N
			ELECTRIC		
151415	CONN 1-BOLT STL 3/4-3/8"	CONN 1 BOLT 3/4-3/8"	MACLEAN	744ACL	Y
			POWER		
			SYSTEMS		
151456	WASHER SQUARE 2-1/4" 11/16" HO	WASHER SQUARE 2-1/4" 11/16"	COOPER	DF2W4	N
			POWER		
			SYSTEMS		
			HUBBELL	6813	N
			HUGHES BROS	SW2 1/4-70	N
			MACLEAN		Y
			POWER		
			SYSTEMS		
151498	SCREW LAG GLV 1/2" X 4"	SCREW LAG GLV 1/2" X 4"	COOPER	DF9L4	N
			POWER		
			SYSTEMS		
			HUBBELL	508754	N

			MACLEAN	J8754P	Y
			POWER		
			SYSTEMS		
151506	BOLT CARRIAGE 3/8" X 4"	BOLT CARRIAGE 3/8" X 4"	COOPER	DF1C4	N
			POWER		
			SYSTEMS		
			HUBBELL	8634	N
			MACLEAN	J8634	Y
			POWER		
			SYSTEMS		
151522	BOLT MACH 5/8" X 10" SQ	BOLT MACH 5/8 X 10" SQ BOLT, 5/8 IN. X 10 IN. SQ., MACHINE, GAL VANIZED STEEL COMPLETE WITH SQ. NUT AND IN ACCORDANCE WITH C135.1 0930	COOPER		N
			POWER		
			SYSTEMS		
			HUBBELL	8810	N
			HUGHES BROS	B 610	N
			MACLEAN		Y
			POWER		
			SYSTEMS		
			STEEL CITY		N
151548	BOLT MACH 5/8" X 12" SQ	BOLT MACH 5/8 X 12" SQ	COOPER	DF3B12	N
			POWER		
			SYSTEMS		
			HUBBELL	8812	N
			HUGHES BROS	B 612	N
			MACLEAN	J8812	Y
			POWER		
			SYSTEMS		
			STEEL CITY		N
151563	BOLT MACH 5/8" X 14" SQ	BOLT MACH 5/8 X 14" SQ	COOPER	DF3B14	N
			POWER		
			SYSTEMS		
			HUBBELL	8814	N
			HUGHES BROS	B 614	N
			MACLEAN	J8814	Y
			POWER		
			SYSTEMS		
			STEEL CITY		N
151589	BOLT MACH 5/8" X 16" SQ	BOLT MACH 5/8 X 16" SQ	COOPER	DF3B16	N
			POWER		
			SYSTEMS		
			HUBBELL	8816	N
			HUGHES BROS	B 616	N
			MACLEAN	J8816	Y
			POWER		
			SYSTEMS		
			STEEL CITY		N
151605	BOLT OVAL-EYE 5/8" X 12"	BOLT OVAL EYE 5/8" X 12"	COOPER	DF2E12	N
			POWER		
			SYSTEMS		
			HUBBELL	29962	N
			HUGHES BROS	2724.6126	N
			MACLEAN	J9412	Y
			POWER		
			SYSTEMS		
151621	BOLT OVAL-EYE 5/8" X 14"	BOLT OVAL EYE 5/8" X 14"	CHANCE A B CO	29964	N
			COOPER	DF2E14	N
			POWER		
			SYSTEMS		
			HUBBELL	29964	N
			HUGHES BROS	2724.6146	N
			MACLEAN	J9414	Y
			POWER		
			SYSTEMS		
151639	BOLT OVAL-EYE 5/8" X 16"	BOLT OVAL EYE 5/8" X 16"	COOPER	DF2E16	N
			POWER		
			SYSTEMS		
			HUBBELL	29966	N
			HUGHES BROS	2724.6166	N
			MACLEAN	J9416	Y
			POWER		
			SYSTEMS		
151696	CLAMP HOTLINE 1/0AR-CU	CLAMP HOTLINE 1/0AR-CU CLAMP, HOT LINE, ALUMINUM TO COPPER 1/0A R-CU. THE CLAMP SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR RANGE. RUN 0.743IN TO 0.136IN, TAP 0.531IN TO 0.125IN.	HUBBELL	AH-4-GP	N

			MACLEAN POWER SYSTEMS	#C1530AP	Y
151894	CLAMP STRAIN BOLTED 4/0-6CU	CLAMP STRAIN BOLTED CU 4/0-6	AMERICAN CONNECTOR ENGINEERING	1530AP FUD-58	N N
			HUBBELL	DDC-55-N	N
			MACLEAN POWER SYSTEMS	FUD-58N	Y
151902	BOLT MACH 5/8" X 26" SQ	BOLT MACH 5/8 X 26" SQ	COOPER POWER SYSTEMS	DF3B26	N
			MACLEAN POWER SYSTEMS	J8876	Y
151936	BOLT OVAL-EYE 5/8" X 10"	BOLT OVAL EYE 5/8" X 10"	STEEL CITY COOPER POWER SYSTEMS		N N
			HUBBELL	29960	N
			HUGHES BROS	2724.6106	N
			MACLEAN POWER SYSTEMS	J9410	Y
151951	CLAMP HOTLINE CU-TO-CU	CLAMP HOTLINE CU-CU CLAMP, HOTLINE, COPPER TO COPPER, RUN 0. 743 TO 0.136 IN., TAP 0.531 IN TO 0.109 IN. THE CLAMP SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR RANGE.	HUBBELL	BH-4	N
			MACLEAN POWER SYSTEMS	C1530	Y
151969	BOLT DOUBLE-ARMING 5/8" X 26"	BOLT DOUBLE ARMING 5/8" X 26	PENN-UNION COOPER POWER SYSTEMS	HLC-040 DF2D26	N N
			HUBBELL	8876	N
			MACLEAN POWER SYSTEMS	J8876	Y
151977	BOLT DOUBLE-ARMING 5/8" X 28"	BOLT DOUBLE ARMING 5/8" X 28	STEEL CITY COOPER POWER SYSTEMS	DF2D28	N N
			HUBBELL	8877	N
			MACLEAN POWER SYSTEMS	J8877	Y
151993	PIN 15KV 6" 6-1/2" X 5/8" SHK	PIN 15KV 6" 6-1/2X5/8 SHK	STEEL CITY COOPER POWER SYSTEMS	DP2S33	N N
			HUBBELL	883	N
			MACLEAN POWER SYSTEMS	J626Z	Y
152009	BOLT MACH 5/8" X 18" SQ	BOLT MACH 5/8 X 18" SQ	COOPER POWER SYSTEMS	DF3B18	N
			HUBBELL	8818	N
			HUGHES BROS	B 618	N
			MACLEAN POWER SYSTEMS	J8818	Y
152017	BOLT MACH 5/8" X 20" SQ	BOLT MACH 5/8 X 20" SQ BOLT, 5/8 IN. X 20 IN. SQ., MACHINE, GAL VANIZED STEEL, COMPLETE WITH SQ. NUT AND IN ACCORDANCE WITH ANSI STANDARD C13 5.1	STEEL CITY COOPER POWER SYSTEMS	DF3B20	N N
			HUBBELL	8820	N
			HUGHES BROS	B 620	N
			MACLEAN POWER SYSTEMS	J8820	Y
			STEEL CITY		N

152025	BOLT DOUBLE-ARMING 5/8" X 24"	BOLT DOUBLE ARMING 5/8" X 24	COOPER POWER SYSTEMS		N
			HUBBELL	8874	N
			HUGHES BROS	BB 624	N
			MACLEAN	J8874	Y
			POWER SYSTEMS STEEL CITY		N
152033	BOLT DOUBLE-ARMING 5/8" X 22"	BOLT DOUBLE ARMING 5/8" X 22	COOPER	DF2D22	N
			POWER SYSTEMS		
			HUBBELL	8872	N
			HUGHES BROS	BB 622	N
			MACLEAN	J8872	Y
			POWER SYSTEMS STEEL CITY		N
152058	BOLT DOUBLE-ARMING 5/8" X 18"	BOLT DOUBLE ARMING 5/8" X 18	COOPER	DF2D18	N
			POWER SYSTEMS		
			HUBBELL	8868	N
			HUGHES BROS	BB 618	N
			MACLEAN	J8868	Y
			POWER SYSTEMS STEEL CITY		N
152066	BOLT OVAL-EYE 5/8" X 18"	BOLT OVAL EYE 5/8" X 18"	COOPER	DF2E18	N
			POWER SYSTEMS		
			HUBBELL	29968	N
			HUGHES BROS	2724.6186	N
			MACLEAN	J9418	Y
			POWER SYSTEMS		
152132	BOLT MACH 5/8" X 22" SQ	BOLT MACH 5/8 X 22" SQ	COOPER		N
			POWER SYSTEMS		
			HUBBELL	8822	N
			MACLEAN	J8822	Y
			POWER SYSTEMS STEEL CITY		N
152157	CLAMP STRAIN BOLTED 250CU	CLAMP STRAIN BOLTED CU 250MCM	AMERICAN CONNECTOR ENGINEERING	FSD-75	N
			HUBBELL	BSD-68-N	N
			MACLEAN	FQD-68-3	Y
			POWER SYSTEMS		
152173	BOLT DOUBLE-ARMING 5/8" X 14"	BOLT DOUBLE ARMING 5/8" X 14	COOPER	DF2D14	N
			POWER SYSTEMS		
			HUBBELL	8864	N
			HUGHES BROS	BB 614	N
			MACLEAN	J8864	Y
			POWER SYSTEMS STEEL CITY		N
152231	BRACE CROSSARM FLAT 28"	BRACE CROSSARM FLAT 28"	HUBBELL	7128	N
			HUGHES BROS	2809.5	N
			MACLEAN	J7128	Y
			POWER SYSTEMS		
152272	BOLT SPOOL UPSET 5/8" X 12"	BOLT SPOOL UPSET 5/8" X 12"	HUBBELL	7743	N
			MACLEAN	J2346-1/2	Y
			POWER SYSTEMS		
152355	BOLT MACH 5/8" X 24" SQ	BOLT MACH 5/8 X 24" SQ	COOPER	DF3B24	N
			POWER SYSTEMS		
			HUBBELL	8824	N
			HUGHES BROS	B 624	N
			MACLEAN	J8824	Y
			POWER SYSTEMS STEEL CITY		N
152371	PIN 15KV 6" SMALL ANGLE	PIN 15KV 6" SMALL ANGLE	HUBBELL	8779	N
			MACLEAN	PA400Z	Y
			POWER SYSTEMS		

152397	BOLT DOUBLE-ARMING 5/8" X 20"	BOLT DOUBLE ARMING 5/8" X 20	COOPER POWER SYSTEMS	DF2D20	N
			HUBBELL	8870	N
			HUGHES BROS	BB 620	N
			MACLEAN	J8870	Y
			POWER SYSTEMS		
			STEEL CITY		N
154526	CONN SPLIT BOLT BRNZ 8AWG CU-C	CONN SPLIT BOLT BRNZ 8AWG CU-C	BLACKBURN	8H	N
			BURNDY	KS15	N
			GREAVES	A-2	N
			KEARNEY	118101	N
			MACLEAN	8F	N
			POWER SYSTEMS		
			PENN-UNION		N
				S-8	Y
156331	SCREW LAG GLV 3/8" X 3"	SCREW LAG GLV 3/8" X 3"	COOPER POWER SYSTEMS	DF13L3	N
			HUBBELL	508743	N
			MACLEAN	J8743P	Y
			POWER SYSTEMS		
157107	BOLT MACH 1/2" X 4" SQ	BOLT MACH 1/2" X 4" SQ	COOPER POWER SYSTEMS	DF2B4	N
			HUGHES BROS	B 54	N
			MACLEAN	J8704	Y
			POWER SYSTEMS		
			STEEL CITY		N
157123	BOLT STAINLESS 1/2" X 1"	BOLT STAINLESS 1/2" X 1" BOLT, 1/2 IN DIAMETER X 1 IN, HEX HEAD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO	ATLAS BOLT		Y
158030	BOLT MACH 1/2" X 1-1/2" SQ	BOLT MACH 1/2" X 1-1/2" SQ BOLTS, 1/2 IN. X 1-1/2 IN. HEX., MACHINE , GALVANIZ->ED STEEL, COMPLETE WITH HEX NUT IN ACCORDANCE WITH ANSI STANDARD C13 5.1	COOPER POWER SYSTEMS	DF2B150	Y
			HUBBELL	8701.5	N
			HUGHES BROS	B 51 1/2	N
			MACLEAN	J8701 1/2	N
			POWER SYSTEMS		
			STEEL CITY		N
159533	BOLT MACH 5/8" X 8" SQ	BOLT MACH 5/8 X 8" SQ	COOPER POWER SYSTEMS	DF3B8	N
			HUBBELL	8808	N
			HUGHES BROS	B 68	N
			MACLEAN	J8808	Y
			POWER SYSTEMS		
			STEEL CITY		N
161398	SCREW HOOK EYE 3/8" X 3-1/2"	SCREW HOOKEYE 3/8" X 3 1/2"	HUBBELL	8777	Y
161919	BOLT STAINLESS 1/2" X 3/4"	BOLT STAINLESS 1/2" X 3/4" BOLT, 1/2 IN DIAMETER X 3/4 IN, HEX HEAD , STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO	ATLAS BOLT		Y
161927	WASHER LOCK STAINLESS 1/2"	WASHER LOCK STAINLESS 1/2"	ATLAS BOLT		Y
161943	STRAP GND DISTR TRN 276 w/HOLE	STRAP GROUND DIST TRANS 276	HOMAC SOUTHERN STATES INC	FB11-NE 7-3/4 8111588	N Y

162691	MARKER VINYL SNAP	MARKER VINYL SNAP ER MARKER, VINYL SNAP AROUND FOR FIBER OPTIC CABLE. WITH U.V. PROTECTION FOR USE IN OVERHEAD & UNDERGROUND INSTALLATIONS. PART#U7050BLW-CLR-KUB U1100 MATERIAL 7"X 8"BLUE ON WHITE BACKGROUND.	ALMETEK INDUSTRIES, INC.			N
			SETON NAME			N
			PLATE			
			COMPANY			
			UTICOM			Y
			SYSTEMS INC			
			WILLIAM FRICK & CO.			N
164046	COVER FOR 1-BOLT PG 4/0AL CONN	COVER FOR 1 BOLT PG AL CONN 4/	HUBBELL	PTC-52		Y
164798	MARKER OH-LINE 24" WHITE	LINE MARKER 24" DIA WHITE	P R INDUSTRIES	MODEL 24		N
			TANA WIRE	TWM-24-XL		Y
			MARKER			
164806	MARKER OH-LINE 24" YELLOW	LINE MARKER 24" DIA YELLOW	P R INDUSTRIES	MODEL 24		N
			TANA WIRE	TWM-24-XL		Y
			MARKER			
164897	ANCHOR PWR SCREW 8" 1500LB	ANCHOR PWR SCREW 8" 1500LB	MACLEAN POWER SYSTEMS	TDH250-84		Y
164905	ANCHOR PWR SCREW 12" 1500LB	ANCHOR PWR SCREW 12" 1500LB	HUBBELL	C102-5002		N
			MACLEAN POWER SYSTEMS	TDH250-114		Y
164921	ANCHOR PWR SCREW 8" STD	ANCHOR PWR SCREW 8" STD	MACLEAN POWER SYSTEMS	D184		Y
164954	ANCHOR PWR SCREW 2-10" HX	ANCHOR PWR SCREW 2-10" HX	MACLEAN POWER SYSTEMS	D2104		Y
165449	HANGER SPACER CABLE 15KV	HANGER SPACER CABLE 15KV	HENDRIX	H-15D/RT-33 TIES		Y
165662	CONN COMP UNINS 1/0AA M-PLEX	CONN COMP UNINS 1/0AA MULT	BLACKBURN BURNDY	TR 65		N
			HOMAC	YDS25AT		Y
			KEARNEY	SNG 00		N
165886	MARKER OH-LINE 20" ORANGE	LINE MARKER 20" DIA ORANGE	TANA WIRE	30013		N
			MARKER	TWM-20		Y
166090	HOOK GUY DEAD END COMB 5/8""EY	HOOK GUY DEAD END COMB 5/8"EYE	MACLEAN POWER SYSTEMS	MGS345		Y
166132	SCREW LAG GLV 5/16" X 2"	SCREW LAG GLV 5/16 X 2"	COOPER POWER SYSTEMS	DF2L2		N
			MACLEAN POWER SYSTEMS	J8732		Y
166355	WASHER BEVEL SQ 1-1/2"" 11/16"	WASHER BEVEL SQ 1-1/2" 11/16" HOLE WASHER, BEVEL, SQUARE 1 1/2 INCH, GALVAN IZED WITH 11/16 DIA. HOLE, FOR USE IN LEVELING SUBSTATION SWI TCHES.	MACLEAN POWER SYSTEMS	J 6821		Y
166959	JUMPER TERM AA COMP 795MCM 2 H	JUMPER TERM AA COMP 795MCM 2 H	BURNDY	YCA391A-2N		Y
167502	BLOCK TERM STRIP TYPE BK-4	BLOCK TERM STRIP TYPE BK-4 TERMINAL BLOCK, STRIP TYPE WITH INSULATE D HOUSING, 7.5 MM WIDTH, ACCOMMODATING UP TO 12 AWG WIRE (PHOENIX-CONTACT TYPE BK-4)	PHOENIX-CONTACT	08 01 01 8		Y
167551	MOUNT EQUIP AL 3PH FOR TRN	MOUNT EQUIP AL THREE PHASE FOR SWITCHES	ALUMA FORM INC.	R3CSA-48-GJB-A		Y
167973	CAPACITOR 100KVAR 13280V	CAPACITOR 100 KVAR 13280V	ABB POWER T & D CO	1N03100A27		N
			COOPER POWER SYSTEMS	CEP138B2		Y
			GENERAL ELECTRIC	54L230RC		N
167981	CAPACITOR 200KVAR 13.8KV&95KV	CAPACITOR 200 KVAR 13.8KV 95KV	ABB POWER T & D CO	1N05200A29		N

			COOPER POWER SYSTEMS	CEP140B12	Y
			GENERAL ELECTRIC	58L133RC52	N
168088	SPLICE TENSION COMP 397AR	SPLICE TENSION COMP AR 397MCM	BURNDY	YDS34R	Y
168104	DEADEND-BODY 397AR SGL- TONGUE	DEADEND BODY 397AR SING TONGUE	BURNDY	YTW34R	Y
168112	JUMPER TERM COMP 397AR	JUMPER TERM AR COMP 397MCM	BURNDY	YCA35R-2N	Y
168120	SPLICE LOOP 397AR	SPLICE LOOP AR 397MCM	BURNDY	YCS35R1	Y
168138	FTG-CLEVIS END 397AR DE BODY	FTG-CLEVIS END 397AR DE BODY	BURNDY	YTW34RC	Y
168146	SLEEVE REPAIR 1/0AR	SLEEVE REPAIR AR 1/0AWG	BURNDY	YCU25R	Y
168153	SLEEVE REPAIR 397AR	SLEEVE REPAIR AR 397MCM	BURNDY	YOU35R	Y
168179	TAP TEE COMP 397AR 2-HOLE PAD	TAP TEE COMP AR 397 2 HOL PAD	BURNDY	YTA 361R-2N	Y
168260	Y-CLEVIS-EYE 90-DEG	Y-CLEVIS EYE 90-DEG	CONTINENTAL ELECTRIC	YCE 90	N
			HUBBELL	YCS-12-90	N
			MACLEAN	RYCE-65-625	Y
			POWER SYSTEMS		
168542	CONN BOLTED-WEDGE AL 795-397	CONN WEDGE TYPE ALUM 795-397	CONNECTOR PRODUCTS, INC	795920	Y
168546	CONN BOLTED-WEDGE AL 795-250	CPI BOLTED WEDGE CONNECTORS 795AAC/ACSR MAIN CONDUCTOR TO 250MCM CU. ALUMINUM ALLOY	CONNECTOR PRODUCTS, INC	795050	Y
168559	CONN BOLTED-WEDGE AL 397-4/0	CONN WEDGE TYPE ALUM 397-4/0	CONNECTOR PRODUCTS, INC	336012	Y
168567	CONN BOLTED-WEDGE AL 795-4/0	CONN WEDGE TYPE ALUM 795-4/0	CONNECTOR PRODUCTS, INC	795218	Y
168570	CONN BOLTED WEDGE STIRRUP	CPI BOLTED WEDGE STIRRUP CONNECTOR FOR 795AA MAIN CONDUCTOR WITH 4/0 BAIL. ALUMINUM ALLOY	CONNECTOR PRODUCTS, INC	795405	Y
168575	RODS TAP PROTECTION 1/0AR	RODS TAP PROTECTION AR 1/0	PREFORMED LINE PRODUCTS	TAP-0183	Y
168583	RODS TAP PROTECTION 4/0AA	RODS TAP PROTECTION AA 4/0	PREFORMED LINE PRODUCTS	TAP-0188	Y
168591	RODS TAP PROTECTION 397AA	RODS TAP PROTECTION AA 397	PREFORMED LINE PRODUCTS	TAP-0195	Y
168609	RODS TAP PROTECTION 795AA	RODS TAP PROTECTION AA 795	PREFORMED LINE PRODUCTS	TAP-MS-9767	Y
168617	STRAPPING 2"W X .055"X 260'	STRAPPING 2"W X .055"X 260' RL STRAPPING, 260'ROLL X 2"WIDE X .055"MIN. THICKNESS,MIN. STRENGTH 10,000 LBS. HEAVY DUTY GALVANIZED, FOR USE IN BANDIN G STEEL POLE SPLINTS.	OSMOSE WOOD PRESERVATIVE S,INC.		Y
168880	GUY WIRE DISPENSER	GUY WIRE DISPENSER	PREFORMED LINE PRODUCTS	SGD-0700	Y
169722	PLATE STEEL GLV 5-1/4" X 8"	PLATE STEEL GLV 5-1/4 X8" 24GA PLATE,STEEL,GALVANIZED,24 GAGE,5 1/4 IN. BY 8 IN. ALL EDGES SHALL BE DE-BURRED AND CORNERS SHALL BE ROUND WITH 1/4 IN. RADIUS.			
169946	COVER FOR 1 BOLT PG AL CONN 1/	COVER FOR 1 BOLT PG AL CONN 1/	HUBBELL	PTC-51	Y
170001	CLAMP DEADEND WEDGE 1/0AA	CLAMP DEADEND WEDGE 1/0AA	MACLEAN POWER SYSTEMS	7187	Y
			PENN UNION	WDC-10S	N
			PORCELAIN PRODUCTS (KNOX)	1062	N
170183	CLAMP SUSPENSION 795AA	CLAMP SUSPEN 795 MCM AA	AMERICAN CONNECTOR ENGINEERING	ALS-182-S-KUB	N
			HUBBELL		N
			MACLEAN	LS-8-S	Y
			POWER SYSTEMS		

170373	CLAMP DEADEND WEDGE 4/0AA	CLAMP DEADEND WEDGE 4/0AA	MACLEAN POWER SYSTEMS	7197	Y
170376	CLAMP DEADEND WEDGE 6 FIBER	CLAMP, DEADEND WEDGE, ALUMINUM, 0.200" MAX, HEIGHT AND 0.410' MAX WIDTH. FOR 6 FIBER SINGLE MODE.	THOMAS & BETTS	23-44444	Y
171232	GRADE 8 HEX HEAD BOLT	GRADE 8 HEX HEAD BOLT 7/8" - 9 X 2 3/4			
171512	GUARD LINE PREFORMED 795AA	LINE GUARD PF AA 795MCM ALG541	HELICAL	AL-G541	N
171611	GROUND PLATE 30" X 60"	GROUND PLATE 30" X 60" DWG C- 3555 GROUND, PLATE, 30 X 60 IN. IN ACCORDANCE WITH KUB DWG. C- 3555 PLAN B. GRIND & SMOOTH 2" +/- X 4" +/- AREA, DRI LL 9/16" HOLES, PAINT ALL SURFACES W/ 1 COAT ZINC DICHORMATE & 1 COAT ALUMI	RYAN STEEL	MG-0154	Y Y
171629	GUARD LINE PREFORMED 4/0AA	LINE GUARD PF AA 4/0AWG	HELICAL PREFORMED LINE PRODUCTS	ALG527 MG-0140	N Y
172353	GUARD LINE PREFORMED 397AA	LINE GUARD PF AA 397MCM	HELICAL HUBBELL PREFORMED LINE PRODUCTS	ALG534 MG-0147	Y N N
172882	DEADEND GUY PREFORMED 7/16"	DEADEND GUY PREFORMED 7/16"	HELICAL HUBBELL PREFORMED LINE PRODUCTS	HG 211 7/16 F50-0437 GDE-1108	N N Y
172890	DEADEND GUY PREFORMED 3/8"	DEADEND GUY PREFORMED 3/8"	HELICAL HUBBELL PREFORMED LINE PRODUCTS	HG 210 3/8 GDE-1107	N N Y
173286	ROD GROUND 5/8" X 8"	ROD GROUND 5/8" X 8' ROD, GROUND, COPPERWELD OR COPPER-BOND 5/8 IN DIAMETER X 8 FT. MUST MEET OR EXCEED REQUIREMENTS OF UL 467(ANSI C33.8).	BLACKBURN	6258	N
174268	BRACKET CORNER SWING 3/4" BOL	BRACKET CORNER SWING 3/4" BOLT	GALVAN INDUSTRIES MACLEAN POWER SYSTEMS	6258 J6195	Y Y
174334	ANCHOR ROCK WEDGE W 30" ROD	ANCHOR ROCK WEDGE W 30" ROD	HUBBELL	R-330	N
174425	BAYONET OGW 1/4"X2"X2"X66"	BAYONET OGW 1/4X2X2X66"	MACLEAN POWER SYSTEMS HUBBELL	J3437 5566	Y Y
174458	RACK CAPACITOR POLE MTG	RACK CAPACITOR POLE MTNG 3 UNITS ER RACK, CAPACITOR FOR DIRECT POLE MOUNTING FOR 3-200 KVAR, 7960 VOLT UNITS WITH 15.62 INCH MOUNTING CENTERS. RACK SHALL BE STRUCTURAL ALUMINUM OR GALVANIZED STEEL, UNASSEMBLED.	HUGHES BROS ABB POWER T & D CO	AS2613-F3 791C644G04	N N
174581	DEADEND GUY PREFORMED 1/4"	DEADEND GUY PREFORMED 1/4"	ALUMA FORM INC. GENERAL ELECTRIC HUBBELL HELICAL PREFORMED LINE PRODUCTS	CR-3/4 39F83G1 HG 207 1/4 GDE-1104	Y N N Y

174771	ANCHOR EXPANDING 10"	ANCHOR EXPANDING 10" ANCHOR,10" EXPANDING TYPE, SHALL BE COAT ED WITH BLACK ASPHALTIC PAINT TO RETARD RUST AND CORROSION. A NUT RETAINER SHALL BE ATTACHED TO THE BOTTOM OF THE ANCHOR PLATE SUITABLE FOR ACCEPTING THE	COOPER POWER SYSTEMS	DA6E1	N
			HUBBELL MACLEAN POWER SYSTEMS	1082	Y N
175000	BRACE ALLEY-ARM 15KV 60"	BRACE ALLEY ARM 15KV 60"	COOPER POWER SYSTEMS	DB1A2	N
			HUBBELL MACLEAN POWER SYSTEMS	6979 J1522	N Y
175265 175299	PLATE DOUBLE ARM 1/2""X4""X22" GUARD LINE PREFORMED 4AR	PLATE DOUBLE ARM 1/2""X4""X22" LINE GUARD PF AR 4AWG	HUGHES BROS HELICAL PREFORMED LINE PRODUCTS	AS2349-E2 ALG614 MG-0310	Y Y N
175653	ROD ANCHOR 1" X 8' 3-EYE	ROD ANCHOR 1" X 8' TRIPLE EYE	COOPER POWER SYSTEMS	DA2T8	N
			HUBBELL MACLEAN POWER SYSTEMS	7568 J7338	N Y
177543	BRACE SIDE-ARM 69KV 42"	BRACE SIDE ARM 69KV 42"	HUBBELL MACLEAN POWER SYSTEMS	6999 J1442	Y N
177725	POLE FBGL 5' EXTENSION	POLE FBGL 5' EXTENSION	HIGHLINE PRODUCTS CORP.	HL-44	Y
177881	YOKE STRAIN 13"-16" SPACING GL	YOKE STRAIN 13"-16" SPACING	MACLEAN POWER SYSTEMS	BT 8511	Y
179770	GUARD GUY PLASTIC YELLOW 8'	GUARD GUY PLAS YELLOW 8' GUY GUARD, PLASTIC, YELLOW COLOR, FULL ROUND, 8 FOOT LONG, SUITABLE FOR INSTALLATION ON EITHER 3/8 INCH OR 7/16 INCH GUY STRAND	CUSTOM PLASTICS, INC.	CPUGGSH	N
			ELECTRICAL MATERIALS CO	70-7Y	N
			HUBBELL MACLEAN POWER SYSTEMS	96-FRPM-YEL J1493Y	N N
			PLASTIGAGE (HEATHERLITE) PREFORMED LINE PRODUCTS		N
			R & M PLASTICS, INC.	RMYGG-SM-8	N
			VIRGINIA PLASTICS CO.	TG-137-1BC-8Y	N
180521	DEADEND GUY PREFORMED 5/16"	DEADEND GUY PREFORMED 5/16"	HELICAL PREFORMED LINE PRODUCTS	HG 209 5/16 GDE-1106	N Y
181008	BOLT CARRIAGE 3/8" X 8"	BOLT CARRIAGE 3/8" X 8"	COOPER POWER SYSTEMS	DF1C8	N
			MACLEAN POWER SYSTEMS	J8638	Y
181024	SPLICE TENSION AUTO 266AR	SPLICE TENSION AUTO AR 266MCM	HUBBELL		Y
181461	DEADEND SLACK-SPAN 4/0AA	DEAD END SLACK SPAN 4/0AA	HUBBELL PREFORMED LINE PRODUCTS	F61-0517 SSDE-9129	N Y
181545	CONN CABLE 19-19CU	CONN CABLE 19-19AWG CU	3M	UG	Y

181552	WASHER BELLEVILLE SS 1/2"	WASHER BELLEVILLE S/S 1/2" WASHER, BELLEVILLE, NON- MAGNETIC, AISI 3 01 STAINLESS STEEL, TO BE USED IN A BOLTED ELECTRICAL BUS CONNECTION TORQUED TO NEMA STANDARDS. NOMINAL DIMENSIONS: O.D.=1.06", I.D.=.531", THICKNESS=.109".	ATLAS BOLT		Y
			BELL FASTENERS		N
			BURNDY		N
			PENN UNION		N
182352	NUT LOCK 2" GALV	NUT LOCK 2"	CANTEX CO		N
			CARLON		N
			PICOMA		N
			INDUSTRIES		
			STEEL CITY	LN106	Y
182354	NUT LOCK 2-1/2 GALV	NUT LOCK 2-1/2 GALV LN-107			
182741	SPLICE GUY AUTO 3/8"	SPLICE GUY AUTOMATIC 3/8"	MACLEAN POWER SYSTEMS	5042	Y
182758	SPLICE GUY AUTO 7/16"	SPLICE GUY AUTOMATIC 7/16"	MACLEAN POWER SYSTEMS	5043	Y
184085	PIN TRN LEAD ADAPTER	PIN TRANSFORMER LEAD ADAPTER. DUCTILE IRON, HOT DIP GALVANIZED. 1" INSULATOR THREAD (LEAD). FOR ANSI STANDARD PIN TYPE INSULATORS. TURNS ONTO THE END OF A 5/8" BOLT.	MACLEAN POWER SYSTEMS	J2480	Y
184192	DEADEND GUY AUTO 3/8"	DEADEND AUTO GUY 3/8"	MACLEAN POWER SYSTEMS	5202	Y
184218	CLAMP STRAIN BOLTED FOR CU	STRAIN CLAMP	HUBBELL MACLEAN POWER SYSTEMS	MDE46N	N Y
184226	SPLICE TENSION AUTO 250CU	SPLICE TENSION AUTO FOR 250MCM	FARGO	GL121	N
184242	DEADEND SLACK-SPAN 4AR	DEAD END SLACK SPAN 4AR	HUBBELL HUBBELL PREFORMED LINE PRODUCTS	F61-0229 SSDE-9122	Y N Y
184259	CONN BOLTED-WEDGE AL 795-795	CONN WEDGE TYPE ALUM 795-795	CONNECTOR PRODUCTS, INC	795594	Y
184267	DEADEND GUY AUTO 7/16"	DEADEND AUTO GUY 7/16"	MACLEAN POWER SYSTEMS	5203	Y
184440	TRUSS C-SHAPE FOR 30-50' POLES	TRUSS GALV "C" 30-50' POLE Osmose 75-020-001-120			
184457	TRUSS C-SHAPE FOR 50-75' POLES	TRUSS GALV "C" 50-75' POLE Osmose 75-020-001-160			
184689	CLAMP STRAIN BOLT SPRG 2-4/0AA	CLAMP STRAIN BOLTED SPRING #2-	HUBBELL	ADEZ-57-N	N
			MACLEAN POWER SYSTEMS	HDSO-57	Y
184697	CLAMP STRAIN BLT SPG 397-795AA	CLAMP STRAIN BOLTED SPRING 397	HUBBELL	ADEZ-116-N	N
			MACLEAN POWER SYSTEMS	HDSO116	Y
185041	NUT LOCK 1" GALV	NUT LOCK 1 INCH	ATLAS BOLT		Y
185702	MARKER WRAP "COMMUNICATION" E	MARKER WRAP "COMMUNICATION" ER 8" X 7" CABLE WRAP WITH LOGO MARKED COMMUNICATIONS. UV PROTECTED COLOR SHALL BE ORANGE WITH BLACK LETTERS AND DESIGNED ACCORDING TO KUB DR	UTICOM SYSTEMS INC	U8070C-KUB	Y
185876	DEADEND GUY AUTO LNG-BAIL 3/8"	DEADEND AUTO LONG-BAIL 3/8"	MACLEAN POWER SYSTEMS	5202L	Y
185884	DEADEND GUY AUTO LG-BAIL 7/16"	DEADEND AUTO LONG-BAIL 7/16"	MACLEAN POWER SYSTEMS	5203L	Y

185892	SPLICE GUY AUTO 1/4"	SPLICE GUY AUTOMATIC 1/4	MACLEAN POWER SYSTEMS	5000	Y
185900	DEADEND GUY AUTO 1/4"	DEADEND AUTO GUY 1/4	MACLEAN POWER SYSTEMS	5100	Y
186031	ADAPTER TRN SPADE L	ADAPTER, TRANSFORMER SPADE "L"	HOMAC	TSC4-12	Y
186049	ADAPTER, TRANSFORMER SPADE "ST"	ADAPTER, TRANSFORMER SPADE "ST"	HOMAC	TSC-12	Y
186098	ADAPTER TRN SPADE 1304	ADAPTER, TRANS SPADE 1304	SEFCOR	FA-1304	Y
186106	ADAPTER TRN SPADE 1647	ADAPTER, TRANS SPADE 1647	SEFCOR	FA-1647	Y
186361	CONNECTOR 3/4" FOR 1/0-4/0 ACS	CONNECTOR 3/4" FOR 1/0-4/0 ACS	BURNDY	NDR6444T16W	Y
187096	SWITCH HANGER BRACKET	SWITCH HANGER BRACKET	HUBBELL MACLEAN POWER SYSTEMS	C2060283 J24712	N Y
187112	TIE CABLE EXTRA HEAVY DUTY 48"	TIE CABLE EXTRA HEAVY DUTY 48" LONG BLACK ZIP TIES FOR SECURING LOCK OUT TAG ON UTILITY POLES--PER SAFETY TEAM-- 3M CABLE TIES PART NUMBER 53187 STOCKING REQUIREMENT - 5 UNITS	GARDNER BENDER	46-448UVB	Y
			SCOTCH 3M CO.	53187	N
187138	CONNECTOR BOLTED WEDGE 3/8" TO	BOLTED WEDGE CONNECTOR 3/8" TO 3/8"	CONNECTOR PRODUCTS, INC	336718	Y
187146	CONNECTOR BOLTED WEDGE 4/0 TO	CONNECTOR BOLTED WEDGE 4/0 TO 4/0	CONNECTOR PRODUCTS, INC	264115	Y
187153	CONNECTOR BOLTED WEDGE 1/0 TO	CONNECTOR BOLTED WEDGE 1/0 TO 1/0	CONNECTOR PRODUCTS, INC	210106	Y
187898	CONN 1-BOLT PG CU 2/0-8 & 2/0-	CONN 1-BOLT PG CU 2/0-8 & 2/0-8 CONNECTOR, UPLATED BRONZE, 1- BOLT PARALLEL-GROOVE TYPE, WITH EITHER GROOVE TO ACCOMODATE #2/0- STRANDED (MAX.) TO #8AWG-SOLID (MIN) COPPER OR COPPERWELD BARE WIRE.	BLACKBURN	K3	Y
188904	TOPPER POLE DISTR 12" MASTIC	TOPPER POLE WOOD DISTRIBUTION 12" BUTYL-MASTIC NON-HAZARDOUS UV-PROTECTED NON-SHRINK	HUBBELL OSMOSE WOOD PRESERVATIVE S,INC.	ST4-TP 70-110-020-012	N Y
188912	TOPPER POLE TRANS 16" MASTIC	TOPPER POLE WOOD TRANSMISSION 16" BUTYL-MASTIC NON-HAZARDOUS UV-PROTECTED NON-SHRINK	OSMOSE WOOD PRESERVATIVE S,INC.	70-110-020-016	Y
188946	CONN WEDGE 1590MCM AAC TAP	CONNECTOR WEDGE 1590MCM AAC TAP C-PROD 159159	CONNECTOR PRODUCTS, INC	159159	Y
189050	GUARD SQUIRREL ELECTROSTATIC	GUARD SQUIRREL ELECTROSTATIC 10" RED ONE-PIECE POLYMER "ZAPSHIELD" FOR HOTSTICK INSTALLATION ON DISTRIBUTION TRANSFORMER BUSHING	RAUCKMAN UTILITY PRODUCTS	W-1525R	Y
189274	GROUND PLATE TYPE GP #2-#18	GROUND PLATE, TYPE GP, COPPER POLE FOR WIRE RANGE #2 SOL.- #18 STR. ELECTROLYTIC SHEET COPPER	THOMAS & BETTS	GP100	Y
189316	TAP TEE WEDGE 1590 4-HOLE PAD	TAP TEE WEDGE 1590 4-HOLE PAD	CONNECTOR PRODUCTS, INC	723009	Y
189324	CROSSARM PHASE FITTING	CROSSARM PHASE FITTING FOR 4" X 6" CROSSARM, 13/16" CENTER HOLE, GALVANIZED PER ASTM 153, 5/8" X 4" BENT BOLT INCLUDED, HUGHES BROTHERS SPECIAL ORDER	HUGHES BROS	B2351.1M	Y
189332	TAP TEE WEDGE 1590 2-HOLE PAD	TAP TEE WEDGE 1590 2-HOLE PAD	CONNECTOR PRODUCTS, INC	723009-1	Y
189431	RIVNUT DUCTILE POLE 1/2"	RIVNUT, DUCTILE POLE, 1/2"-13 UNC THREAD, YELLOW TIN ZINC COATING, STEEL, 0.2-0.35 INCH GRIP, OPEN END	ATLAS BOLT		Y

189449	RIVNUT, STEEL POLE, 1/2"	RIVNUT, STEEL POLE, 1/2" -13 UNC THREAD, YELLOW TIN ZINC COATING, STEEL, 0.063-0.2 INCH GRIP, OPEN END	ATLAS BOLT		Y
			AVK INDUSTRIAL ENFASCO	ALS9-813-200	N
189456	HOOK GUY DE COMBO 5/8" EYE NO	HOOK GUY DEADEND COMBO 5/8" EYE NO SPURS WITHOUT TEETH OR SPURS FOR DI POLES	MACLEAN POWER SYSTEMS	AELS8-813-200 MGA345N	N Y
189571	GROUNDING TERM 2-WAY BRONZE	GROUNDING TERM 2-WAY BRONZE	PENN-UNION	HGSE-020-SBH- L1	Y
189605	CONNECTOR WEDGE 4/0 -2 HOLE	CONNECTOR WEDGE 4/0 -2 HOLE	CONNECTOR PRODUCTS, INC	723004-1	Y
189639	BOLT OVAL-EYE 5/8" X 8"	BOLT OVAL-EYE 5/8" X 8", GALVANIZED STEEL, 5/8-11 INC THREAD, 2W/SQUARE NUT, RATED 13550+LV TENSILE STRENGTH, ANSI C135.4	MACLEAN POWER SYSTEMS	J9408	Y
189670	CONN BOLTED-WEDGE AL 1590-795	CONN BOLTED-WEDGE AL 1590-795	CONNECTOR PRODUCTS, INC	159795	Y
189704	BOLT DOUBLE-ARMING 3/4" X 22"	BOLT DOUBLE-ARMING 3/4" X 22"	MACLEAN POWER SYSTEMS	J8892	Y
189712	BOLT DOUBLE-ARMING 3/4" X 24"	BOLT DOUBLE-ARMING 3/4" X 24"	MACLEAN POWER SYSTEMS	J8894	Y
189720	BOLT DOUBLE-ARMING 3/4" X 26"	BOLT DOUBLE-ARMING 3/4" X 26"	MACLEAN POWER SYSTEMS	J8896	Y
189738	BOLT DOUBLE-ARMING 3/4" X 28"	BOLT DOUBLE-ARMING 3/4" X 28"	MACLEAN POWER SYSTEMS	J8897	Y
189746	BOLT DOUBLE-ARMING 3/4" X 32"	BOLT DOUBLE-ARMING 3/4" X 32"	MACLEAN POWER SYSTEMS	J8899	Y
189753	BOLT DOUBLE-ARMING 3/4" X 36"	BOLT DOUBLE-ARMING 3/4" X 36"	MACLEAN POWER SYSTEMS	J9004	Y
189761	OPGW SUSPENSION CLAMP	OPGW SUSPENSION CLAMP	PREFORMED LINE PRODUCTS	4300117	Y
189779	OPGW CUSHION CLAMP	OPGW CUSHION CLAMP	PREFORMED LINE PRODUCTS	4700109	Y
189780	ADSS DEADEND 6F	ADSS DEADEND WRAP FOR 6- FIBER SINGLE MODE FLAT ADSS; CABLE RANGE - 0.371"W X 0.380" THICK	PREFORMED LINE PRODUCTS	CAT# 288811353	Y
189782	ADSS DUAL TANGENT 6F	ADSS TANGENT SUPPORT FOR DUAL 7-FIBER SINGLE MODE FLAT ADSS; CABLE RANGE - 0.371"W X 0.380" THICK FOR EACH INSERT	PREFORMED LINE PRODUCTS	CAT#480011820	Y
189784	ADSS TANGENT 6F	ADSS TANGENT SUPPORT FOR 6- FIBER SINGLE MODE FLAT ADSS; CABLE RAGNE - 0.371"W X 0.380" THICK.	PREFORMED LINE PRODUCTS	CAT# 6126013	Y
189787	ADSS DEADEND ASSEMBLY	ADSS DEADEND ASSEMBLY	PREFORMED LINE PRODUCTS	2872010C1E1	Y
189793	FIBERLIGN CLASS (CENTER-LOCK A	FIBERLIGN CLASS (CENTER-LOCK ARIAL SLACK) STORAGE	PREFORMED LINE PRODUCTS	710012375-D1-U- T1	Y
189795	OPGW CABLE STORAGE ASSEMBLY	OPGW CABLE STORAGE ASSEMBLY	PREFORMED LINE PRODUCTS	8003569	Y
189803	OPGW COYOTE DOME ENCLOSURE	OPGW COYOTE DOME ENCLOSURE	PREFORMED LINE PRODUCTS	800012145	Y
189811	OPGW COYOTE DOME MOUNT KIT	OPGW COYOTE DOME MOUNT KIT	PREFORMED LINE PRODUCTS	8003702	Y
189829	ADSS ALUMINUM SUPPORT	ADSS ALUMINUM SUPPORT	PREFORMED LINE PRODUCTS	4450104	Y
189837	OPGW DE BOND WIRE	OPGW DE BOND WIRE	PREFORMED LINE PRODUCTS	710010016	Y
189845	OPGW DEADEND ASSEMBLY	OPGW DEADEND ASSEMBLY	AFL GLOBAL	ODEC630/639G 10	Y

			PREFORMED LINE PRODUCTS	2801315	N
189852	OPGW DOWNLEAD CLAMP	OPGW DOWNLEAD CLAMP	PREFORMED LINE PRODUCTS	8003269	Y
189860	OPGW SPLICE TRAY	OPGW SPLICE TRAY	PREFORMED LINE PRODUCTS	LGSTS72	Y
189894	WASHER 1/2" HILLSIDE	WASHERS 1/2" HILLSIDE	ATLAS BOLT		Y
189902	WASHER 5/8" HILLSIDE	WASHERS 5/8" HILLSIDE	ATLAS BOLT		Y
190132	BUS INSULATING TAPE 2"	BUS INSULATING TAPE 2 INCH	TE CONNECTIVITY	HVBT-2-R	Y
190140	BUS INSULATING TUBING 1"	BUS INSULATING TUBING 1 INCH	TE CONNECTIVITY	BPTM-30/12-A/U	Y
190157	BUS INSULATING TAPE 4"	BUS INSULATING TAPE 4 INCH	TE CONNECTIVITY	HVBT-4-R	Y
190163	BUS INSULATING TUBING 1-1/2" B	BUS INSULATING TUBING FOR BUS BAR 1-1/2" TO 3/4" DIAMETER OR SMALLER. HEAT SHRINKABLE, TRACK RESISTANT, UV STABLE, MEDIUM WALL THICKNESS.	TE CONNECTIVITY	BPTM-50/20-A/U	Y
190165	BUS INSULATING TUBING 2"	BUS INSULATING TUBING 2 INCH	TE CONNECTIVITY	BPTM-75/30-A/U	Y
190173	BUS INSULATING TUBING 3"	BUS INSULATING TUBING 3 INCH	TE CONNECTIVITY	BPTM-100/40-A/U	Y
190181	BUS INSULATING TUBING 4"	BUS INSULATING TUBING 4 INCH	TE CONNECTIVITY	BPTM-175/70-A/U	Y
190223	BUS INSULATOR SQUIRREL GUARD	BUS INSULATOR SQUIRREL GUARD	TE CONNECTIVITY	BISG-24 (BISG-60/115-02)	Y
190306	ARMOR RODS 795AAC	ARMOR RODS 795AAC	HELICAL	AAR-542	Y
190330	CONN SWAGE BUTT 250 CU-250 CU	CONN SWAGE BUTT 250 CU-250 CU, DMC POWER CAT# GC720B025-025	DMC POWER INC.	GC720B025-025	Y
190348	CONN SWAGE BUTT 250 CU-2/0 CU	CONN SWAGE BUTT 250 CU-2/0 CU, DMC POWER CAT# GC720B002-025	DMC POWER INC.	GC720B002-025	Y
190355	CONN SWAGE BUTT 250 CU-2 CU	CONN SWAGE BUTT 250 CU-2 CU, DMC POWER CAT# GC720B02G-025	DMC POWER INC.	GC720B02G-025	Y
190363	CONN SWAGE BUTT 2/0 CU-2/0 CU	CONN SWAGE BUTT 2/0 CU-2/0 CU, DMC POWER CAT# GC720B002-002	DMC POWER INC.	GC720B002-002	Y
190371	CONN SWAGE BUTT 2/0 - 2 CU	CONN SWAGE BUTT 2/0 - 2 CU, DMC POWER CAT# GC720B02G-002	DMC POWER INC.	GC720B02G-002	Y
190389	CONN SWAGE OFFSET 250-250 CU	CONN SWAGE OFFSET 250-250 CU, DMC POWER CAT# GC759B025-025	DMC POWER INC.	GC759B025-025	Y
190397	CONN SWAGE OFFSET 250-2/0 CU	CONN SWAGE OFFSET 250-2/0 CU, DMC POWER CAT# GC759B025-002	DMC POWER INC.	GC759B025-002	Y
190405	CONN SWAGE OFFSET 2/0-2/0 CU	CONN SWAGE OFFSET 2/0-2/0 CU, DMC POWER CAT# GC759B002-002	DMC POWER INC.	GC759B002-002	Y
190413	CONN SWAGE TERM 250 CU 2 HOLE	CONN SWAGE TERM 250 CU 2 HOLE, DMC POWER CAT# GC920B025T	DMC POWER INC.	GC920B025T	Y
190421	CONN SWAGE TERM 2/0 CU 2 HOLE	CONN SWAGE TERM 2/0 CU 2 HOLE, DMC POWER CAT# GC920B002T	DMC POWER INC.	GC920B002T	Y
190439	CONN SWAGE 250 TO 5/8" CU ROD	CONN SWAGE 250 TO 5/8" CU ROD, DMC POWER CAT# GC743B025-562	DMC POWER INC.	GC743B025-562	Y
190447	CONN SWAGE 2/0 TO 5/8" CU ROD	CONN SWAGE 2/0 TO 5/8" CU ROD, DMC POWER CAT# GC743B002-562	DMC POWER INC.	GC743B002-562	Y
190488	ANCHOR ROCK WEDGE W 53" ROD	ANCHOR ROCK WEDGE W 53" ROD	MACLEAN POWER SYSTEMS	JR153L	Y
190496	ANCHOR ROCK WEDGE W 72" ROD	ANCHOR ROCK WEDGE W 72" ROD	MACLEAN POWER SYSTEMS	JR172L	Y
190504	ANCHOR ROCK WEDGE W 96" ROD	ANCHOR ROCK WEDGE W 96" ROD	MACLEAN POWER SYSTEMS	JR196L	Y
190538	DEADEND GUY PREFORMED 9/16"	DEADEND GUY PREFORMED 9/16"	MACLEAN POWER SYSTEMS	DE-S2116	Y
190553	ANCHOR PWR SCREW 14" 15000 LB	ANCHOR PWR SCREW 14" 15000 LB HTAX 250 100	EARTH CONTACT PRODUCTS	HTAX-250-100(14)	Y

190561	CONN SWAGE SPLIT PARALLEL 250-	CONN SWAGE SPLIT PARALLEL 250-250 CU, DMC POWER CAT# GC721B025-025	DMC POWER INC.	GC721B025-025	Y
190579	CONN SWAGE BUTT 2CU-2CU	CONN SWAGE BUTT 2CU-2CU	DMC POWER INC.	GC720BL02G-02G	Y
190595	FIBER SPLICE SLEEVE 40 MM	FIBER SPLICE SLEEVE 40 MM, SPLICE TECH CAT# FSS-SC40			
190603	BRACKET CLUSTER MTG 3PH BANK	BRACKET CLUSTER MTG 3PH BANK	HUBBELL	C11MW24L	Y
			MACLEAN POWER SYSTEMS	GD-M11MW-24-L	N
190645	NUMBERS 3" AL 0-9 BLACK	NUMBERS 3" AL 0-9 BLACK NUMBERS , 3" ALUMINUM EMBOSSED , ROMAN TYPEFACE PAINTED BLACK, CHARACTERS 0-9, FOR STEEL AND DI POLES.	PREMAX PRODUCTS	CAT #UAR03*-BLK(*=CHARACTERS 0-9)	Y
190686	CONN SWAGE TERM 19#10 2 HOLE	CONN SWAGE TERM 19#10 2 HOLE	DMC POWER INC.	GC920B004T	Y
190694	CONN SWAGE TAP 250CU-19#10	CONN SWAGE TAP 250CU-19#10	DMC POWER INC.	GC759B025-004	Y
190702	CONN SWAGE TAP 2/0CU-19#10	CONN SWAGE TAP 2/0CU-19#10	DMC POWER INC.	GC759B002-004	Y
190710	ADSS DOWNLEAD CLAMP	ADSS DOWNLEAD CLAMP FIBERLIGN DOWNLEAD CUSHION FOR ADSS. CABLE DIAMETER RANGE 0.657"-0.750". PLP CAT # 8003044	PREFORMED LINE PRODUCTS	8003044	Y
190728	CONN SWAGE 19#10 TO 5/8" ROD	CONN SWAGE 19#10 TO 5/8" ROD	DMC POWER INC.	GC743B004-562	Y
190959	CLAMP POST-INS 1-4/0 15KV	CLAMP POST-INS 1-4/0 15KV CLAMP FOR POST AND STANDOFF INSULATORS TO SUPPORT WIRE SIZES 1 TO 4/0 ACSR	MACLEAN POWER SYSTEMS	ACTS-084-SL1	Y
190967	ANCHOR SQUARE SHAFT EXTENTION	ANCHOR SQUARE SHAFT EXTENTION, 3.5 FT LONG, 5500 LB INSTALLATION TORQUE RATING, 55,000 LB TENSION RATING.	MACLEAN POWER SYSTEMS	D6616U	Y
190975	ANCHOR SQUARE SHAFT LEAD	ANCHOR SQUARE SHAFT LEAD, 10" AND 12" HELIX, 5500 LB INSTALLATION TORQUE RATING, 55,000 LB TENSION RATING.	MACLEAN POWER SYSTEMS	D6634	Y
190983	ANCHOR SQUARE DOUBLE EYE GUY	ANCHOR SQUARE DOUBLE EYE GUY ATTACHMENT 100,000 LB TENSIN RATING.	MACLEAN POWER SYSTEMS	D6604US	Y
198713	CONN PAD TAP AL 397AA TO 2	CONN PAD TAP AL 397AA TO 2 HOLE PAD CONNECTOR, AL, 397MCAA WIRE TO 2 HOLE F LAT NEMA PAD, WEDGE TYPE CLAMPING ACTION WITH SHEAR NUT ON THE DRIVE SCREW , FACTORY APPLIED INHIBITOR.	CONNECTOR PRODUCTS, INC	723005-1	Y
198715	CONN 4 HOLE PAD 1/0-4/0 AAC (.	CONN 4 HOLE PAD 1/0-4/0 AAC (.292"-.414") TAP SHEAR BOLT CONNECTOR FOR RAVEN & OXLIP CPI PART# 723003	CONNECTOR PRODUCTS, INC	723003	Y
198717	CONN 4 HOLE PAD 336.4 ACSR 26/7-636 AAC (.720"-.018")	CONN 4 HOLE PAD 336.4 ACSR 26/7-636 AAC TAP SHEAR BOLT CONNECTOR FOR CANNA CPI PART# 723005 (.720"-.018")			
198721	CONN PAD TAP AL 795AA TO 2	CONN PAD TAP AL 795AA TO 2 HOLE PAD CONNECTOR, AL, 795MCM AA TO 2 HOLE FLAT NEMA PAD, WEDGE TYPE CLAMPING ACTION WITH SHEAR NUT ON THE DRIVE SCREW, FACTO RY INSTALLED INHIBITOR.	CONNECTOR PRODUCTS, INC	723006-1	Y
198739	CONN PAD TAP AL 795AA TO 4	CONN PAD TAP AL 795AA TO 4 HOLE PAD CONNECTOR, AL, 795MCM AA TO 4 HOLE FLAT NEMA PAD, WEDGE TYPE CLAMPING ACTION WITH SHEAR NUT ON THE DRIVE SCREW, FACTO RY APPLIED INHIBITOR.	CONNECTOR PRODUCTS, INC	723006	Y
201383	BOLT MJ 3/4" X 3 1/2" ANTI-ROT	BOLT MJ 3/4" X 3 1/2" ANTI-ROTATION	HD SUPPLY	21AMB10735NR	N
			SIGMA CORPORATION	ATB35	Y

210781	BOLT MACH 5/8X 3" SILICON-BRON	BOLT MACH 5/8X 3" SILICON-BRONZE SILICON BRONZE BOLTS WITHOUT NUTS SHALL BE AMERICAN STANDARD REGULAR WITH STANDARD THREADS. BOLT MATERIAL SHALL BE DURONZE PMG OR APPROVED EQUAL MATERIAL & BE OF THE FINISHED TYPE	ALBANY FASTENERS		N
			H M HARPER CO		N
			KNOXVILLE BOLT & SCREW CO		N
			SUNPACK OF PENSECOLA		Y
210799	NUT HEX SILICON-BRONZE 5/8"	NUT SILICON-BRONZE 5/8" HEX HEXAGON NUTS, SILICON BRONZE, SHALL BE O F THE FINISHED TYPE MADE OF DURONZE, PMG OR APPROVED EQUAL MATERIAL & SHALL H AVE AMERICAN STANDARD THREADS.	ALBANY FASTENERS		N
			BUY		Y
			WHOLESALE		
			H M HARPER CO		N
			KNOXVILLE BOLT & SCREW CO		N

INSULATORS

100649	INSULATOR DEADEND 25-35KV POLY	INSULATOR DEADEND 25-35KV POLY	HUBBELL	4010250215	N
			K-LINE INSULATORS LIMITED	KL-35	N
			MACLEAN POWER SYSTEMS	DS28M	Y
			SALISBURY, W H & CO		N
124420	BOLT STUD 7/8-7/8 X2" 2" LIN	BOLT STUD 7/8-7/8 X2" 2" LINE	HUBBELL	87583-2000	N
			LAPP INSULATOR CO	10361	Y
140046	INSULATOR HORZ POST 35KV	INSULATOR HORZ POST 35KV CL-TOP NR INSULATOR, HORIZONTAL LINE POST, CLAMP TOP, FOR 35KV APPLICATION, 2800 LB. CANTILEVER STRENGTH, GRAY GLAZE, ALUMINUM CLAMP-TOP YOKE, WITHOUT SHORT STUD BOLT	LAPP INSULATOR CO	4635-70	Y
			NEWELL PORCELAIN CO	48623	N
140079	BRACKET HORZ POST 2" INS	BRACKET HORZ POST 2" INS 15-35 KV BRACKET, HORIZONTAL POST INSULATOR, 2 IN POLE CLEARANCE, FOR USE WITH 2800 POUND CANTILEVER RATED INSULATOR, G ALVANIZED.	MACLEAN POWER SYSTEMS	HIB-625	Y
140111	INSULATOR HORZ LINE POST 15KV	INSULATOR HORZ LINE POST 15KV CL-TOP INSULATOR, HORIZONTAL LINE POST, CLAMP TOP, FOR 15KV APPLICATION, 2800 LB. CANTILEVER STRENGTH, GRAY GLAZE, ALUMINUM CLAMP-TOP YOKE, WITHOUT SHORT STUD BOLT	LAPP INSULATOR CO	4625-70	Y
			NEWELL PORCELAIN CO	48661	N
			VICTOR INSULATORS	62253	N
140129	BOLT STUD 3/4"-3/4" X 2" LINE	BOLT STUD 3/4-3/4 X2" LINE	LAPP INSULATOR CO	301614	Y

142711	INSULATOR STATION POST 161KV 5	INSULATOR, STATION POST TYPE, 161 KV, 750 KV BIL, ANSI TECHNICAL REFERENCE NUMBER 291, 5 IN DIAMETER BOLT CIRCLE MOUNTING, ANSI 70 SKY GRAY WET-PROCESS PORCELAIN OR TOUGHENED GLASS IN ACCORDANCE WITH KUB SPECIFICATION E03-160.	LAPP INSULATOR CO	J-315291G-70	Y
			LOCKE INSULATORS	PS07510	N
			NEWELL PORCELAIN CO	47803	N
			PORCELAIN PRODUCTS (KNOX)	115874	N
			VICTOR INSULATORS	1792	N
150904	WIREHOLDER SCREW PORCELAIN	WIREHOLDER SCREW PORCELAIN -	COOPER POWER SYSTEMS	DW2R9	N
			HUBBELL MACLEAN	3/11/1944 J089ZG	N Y
			POWER SYSTEMS PORCELAIN PRODUCTS (KNOX)	1986	N
151886	BRACKET TRN LEAD C-CLAMP	BRACKET TRANS LEAD C CLAMP	COOPER POWER SYSTEMS	DT4M14	N
			HUBBELL MACLEAN	9113S J6765A	N Y
152322	CLEVIS SECONDARY W/O INSULATOR	CLEVIS SECONDARY W/O INSULATOR	POWER SYSTEMS		N
			HUBBELL MACLEAN	340 J0342	N Y
164012	INSULATOR DEADEND 161KV	INSULATOR DEADEND 161KV ER POLYMER INSULATOR, SUSPENSION TYPE, 161KV, WITH FIBERGLASS ROD, POLYMER WEATHER SHED MATERIAL, 25,000 LB SPECIFIED MECHANICAL LOAD, 12,500 LB ROUTINE TEST LOAD, Y-CLEVIS/BALL END FITTINGS, MEETING OR E	HUBBELL	511010-1201	N
			MACLEAN POWER SYSTEMS	YB120XF053	Y
164509	INSULATOR DEADEND 69KV	INSULATOR DEADEND 69KV POLYMER INSULATOR, SUSPENSION TYPE, 69KV, WITH FIBERGLASS ROD, POLYMER WEATHER SHED MATERIAL 25,000 LB SPECIFIED MECHANICAL LOAD, 12,500 LB ROUTINE TEST LOAD, Y-CLEVIS/BALL END FITTINGS, MEETING OR EXCEEDING ANSI	HUBBELL	511005-1201	N
			MACLEAN POWER SYSTEMS	S148041MX01	Y
167486	INSULATOR SW POST 15KV 8"	INSULATOR SW POST 15KV 8" (CHANCE SW) INSULATOR, SWITCH POST, 15KV, 8IN HIGH PORCELAIN, WITH 2 1/4IN BOLT CIRCLE FOR USE AS REPLACEMENT INSULATORS ON A.B.CHANCE CO. 15KV, 600A. DISCONNECT SWITCH NO. CM 31506110-H.	LAPP INSULATOR CO	J-99845-70	Y

167494	INSULATOR SW POST 15KV 6-3/4"	INSULATOR SW POST 15KV 6-3/4" (S&C SW) INSULATOR, SWITCH POST, 15KV, 6 3/4IN HIGH PORCELAIN, WITH 2 1/4IN BOLT CIRCLE FOR USE AS REPLACEMENT INSULATORS ON S&C ELEC CO. 15KV, 600A. DISC. SW. NO. 4922R9-D1 OR S&C ELEC CO. 15KV, 900A. DIS	LAPP INSULATOR CO	J-99846-A70	Y
168229	INSULATOR POST 69KV EYE END 1.	INSULATOR POST 69KV EYE END 1.75" ROD INSULATOR, HORIZONTAL LINE POST, FOR 69K V APPLICATION, ONE HOLE BLADE END FITTING, 1.75IN (45MM) MIN. DIA. FIBERGLASS ROD, 1100LBS. MIN CANTILEVER STRENGTH, POS CRITICAL FLASHOVER MIN 350	HUBBELL	402069-0900	N
168633	INSULATOR POST 69KV EYE END 2.	INSULATOR POST 69KV EYE END 2.50" ROD INSULATOR, HORIZONTAL LINE POST, FOR 69K V APPLICATION, TWO HOLE EYE END FITTING, 2.50IN.(64MM) MIN. DIA. FIBERGLASS ROD. EPR WATERSHEDS, 2600LBS. MIN. CANTILEVER STRENGTH, GREY COLOR, PO	HUBBELL	522005-1002	N
169439	INSULATOR POST 161KV EYE-END	INSULATOR POST 161KV EYE END	MACLEAN POWER SYSTEMS	NPTG20XGO17 S0	Y
169953	BRACKET SERV-MAST 3/C 4-1/2"	BRACKET SERV MAST 3- 41/2"	HUBBELL	522010-1002	N
171785	INSULATOR STATION POST 15KV 3"	INSULATOR, STATION POST TYPE, 15 KV, 110 KV BIL, ANSI TECHNICAL REFERENCE NUMBER 205, 3 IN DIAMETER BOLT CIRCLE MOUNTING, ANSI 70 SKY GRAY WET-PROCESS PORCELAIN OR TOUGHENED GLASS IN ACCORDANCE WITH KUB SPECIFICATION E03-160.	MACLEAN POWER SYSTEMS	NBSG30XH038S 0	Y
171793	INSULATOR STATION POST 69KV 3"	INSULATOR, STATION POST TYPE, 69 KV, 350 KV BIL, ANSI TECHNICAL REFERENCE NUMBER 216, 3 IN DIAMETER BOLT CIRCLE MOUNTING, ANSI 70 SKY GRAY WET-PROCESS PORCELAIN OR TOUGHENED GLASS IN ACCORDANCE WITH KUB SPECIFICATION E03-160.	HUBBELL LAPP INSULATOR CO	C2070145 J-315205-70	N
			LOCKE INSULATORS	PS01110	Y
			NEWELL PORCELAIN CO	231002	N
			PORCELAIN PRODUCTS (KNOX)	115951	N
			VICTOR INSULATORS	1751	N
			LAPP INSULATOR CO	J-315216-70	N
			LOCKE INSULATORS	PS03510	N
			NEWELL PORCELAIN CO	231006	N
			PORCELAIN PRODUCTS (KNOX)	231006-7001 115945	Y N
			VICTOR INSULATORS	1755	N

174201	INSULATOR FBGL STRAIN 54"	INSULATOR FGLS STRAIN 54" CLV-CLV/ROL INSULATOR, FIBERGLASS STRAIN, 54" INSULATING LENGTH, 15,000 LB. MIN. BREAKING STRENGTH, CLEVIS-CLEVIS FITTINGS WITH ON E ROLLER, GALVANIZED.	HUBBELL	GS16054CC1	N
			MACLEAN POWER SYSTEMS PREFORMED LINE PRODUCTS	GCC15-54R	Y
			HUBBELL	FCC1554R	N
177147	BRACKET SERV-MAST 2-1/2"	BRACKET SERV MAST 2-1/2"	HUBBELL	C206-0169	N
			MACLEAN POWER SYSTEMS	J0590	Y
177873	INSULATOR SUSP 10" TRAN	INSULATOR SUSP 10" TRANS B&S 52-3 ERM INSULATOR, SUSPENSION TYPE, 10 INCH DISC . WITH BALL AND SOCKET HARDWARE, GRAY GLAZE, IN CONFORMANCE WITH ANSI CLASS 52 -3 REQUIREMENTS.	LAPP INSULATOR CO	8200-70	Y
			LOCKE INSULATORS		N
			MACLEAN POWER SYSTEMS	N-8R2	N
			PORCELAIN PRODUCTS (KNOX)	81022	N
			PREFORMED LINE PRODUCTS	DDI 5230HD	N
178822	BRACKET HORZ POST 2" INS 69KV	BRACKET HORZ 2" POST INS 69KV BRACKET, HORIZONTAL POST INSULATOR, 2 IN POLE CLEARANCE, FOR USE WITH 2800 POUND CANTILEVER RATED INSULATOR, G ALVANIZED			
178970	INSULATOR VERT LINE POST TIE	INSULATOR VERT LINE POST TIE 23KV TIE TP INSULATOR, VERTICAL LINE POST, TIE TOP, FOR 23KV APPLICATION, 2800 LB. CANTILEVER STRENGTH, WITHOUT SHORT STUD BOLT.	LAPP INSULATOR CO	9325X-70	N
			NEWELL PORCELAIN CO	37610	Y
179168	INSULATOR FBGL STRAIN 12"	INSULATOR FGLS STRAIN 12" CLV-EYE INSULATOR, FIBERGLASS STRAIN, 12" INSULATING LENGTH, 15,000 LB., MIN., BREAKING STRENGTH, CLEVIS-EYE FITTINGS, GALVANIZE D.	HUBBELL	APF-112CE	N
				CGS16012CE	N
			HUGHES BROS MACLEAN POWER SYSTEMS	150-12CE	N
			PLASTIGAGE (HEATHERLITE)	HSL2-12	N
			PREFORMED LINE PRODUCTS	FCE1512	Y
179192	BRACKET VERT POST INS POLETOP	BRACKET VERT POST INS POLETOP	HUBBELL		N
			LAPP INSULATOR CO	304043	Y
			MACLEAN POWER SYSTEMS	P526	N
179200	BASE GLV POST INS OB 87741	BASE GLV POST INSUL OB 87741	HUBBELL	1XAB	N
			LAPP INSULATOR CO	20175	Y

179820	INSULATOR VERT LINE POST CLAMP	INSULATOR VERT LINE POST CLAMP 23KV CLAMP TOP INSULATOR, VERTICAL LINE POST, CLAMP TOP FOR 23KV APPLICATION, 2800 LB. CANTILEVER STRENGTH, ALUMINUM CLAMP-TOP YOKE, WITHOUT SHORT STUD BOLT	LAPP INSULATOR CO	4225-70	N
			NEWELL PORCELAIN CO	43920	Y
180133	INSULATOR HORZ LINE POST 69KV	INSULATOR HORZ LINE POST 69KV CL-TOP INSULATOR, HORIZONTAL LINE POST, FOR 69K V APPLICATION, CLAMP END FITTING, 1.75 IN (45 MM) MIN DIAMETER FIBERGLASS ROD, EPR OR SILICONE RUBBER WATERSHEDS, 1100 LB MIN CANTILEVER STRENGTH, GREY COLOR,	HUBBELL	402069-0100	N
			MACLEAN POWER SYSTEMS	PLPK17-SIL-GB-12	Y
180299	INSULATOR STATION POST 69KV 5"	INSULATOR, STATION POST TYPE, 69 KV, 350 KV BIL, ANSI TECHNICAL REFERENCE NUMBER 278, 5 IN DIAMETER BOLT CIRCLE MOUNTING, ANSI 70 SKY GRAY WET-PROCESS PORCELAIN OR TOUGHENED GLASS IN ACCORDANCE WITH KUB SPECIFICATION E03-160.	LAPP INSULATOR CO	J-315278-70	N
			LOCKE INSULATORS	PH03510	N
			NEWELL PORCELAIN CO	41530	Y
			PORCELAIN PRODUCTS (KNOX)	115872	N
			VICTOR INSULATORS	1765	N
186060	INSULATOR POST 115KV	INSULATOR POST 115KV EYE END 2.50" ROD INSULATOR, HORIZONTAL LINE POST, FOR 115 KV APPLICATION, TWO HOLE EYE END FITTING, 2.50 IN (64MM) MIN. DIAMETER FIBERGLASS ROD, EPR WATERSHEDS, 2600 LBS. MIN.	HUBBELL	522006-1002	N
			MACLEAN POWER SYSTEMS	H29010031MXS S016	Y
186062	HPS LINE POST INSULATOR 35 KV	HPS LINE POST INSULATOR 35 KV	HUBBELL	#234220 & 522008 & 511010 & AS-50	N
188573	INSULATOR BRACE-POST ASSY 115K	INSULATOR, POLYMER BRACED POST, 115KV, COMPLETE ASSEMBLY CONSISTING OF HORIZONTAL LINE POST INSULATOR WITH GAIN BASE & 2-HOLE BLADE (DROP TONGUR) END FITTING (APPROX. 53.7" HORZ.), AND SUPENSION INSULATOR WITH EYE FITTING ON EACH END (APPROX. 72.8"			
			MACLEAN POWER SYSTEMS	#B291054XL99B	Y
188581	INS PED POST 69KV 3" BC RPL C&	INSULATOR, PEDESTAL POST, 69KV, 3" BOLT-CIRCLE, PORCELAIN, TO REPLACE CAP & PIN TYPE, TECHNICAL REFERENCE #TR16, 29" HEIGHT, 1500 LB CANTELEVER, 12000 LB TENSION, 1500 LB TORSIONK 25000 LB COMPRESSION, 350 KV BIL, MEETS ANSI STANDARD C29.9	LAPP INSULATOR CO	#317016-70	N
			LOCKE INSULATORS	#SB03513	N
			VICTOR INSULATORS	#1589	Y

188599	INS PED POST 69KV 5" BC RPL C&	INSULATOR, PEDESTAL POST, 69KV, 5" BOLT -CIRCLE, PORCELAIN, TO REPLACE CAP & PIN-TYPE, TECHNICAL REFERENCE #TR56, 29" HEIGHT, 3000 LB CANTELEVER, 20000 LB TENSION, 40000 LB TORSION, 60000 LB COMPRESSION, 350 KV BIL, MEETS ANSI STANDARD C29.9	LAPP INSULATOR CO	#317056-70	N
			LOCKE INSULATORS VICTOR INSULATORS	#SS03513 #1590	N Y
189613	INS PED POST 15KV 3" BC RPL C&	INSULATOR POST TYPE, 15KV, 110KV BIL, ANSI TR4, 3"BC, GREY, IN ACCORDANCE WITH KUB SPECIFICATION E03-882	LAPP INSULATOR CO		N
			VICTOR INSULATORS	1544	Y
190108	INSULATOR POLY SECONDARY SPOOL	INSULATOR POLY SECONDARY SPOOL	HENDRIX	HPI-53-2	Y
190116	INSULATOR PIN-TYPE POLY 13 KV	INSULATOR PIN-TYPE POLY 13 KV	HENDRIX	HP1-55-4	Y
190587	INSULATOR FBGL 54" EHS	INSULATOR FBGL 54" EHS, 36000 LB MIN ULTIMATE STRENGTH, CLEVIS-CLEVIS WITH ONE ROLLER, GAVLANIZED.			

SWITCHES & ARRESTERS

140186	SWITCH 69KV STA LAT VERT 3000A	SWITCH, 69KV, 3000A, 3PST, FOR VERTICAL MOUNTING ON 24FT TRUSS SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-6983 WITH MECHANISM IN "POSITION 1", AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-172 AND E03-160, AS WELL AS, KUB DRAWING A-5059.	HUBBELL		Y
			SOUTHERN STATES INC TURNER ELECTRIC CO.		N N
140202	SWITCH 69KV STA LAT HORZ 3000A	SWITCH, 69KV, 3000A, 3PST, FOR HORIZONTAL UPRIGHT MOUNTING ON TRUSS AT THE 36FT LEVEL OF STEEL SUBSTATION STR AS SHOWN ON KUB DWGD-3094 WITH MECHANISM IN " POSITION CD", AND IN ACCORDANCE WITH SPEC'S F02-172 AND E03-160, AS WELL AS, DWG A-5059	HUBBELL	10 LH IO 17258327	Y
140517	ARRESTER 10KV M/O GAPLESS RISE	ARRESTER 10KV M/O GAPLESS RISER POLE ARRESTER,SURGE,10KV,ZINC OXIDE,GAPLESS,FOR RISER POLE APPLICATIONS.W/PLASTIC OR SYNTHETIC RUBBER BIRD GUARD FOR LINE LEAD TERMINAL, AND A GROUND LEAD DISCONNECT. ARRESTER BODY MAY BE EITHER PORC	COOPER POWER SYSTEMS	AZR501B10R	N
			GENERAL ELECTRIC HUBBELL	218609-7314 PVR	N N
			MACLEAN POWER SYSTEMS	ZRP010- 0000100	Y
140962	BLADE SOLID 15KV 300A STD	BLADE SOLID 15KV 300A STD	COOPER POWER SYSTEMS	LDC300A	Y
			HUBBELL S & C ELECTRIC CO	T710233T 89622R9	N N
			SOUTHERN STATES INC	SB66B27322T	N

141507	ARRESTER STA 161KV ZNO	ARRESTER STATION 161KV ZNO ARRESTER, LIGHTNING, FOR USE ON 161KV POWER SYSTEM, DUTY CYCLE RATING OF 132KV, 106KV MCOV, METAL OXIDE, GAPLESS, STATION CLASS AS PER ANSI STANDARD C62.11 LATEST REVISION. PORCELAIN TO BE GRAY CO	ABB POWER T & D CO	Q132XA106A	N
			COOPER POWER SYSTEMS		N
				AZES012G106132	Y
			GENERAL ELECTRIC	9L11XTA132	N
141721	SWITCH 69KV STA V-TYPE 600A	SWITCH, 69 KV, 350 KV BIL, 600A, STATION V-TYPE, OUTDOOR, GROUP-OPERATED, THREE-POLE SINGLE-THROW, CENTER BREAK WITH QUICK BREAK ATTACHMENTS PER KUB SPECIFICATIONS F02-416 AND E03-160, AS WELL AS, KUB DRAWINGS OR SKETCHES IN THE INVITATION TO BID.	HUBBELL ABB POWER T & D CO	314106-3001 DRV-72-600	N N
			SOUTHERN STATES INC		N
			TURNER ELECTRIC CO. U S C O	TCV2	Y
			POWER EQUIP. CORP.	AGCH4V-06906	N
141739	SWITCH 69KV STA V-TYPE 2000A	SWITCH, 69 KV, 350 KV BIL, 2000A, STATION V-TYPE, OUTDOOR, GROUP-OPERATED, THREE-POLE SINGLE-THROW, CENTER BREAK AND ASSEMBLED WITH TR278 INSULATORS PER KUB SPECIFICATIONS F02-416 AND E03-160, AS WELL AS, KUB DRAWINGS OR SKETCHES IN THE INVITATION TO BID	ABB POWER T & D CO	DRV-72-2000	N
			SOUTHERN STATES INC	EC-1V-692000	N
			U S C O	AGCH5V-06920-	Y
			POWER EQUIP. 5 CORP.		
144758	DEVICE TAGGING SAFE-TAG SWITCH	SAFE TAG SWITCH TAGGING DEVICE SAFE-TAG TAGGING DEVICE FOR TAGGING OPEN DISCONNECTING DEVICES. TAG SHALL BE ORANGE IN COLOR, OF HIGH QUALITY, LONG LASTING SALCOR COMPOUND OR EQUIVALENT.	ALMETEK INDUSTRIES, INC.		N
			SALISBURY, W H & CO	1166TD	N
			UTICOM SYSTEMS INC		Y
148676	ARRESTER INTER 3KV	ARRESTER INTERMEDIATE 3KV ER	ABB POWER T & D CO	PH03DAI021	N
			COOPER POWER SYSTEMS		Y
			OHIO BRASS CO.	217603-7214/271881	N
154625	CAP EXPEND FOR 100A S/S	CAP EXPEND FOR 100A SOU STATES	SOUTHERN STATES INC	BP-100	Y
164020	SWITCH 161KV STA-LAT VERT 2000	SWITCH 161KV STA LAT VERT 2000 A 3P 678ER SWITCH, 161KV, 2000A, 3PST, 750KV BIL, 1 00KA MOMENTARY, VERTICAL BREAK PER KUB SPECIFICATION F02-678 AND E03-16 0. INSULATORS TO BE INCLUDED WITH THE SWITCH. SWITCH SHALL BE SHIPPED FULL	ABB POWER T & D CO		N
			MEMCO, INC.	161EA20P5	N
			SOUTHERN STATES INC	EV-21612000	N

			U S C O POWER EQUIP. CORP.	AVR-161-20	Y
166504	SWITCH 15KV HOOKSTICK 900A	SWITCH 15KV HOOKSTICK 900A SPST SWITCH, 900A, 15KV, 110 KV BIL. OUTDOOR HOOK- STICK OPERATED, INCLUDING BACK MOUNTING BRACKET AND FOUR MTG BOLTS, GREY COLORED PORCELAIN OR POLYMER INSULATORS, GALVANIZED STEEL BASE & BACK PLATE.	ALUMA FORM INC.	HDS 900A 15S 110 AT1 A	Y
166975	FUSE TUBE 15KV LKB 8000AIC 100	FUSE TUBE 15KV 100A LINKBREAK 8000AIC FUSE TUBE, 15/27KV, 100 AMP LINKBREAK, 8 000AIC, 125KV BIL, FOR USE IN S & C TYPE XS, CHANCE TYPE C AND SOU STATES TYPE 66B CUTOOTS.	HUBBELL	T700-1578	Y
169698	SWITCH 69KV STA V-TYPE 3000A	SWITCH STA V-TYPE 69 KV 3000A 3P ER SWITCH, 69KV, 3000A, 3PST, V-TYPE, CENTE R BREAK (SPEC. F02-416 & E03-160 TO BE INCLUDED WITH INVITATION TO BID). INSULA TORS (5" B.C.) INCLUDED WITH SWITCH. SWITCH SHALL BE SHIPPED FULLY ASSEMBLED,	U S C O POWER EQUIP. CORP.	AGCH-5V6930	Y
169706	SWITCH 161KV STA V-TYPE 2000A	SWITCH STA V-TYPE 161 KV 2000A 3P ER SWITCH, 161KV, 2000A, 3PST, & D CO V-TYPE, CENT ER BREAK (SPEC. F02-673 & E03-160 TO BE INCLUDED WITH INVITATION TO BID). INSULATORS TO BE INCLUDED WITH THE SWITCH. SWITCH SHALL BE SHIPPED FULLY ASSEMBLED,	ABB POWER T & D CO	DRV-161-2000	N
			MINDCORE TECHNOLOGIE S INC.	ACXV17020-W	Y
			U S C O POWER EQUIP. CORP.	AGCH-5V16120	N
169862	CAP FOR FUSEHOLDER LINKBREAK	CAP FOR FUSEHOLDER LINKBREAK	HUBBELL	PP700-1469	Y
169888	CAP FOR FUSEHOLDER S&C	CAP FOR FUSEHOLDER S & C	S & C ELECTRIC CO	K7740	Y
170605	CUTOUT 15KV 100A LDBRK	CUTOUT 15KV 100A LOADBREAK 8000AIC CUTOUT, 15KV, 100A FUSE TUBE, 8000AIC MI N, 110KV BIL, LOADBREAK WITH 200A ARC CHUTE, TINNED EYE BOLT CONNECTORS NO. 8 THRU 2/0, LESS CROSSARM MOUNTING BRACKET, PALLET QTY NOT TO EXCEED 20 EA	ABB POWER T & D CO	Y2NCNNAM12	N
			HUBBELL SOUTHERN STATES INC	C730-211P B7015100-X39	Y N
170795	SWITCH 15KV POLE HORZ 1200A	SWITCH 15KV POLE HORZ 1200A	U S C O POWER EQUIP. CORP.	OT-22	Y
171074	CUTOUT 15KV 100A W/O MTG BKT	CUTOUT 15KV Mfg # = L9CAP0A 100A W/O MT BKT 8000AIC CUTOUT, 15KV, 100A FUSE TUBE, 8000AIC MI N, 125KV BIL, TINNED PARALLEL GROOVE CONNECTORS NO. 8 THRU 2/0, LESS CROSSARM MOUNTING BRACKET	ABB POWER T & D CO	X2NCNNAA12	N
			COOPER POWER SYSTEMS	L9CAP0A	Y
			HUBBELL	C710-211P	N
			S & C ELECTRIC CO	89022R9-D	N
			SOUTHERN STATES INC		N

171256	FUSE ASSY 69KV 100A SS	FUSE ASSY 69KV 100A SS TYPE HPA POWER FUSE ASSEMBLY, OUTDOOR, SINGLE POLE, VERTICAL MTG., 69KV, 100 AMP, CONTINUOUS CURRENT, 20,000 AMP RMS ASYMMETRICAL INTERRUPTING CAPACITY.	SOUTHERN STATES INC	41100317, HPA	Y
171538	SWITCH 15KV HOOKSTICK 1200A	SWITCH, 1200A, 15kV, 110 KV BIL, 61kA MOMENTARY, SPST, OUTDOOR RATED, HOOKSTICK OPERABLE AND SHALL INCLUDE NEMA 4-HOLE TERMINAL PADS, A GALVANIZED STEEL MOUNTING BASE PER KUB DWG A-4437 ITEM 1 AND GREY TR205 PORCELAIN INSULATORS PER KUB SPEC E03-160.	MEMCO, INC.	TYPE STU	N
			SIEMENS		N
			SOUTHERN STATES INC	TYPE PB0151200	N
			TURNER ELECTRIC CO.	TYPE BT2-15-12	N
			U S C O POWER EQUIP. CORP.	TYPE HH-6	Y
171587	ARRESTER DIST 10KV	ARRESTER DISTRIBUTION 10KV 176 ARRESTER, SURGE, 10KV(8.4KV MCOV), HEAVY DUTY DISTRIBUTION CLASS, MOV TYPE, GREY COLOR, WITH PLASTIC OR SYNTHETIC RUBBER COVER FOR TERMINAL, WITH GROUND LE AD DISCONNECTOR, WITHOUT CROSSARM MOUNTI	ABB POWER T & D CO		N
			COOPER POWER SYSTEMS	UHS1005-0A1A-1A1A	N
			GENERAL ELECTRIC	9L23AXX410XH	N
			HUBBELL	217609	N
			MACLEAN POWER SYSTEMS	ZHP-0100N00100B	Y
173716	FUSE TUBE 69KV 100A S/S	FUSE TUBE 69KV 100A	SOUTHERN STATES INC	42100317	Y
176198	LINK TRUNION 22" CLEVIS-EYE	LINK TRUNION 22" CLEVIS-EYE	MACLEAN POWER SYSTEMS	TCEF4-166	Y
177048	SWITCH 69KV STA LAT VERT 600A	SWITCH, 69KV, 600A, 3P, FOR VERTICAL MOUNTING ON 24 FT. TRUSS OF STEEL SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-5088 WITH MECHANISM IN "POSITION 1", AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-172 AND E03-160, AS WELL AS, KUB DRAWING A-5059.	ABB POWER T & D CO		N
			MEMCO, INC.		N
			SOUTHERN STATES INC		N
			TURNER ELECTRIC CO.		Y
			U S C O POWER EQUIP. CORP.		N
178855	FUSE ASSY 15KV 300A S/S	FUSE ASSY 15KV 300A SS	SOUTHERN STATES INC		Y
179465	SWITCH 15KV LINE TENSION 1200A	SWITCH 15KV LINE TENSION 1200A	SIEMENS	TYPE SE CAT #190	Y
179903	SWITCH 69KV POLE PH/PH 2000A	SWITCH, 69KV, 2000A, 350KV BIL, 3-POLE, PHASE-OVER-PHASE, GROUP OPERATED, HORIZONTAL AIR BREAK, WITH ARCING HORNS AND RIGID GALVANIZED STEEL SUPPORT FRAME FOR POLE MOUNTING AND LEFT HAND OPENING (COUNTER CLOCK WISE) PER KUB SPECIFICATION F02-208.	HUBBELL		N
				VASBA1-07220-E004	Y

			MORPAC		N
			SOUTHERN		N
			STATES INC		
			TURNER	1CD06920/STL	N
180141	FUSE TUBE 15KV 200A LDBRK 10M	FUSE TUBE 15KV 200A LDBRK 10M	ELECTRIC CO.	FRAME	
			SOUTHERN	B7015200T	Y
			STATES INC		
180158	SWITCH 69KV STA-LAT HORZ 2000A	SWITCH, 69KV, 2000A, 3PST, FOR HORIZONTAL UPRIGHT MOUNTING ON A 24 FT. TRUSS AT THE 36 FT. LEVEL OF STEEL SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-5094 WITH MECHANISM IN "POSITION CD", AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-172 AND E03-160,	ABB POWER T & D CO		Y
			MEMCO, INC.		N
			SOUTHERN		N
			STATES INC		
			TURNER		N
			ELECTRIC CO.		
			U S C O		N
			POWER EQUIP.		
			CORP.		
180166	SWITCH 69KV STA LAT VERT 2000A	SWITCH, 69KV, 2000A, 3P, FOR VERTICAL MOUNTING ON 24FT. TRUSS OF STEEL SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-5088 WITH MECHANISM IN "POSITION 1", AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-172 AND E03-160, AS WELL AS , KUB DRAWING A-5059.	ABB POWER T & D CO		Y
			MEMCO, INC.		N
			SOUTHERN		N
			STATES INC		
			TURNER		N
			ELECTRIC CO.		
			U S C O		N
			POWER EQUIP.		
			CORP.		
180281	SWITCH 15KV STA-LAT 1200A	SWITCH, 15KV, 1200A, 61KA MOM, 3PST, FOR HORIZONTAL UPRIGHT MOUNTING ON TOP OF A STEEL TRUSS SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-6976 AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-181 AND E03-160, AS WELL AS, STANDARD BASE DRAWING A-6242	ABB POWER T & D CO	AL TTR-6	N
			MEMCO, INC.		N
			SOUTHERN	TA-OC AL-EV	N
			STATES INC		
			TURNER	TH201512/8503T	Y
			ELECTRIC CO.		
			U S C O	AVR-01512	N
			POWER EQUIP.		
			CORP.		
181685	FUSE TUBE 15KV 200A LDBRK 10M	FUSE TUBE 15KV 200A LDBRK 10M	HUBBELL	T730242T	Y
182345	BLADE SOLID 300AMP LDBRK A B C	BLADE SOLID 300AMP LDBRK A B C	HUBBELL	T730-233T	Y
182733	ARRESTER STATION 10kV, 8.4MCOV	ARRESTER, STATION CLASS, POLYMER, GAPLESS MOSA TYPE, 10 kV DUTY-CYCLE VOLTAGE, 8.4 kV MCOV IN ACCORDANCE WITH IEEE STANDARD C62.11 (LATEST REVISION). NEMA 4-HOLE TERMINAL CONNECTION FOR CU OR AL CONNECTORS AND FACTORY CTR IS REQUIRED FOR EACH UNIT.	ABB POWER T & D CO	Q010SA008AS	N
			COOPER	UH0100081045A	Y
			POWER	11	
			SYSTEMS		
			GENERAL	9L11XPA010S	N
			ELECTRIC		
			HUBBELL	310709-3002	N

			MACLEAN POWER SYSTEMS	ZSP0010-1211	N
184135	SWITCH 15KV 900A 3PH LDBRK HOR	SWITCH 15KV 900A 3PH LDBRK HORZ P-MTG SWITCH, INTERRUPTER, 15KV, 1200 AMP CONTINOUS CURRENT/ 900 AMP LOADBREAK, HORIZONTALLY MOUNTED, CLOCKWISE OPENING COMPLETE WITH OPERATING MECHANISM COMPONENTS AND 42 FT OF 1 1/2 IN PIPE.	HUBBELL	AR111SSHLP	N
185553	SWITCH 15KV 600A REGULATOR BYP	SWITCH 15KV 600A REGULATOR BYP	SIEMENS COOPER POWER SYSTEMS	1973X-50A	Y
185850	SWITCH 15KV 900A 3PH LDBRK VER	SWITCH 15KV 900A 3PH LDBRK VERT P-MTG SWITCH, INTERRUPTER, 15KV, 1200 AMP CONTINOUS CURRENT/ 900 AMP LOADBREAK, VERTICALLY MOUNTED, CLOCKWISE OPENING COMPLETE WITH OPERATING MECHANISM COMPONENTS AND 42 FT OF 1 1/2 IN PIPE.	HUBBELL	125841-HC-65 AR121SSHLP	N
187328	3 PHASE 15KV 200A NETWORK SUBM	3 PHASE 15KV 200A NETWORK SUBMERSIBLE MVI WITH REMOTE OPEN-CLOSE	SIEMENS ELASTIMOLD	1973V-50A MVI3-21-15-22- 20-MO120A	Y
187420	NAVICOMM FLEXNET COMMUNICATION	NAVICOMM FLEXNET COMMUNICATIONS MODULE 900MHZ, TO MONITOR UP TO 12 RADIO COMMUNICATING NAVIGATORS	SENSUS	539.65.537.0004 9	Y
187424	RFCI LOAD CENTER PLUGIN CB QO	RFCI LOAD CENTER PLUGIN CB QO 20A, SINGLE POLE, 120/240VAC	SQUARE D	QO120	Y
187426	RFCI LOAD CENTER LUG 70A 120/2	RFCI LOAD CENTER LUG 70A 120/240VAC 1PH	SQUARE D	Q024L70RB	Y
187428	RFCI LOAD CENTER BOLT-ON HUB 1	RFCI LOAD CENTER BOLT-ON HUB 1" CONDUIT	SQUARE D	B100	Y
187492	CIRCUIT BREAKER, 15.5KV 1200A,	CIRCUIT BREAKER, 15.5KV 1200A,OUTDOOR, VACUUM, THREE PHASE PER KUB SPECIFICATION K99-246 R12 DATED 12-22-2010 1) 1)	ABB POWER T & D CO	MB11130GGMH 5KMZ406	Y
187496	RECLOSER DA 3-PHASE 14.4KV 800A	Recloser, 3Ph, 14.4kV Vacuum Reclosers w/DA ready control cabinets, per KUB specification K99-792_R2, and Drawing 16700-3PTR (included with RFP documents)			
189134	ARRESTER INT 69KV POLYMER	Arrester, Lightning, Polymer Type, Intermediate Class, for nominal 69kV system, per IEEE Standard C62.11, 60kV duty cycle with 48kV MCOV and 3-second TOV rating of 58kV minimum, and NEMA 4-hole line and grounding terminals.	COOPER POWER SYSTEMS	UI0600483045A 1	Y
			GENERAL ELECTRIC	9L12PPA060AS	N
			HUBBELL	300048-3002	N
			MACLEAN POWER SYSTEMS	ZIP0060-1231	N
			SIEMENS	3EL5 060-0PK11- N 4YH5	
190199	LIGHTNING ARREST COVER 4"	LIGHTNING ARREST COVER 4 INCH	TE CONNECTIVITY	BCIC-4D/4	Y
190207	LIGHTNING ARREST COVER 5"	LIGHTNING ARREST COVER 5 INCH	TE CONNECTIVITY	BCIC-5D/4	Y
190215	LIGHTNING ARREST COVER 13"	LIGHTNING ARREST COVER 13 INCH	TE CONNECTIVITY	BCIC-13D/13-HO	Y
LIGHTING					
100222	RELAY 60A 1-POLE N/O RCOCMR-KB	RELAY 60A 1 POLE NO RCOCMR-KB	MAYSTEEL CORP - COLUMBUS DIV	MR-KD	N
			TRINETICS	MR-KD SPEC 6559	Y
100503	RELAY 60A 1-POLE N/C RCOCMRR-K	RELAY 60A 1 POLE NC RCOCMRR- KB	TRINETICS		Y

				33021406	N
				MRR-KB SPEC	N
				6566	
101063	RELAY 60A 2-POLE N/O RCOCMR-UB	RELAY 60A 2 POLE NO RCOCMR-UB	TRINETICS		Y
113027	CONTROL PE LIGHTING 120V STD	CONTROL PHOTOELECTRIC SHORTING CAP SHORTING CAP, STANDARD THREE PRONG TWIST LOCK PLUG, GREY IN COLOR, FOR OUTDOOR USE IN STREET LIGHTING LUMINAIRE S TO MAINTAIN CIRCUIT CONTINUITY WHEN A PHOTOCONTROL IS NOT IN USE.	AREA LIGHTING SC10 RESEARCH		N
			FISHER PIERCE	S1038-1	N
			GENERAL ELECTRIC		N
113563	RECEPTACLE PE CONTROL POLE-MTG	RECEPTACLE PHOTO CTRL POLE MTD	RIPLEY	6005	Y
			AMERICAN	PBC	N
			ELECTRIC		
			FISHER PIERCE	S476-71	N
123794	FUSEHOLDER 30A 600V HEB-AL	FUSEHOLDER 30A 600V HEB-AL TYPE FUSEHOLDER, 30 AMPERE, 600 VOLTS, IN LINE, FULLY WATERTIGHT. FUSEHOLDER SHALL ACCEPT A BUSSMAN TYPE KTK (13/32" X 1 1/2") FUSE	RIPLEY	5927	Y
			BUSSMAN	HEB-AL	Y
123802	FUSE 10A 600V TYPES-KTK & KLK	FUSE 10A 600V TYPES KTK & KLK	LITTLEFUSE INC	LEB-AL	N
			BUSSMAN	KTK 10	Y
			LITTLEFUSE	KLK 10	N
123844	FUSEHOLDER 30A 600V HEB-AY	FUSEHOLDER 30A 600V HEB-AY TYPE FUSEHOLDER, 30 AMPERE, 600 VOLTS, IN LINE, FULLY WATERTIGHT. FUSEHOLDER SHALL ACCEPT A BUSSMAN TYPE KTK (13/32" X 1 1/2") FUSE	LITTLEFUSE INC	LEB-AY	N
			BUSSMAN	HEB-AY	Y
123869	BRACKET MTG FOR LUMINAIRE SUB	BRACKET MTG ARM FOR LUMINAIRE SUBSTATION LED LIGHT W/ADAPTER	LITTLEFUSE INC	LEB-AY	N
			HOLOPHANE	7233-2-WH	Y
124487	FUSEHOLDER 30A 600V HEB-AA	FUSEHOLDER 30A 600V HEB-AA TYPE FUSEHOLDER, 30 AMPERE, 600 VOLTS, IN LINE, FULLY WATERTIGHT. FUSEHOLDER SHALL ACCEPT A BUSSMAN TYPE KTK (13/32" X 1 1/2") FUSE	BUSSMAN	HEB-AA	Y
124489	FUSEHOLDER TYPE L	FUSEHOLDER TYPE L INTERCHANGEABLE FUSE HOLDER 27KV 100AMP MODEL NO. LDCA00A	LITTLEFUSE INC	LEB-AA	N
124495	FUSE 30A 600V TYPE-KTK	FUSE 30A 600V TYPE KTK	BUSSMAN	KTK 30	Y
140293	LUMINAIRE HP 400W W/PEC MTV SQ	LUMINAIRE HP 400W W/PEC MTV SQ DEC LUMINAIRE 400 WATT HIGH PRESSURE SODIUM VAPOR SHOE BOX DESIGN, 120/208/ 240/277 MULTIVOLT BALLAST, RECEPTACLE FOR PHOTOELECTRIC CONTROL, BLACK IN COLOR, TYPE III DISTRIBUTION PATTERN	AMERICAN ELECTRIC	153-OH143-AJE- BLACK	N
			COOPER LIGHTING	RCL40SCW3D4- 0A1066	Y
			GENERAL ELECTRIC		N
			HOLOPHANE	SMST400HPMT BKCL-R-PBBK	N

142588	LUMINAIRE HP 100W W/PEC 120V O	LUMINAIRE, 100 WATT HIGH PRESSURE SODIUM VAPOR W/ OPEN BOTTOM ACRYLIC OPTICAL ASSEMBLY, RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE V DISTRIB PATTERN, 120 VOLT OPERATION W/ SLIPFITTER FOR 1-1/4" PIPE STD MOUNT. OPTIMUM PALLET QUANTITY = 24	AMERICAN ELECTRIC	11-10SRN120R5BA	N
			COOPER LIGHTING GENERAL ELECTRIC	RMA10SR255 SAM10S1N21NV 5ALNT	Y N
142943	BREAKER CIRCUIT 2 POLE 30 AMP	BREAKER CIRCUIT 2 POLE 30 AMP	SQUARE D	FHL 26030 HGL 26030	N Y
144675	LUMINAIRE 480V SL 250W HPS	LUMINAIRE HP 250W W/O C 480V SL LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM VAPOR WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE III DISTRIBUTION PATTERN, 480 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING ON 1 1/	COOPER LIGHTING	OVZ25SW83E	Y
			GENERAL ELECTRIC	M2RR25S5A1G MS3	N
144683	LUMINAIRE HP 400W W/O C 480V S	LUMINAIRE HP 400W W/O C 480V SL LUMINAIRE, 400 WATT HIGH PRESSURE SODIUM VAPOR, 480 VOLT OPERATION, WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE III DISTRIBUTION, AND WITH SLIPFITTER FOR MOUNTING ON A 1	AMERICAN ELECTRIC	126-06643	N
			COOPER LIGHTING GENERAL ELECTRIC	OVX40SC83E MSRL40S5A12R MS3	Y N
153536	CONN GND POLE & ARM POST-TYPE	CONN GRND/POLE & ARM POST TYPE	BURNDY	KC22B2	Y
			PENN UNION HOLOPHANE	SSS-5 EC-3125	N Y
162826	STARTER 400W HPS H-M HOLO	STARTER HP 400W HIGH MAST HOL	HOLOPHANE		
165191	FUSE 30A 600V TYPE-OTS30	FUSE 30A 600V ST LT OTS30	BUSSMAN GOULD SHAWMUT LITTLEFUSE INC	NOS30 OTS30 NLS30	Y N N
165282	LUMINAIRE WALLPACK IV, 100 WAT	LUMINAIRE WALLPACK IV, 100 WATT HIGH PRESSURE SODIUM, MOGUL BASE SOCKET, 480 VOLT, STANDARD OPTICS, GRAY FINISH, POLYCARBONATE SHIELD, DOUBLE FUSING FOR VOLTAGES 208, 240, AND 480, NEMA DECAL, PROTECTED STARTER WITH100w HPS INSTANT RESTRIKE LAMP	GENERAL ELECTRIC	W4100HP48SG DF2CP	N
			HOLOPHANE	W4100HP48SG D S-67542	Y
165308	LUMINAIRE 480V SL 150W HPS	LUMINAIRE HP 150W W/O C 480V SL LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM VAPOR WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 480 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING ON A 1	AMERICAN ELECTRIC	114-56662-6	N
			COOPER LIGHTING GENERAL ELECTRIC	OVZ15SWN82E M2RR15S5A1A MS2	Y N
165357	CONN VINYLINK #10 TO #12	CONN VINYLINK NO 10 TO NO12	BURNDY	SP 10	Y
165571	BALLAST 400W 480V H-M KIT HOLO	BALLAST HP 400W 480V HM KIT	HOLOPHANE	BSV 10X	N
165589	CAPACITOR 400W HPS H-M HOLO	CAPACITOR 400W HP HM HOLOPHANE	HOLOPHANE	RBK400HP48 EC-2918	Y
165878	FUSE 5A 600V TYPE-KTQ	FUSE 5A 600V TYPE KTQ	BUSSMAN	KTQ-5	Y
167411	BALLAST 400W HPS 480V H-M GE	BALLAST HP 400W 480V HMGE	GENERAL ELECTRIC	35-962870-10	Y

167445	BALLAST 1000W HPS H-M KIT HOLO	BALLAST HP 1000W 480V HM KIT	HOLOPHANE	RBKC10HP48	Y
167460	LUMINAIRE 240V SL 150W HPS	LUMINAIRE HP 150W W/O C 240V SL NR LUMINAIRE 150 WATT HIGH PRESSURE SODIUM VAPOR WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 240 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING ON A 1	AMERICAN ELECTRIC	114-57362-6	N
			COOPER LIGHTING GENERAL ELECTRIC	OVZ15SR42E	Y
167676	BOX HANDHOLE 13" X 24" X 18"	BOX HANDHOLE 13 X 24 X 18 BOX, SERVICE OR HANDHOLE WITHOUT INTEGRAL BOTTOM CONSTRUCTED OF POLYMER CONCRETE AND REINFORCED BY FIBER POLYESTER OR FIBERGLASS. BOX SHALL BE 13 X 24 X 18 FURNISHED WITH COVER LOCKED	CDR SYSTEMS CORPORATION	M2RR15S3N1A MS2 PA10-1324-18	N
			HIGHLINE PRODUCTS CORP.	PHA132418XO1 KUB	Y
			NEWBASIS QUAZITE CORPORATION	PW1324/18 PG1324BA18 W/	N
168070	LUMINAIRE HP 100W PE MT GAY ST	LUMINAIRE, 100W HP, ACORN, MULTI-TAP, TYPE 8, LUNAR OPTICS, PE RECEPT, BLACK BAND, PROTECTED STARTER, NEMA LABEL, MOGUL, SPIKE FINIAL, GAY ST LOCATION	HOLOPHANE	WAU100HPMAB 8B4HPNE-MOD RFD92971	Y
168807	CAPACITOR 1000W HPS H-M HOLO	CAPACITOR 1000W HP HM	HOLOPHANE	EC-2349	Y
168872	FOUNDATION PWR SCREW 8-5/8" LE	FOUNDATION PWR SCREW 8-5/8" LENGTH 5'	HUBBELL	C11242NG4VP	N
			MACLEAN POWER SYSTEMS GENERAL ELECTRIC	D08060BBB1117 8V	Y
168955	CAPACITOR 250W HPS GE	CAPACITOR 250W HP SL	AREA LIGHTING RESEARCH	35-205009R09	Y
169060	CONTROL PHOTOELECTRIC 120V POS	CONTROL PHOTOELECTRIC 120V POS	FISHER PIERCE	AA-105	N
			PRECISION RIPLEY	A-105 7011	N
169391	CONN GND BARE ARM GLV	CONN GRND/B ARMS GLV CONNECTOR, HOT DIPPED GALVANIZED GROUNDING LUG TO GROUND STREET LIGHT BRACKET ARMS THROUGH A 3/8 INCH SQUARE HOLE.	AMERICAN ELECTRIC	R-319000001/C	N
			MACLEAN POWER SYSTEMS	J771018	Y
169466	LUMINAIRE LED CAND 2-65W42 BLK	LUMINAIRE LED CAND 2-65W42 LED 4K-R-PC-C-RLE3-120-MAR-BKTX	LUMEC INC	LUMINAIRE LED CAND 2-65W42 LED 4K-R-PC-C-RLE3-120	Y
169615	FUSE 5A 600V TYPES-KTK & KLK	FUSE 5A 600V TYPES KTK & KLK	BUSSMAN LITTLEFUSE INC	KTK 5 KLK 5	Y
169680	FUSE 20A 600V TYPES-KTK & KLK	FUSE 20A 600V TYPES KTK & KLK FUSE,20 AMPERE,600 VOLT,13/32 IN. X1 1/2 IN. WITH INTERRUPTING RATING OF 100,000 AMPERES.FUSE MUST BE UL LISTED.	BUSSMAN	KTK 20	Y
			LITTLEFUSE INC	KLK 20	N
171934	LUMINAIRE SUBSTATION LED PLE	LUMINAIRE SUBSTATION UPLIGHT PLED2 10,000 LUMENS 4,000K CCT, UNIVERSAL MOUNT TYPE V HIGH ANGLE	HOLOPHANE	PLED2 10L 4K AS UN NA W L5H	Y
173146	LAMP INC 300W 130V MOGUL CLEAR	LAMP INC 300W 130V MOGUL CLEAR	PHILLIPS LIGHTING	300M/99IF	Y

174680	LUMINAIRE 120/240V SL W/PC 400	LUMINAIRE HP 400W W PEC120/240V SL LUMINAIRE, 400 WATT HIGH PRESSURE SODIUM VAPOR WITH 120/240 VOLT MULTI-TAP BALLAST, RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE III DISTRIBUTION PATTERN AND WITH SLIPFITTER FOR MOUNTING ON A 1	COOPER LIGHTING	OVX40SWW3E-4	Y
176214	LUMINAIRE SUBSTATION LED BOT	LUMINAIRE SUBSTATION LED BOTTOM BALED 5,000 LUMENS 4000K CCT	GENERAL ELECTRIC HOLOPHANE	MSRL40S7A22R MS3 BALED 5L 4K AS P G	N
176560	LUMINAIRE 120/240V SL W/PC 250	LUMINAIRE HP 250W W/PEC 120/240V SL LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM VAPOR WITH 120/240 VOLT MULTI-TAP BALLAST, RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE III DISTRIBUTION PATTERN AND WITH SLIPFITTER FOR MOUNTING ON A 1	COOPER LIGHTING	OVZ25SWW3E-4	Y
176677	LAMP HPS 400W LU400	LAMP HPSV 400W LU400	GENERAL ELECTRIC GENERAL ELECTRIC	M2RR25S7A2G MS3 LU400/H/ECO 85379 LUCALOX	N Y
176685	LAMP HPS 250W LU250	LAMP HPSV 250W LU250	PHILLIPS LIGHTING SYLVANIA GENERAL ELECTRIC	368811 LU400 LU250/H/ECO 85377 LUCALOX	N Y
177394	LUMINAIRE HP 100W W/PEC 120V S	LUMINAIRE HP 100W W/PEC 120V SL LUMINAIRE, 100 WATT HIGH PRESSURE SODIUM VAPOR WITH RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 120 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING ON A 1 1/4	PHILLIPS LIGHTING SYLVANIA COOPER LIGHTING	368795 LU250 0VZ10SR22E4	N Y
177469	LUMINAIRE 120V SL W/PC 150W HP	LUMINAIRE HP 150W W/PEC 120V SL LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM VAPOR WITH RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 120 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING ON A 1	GENERAL ELECTRIC COOPER LIGHTING	M2RR10S1N2A MS2 0VZ15SR22E4	N Y
177477	LAMP HPS 150W LU150	LAMP HPSV 150W LU150	GENERAL ELECTRIC GENERAL ELECTRIC	M2RR15S1N2A MS2 LU250/H/ECO 85377 LUCALOX	N Y
177493	LAMP HPS 100W LU100	LAMP HPSV 100W LU100	PHILLIPS LIGHTING SYLVANIA GENERAL ELECTRIC	368746 LU150 LU100/H/ECO 85369 LUCALOX	N Y
179648	LAMP INC 200W 130V MEDIUM	LAMP INC 200W 130V MEDIUM	PHILLIPS LIGHTING SYLVANIA	368720 C100S54ALTO LU100	N Y
180398	LAMP HPS 1000W LU1000	LAMP HPSV 1000W LU1000	GENERAL ELECTRIC	LU1000 LU1000/ECO 44058 LUCALOX	N Y

			PHILLIPS LIGHTING SYLVANIA HOLOPHANE	C10000S52 LU1000 G400HP48HDRV GBP-50346	N N Y
181396	LUMINAIRE HP 400W W/O C 480V O	LUMINAIRE HP 400W W/O C 480V OFF ROAD LUMINAIRE, 400 WATT HPS, 480 VOLT, WITHOUT RECEPTACLE FOR PE CONTROL AND WITH A VERTICAL AND HORIZONTAL ADJUSTABLE KNUCKLE FITTER FOR A 2 INCH TENON MOUNTING. THE OPTICAL TRAIN SHALL CONSIST OF A PRI			
182626	LUMINAIRE HP 400W W/PEC MTV OF	LUMINAIRE HP 400W W/PEC MTV OFF ROAD LUMINAIRE, 400 WATT HPS MULTI-TAP WITH RECEPTACLE FOR PE CONTROL AND WITH A VERTICAL AND HORIZONTAL ADJUSTABLE KNUCKLE FITTER FOR A 2 INCH TENON MOUNTING. THE OPTICAL TRAIN SHALL CONSIST OF A PRI	HOLOPHANE	G400HPMAHDR VGBPRT-50346	Y
185496	LUMINAIRE MT W/PC 250W HPS OR	LUMINAIRE HP 250W W/PEC MTV OFF ROAD LUMINAIRE, 250 WATT HPS MULTI-TAP WITH R ECEPTACLE FOR PE CONTROL AND WITH A VERTICAL AND HORIZONTAL ADJUSTABLE FITTER FOR A 2 INCH TENON MOUNTING. THE OPTICAL TRAIN SHALL CONSIST OF A PRI	HOLOPHANE	G250HPMAHDR VGBPRT-50380	Y
185504	LUMINAIRE 480V 250W HPS	LUMINAIRE HP 250W W/O 480V OFF ROAD LUMINAIRE, 250 WATT HPS, 480 VOLT, WITHOUT RECEPTACLE FOR PE CONTROL AND WITH A VERTICAL AND HORIZONTAL ADJUSTABLE FITTER FOR A 2 INCH TENON MOUNTING. THE OPTICAL TRAIN SHALL CONSIST OF A PRI	HOLOPHANE	G250HP48HDRV GBP-50380	Y
185777	FOUNDATION PWR SCREW 11-17 BC	FOUNDATION PWR SCREW 11-17 BC	HUBBELL	C11242QG4VP D08084BBB1117 8V	N Y
185918	BOX HANDHOLE 12 X 15	BOX HANDHOLE 12 X 15	MACLEAN POWER SYSTEMS HIGHLINE PRODUCTS CORP. NEWBASIS	1015-1G2G SGA141912Y000	Y N
187054	COVER POLE-ACCESS OVAL SUR- LOK	COVER POLE ACCESS HANDHOLE REPLACEMENT OVAL SHAPED SUR- LOK HIGH IMPACT ABS PLASTIC MOLDED UNIVERSAL FIT NON CONDUCTIVE VANDAL PROOF FOR STREET LIGHTING/TRAFFIC POLE	SUR-LOK	SLO	Y
187062	COVER POLE-ACCESS LARGE SUR- LO	COVER POLE ACCESS HANDHOLE/REPLACEMENT LARGE RECTANGULAR SHAPED SUR-LOK HIGH IMPACT ABS PLASTIC MOLDED UNIVERSAL FIT NON CONDUCTIVE VANDAL PROOF FOR STREET LIGHTING/TRAFFIC POLE	SUR-LOK	SLR-3	Y
187187	LUMINAIRE, ACORN STYLE 100 W.	LUMINAIRE, 100 W. HPS, ACORN STYLE, CWA MULTI-TAP BALLAST WIRED FOR 120 VOLTS, TYPE 3 DISTRIBUTION, INTERNAL NEMA TWIST-LOCK PE RECEPTACLE, FITS 3" O.D. POLE TENON, TERMINAL BLOCK, ARCHITECTURAL FINIAL, UV RESISTANT ACRYLIC GLOBE, BLACK POLYESTER POWDER	COOPER LIGHTING	ACN10SWW33X 134 (ACORN)	Y

187344	DECORATIVE LIGHT ACORN/WASHING	LUMINAIRE, 100 W. HPS, ACORN/WASHINGTON STYLE, CWA MULTI-TAP BALLAST WIRED FOR 120 VOLTS, TYPE 3 DISTRIBUTION, INTERNAL NEMA TWIST-LOCK PE RECEPTACLE, FITS 3" O.D. POLE TENON, TERMINAL BLOCK, ARCHITECTURAL FINIAL, UV RESISTANT ACRYLIC	COOPER LIGHTING	ACN10SWW3CX 634	Y
187351	DECORATIVE LIGHTS CASCADE, DAR	Utility Arlington (ARU): ARU, 100W High Pressure Sodium, Mogul Base, Multivolt 120,208,240 & 277V. Factory wired for 120V only. UL Only, Black, Asymmetric Full Cutoff - Flat Glass, Spike Finial, NEMA twistlock photocontrol receptacle, NEMA label 100 HPS	HOLOPHANE	ARU 100HP MA B C3 S H NEMA100HP	Y
187369	DECORATIVE LIGHT TRADITIONAL,	LUMINAIRE, 100 W. HPS, TRADITIONAL STYLE, DARK SKY COMPLIANT, CWA MULTI-TAP BALLAST WIRED FOR 120 VOLTS, TYPE 3 DISTRIBUTION, INTERNAL NEMA TWIST-LOCK PE RECEPTACLE, FITS 3" O.D. POLE TENON, TERMINAL BLOCK, ARCHITECTURAL FINIAL, UV RESISTANT ACRYLIC	COOPER LIGHTING	UTR10SWW33H S4	Y
187385	DECORATIVE POLE 14' EMBEDDED	DECORATIVE POLE 14' EMBEDDED SMOOTH TAPERED ALUMINUM, PAINTED BLACK , OVERALL LENGTH 18'	HAPCO (HUBBARD ALUM PROD CO.)	85093P1	Y
187393	DECORATIVE POLE 14' MH EMBEDDE	DECORATIVE POLE 14' MH EMBEDDED FLUTED STRAIGHT ALUMINUM, PAINTED BLACK, OVERALL LENGTH 18'	HAPCO (HUBBARD ALUM PROD CO.)	87726P1	Y
187401	DECORATIVE POLE 14' MH ANCHOR	DECORATIVE POLE 14' MH ANCHOR BASE SMOOTH TAPERED ALUMINUM PAINTED BLACK, OVERALL LENGTH 14'	HAPCO (HUBBARD ALUM PROD CO.)	87731P1	Y
187419	DECORATIVE POLE 14' MH ANCHOR	DECORATIVE POLE 14' MH ANCHOR BASE FLUTED STRAIGHT ALUMINUM, PAINTED BLACK, OVERALL LENGTH 14'	HAPCO (HUBBARD ALUM PROD CO.)	87730P1	Y
187906	PANEL CONTROL LTG 240V W/ HARD	PANEL CONTROL LIGHTING 240V SCHAEFER # SPLRHCSS-303012-PD W/PAD-LOCKABLE HANDLE & SCHAEFER #SPP-3630 SUBPANEL & SCHAEFER #R0200400 HANDLE & (2) JOSLYN #Z2-480-0A SURGE SUPPRESSORS & (4) JOSLYN-CLARK #DP5C602-120 60-AMP CONTACTOR	RIPLEY	-	Y
187914	PANEL CONTROL LTG 480V WITH HA	PANEL CONTROL LIGHTING 480VP/N BRZ-D-CNB421-480 SCHAEFER #SPLRHCSS-303012-PD W/PAD-LACKABLE HANDLE & SCHAEFER #SPP-3630 SUBPANEL & SCHAEFER #R020-400 HANDLE & SIEMENS #MT0250A TRANSFORMER & SIEMENS #KCCFPX24 PRIMARY FUSE	RIPLEY		Y
188003	BOX UG H-D LIGHTING 12 X 12 X	BOX, OPEN-BOTTOM, HEAVY-DUTY, FIBERGLASS AND/OR RESIN AND/OR POLYMER CONCRETE, 12 X 12 X 12, W/ LID RATED 15,000 LBS & MINIMUM FALURE AT 22,568 LBS. BOX AND LID SHALL BE FULLY TESTED & RATED "TIER-15" IN ACCORDANCE WITH ANSI/SCTE77 2007 "SPECIFICATION	HIGHLINE PRODUCTS CORP.	PHA121212HE1 KUB	N
				PHA121212S KUB	N
				PHA121212XO1 KUB	Y
			QUAZITE CORPORATION	PC1212BA (BOX) PC1212HA00 (LID)	N

188318	LUMINAIRE MT SQ W/PC 250/400W	LUMINAIRE, SQUARE, 120-277V WIRED 120V, 250/400W WIRED 250W, FULL-CUTOFF, UL-LISTED, NEMA DECAL & NEMA TWISTLOCK PHOTO-CONTROL RECEPTACLE, PLUG-IN STARTER RECEPTACLE, EXTERNAL SLIP-FITTER, BLACK POWDER COAT PAINTED ONE-PIECE ALUMINUM HOUSING & DOOR FRAME	COOPER LIGHTING	TRU24SWW3FU Y 0075
188326	POWER TRAY REPL FOR TRIBUTE LT	POWER TRAY REPLACEMENT FOR COOPER "TRIBUTE" LUMINAIRE, 120-277V WIRED 120V, 250/400W WIRED 250W	COOPER LIGHTING	TRU PT24SWWU007 5 Y
188896	LUMINAIRE HP 150W BAND MKT SQ	LUMINAIRE, 150W HP, ACORN, MULTI-TAP, TYPE 8, LUNAR OPTICS, PE RECPT, BLACK BAND, PROTECTED STARTER, NEMA LABEL, MOGUL, SPIKE FINIAL, MKT SQ LOCATION	HOLOPHANE	WAU15AHPMAB Y 8B4HPNE-MOD RFD92972
189290	STARTER, 250/400 HPS, HOLOPHAN	STARTER, 250/400 HPS, REPLACEMENT FOR USE WITH ALL HOLOPHANE LUMINAIRES 250W AND 400W, PLUG-IN, PROTECTED STARTER, FOR OFF-ROAD, TUNNEL, HIGH MAST	HOLOPHANE	IG-8 Y
189308	STARTER, 1000W HPS, FOR HOLOP	STARTER, 1000W HPS, PROTECTED, FOR HOLOPHANE HIGH MAST LUMINAIRES	HOLOPHANE	EC-3694-B Y
190272	CONN GND DECO POLE (CONN GND 1	CONN GND DECO POLE, LONG STUD 1/4-20"x1", BRONZE OR COPPER ALLOY	BURNDY	KC15 Y
190744	BASE 30 FT SQ STEEL POLE KIT	BASE 30 FT SQ STEEL POLE KIT	VALMONT	Y
190751	BASE 40 FT SQ STEEL POLE KIT	BASE 40 FT SQ STEEL POLE KIT, BLACK, GROUND PROFILE, TWO PIECES AND MOUNTING HARDWARE	VALMONT	Y
190790	LUMINAIRE LED CARETAKER 73W 69	LUMINAIRE LED CARETAKER 73W, 6900 LUMENS, UNIVERSAL VOLTAGE, DIMMING DRIVER, TYPE 5, 10KV ARRESTER, NEMA 7 PIN RECEPTACLE, TOOL-LESS ENTRY, (100W EQUIVALENT)	COOPER LIGHTING	CRTK-A-A12-D- Y U-5-4N7-10MSP- TH-A-U76205
190810	LUMINAIRE DECO-LED-TRAD	LUMINAIRE, DECORATIVE LED, T2A DISTRIBUTION, 2-21 LED BARS, 120-277V, BIRD CONE, INTERNAL PIR RECEPTACLE	COOPER LIGHTING	UTLD-E02-LED- Y D-U-T2-4N7-BC
190819	LUMINAIRE LED 1SQ-T3-BLK	LUMINAIRE LED 1SQ-T3-BLK LUMINAIRE LED 40-55W, T3 DISTRIBUTION, 1 LED SQUARE LIGHTING MODULE, 10KV ARRESTER, BLACK	COOPER LIGHTING	ARCH-AF16-60- Y D-U-T3-4N7-10K- BK NVN-AE-01-D-U- N T3-10K-4N7-BK- U0060
190827	LUMINAIRE LED 1SQ-T3-GREY	LUMINAIRE LED 1SQ-T3-GREY LUMINAIRE LED 40-55W, T3 DISTRIBUTION, 1 LED SQUARE LIGHTING MODULE, 10KV ARRESTER, GREY	COOPER LIGHTING	ARCH-AF16-60- Y D-U-T3-4N7-10K- AP NVN-AE-01-D-U- N T3-10K-4N7-AP
190835	LUMINAIRE LED 2SQ-T3-BLK	LUMINAIRE LED 2SQ-T3-BLK LUMINAIRE LED 100-110W, T3 DISTRIBUTION, 2 LED SQUARE LIGHTING MODULE, 10KV ARRESTER, BLACK	COOPER LIGHTING	ARCH-AF24-80- Y D-U-T3-4N7-10K- BK NVN-AE-02-D-U- N T3-10K-4N7-BK- U0061
190843	LUMINAIRE LED 2SQ-T3-GREY	LUMINAIRE LED 2SQ-T3-GREY LUMINAIRE LED 100-110W, T3 DISTRIBUTION, 2 LED SQUARE LIGHTING MODULE, 10KV ARRESTER, GREY	COOPER LIGHTING	ARCH-AF24-80- Y D-U-T3-4N7-10K- AP NVN-AE-02-D-U- N T3-10K-4N7-AP- U0061

190849	LUMINAIRE LED ARCHEON 160W 180	LUMINAIRE LED ARCHEON 160W, 18000 LUMENS, DIMMING DRIVER, UNIVERSAL VOLTAGE, TYPE 4 WIDE, NEMA 7 PIN RECEPTACLE, 10KV ARRESTER, GREY, (250W EQUIVALENT)	COOPER LIGHTING	ARCH-M-AF48-160-D-U-T4W-4N7-10K-AP-U76225	Y
190850	LUMINAIRE LED 3SQ-SL4-BLK	LUMINAIRE LED 3SQ-SL4-BLK LUMINAIRE LED 140-160W,SL4 DISTRIBUTION, 3 LED SQUARE LIGHTING MODULE, 10KV ARRESTER BLACK	COOPER LIGHTING	NVN-AE-03-D-U-SL4-10K-4N7-BK-U0082	Y
190868	LUMINAIRE LED 3SQ-T3-GREY	LUMINAIRE LED 3SQ-T3-GREY LUMINAIRE LED 140-160W,T3 DISTRIBUTION, 3 LED SQUARE LIGHTING MODULE, 10 KV ARRESTER, GREY	COOPER LIGHTING	NVN-AE-03-D-U-T3-10K-4N7-AP	Y
190869	LUMINAIRE LED 3SQ-T3-BLK	LUMINAIRE LED 140-160W, T3 DISTRIBUTION, 3 LED SQUARE LIGHTING MODULE, 10KV ARRESTER, BLACK	COOPER LIGHTING	NVN-AE-03-D-U-T3-10K-4N7-BK	Y
190871	LUMINAIRE LED 4SQ-SL4-BLACK	LUMINAIRE LED 200-230W, SL4 DISTRIBUTION, 4 LED SQUARE LIGHTING MODULE, 10KV ARRESTER, BLACK	COOPER LIGHTING	NVN-AE-04-D-U-SL4-10K-4N7-BK-U0083	Y
190872	LUMINAIRE LED ARCHEON 230W 295	LUMINAIRE LED ARCHEON 230W, 29500 LUMENS, DIMMING DRIVER, UNIVERSAL VOLTAGE, TYPE 4 WIDE, NEMA 7 PIN RECEPTACLE, 10KV ARRESTER, GREY, (400W EQUIVALENT)	COOPER LIGHTING	ARCH-L-AF72-230-D-U-T4W-4N7-10K-AP-U76226	Y
190876	LUMINAIRE LED 6SQ-T3-BLK	LUMINAIRE LED 6SQ-T3-BLK LUMINAIRE LED 290-310W,T3 DISTRIBUTION, 6LED SQUARE LIGHTING MODULE, 10KV ARRESTER, BLACK	COOPER LIGHTING	NVN-AE-06-D-U-T3-10K-4N7-BK-U0064	Y
190884	LUMINAIRE LED 6SQ-SL4-BLK	LUMINAIRE LED 6SQ-SL4-BLK LUMINAIRE LED 290-310W,SL4 DISTRIBUTION, 6 LED SQUARE LIGHTING MODULE, 10KV ARRESTER, BLACK	COOPER LIGHTING	NVN-AE-06-D-U-SL4-10K-4N7-BK-U0084	Y
190885	LUMINAIRE LED 6SQ-SL4-GRAY	LUMINAIRE LED 6SQ-SL4-GRAY	COOPER LIGHTING	NVN-AE-06-D-U-SL4-10K-4N7-AP-U0084	Y
190892	LUMINAIRE LED 6SQ-T3-GREY	LUMINAIRE LED 6SQ-T3-GREY LUMINAIRE LED 290-310W,T3 DISTRIBUTION, 6LED SQUARE LIGHTING MODULE, 10KV ARRESTER, GREY	COOPER LIGHTING	NVN-AE-06-D-U-T3-10K-4N7-AP	Y
190895	LUMINAIRE LED ARCHEON SHIELD	LUMINAIRE LED ARCHEON SHIELD			
190897	HS-ARCH HOUSE SHIELD	HS-ARCH HOUSE LIGHTING SHIELD FROM RIGHT TO LEFT			
190899	HS-ARCH-24 HOUSE SHIELD	HS-ARCH-24 HOUSE LIGHTING SHIELD FROM FRONT TO BACK			
190900	LUMINAIRE LED WP 480V GRY	LUMINAIRE LED WP 480V GRY LUMINAIRE LED, WALLPACK,480V, GREY	COOPER LIGHTING	W4LED 30C 1000 40K T3M 480 TB GR	N
190905	LUMINAIRE LED WP MT GRY	LUMINAIRE LED, WALLPACK, MULTITAP, 120-277V, GREY	HOLOPHANE HOLOPHANE	W4GLED 20C 1000 40K T3M MVOLT GYSDP	Y
190910	LUMINAIRE LED PHOTOCONTROL	LUMINAIRE LED PHOTOCONTROL 120V-277V. 1800VA, ON AT 1.5FC, 10KA MOB ARRESTER IR FILTERED, BLUE DBL THICK COVER, NEMA&ANSI C136.10 STD. 20YR LIFE, 10YR WARRANTY; DLL127 1.5 IR CUL J50	DARK TO LIGHT, INC.	DLL 127 1.5 CUL J50	Y
190914	LUMINAIRE LED ACORN 39W 4000K	LUMINAIRE LED ACORN 39W 4000K CCT, 120-277V, 3" POST-TOP, TYPE 3 DISTR PATTERN, GLOBE, PACKAGE:20, 7-PIN PE RCPT	COOPER LIGHTING		Y
190918	LUMINAIRE LED VIPER 235W 4000K	VIPER 235W 4000K 120-277V T2 2/38" OD SLIP FITTER BLACK; LUMINAIRE LED UT LAKE LOUDOUN ON UT CAMPUS	HUBBELL	VP-L/80NB-235/4K/T2/UNV/PCRU/SF2/BBT	Y
190923	LUMINAIRE LED OFF-ROAD GALLEON	LUMINAIRE LED OFF-ROAD GALLEON 166W 3-SQUARE SL4 GREY 120-277(250W EQ)	COOPER LIGHTING	GAN-AF-03-LED-U-SL4-AP-ADJS-4N7	Y
190924	LUMINAIRE LED OFF-ROAD GALLEON	LUMINAIRE LED OFF-ROAD GALLEON 225W 4-SQ SL4 GREY 120-277 (400W EQ)	COOPER LIGHTING	GAN-AF-04-LED-U-SL4-AP-ADJS-4NJ	Y

191200	2' STRIP LIGHT	2' STRIP LIGHT
191201	4' STRIP LIGHT	4' STRIP LIGHT
191202	2' X 4' LCY IN LED FIXTURE	2' X 4' LCY IN LED FIXTURE
191203	SMALL WALL PACK FOR LED INTERIOR	SMALL WALL PACK FOR LED INTERIOR
191204	LARGE WALL PACK FOR LED INTERIOR	LARGE WALL PACK FOR LED INTERIOR
191205	UFO STYLE HIGH BAY FOR LED INTERIOR LIGHTING	UFO STYLE HIGH BAY FOR LED INTERIOR LIGHTING
191206	YOKE MOUNT FLOOD LT LED	YOKE MOUNT FLOOD LT LED
191207	POLE LIGHT HEAD LED INTERIOR LIGHTING	POLE LIGHT HEAD LED INTERIOR LIGHTING

FUSES

141606	FUSE 15KV 30A H	FUSE 15KV 30A H	HUBBELL	M30HA23	Y
141960	FUSE 15KV 2-ELEM WEAK-LINK 5A	FUSE 15KV 5A DEWL	KEARNEY	124080-5	Y
141978	FUSE 15KV 2-ELEM WEAK-LINK 6A	FUSE 15KV 6A DEWL	KEARNEY	124080-6	Y
141986	FUSE 15KV 2-ELEM WEAK-LINK 8A	FUSE 15KV 8A DEWL	KEARNEY	124080-8	Y
141994	FUSE 15KV 2-ELEM WEAK-LINK 12A	FUSE 15KV 12A DEWL	KEARNEY	124080-12	Y
142000	FUSE 15KV 2-ELEM WEAK-LINK 15A	FUSE 15KV 15A DEWL	KEARNEY	124080-15	Y
142018	FUSE 15KV 2-ELEM WEAK-LINK 25A	FUSE 15KV 25A DEWL	KEARNEY	124080-25	Y
142026	FUSE 15KV 2-ELEM WEAK-LINK 30A	FUSE 15KV 30A DEWL	KEARNEY	124080-30	Y
142034	FUSE 15KV 2-ELEM WEAK-LINK 35A	FUSE 15KV 35A DEWL	KEARNEY	124080-35	Y
145862	FUSE 69KV 100A S/S TYPE-PM	FUSE 69KV 100A SS TYPE PM	SOUTHERN STATES INC	PM69100	Y
146472	FUSE 250V CARTR BUSS NON 40A	FUSE 40A NON 250V CARTRIDGE	BUSSMAN	NON-40	Y
146498	FUSE 250V CARTR BUSS NON 60A	FUSE 60A NON 250V CARTRIDGE	BUSSMAN	NON-60	Y
147108	FUSE 250V CARTR BUSS NON 30A	FUSE 30A NON 250V CARTRIDGE	BUSSMAN	NON-30	Y
147116	FUSE 250V CARTR BUSS NON 200A	FUSE 200A NON 250V CARTRIDGE	BUSSMAN	NON-200	Y
147124	FUSE 250V CARTR BUSS NON 100A	FUSE 100A NON 250V CARTRIDGE	BUSSMAN	NON-100	Y
149179	FUSE 15KV 5A QA	FUSE 15KV 5A QA	KEARNEY	6416-2T	Y
149195	FUSE 15KV 7A TYPE-200	FUSE 15KV 7A TYPE 200	KEARNEY	11007	Y
149203	FUSE 15KV 10A TYPE-200	FUSE 15KV 10A TYPE 200	KEARNEY	11010	Y
149229	FUSE 15KV 20A QA	FUSE 15KV 20A QA	KEARNEY	6420-2T	Y
149237	FUSE 15KV 25A KS	FUSE 15KV 25A KS	KEARNEY	21025	Y
149245	FUSE 15KV 30A QA	FUSE 15KV 30A QA	KEARNEY	6422-2T	Y
149260	FUSE 15KV 50A QA	FUSE 15KV 50A QA	KEARNEY	6424-2T	Y
149286	FUSE 15KV 60A QA	FUSE 15KV 60A QA	KEARNEY	6425-2T	Y
149302	FUSE 15KV 75A QA	FUSE 15KV 75A QA	KEARNEY	6426-2T	Y
149765	FUSE 15KV 100A QA	FUSE 15KV 100A QA	KEARNEY	6427-2T	Y
150524	FUSE 15KV 65A KS	FUSE 15KV 65A KS	KEARNEY	21065	Y
150979	FUSE 15KV 40A KS	FUSE 15KV 40A KS	KEARNEY	21040	Y
165647	FUSE 15KV 150A AF	FUSE 15KV 150A AF	SOUTHERN STATES INC	AF15150	Y
167940	FUSE 15KV 12A K	FUSE 15KV 12A K	ABB POWER T & D CO	632A036A01	N
167965	FUSE 15KV 20A TYPE-T	FUSE 15KV 20A TYPE T	BUSSMAN COOPER POWER SYSTEMS	FL11K12 FL25T20R	Y Y
169896	FUSE 250V CARTR 2-ELEM FRN 1A	FUSE 1A FRN 250V CARTRIDGE	BUSSMAN GEC ALST LITTLEFUSE INC	FRN-R1 CRN-R1 FLNR-1	Y N N
169904	FUSE 250V CARTR 2-ELEM FRN 6A	FUSE 6A FRN 250V CARTRIDGE	BUSSMAN GEC ALST LITTLEFUSE INC	FRN-R6 CRN-R6 FLNR-6	Y N N
169920	FUSE 250V CARTR 2-ELEM FRN 15A	FUSE 15A FRN 250V CARTRIDGE	BUSSMAN GEC ALST LITTLEFUSE INC	FRN-R15 CRN-R15 FLNR-15	Y N N
169938	FUSE 250V CARTR 2-ELEM FRN 20A	FUSE 20A FRN 250V CARTRIDGE	BUSSMAN GEC ALST LITTLEFUSE INC	FRN-R20 CRN-R20 FLNR-20	Y N N
182808	FUSE 250V CARTR 2-ELM FRN 400A	FUSE 400A FRN 250V CARTRIDGE	BUSSMAN GEC ALST GOULD SHAWMUT LITTLEFUSE INC	FRN-R400 CRN-R400 FLNR-400	Y N N N
183947	FUSE 250V CARTR 2-ELEM FRN 30A	FUSE 30A FRN 250V CARTRIDGE	BUSSMAN GEC ALST	FRN-R30 CRN-R30	Y N

183954	FUSE 250V CARTR 2-ELEM FRN 2A	FUSE 2A FRN 250V CARTRIDGE	LITTLEFUSE INC BUSSMAN GEC ALST LITTLEFUSE INC	FLNR-30 FRN-R2 CRN-R2 FLNR-2	N Y N N
183962	FUSE 250V CARTR 2-ELEM FRN 8A	FUSE 8A FRN 250V CARTRIDGE	BUSSMAN GEC ALST LITTLEFUSE INC	FRN-R8 CRN-R8 FLRN-8	Y N N
183970	FUSE 250V CARTR 2-ELEM FRN 5A	FUSE 5A FRN 250V CARTRIDGE	BUSSMAN GEC ALST LITTLEFUSE INC	FRN-R5 CRN-R5 FLNR-5	Y N N
186791	FUSE REFILL 50A S&C FOR PM SW	FUSE, REFILL 50 AMP	S & C ELECTRIC CO	122075R4	Y
186833	FUSE REFILL 3A S&C FOR PM SW	FUSE, REFILL 3 AMP	S & C ELECTRIC CO	122005R4	Y
186841	FUSE REFILL 7A S&C FOR PM SW	FUSE, REFILL 7 AMP	S & C ELECTRIC CO	122010R4	Y
186866	FUSE REFILL 20A S&C FOR PM SW	FUSE, REFILL 20 AMP	S & C ELECTRIC CO	122030R4	Y
186874	FUSE REFILL 25A S&C FOR PM SW	FUSE, REFILL 25 AMP	S & C ELECTRIC CO	122040R4	Y
186882	FUSE REFILL 30A S&C FOR PM SW	FUSE, REFILL 30 AMP	S & C ELECTRIC CO	122050R4	Y
186890	FUSE REFILL 65A S&C FOR PM SW	FUSE, REFILL 65 AMP	S & C ELECTRIC CO	122100R4	Y
186892	BAYONET FUSELINK 65A	FUSELINK, BAYONET, DUAL SENSING, 65A STANDARD PACKAGE QUANTITY 1 (COOPER POWER)			
186908	FUSE REFILL 80A S&C FOR PM SW	FUSE, REFILL 80 AMP	S & C ELECTRIC CO	122125R4	Y
186916	FUSE REFILL 100A S&C FOR PM SW	FUSE, REFILL 100 AMP	S & C ELECTRIC CO	122150R4	Y
186924	FUSE REFILL 125A S&C FOR PM SW	FUSE, REFILL 125 AMP	S & C ELECTRIC CO	122200R4	Y
186932	FUSE REFILL 150A S&C FOR PM SW	FUSE, REFILL 150 AMP	S & C ELECTRIC CO	122250R4	Y
186940	FUSE REFILL 200A S&C FOR PM SW	FUSE, REFILL 200 AMP	S & C ELECTRIC CO	122300R4	Y
186957	FUSE REFILL 13A S&C FOR PM SW	FUSE, REFILL 13 AMP	S & C ELECTRIC CO	122020R4	Y

SUBSTA AND UNDERGROUND MTRL

100107	BKT CORNER HINGE UNISTRUT 4-H	FITTING BRACKET CORNER HINGE 4-HOLE STEEL 4" X 4"	B-LINE UNISTRUT CORP.	P1354	N
100149	BKT CORNER 90-DEG UNISTRUT 3-H	FITTING BRACKET CORNER ANGLE 90-DEGREE 3-HOLE STEEL 1-7/8" X 3-7/8"	B-LINE UNISTRUT CORP.	B-232 P1346	Y N
100164	CAP END FOR UNISTRUT CHANNEL	FITTING CAP END FOR 1-5/8" X 1- 5/8" STEEL CHANNEL	B-LINE UNISTRUT CORP.	B-206ZN P3280	Y N
100180	NUT W/ SPRING UNISTRUT 1/2" 13	FITTING NUT 1/2" THREAD-13 GALVANIZED W/ SPRING FOR 1-5/8" X 1-5/8" 12-GAUGE CHANNEL	B-LINE UNISTRUT CORP.	N-225 P1010	Y N
100206	CAP SCREW UNISTRUT 1/2" X 1"	FITTING CAP SCREW 1/2X1	B-LINE UNISTRUT CORP.	HHCS050094- 1/2X15/16	Y N
100404	BKT CORNER 90-DEG UNISTRUT 2-H	FITTING BRACKET CORNER 90- DEGREE 2-HOLE STEEL 2-1/4" X 1- 5/8"	B-LINE UNISTRUT CORP.	B-101 P1068	Y N
100420	BKT CORNER U UNISTRUT 5-HOLE	FITTING BRACKET CORNER U- SHAPED 5-HOLE FOR 1-5/8" X 1-5/8" STEEL CHANNEL	B-LINE UNISTRUT CORP.	B-107 P1047	Y N
100446	BKT CORNER Z UNISTRUT 3-HOLE	FITTING BRACKET CORNER Z- SHAPED 3-HOLE FOR 1-5/8" X 1-5/8" STEEL CHANNEL	B-LINE UNISTRUT CORP.	B-105 P1045	Y N

100461	BKT STRAIGHT UNISTRUT 3-HOLE	FITTING BRACKET STRAIGHT 3-HOLE FOR 1-5/8" X 1-5/8" STEEL CHANNEL	B-LINE	B-557	Y
			UNISTRUT CORP.	P1925	N
100743	BKT CORNER 90-DEG UNISTRUT 4-H	UNISTRUT BRACKET CORNER 90-DEGREE 4-HOLE 4-1/8" X 3-1/2"	B-LINE	B-104	Y
			UNISTRUT CORP.	P1325	N
100842	BLOCK TEST 6-POLE PK-TYPE	TEST BLOCK 6POLE TYPE PK	GENERAL ELECTRIC	6422120-G4	Y
101121	BLOCK TEST 4-POLE PK-TYPE	TEST BLOCK 4POLE TYPE PK GE	GENERAL ELECTRIC	6422120-G1	Y
101204	OIL PENETRATING AEROSOL CAN	OIL PENETRATING AEROSOL CAN	CENCO INC CHEMOLA	RUST FREE SUPER PENETRANT	N
			KEARNEY MANTEK OXFORD CHEMICALS, INC.	19229-1	Y
			PERMATEX B-LINE	PENEDROL	N
101220	CLAMP CABLE UNISTRUT 3"	FITTING, CABLE CLAMP, THERMOPLASTIC ELASTOMER CUSHION(REPLACING PORCELAIN). ELECTRO-GALVANIZED CLAMP, 3" HOLE-SIZE FOR 1-5/8 INCH METAL FRAMING CHANNEL. ELECTRO-GALVANIZED HARDWARE.	POWERSTRUT UNISTRUT CORP.	81252 B4081ZN	N
			B-LINE		Y
			POWERSTRUT UNISTRUT CORP.	PS7223EV 056N062	N
101246	CLAMP CABLE UNISTRUT 3-1/2"	FITTING, CABLE CLAMP, THERMOPLASTIC ELASTOMER CUSHION(REPLACING PORCELAIN). ELECTRO-GALVANIZED CLAMP, 3-1/2" HOLE-SIZE FOR 1-5/8 INCH METAL FRAMING CHANNEL. ELECTRO-GALVANIZED HARDWARE.	B-LINE	B4085ZN	Y
			POWERSTRUT UNISTRUT CORP.	PS722312EV 064N072	N
101428	BKT CORNER W/ BRACE UNISTRUT	FITTING BRACKET CORNER 90-DEGREE W/ BRACE 5-7/8" X 4-3/4" FOR 1-5/8" X 1-5/8" STEEL CHANNEL	B-LINE	B-194	Y
			UNISTRUT CORP.	P1075	N
101469	CLAMP CABLE UNISTRUT 1-1/8"	FITTING, CABLE CLAMP, THERMOPLASTIC ELASTOMER CUSHION(REPLACING PORCELAIN). ELECTRO-GALVANIZED CLAMP, 1-1/8 INCH HOLE-SIZE FOR 1-5/8 INCH METAL FRAMING CHANNEL. ELECTRO-GALVANIZED HARDWARE.	B-LINE	B4066ZN	Y
			POWERSTRUT B-LINE	PS722118EV B4077ZN	N
101501	CLAMP CABLE UNISTRUT 2-1/2"	FITTING, CABLE CLAMP, THERMOPLASTIC ELASTOMER CUSHION(REPLACING PORCELAIN). ELECTRO-GALVANIZED CLAMP, 2-1/2 INCH HOLE-SIZE FOR 1-5/8 INCH METAL FRAMING CHANNEL. ELECTRO-GALVANIZED HARDWARE.	B-LINE	B4077ZN	Y
			POWERSTRUT UNISTRUT CORP.	PS722212EV 046N052	N
101709	CLAMP CABLE UNISTRUT 2-1/8"	FITTING, CABLE CLAMP, THERMOPLASTIC ELASTOMER CUSHION(REPLACING PORCELAIN). ELECTRO-GALVANIZED CLAMP, 2-1/8 INCH HOLE-SIZE FOR 1-5/8 INCH METAL FRAMING CHANNEL. ELECTRO-GALVANIZED HARDWARE.	B-LINE	B4074ZN	Y
			POWERSTRUT	PS722218EV	N

101741	CLAMP CABLE UNISTRUT 1-5/8"	FITTING, CABLE CLAMP, THERMOPLASTIC ELASTOMER CUSHION(REPLACING PORCELAIN). ELECTRO-GALVANIZED CLAMP, 1-5/8 INCH HOLE-SIZE FOR 1-5/8 INCH METAL FRAMING CHANNEL. ELECTRO-GALVANIZED HARDWARE.	B-LINE		N
			POWERSTRUT UNISTRUT CORP.	PS7232158EV U464C	N Y
101782	IRON PULL-IN LM DU2Z	IRONS PULL-IN LM DU2Z	HUBBELL	DU2T2	Y
101824	SUPPORT CABLE SGL SP 1-3/4"	SUPPORT CABLE SG SP 1-3/4"	DELTA STAR	350013	Y
102004	FUSEHOLDER 30A 250V 1-POLE	FUSEHOLDER 30 AMP 250V 1 POLE	BUSSMAN	H250301SR	Y
102087	FUSEHOLDER 30A 250V 2-POLE	FUSEHOLDER 30 AMP 250V 2 POLE	SQUARE D BUSSMAN	FB121-1 H25030-2SR	N Y
			GENERAL ELECTRIC GOULD	8421-3 20317	N N
			SHAWMUT MARATHON SPECIAL PRODUCTS		N
102202	BLOCK TERM 12CIR CONTROL SWBD	BLOCK TERMINAL, 12 CIRCUIT, HEAVY DUTY, 600 VOLT, 50 AMPERE MINIMUM, #10-18 AWG WIRE RANGE, 10-32 WASHER HEAD TERMINAL SCREWS, NO. 10 MTG SCREW PROVISIONS, WHITE TERMINAL IDENTIFICATION MARKING STRIP, FOR CONTROL SWITCHBOARD OTHER SUBSTATION WIRING.	GENERAL ELECTRIC	EB25A12	Y
			MARATHON SPECIAL PRODUCTS	1512 STD	N
			TE CONNECTIVITY	2B112 (BUCHANAN)	N
102244	BRACKET 8-12CKT 1616016	BRACKET 8-12CIR 1616016	WESTINGHOUSE	1616016	Y
102327	BLOCK TERM 6CKT CTRL SWBD	BLOCK TERMINAL, 6 CIRCUIT, HEAVY DUTY, 600 VOLT, 50 AMPERE MINIMUM, #10-18 AWG WIRE RANGE, 10-32 WASHER HEAD TERMINAL SCREWS, NO. 10 MTG SCREW PROVISIONS, WHITE TERMINAL IDENTIFICATION MARKING STRIP, FOR CONTROL SWITCHBOARD OTHER SUBSTATION WIRING.	GENERAL ELECTRIC	EB25B06	Y
			MARATHON SPECIAL PRODUCTS	1506 STD	N
			TE CONNECTIVITY	2B106	N
102343	CONN COMP TERM 2CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TIN-PLATED, #2 AWG COPPER CONDUCTOR.	BLACKBURN	AL4	N
			BURNDY PENN-UNION BURNDY	YA2CA9 BBLU-2D6 YA30A3	Y N N
102368	CONN COMP TERM 300CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TIN-PLATED, 300 MCM COPPER OR ALUMINUM CONDUCTOR.			
			HOMAC	AL300NTN	Y
102384	CONN COMP TERM 500CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TINNED-COPPER, 500 MCM COPPER OR ALUMINUM CONDUCTOR.	HOMAC	L500N	Y
			PENN-UNION	BBLU-050D	N

102400	CONN COMP TERM 1000MCM 2HOLE F	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TINNED-COPPER, 1000 MCM COPPER OR ALUMINUM CONDUCTOR.	ILSCO	J0225C00T-2ACL-1000	Y
102426	CONN COMP TERM 6CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TINNED-COPPER, #6 AWG COPPER OR ALUMINUM CONDUCTOR.	BURNDY	YA6C2N	Y
102442	CONN COMP TERM 10STR CU HYLUG	SEAMLESS UNINSULATED COMPRESSION HEAVY DUTY RING TONGUE TERMINAL FOR CONTROL CABLE WIRE RANGES: 10-9 STRANDED. STUD SIZE 8-10.	HOMAC BURNDY	L6N YAV9C-L36BOX	N Y
102608	CONN COMP TERM STACK 250CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, STACK 2-HOLE, 1-3/4 INCH FROM CENTERS, 1/2 INCH STUDS, TINNED-COPPER, 250 MCM COPPER OR ALUMINUM CONDUCTOR.	HOMAC	SL 250-N	Y
102624	CONN COMP TERM 2/0CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TIN-PLATED, 2/0 AWG COPPER OR ALUMINUM CONDUCTOR.	BURNDY	YA262N	N
102640	CONN COMP TERM 4/0CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TIN-PLATED, 4/0 AWG COPPER OR ALUMINUM CONDUCTOR.	HOMAC BURNDY	L2/0N YA28A5	Y N
102723	CONN COMP TERM 20STR CU HYLUG	SEAMLESS UNINSULATED COMPRESSION HEAVY DUTY RING TONGUE TERMINAL FOR CONTROL CABLE WIRE RANGES: 20-14 STRANDED AND 20-12 SOLID. STUD SIZE 8-10.	HOMAC BURNDY	AL4/0NTN YAV14-L36BOX	Y Y
102889	CONN COMP TERM STACK 500CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, STACK 2-HOLE, 1-3/4 INCH FROM CENTERS, 1/2 INCH STUDS, TINNED-COPPER, 500 MCM COPPER OR ALUMINUM CONDUCTOR.	HOMAC	ASL 500-N	Y
102905	CONN COMP TERM 250CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TIN-PLATED, 250 MCM COPPER OR ALUMINUM CONDUCTOR.	HUBBELL HOMAC	CSL-500-BN AL250NTN	N N
102921	WIRE TIE NYLON 1/8" X 5-1/4"	WIRE TIE NYLON 1/8 X 5-1/4 SELF LOCK WIRE TIE, NYLON, ONE PIECE, SELF-LOCKING , BLACK WEATHER RESISTANT COLOR, ARE TO CONTAIN NO METALLIC COMPONENTS. MINI MUM OF 1/8" WIDE SUITABLE FOR A BUNDLE DIAMETER OF 3/16" MINIMUM AND 1-1/4" MAX	ILSCO 3M	2ACL-250 O6202	Y Y
103200	CONN COMP TERM 1000CU 4-HOLE	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 4-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TINNED-COPPER, 1000 MCM COPPER OR ALUMINUM CONDUCTOR.	HELLERMANN TYTON BURNDY	T50R0C2 YA44-4N	N Y
			HOMAC		N

104372	CONN COMP TERM 1/0AL	CONN COMP TERM AL 1/0AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 1/0 ALUMINUM CONDUCTOR.	BLACKBURN	AL6	N
			HOMAC	AL 1/0-N L1/0N	N Y
			MAC PRODUCTS UTILCO	2UCL-1/0	N
104414	TEST RECEPT 60A 2W3P ASSY	Test Receptacle Assembly and Housing, Heavy Duty Circuit Breaking: 60A, 600V, 2 wire - 3 pole, NEMA 4 "watertight" rated. Includes conduit box with 1" hub, angle adapter and spring door cover.	APPLETON	ADJA6023-100	N
			CROUSE HINDS	AREA 6323	Y
104562	CONN COMP TERM 800AL	CONN COMP TERM AL 800MCM	BURNDY HOMAC	YA40-2LN AL800N	N Y
104588	CONN STUD 1-1/8" 4-HOLE FLAT	CONNECTOR, 1-1/8 INCH STUD TO 4 HOLE FLAT PAD, TINNED, SPADE TYPE STUD FOR ASA, TBI BUSHINGS. FOR 1-1/8 INCH DIAMETER STUD-12 THREADS PER INCH. PAD TO BE DRILLED FOR FOUR 1/2 INCH BOLTS. TIN PLATED ON BOTH FACES.	HUBBELL	AHL800BN	N Y
			SEFCOR SOUTHERN STATES INC	TYPE SNFT TYPE SF	N N
104596	CONN STUD 1-1/2" 4-HOLE FLAT	CONNECTOR, 1-1/2 INCH STUD TO 4 HOLE FLAT PAD, TINNED, SPADE TYPE STUD FOR ASA, TBI BUSHINGS. FOR 1-1/2 INCH DIAMETER STUD-12 THREADS PER INCH. PAD TO BE DRILLED FOR FOUR 1/2 INCH BOLTS. TIN PLATED ON BOTH FACES.	HUBBELL	TYPE HDSF-14- 1-D-1/2	N
			SEFCOR SOUTHERN STATES INC	TYPE SNFT TYPE SF	N Y
104687	CONN COMP TERM 2/0AL	CONN COMP TERM AL 2/0AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 2/0 ALUMINUM CONDUCTOR.	BLACKBURN	AL8	N
			HOMAC BURNDY	AL2/0N YA27A5	Y N
104695	CONN COMP TERM 3/0AL	CONN COMP TERM AL 3/0AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN CENTER, FOR INDOOR OR OUTDOOR USE ON 3/0 AWG ALUMINUM CONDUCTOR.	HOMAC BURNDY	AL3/0NTN YA28A5	Y N
104703	CONN COMP TERM 4/0AL	CONN COMP TERM AL 4/0AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 4/0 AWG ALUMINUM CONDUCTOR.	HOMAC BURNDY	AL3/0NTN YA28A5	Y N
			HOMAC HOMAC	AL4/0NTN ASL 4/0N	Y Y
104711	CONN COMP TERM STACK 4/0AL	CONN COMP TERM STACK AL 4/0AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 4/0 AWG ALUMINUM CONDUCTOR.	HUBBELL	ATL40BN	N

104729	CONN COMP TERM STACK 250AL	CONN COMP TERM STACK AL 250MCM 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 250 MCM ALUMINUM CABLE.	HOMAC	ASL 250N	Y
104737	CONN COMP TERM STACK 350AL	CONN COMP TERM STACK AL 350MCM 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 350 MCM ALUMINUM CONDUCTOR.	HUBBELL HOMAC	ATL-250 BN ASL 350N	N Y
104745	CONN COMP TERM STACK 400AL	CONN COMP TERM STACK AL 400MCM 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 400 MCM ALUMINUM CONDUCTOR.	HUBBELL HOMAC	ATL-350 BN ASL 400NTN	N Y
104752	CONN COMP TERM STACK 500AL	CONN COMP TERM STACK AL 500MCM 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 500 MCM ALUMINUM CONDUCTOR.	HUBBELL HOMAC	ATL-400 BN ASL 500N	N Y
104836	CONN COMP TERM 250AL	CONN COMP TERM AL 250MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 250 MCM ALUMINUM CONDUCTOR.	HUBBELL BLACKBURN	ATL-500 BN AL16	N N
104844	CONN COMP TERM 350AL	CONN COMP TERM AL 350MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN CENTER, FOR INDOOR OR OUTDOOR USE ON 350 MCM ALUMINUM CONDUCTOR.	PENN-UNION BURNDY	BLUA-025-D YA31A3	Y N
104851	CONN COMP TERM 400AL	CONN COMP TERM AL 400MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 400 MCM ALUMINUM CONDUCTOR.	HOMAC HOMAC	AL350N AL400N	Y Y
104992	CONN COMP TERM 500AL	CONN COMP TERM AL 500MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 500 MCM ALUMINUM CONDUCTOR.	HOMAC	AL 500-N	Y
105007	CONN COMP TERM 750AL	CONN COMP TERM AL 750MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 750 MCM AL COMPRESSED CONDUCTOR.	MAC PRODUCTS UTILCO MAC PRODUCTS UTILCO	MLB500-8N 2ACL-500 MLB750-8N 2ACL-750	N N Y N

105247	LAMP SWITCHBOARD MINALITE 24V	LAMP MINALITE 24V SWBD	WESTINGHOUS E	1124156	Y
105304	ADAPTER REDUCING CU 4/0AWG TO1	ADAPTER REDUCING CU 4/0AWG TO 1/0AWG. TIN-ELECTRO PLATED.	BURNDY	Y2825R	Y
105320	CONN COMP TERM 12STR CU HYLUG	SEAMLESS UNINSULATED COMPRESSION HEAVY DUTY RING TONGUE TERMINAL FOR CONTROL CABLE WIRE RANGES: 12-10 STRANDED AND SOLID	BURNDY	YAV10-L36BOX	Y
105429	ADAPTER REDUCING CU 4/0AWG TO	ADAPTER REDUCING CU 4/0AWG TO 3/0AWG. TIN-ELECTRO PLATED.	BURNDY	Y2827R	Y
105445	ADAPTER REDUCING CU 500MCM TO	ADAPTER REDUCING CU 500MCM TO 350MCM. TIN-ELECTRO PLATED.	BURNDY	Y3431R	Y
105528	ADAPTER REDUCING CU 500MCM TO	ADAPTER REDUCING CU 500MCM TO 400MCM. TIN-ELECTRO PLATED.	BURNDY	Y3432R	Y
105601	CONN SPLIT-TIN 2/0CU	CONN SPLIT TIN CU 2/0AWG	MAC PRODUCTS	MSS 2/0	Y
105643	CONN SPLIT-TIN 250CU	CONN SPLIT TIN CU 250MCM	MAC PRODUCTS	MSS 250	Y
122820	INSERT BUSHING 3PH 200A LD/BRK	INSERT BUSHING 200A LDBRK	RUSGREEN BLACKBURN COOPER POWER SYSTEMS	T-13 JLB2B10 LBI215	N N N
122879	BUSHING STANDOFF INSUL 200A	BUSHING, STANDOFF, INSULATED, 15KV, 200 AMPERE, FOR USE WITH A PARKING STAND TO ENABLE AN ENERGIZED CABLE TO BE REMOVED FROM AN EQUIPMENT BUSHING AND PARKED ON THE BUSHING STANDOFF EITHER TEMPORARI	ELASTIMOLD HUBBELL COOPER POWER SYSTEMS	1601A4 ISB215	Y N N
122887	FEED-THRU PORTABLE 200A LD/BRK	FEED THRU PORT, LOADBREAK 200A, 15 KV. TO PROVIDE CIRCUIT WITH LOADBREAK JUNCTION POINT.	ELASTIMOLD HUBBELL COOPER POWER SYSTEMS	161SOP 9U07ACF100 LPF215H	Y N N
122911	CAP PROTECTIVE INSUL 200A	CAP PROTECTIVE INSUL 200A BUSHING 15KV CAP, PROTECTIVE, INSULATING, 15KV, 200A, FOR USE ON LOADBREAK BUSHING INSERTS WHEN ELBOW CONNECTORS ARE REMOVED EITHER TEMPORARILY OR PERMANENTLY. MUST HAVE PROVISIONS FOR "HOT STICK" OPERATION.	ELASTIMOLD COOPER POWER SYSTEMS	164FT 2603711A12M	Y N
123034	DEVICE GROUNDING FOR 2CU/TS	DEVICE GROUNDING FOR 2AWG	ELASTIMOLD HUBBELL BLACKBURN COOPER POWER SYSTEMS	LPC215 160DRG 9U01AEW400 20CAFAB 2625133B04M	Y N N N
123059	LUG AERIAL 500CU JOSLYN 80-111	LUG AERIAL 500 MCM CU	ELASTIMOLD MACLEAN POWER SYSTEMS	20MAFAB 80-111	Y Y
123133	DEVICE GROUNDING FOR 500MCM TS	DEVICE GROUNDING FOR 500MCM TS	BLACKBURN COOPER POWER SYSTEMS	302CAHJ 2625133B13M	N N
123166	SPLICE STR 15KV 500CU/TS-500CU	SPLICE, 15KV, TAPE SHIELD, CU 500 - 500 MCM SPLICE, STRAIGHT, MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING 500 MCM CU CONDUCTOR, 175 MIL XLP INSULATION, TAPE SHIELDED, TO SAME.	ELASTIMOLD COOPER POWER SYSTEMS	SA2 30MAHJ	Y N Y
			UNI-MATIC	9U06CK5900	N

123208	HOUSING CONNECTOR ELBOW 600AMP	HOUSING CONNECTOR ELBOW, 600AMP DEADBREAK, 15KV WITH VOLTAGE TEST POINT, SUBMERSIBLE, DEADFRONT. T- BODY WITH STUD.	ELASTIMOLD	K675BLR	Y
123216	PLUG CONNECTING 15KV 600A	PLUG CONNECTING 600 AMP 15KV W/O STUD PLUG, CONNECTING, COPPER W/O STUD, 600 A MPERE, 15KV, DEADBREAK WITH A TAPPED HOLE ON EACH END FOR THE INSTALLATION OF A 5/8 IN. TINNED COPPER STUD. ALL CONDUCTIVE INTERFACES SHALL BE TINNED CO	COOPER POWER SYSTEMS		N
			ELASTIMOLD	DCP625C 1601A4 K675CP	N Y N
123224	PLUG INSULATING BASIC 600A	PLUG INSULATING BASIC 600A 15KV W/O STUD PLUG, INSULATING, BASIC, 600 AMPERE, 15K V, DEADFRONT, DEADBREAK, W/CAP, NO STUD FOR USE WITH A 600 AMPERE ELBOW CON NECTOR HOUSING TO INSULATE ONE END OF THE HOUSING WHILE THAT END IS NOT BEI	HUBBELL COOPER POWER SYSTEMS	9U67ACP	N N
			ELASTIMOLD	DIP625C K675BIP	N Y
123299	WELL TAP REDUCING 600A-200A	WELL TAP REDUCING 600-200A W/O STUD WELL, TAP, REDUCING, 600 AMPERE BUSHING WITH TINNED COPPER INTERFACE TO 200 AMPERE BUSHING WELL W/O STUD, FOR USE WITH 600 AMPERE HOUSINGS TO PERMIT A 200 AMPERE TAP BY USING A 200 AMPERE LOA	HUBBELL ELASTIMOLD	9U67ABIP 675RTW	N N
			HUBBELL BURNDY	K675RTW 9U67ARTW YA30A3	Y N Y
123331	CONN COMP TERM 300AL	CONN COMP TERM AL 300MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOO R USE ON 300 MCM ALUMINUM CONDUCTOR.			
123349	CONN COMP TERM 750CU	CONN COMP TERM CU 750MCM 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL , 2 HOLE FLAT, NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 750 MCM COP PER CONDUCTOR.	HOMAC CONNECTOR MFR CO	AL300N ALM750	N N
			HOMAC ILSCO	AL750N 2ACL-750	Y N
123414	SPLICE STR 15KV 1/0AL-1/0AL UD	SPLICE ST 15KV AL URD 1/0 TO 1/0 SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, S UBMERSIBLE. FOR 1/0 COMPRESSED AL URD CABLES WITH 175 OR 220 MIL EPR INSUL ATION AND CONCENTRIC NEUTRAL.	3M	5411-CI-1/0	Y
123521	DEVICE GROUNDING FOR 350CU/TS	DEVICE GROUNDING FOR 350MCM	ELASTIMOLD BLACKBURN	15PCJ1G1240 302CAHA	N N
			COOPER POWER SYSTEMS	2625133B11M	Y
123554	PAINT GRAY FOR SWITCHBOARD	PAINT GRAY SWITCHBOARD	ELASTIMOLD CRC SIEMENS SPRAYON WESTINGHOUS E	30MAHA 18114 18-168-000-001 326 86IA806H01	N Y N N N

123562	SPLICE STR 15KV 750AL-750AL UD	SPLICE, STRAIGHT, 15KV AL URD 750 TO 750, MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING 750 MCM COMPRESSED AL CONDUCTOR, 175 MIL EPR INSULATION WITH CONCENTRIC NEUTRAL TO SAME.	3M	5408-CI-750	Y
123570	BRAID SHUNT TINNED-CU 12 CONN	SHUNT CU BRAID TINNED 12 CONN SHUNT, COPPER BRAID, W/ A 3 1/4 IN TINNED COPPER FERRULE AT EACH END. BRAID IS TO BE 12 INCHES IN LENGTH, HAVE 415 AMPE RE CURRENT CARRYING CAPACITY AND IS TO BE COMPOSED OF FINE TINNED COPPER WIRE S	BURNDY	BG12N	Y
123745	MODULE JUNCTION 3WAY 15KV 600A	JUNCTION MODULE 3-WAY 200A LOADBREAK JUNCTION MODULE, LOADBREAK, 200 AMPERE, 8.3/14.4KV RATED, BRACKET MOUNTED, WITH 3 CONNECTION POINTS. FOR USE WITH SEPARABLE ELBOW CONNECTORS.	BLACKBURN	JJ2B1034H	N
			COOPER POWER SYSTEMS ELASTIMOLD	LJ215C4B	N
				164J3	Y
123752	TAG CABLE ID BRASS 2" DIA	TAG CABLE ID BRASS 2" DIA	HUBBELL NATIONAL BAND & TAG COMPANY W.H. BRADY CO.	9U07AGD320	N
				23211	Y
123919	COMPOUND DUCT-SEALING	COMPOUND SEALING DUCT NON-TOXIC COMPOUND, SEALING, DUCT, NON-SHRINKING, WATER RESISTANT, NON-CORROSIVE, NON-STAINING, NON-TOXIC, AND SHALL BE COMPATIBLE WITH ALL TYPES OF DUCT TO INCLUDE PVC, PE, GI, AND FIBER. COMP	IDEAL	31-605	Y
			POWER-TEL PRODUCTS TOPAZ UNITED TECHNOLOGIE S-AUTOMOTIVE	DUCTSEAL ORANGE 965 578-2	N
					N
123992	LUBRICANT CORROSION	LUBRICANT CORROSION PREVENTIVE LUBRICANT, CORROSION PREVENTIVE, AEROSOL , NONTOXIC, FOR USE IN LUBRICATING METALLIC MECHANISMS, TOOLS, ELECTRO-MECHANICAL EQUIPMENT, ETC. ALSO CAN BE USED AS A MOISTURE DISPLACING AGENT WHEN	CARE LABORATORIES INC.	MOTION UR-70	N
			CRC LPS LABORATORIES	226 02016	N
					Y
			MANTEK	ELECTRA SEAL	N
			PERMATEX SELIG	MAINTAIN MASTER MECHANIC	N
124016	TRANSDUCER CURRENT	TRANSDUCER CURRENT ELECTRICAL	AMETEK	CCC-1B-C5-E0-X3-F60-CT-510A3	N
			SCIENTIFIC COLUMBUS, INC.		N
			TRANSDATA INC	10CS503	Y
124032	DEVICE GROUNDING FOR 4/0CU/TS	DEVICE GROUNDING FOR 4/0AWG	BLACKBURN COOPER POWER SYSTEMS ELASTIMOLD	302CAGB 2625133B09M 30MAGB	Y
					N
					N

124057	CLEANER H-V CABLE SPLICE	CLEANER H/V CABLE SPLICES & TERM CLEANER-DEGREASER, AEROSOL, NONTOXIC, FOR USE IN CLEANING 15KV EPR INSULATED CABLE PRIOR TO INSTALLING SPLICES AND EL BOW TERMINATORS. BID PRICE SHALL BE PER ONE OUNCE NET WEIGHT.	CRC	LECTRA CLEAN N 2018	
			LPS LABORATORIES	01020	Y
			OXFORD CHEMICALS, INC.	DG-66	N
			QUELCOR, INC.	QUEL CLEAN	N
			SPEED SYSTEMS		N
124156	CONN TERM 2" 4 HOLE STR TINNE	CONNECTOR, 2 INCH TUBE TO 4 HOLE FLAT PAD, STRAIGHT, BRONZE ALLOY CASTING OR TINNED. PAD TO BE DRILLED FOR FOUR 1/2 INCH BOLTS. NEMA SPACING (1-3/4 INCH).	BURNDY	NA-HC	Y
			HUBBELL SOUTHERN STATES INC	STF4-20D UA	N
124230	HEATER STRIP 120V 60HZ 100W	HEATER STRIP 120V 100W 60HZ	CCI-THERMAL GENERAL ELECTRIC	SD1001 SD 1001	Y
124321	SWITCH AUXILIARY 10-STAGE	SWITCH AUXILIARY 10 STAGE	ELECTROSWIT CH WESTINGHOUS E	3572A75G01	Y
124354	SPLICEPLATE STRAIGHT RIGID	SPLICEPLATE STRAIGHT RIGID	MP/HUSKEY CORP.	ASP-B	Y
124362	SPLICEPLATE STRAIGHT EXPANSION	SPLICEPLATE STRAIGHT EXPANSION	MP/HUSKEY CORP.	ASP-B-EX	Y
124602	CONN ELBOW 200A 2CU LD/BRK	CONN ELBOW 3 PHASE LD BRK 2 200A CONNECTOR, ELBOW, 8.3/14.4KV, 200A., 3 PHASE, LOADBREAK, FOR #2 AWG. STRANDED COPPER CABLE WITH COPPER TAPE S HEILD, 175 MIL INSULATION. ELBOW KIT SHALL HAVE LONG BARREL "COPPER	COOPER POWER SYSTEMS	LE215A04	Y
			ELASTIMOLD HUBBELL	165LR-A-5220 9U01ABD623	N
124610	CONN ELBOW 200A 4/0CU/TS	CONN EL ASSY 165A3R-GB-270 4/0	ELASTIMOLD	165A4 C5270 167A3RH270	Y
124677	CONN FLEX 2" SPS AL TO 4-HOLE	CONN FLEXIBLE 2" SPS	BURNDY SEFCOR SOUTHERN STATES INC	XA18A-4NG2 AFXT-58-4A JDAL-27-4	N
124867	GRIP CABLE FOR 2" CND 1-1/0AWG	GRIP CABLE 2" COND 1-1/0AWG CABLE GRIP, CABLE, FOR USE ON 2" RISER CONDUIT WITH SINGLE CABLE FROM 1.25 to 1.49 INCH DIAMETER FOR USE WITH #1/0 ALUMINUM 15KV URD CONC. NEUTRAL CABLE.	HUBBELL	022-11-013	N
			KELLEM - DIV. OF HUBBELL	LR2-1.12	Y
			LEWIS MFG CO.	LR-2-1.12	N
124875	GRIP CABLE FOR 4" CND 3-1/0AWG	GRIP CABLE 4" COND 3-1/0AWG CABLE GRIP, CABLE, FOR USE ON 4" RISER CONDUIT WITH CABLE BUNDLE FROM 2.00 TO 2.49 INCHES IN DIA., FOR USE WITH 3-#2AWG COPPER TAPE SHIELD OR 3-#1/0 AWG 15KV ALUMINUM CABLES WITH CONCENTRIC CABLES.	HUBBELL	02211041	N
			KELLEM - DIV. OF HUBBELL	LR4-1.62	Y
			LEWIS MFG CO.	LR-4-1.62	N

124883	GRIP CABLE FOR 4" CND 3-4/0AWG	GRIP CABLE 4" COND 3-4/0AWG CABLE GRIP, CABLE, FOR USE ON 4" RISER CONDUIT WITH CABLE BUNDLE FROM 2.50 TO 2.99 INCHES IN DIAMETER FOR USE WITH 3-#1/0 A WG TO 3 - #4/0 AWG ALUMINUM 15KV URD CABLES WITH CONCENTRIC NEUTRALS.	KELLUMS	022-11-042	N
			LEWIS MFG CO.	LR 4-2.50	Y
124958	MODULE TRAN VERT L-U 200A TAP1	MOD TRANS VERT L-U 200A TAP 1- SLEEVE ER MODULE,TRANSITION,VERTICLE,15 KV,600A,PIL C CABLE TO URD CABLE WITH 200A BUSHING WELLS. UNIT SHALL BE SUPPLIED WITH ONE 12 INCH COPPER WIPING SLEEVE AND THREE SOLDER LUGS WITH	G & W ELECTRIC CO.	CTM-15K-VERT	N
			PATTON & COOKE		Y
124966	MODULE TRAN HORZ L-U 200A TAP1	MOD TRANS HOR L-U 200A TAP 1- 12" SLEEVE ER MODULE,TRANSITION,HORIZONTAL, 3PH.,15KV,6 00A,PILC CABLE TO URD CABLE WITH 200A BUSHING WELLS . UNIT SHALL BE SUPPLIED WITH ONE 12 INCH COPPER WIPING SLEEVE AND THREE SOLDER LUGS WITH 1/4 IN	G & W ELECTRIC CO.	CTM-15K	N
			PATTON & COOKE		Y
124974	MODULE TRAN HORZ L-U 600A TAP1	MOD TRANS HOR L-U 600A TAP 1- SLEEVE ER MODULE,TRANSITION,HORIZ.,15KV, 600A,PILC CABLE TO URD CABLE W/3 600A BUSHINGS ON ONE END AND 12 INCH COPPER WIPING SLEEVE ON OTHER END. UNIT SHALL BE FURNISHED WITH 3 SOLDER LU	G & W ELECTRIC CO.	CTM-11K	N
			PATTON & COOKE		Y
124982	MODULE TRAN HORZ L-L 200A TAP2	MOD TRANS HOR L-L 200A TAP 2- SLEEVES ER MODULE,TRANSITION,HORIZONTAL, 3PH.,15KV,6 00A,PILC CABLE TO PILC CABLE WITH 200A BUSHING TAP IN CENTER. UNIT SHALL BE SUPPLIED WITH TWO 12 INCH COPPER WIPING SLEEVES AND SIX SOLDE	G & W ELECTRIC CO.	CTM-10K	N
			PATTON & COOKE		Y
124990	MODULE TRAN HORZ L-L 600A TAP2	MOD TRANS HOR L-L 600A TAP 2- SLEEVES ER MODULE,TRANSITION,HORIZONTAL, 3PH.,15KV,6 00A,PILC CABLE TO PILC CABLE WITH 600A BUSHING TAP IN CENTER. UNIT SHALL BE SUPPLIED WITH TWO 12 INCH COPPER WIPING SLEEVES AND SIX SOLDE	G & W ELECTRIC CO.	CTM-9K	N
			PATTON & COOKE		Y
132498	CONN TEE 3/4" BRZ TO 500CU TAP	CONNECTOR, TEE, 3/4 INCH IPS TUBE TO 500MCM COPPER CONNDUCTOR, BRONZE ALLOY CASTING. FOR COPPER TUBING MAIN TO COPPER CABLE TAP.	HUBBELL	TTC806050	Y
140020	CONN COMP TERM 1/0CU	CONNECTOR, COMPRESSION- TYPE, TERMINAL, FLAT 2-HOLE, 1- 3/4" FROM CENTERS, 1/2 INCH STUDS, TIN-PLATED, 1/0 AWG COPPER OR ALUMINUM CONDUCTOR.	BURNDY	YA25A7	N
140178	SUPPORT CABLE JUMBO GLV 2"	SUPPORT CABLE GLV 2 JUMBO	HOMAC B. S. BARNARD CORP.	AL1/0NTN 2420J2	Y
140194	CHANNEL 1-5/8" SQ X 20'	CHANNEL 1-5/8" SQ X 20'	B-LINE	B-22-1 7/8H	Y

140210	SPLICE ST 15KV AL URD 3/0 TO 3	SPLICE, STRAIGHT, 15KV AL URD 3/0 TO 3/0 SPLICE, MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING 3/0 ALUMINUM CONDUCTOR XLP INSULATED URD TYPE CABLE WITH CONCENTRIC NEUTRAL TO SAME.	UNISTRUT CORP. 3M	P1000-HG 5412-CI-3/0	N Y
140459	CONN ELBOW 3 PHASE LD BRK 1/0	CONN ELBOW 3 PHASE LD BRK 1/0 200A W/ VOLTAGE TEST POINT CONNECTOR, ELBOW, 8.3/14.4 KV, 200A, 3 PHASE, LOADBREAK. FOR 1/0 COMPRESSED AL URD CABLE WITH 175 OR 220 MIL EPR INSULATION AND CONCENTRIC NEUTRAL. ELBOW KIT SHALL HAVE A LONG BARREL "COPPER T	ELASTIMOLD COOPER POWER SYSTEMS	15PCJ1G1260 LE215B06	N N
140467	CONN ELBOW 3 PHASE LD BRK 3/0	CONN ELBOW 3 PHASE LD BRK 3/0 200A WITH VOLTAGE TEST POINT CONNECTOR, ELBOW, 8.3/14.4 KV, 200A, 3 PHASE LOADBREAK FOR 3/0 ALUMINUM URD-TYPE CABLE WITH .175" EPR INSULATION AND CONCENTRIC NEUTRAL. ELBOW KIT SHALL HAVE LONG BARREL "COPPER TOP"	ELASTIMOLD HUBBELL COOPER POWER SYSTEMS	165LR-B-5240 9U01ABD635 LE215B08	Y N N
140475	COVER TRN BOX-PAD FBGL	COVER TRANS BOX-PAD F/GLASS 37X43 COVER, FIBERGLASS, FOR USE WITH HIGHLINE PRODUCT'S FIBERGLASS TRANSFORMER BOX-PAD CATALOG NO. HL-45. THE COVER DI MENSIONS ARE 37 IN X 43 IN AND SHALL BE FURNISHED WITH 4 PENTA-HEAD STAINLESS	ELASTIMOLD HUBBELL CDR SYSTEMS CORPORATION	165LR-B-5260 9U01ABD647 BC30-3843-01	Y N N
140509	FRAME & COVER CI ROUND 38"	FRAME AND COVER ROUND 38" MANHOLE FRAME, ROUND,38" COVER,CAST IRON PER ASTM FOR STREET TRAFFIC. MACHINED MATING SURFACES. COVER MARKED"KUB POWER" W/2" LETTERS AND 8-1" HOLES LOCATED ON 13"RAD FROM CENTER. FRAME SHALL NOT B	HIGHLINE PRODUCTS CORP. NORDIC ACHESON FOUNDRY	HL45-2EP HL-45-LPE GSC-37-43 A-2036-61	Y N N Y
140566	BOX-PAD TRN FBGL 50"X56"X32"D	BOX/PAD FIBERGLASS 32X56X50 HVY DTY BOX/PAD, 32 X 56 X 50 FIBERGLASS, FOR USE AS A BASE (PAD) FOR SINGLE PHASE PADMOUNTED TRANSFORMERS FROM 25KVA THROU GH 167KVA. BOX/PAD SHALL BE EQUIPPED WITH A MIN OF 4 THREADED INSERTS (1 CENT	J. R. HOE & SONS MCKINLEY FOUNDRY NEENAH FOUNDRY HIGHLINE PRODUCTS CORP.	B-38M W/BG38M R-1792-JL HL-45 OR HL-48	N N N N
140574	BOX-PAD SW FBGL 72"X75"X36"D	BOX/PAD FIBERGLASS 75X72X36 HVY DTY BOX/PAD, FIBERGLASS, 75 X 72 X 36 FOR USE AS A BASE (PAD) FOR PADMOUNTED SWITCHGEAR AND JUNCTION CABINETS.THE TOP OPENING SHALL BE 67IN X 57IN	HUBBELL NORDIC HUBBELL	HL48M BB3743322632-400 GS 37-43-32A BD7375361664	Y N N Y

140608	SPLICE ST 15KV AL URD 3/0 TO 4	SPLICE, STRAIGHT, 15KV AL URD 3/0 TO 4/0 SPLICE, MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING 3/0 AL CONDUCTOR EPR INSULATED URD TYPE CABLE WITH CONCENTRIC NEUTRAL TO 4/0 AL CONDUCTOR, EPR INSULATED, URD TYPE CABLE.	NORDIC 3M	GS-75-72-36 5412	N Y
140632	WELL BUSHING 15KV AIR 9-1/4"	WELL BUSHING 13KV AIR 9-1/4" CH WELL, BUSHING, 13KV, 9/16 INCH SHANK, FOR USE IN TOTALLY ENCLOSED, AIR INSULATED DEVICES RATED 13,200Y/7620 VOLTS (GROUND ED WYE SYSTEM). WELL TO BE FURNISHED COMPLETE WITH CLAMPING PLATE(S)	ELASTIMOLD	K1601PC-T1	Y
140954	SPLICE STR 15KV 4/0CU/TS-4/0CU	SPLICE, STRAIGHT, 15KV COPPER TAPE SHIELD, 4/0 - 4/0, MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING 4/0 CU CONDUCTOR, 175 MIL XLP INSULATED, TAPE SHIELD TYPE CABLE TO SAME.	ELASTIMOLD	15PCJ1H2270	Y
140988	CONN COMP TERM STACK 1/0AL	CONN COMP TERM STACK AL 1/0AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 1/0 AWG ALUMINUM CONDUCTOR.	HOMAC	ASL-1/0N	N
141267	BRAID SHUNT TINNED-CU 24 GND	SHUNT CU BRAID TINNED 24 GRND SHUNT, COPPER BRAID, WITH A 2 INCH TINNED COPPER FERRULE AT EACH END. BRAID IS TO BE 24 INCHES IN LENGTH, HAVE 600 AMPE RE CURRENT CARRYING CAPACITY AND IS TO BE COMPOSED OF FINE TINNED COPPER WIRE S	HUBBELL AFL-DOSSERT	ASL-1/0NTN ATL10BN	Y N N
141523	MODULE JUNCTION 4WAY 15KV 200A	JUNCTION MODULE 4-WAY 200A LOADBREAK JUNCTION MODULE, LOADBREAK, 200 AMPERE, 8.3/14.4KV RATED, BRACKET MOUNTED, WITH 4 CONNECTION POINTS. FOR USE WITH SEPARABLE ELBOW CONNECTORS.	BURNDY HOMAC HUBBELL BLACKBURN	B2F24NTN JJ2B1044H	Y N N N
141531	INSERT FEED-THRU 200A LD/BRK	INSERT, FEED THRU, 200A, 15KV, LOADBREAK, ROTATABLE	COOPER POWER SYSTEMS	L1215C4B 164J4BX 9U07AGD420 LF1215	N Y N N
141549	ADAPTER BOX-PAD FBGL	ADAPTER BOX-PAD FGLAS 32X 13.25 ADAPTER, FOR HL-45 FIBERGLASS BOX-PAD, FOR REDUCING THE BOX-PAD OPENING TO ENABLE A SMALL PAD-MOUNTED TRANSFORMER (e.g. 25 KVA) TO BE MOUNTED IN THE NORMAL MANNER.	ELASTIMOLD HIGHLINE PRODUCTS CORP.	1602A3R HL-45-F1	Y Y
141788	TUBING HEAT SHRINK BLACK 3"X4'	TUBING HEAT SHRINK BLACK 3"X4' TUBING, HEAT SHRINK, BLACK, HEAVY WALL, 3 IN DIA. X 5 FT MIN. LENGTH. NO SEALER. FOR USE WITH #1/0 AWG AND #3 /0 AWG EPDM-TYPE, 15KV, URD CABLE SPLICES TO PROTECT THE CONCENTRIC NEUTRA	RAYCHEM	WCSM- 90/3015U	Y
			SIGMAFORM INC.	BSTS-30	N

141820	SPLICE STR 15KV 2CU-1/0AL URD	SPLICE, STRAIGHT, 15KV URD #2 CU TO 1/0 AL, MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING #2 AWG COPPER 175 MIL XLP, CABLE W/CONCENTRIC NEUTRAL TO 1/0 AL CONDUCTOR, 175 MIL XLP, W/CONCENTRIC NEUTRAL.	3M	5411R	Y
142232	LUBRICANT CABLE PULLING 1 GL	LUBRICANT CABLE PULLING 1 GL PAIL LUBRICANT,CABLE,GREASELESS,F OR PULLING C ABLE INTO CONDUIT. WHEN DRY THE LUBRICANT LEAVES A NON-STICKY POWDER TO AID IN PULLING CABLE OUT OF CONDUIT, ONE GALLON CONTAINERS	POLYWATER CORP	J-128	N
			P-T TECHNOLOGIE S INC.	TLHD01	Y
142851	SPLICE 15KV 2CU/220MIL-1/0AL	SPLICE,STRAIGHT, 15KV URD #2 CU, 220MIL TO 1/0, MOLDED RUBBER SUBMERSIBLE, FOR SPLICING #2 CU CONDUCTOR 220MIL XLP URD CABLE W/CONCENTRIC NEUTRAL TO 1/0 AL CONDUCTOR, 175MIL XLP CABLE.	3M	5411-CI-21	Y
142976	LUG AERIAL 3/4" TO 250MCM	LUG AERIAL 3/4" TO 250 MCM			
142992	CONN ELBOW 200A 2/0CU/TS	CONN ELBOW 15KV	ELASTIMOLD	166-LRB-5240	Y
143495	TERM CABLE RUB 15KV 1/0AL 1-PC	TERMINATOR CABLE RUB 1/0AWG 1 PIECE 15KV TERMINATOR, CABLE, 15KV, ONE PIECE, SLIP -ON OR COLD SHRINK RUBBER, FOR OUT-DOOR USE ON 15KV 1/0 COMPRESSED AL JACKETED URD CABLE WITH 175 OR 220 MIL EPR INSULATION AND CONCENTRIC NEUTRAL. T	3M	5641-1/0	Y
			ELASTIMOLD MACLEAN POWER SYSTEMS	PCT-1-1240-4 JPT15J1-S05	N
144709	CONN COMP TERM STACK 2/0AL	CONN COMP TERM STACK AL 2/0AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 2/0 AWG ALUMINUM CONDUCTOR.	BURNDY	YASO26R-2N	Y
			HOMAC HUBBELL COOPER POWER SYSTEMS	ASL 2/0N ATL-2/0 BN 3238018C10M	N
144824	ARRESTER 9/10KV M/O ELBOW-TYPE	ARRESTER 9/10 KV MO GAPLESS ELBOW TYPE ARRESTER, SURGE, 9/10KV, METAL OXIDE BLOCKS, GAPLESS, FOR USE AT OPEN POINTS IN PAD-MOUNTED TRANSFORMERS. DEVICE HAS AN INTEGRAL ELBOW CONNECTOR SO THAT IT MAY BE CONNECTED DIRECTLY TO AN ANSI			N
			ELASTIMOLD MACLEAN POWER SYSTEMS	167ESA-10 8132B0010J001	N
146530	NUT W/ SPRING UNISTRUT 1/4" 20	FITTING NUT 1/4-20 W/SPRING	B-LINE UNISTRUT CORP.	N-224 P1006-1420	Y
146753	CLAMP PIPE GND 2" DOSSETT	CLAMP GROUND 2 DOSSERT	BURNDY HUBBELL	GAR1829 GC-111-TC	Y
146969	SUPPORT CABLE 1/C 500MCM	SUPPORT CABLE 1/C 500MCM	DELTA STAR	350108	Y
147173	NUT W/ SPRING UNISTRUT 3/8" 16	FITTING NUT 3/8-16 W/SPRING	B-LINE UNISTRUT CORP.	N-228 P1008	Y
148379	SUPPORT CABLE 1/C 1000MCM	SUPPORT CABLE 1/C 1000MCM	DELTA STAR	350111	Y
153153	CONN COMP BUTT 750CU	YS39 Butt Splice Long 750 BUR			
153155	CONN COMP BUTT 1000CU	CONN BUTT COMP CU 1000MCM	BURNDY HUBBELL MAC PRODUCTS PENN-UNION	YS44 VHS-1000 MRC 1000 BBCU100	Y
					N
					N

153171	FLUX SOLDERING STEARINE	FLUX SOLDERING STEARINE	THOMAS & BETTS G & W ELECTRIC CO. MAC PRODUCTS RUSGREEN	CU1000	N
153239	TUBING INSUL CONN 2/0-4/0AWG	TUBING INSUL CONN 2/0-4/0	3M	8426-11	Y
153247	TUBING INSUL CONN 500MCM	TUBING INSUL CONN 500 MCM	3M	8428-12	Y
153254	TUBING INSUL CONN 1000MCM	TUBING INSUL CONN 1000 MCM	3M	8429-18	Y
153593	YARN COTTON OIL-SOAKED	YARN COTTON OIL SOAKED	G & W ELECTRIC CO. MAC PRODUCTS RUSGREEN		N
153635	CONN COMP BUTT 500CU	CONN BUTT COMP CU 500MCM	BURNDY HUBBELL MAC PRODUCTS PENN-UNION	YS34 VHS-500 MRC 500 BBCU-050	N N N N
154047	TAPE COTTON 3/4" WIDE	TAPE COTTON 3/4" WIDE X 108' TAPE, COTTON, DRY PACKED, 3/4 INCH WIDE ON 108 FOOT ROLLS. FOR USE IN CLEANING CONDUCTORS AND CONNECTORS, AND FILLING V OIDS ON 13.2 KV PILC CABLE SPLICES.	CAROLINA TAPE	6436	N
154054	ADAPTER REDUCING CU 500MCM TO	ADAPTER REDUCING CU 500MCM TO 300MCM. TIN-ELECTRO PLATED.	G & W ELECTRIC CO. MAC PRODUCTS RUSGREEN		N
154096	BRAID SHIELDING TIN-CU 1" WIDE	BRAID SHIELDING	BURNDY	Y-3430R	Y
154138	CONN COMP BUTT 300CU	CONN BUTT COMP CU 300MCM	3M BISHOP TAPE CO. G & W ELECTRIC CO. RUSGREEN	24-1-15FT #15 BRAID	Y N N
154180	TAPE VARNISH CAMBRIC 1/2" WIDE	TAPE VARN CAMB 12MIL 3/4" X 12' TAPE, VARNISH CAMBRIC, OIL PACKED, .012 INCH THICK, 3/4 INCH WIDE IN 12 FOOT ROLLS. TAPE SHALL BE SUPPLIED IN 10 ROLL CANS. TAPE SHALL BE BIAS CUT AND BLACK IN COLOR. TAPE IS FOR PHASE INSULATION O	BURNDY HOMAC HUBBELL MAC PRODUCTS PENN-UNION THOMAS & BETTS	YS30 C-300 VHS-300 MRC 300 BBCU030 CU300	N N N N N Y
154195	CONN COMP BUTT 250CU	CONN BUTT COMP CU 250MCM	G & W ELECTRIC CO. MAC PRODUCTS RUSGREEN		N
156380	CONN COMP TERM 650AL	CONN COMP TERM AL 650MCM 2HOLE FLAT CONNECTOR ALUMINUM COMPRESSION TERMINAL 2 HOLE FLAT, TWO 9/16 IN HOLES 1-3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 650 MCM ALUMINUM CONDUCTOR.	BLACKBURN BURNDY HOMAC HUBBELL MAC PRODUCTS PENN-UNION THOMAS & BETTS	CU250 YS29 C-250 VHS-250 MRC250 BBCU025 CU250	Y N N N N N N
			HOMAC HUBBELL	SAL650-N VAUL-750-12BN	N N

159368	SLEEVE LEAD 3/16" X 4" X 22"	SLEEVE LEAD 3/16" X 4" X 22"	AVRIL, G.A., CO. G & W ELECTRIC CO. MAC PRODUCTS RICHARDS MANUFACTURING		N N N Y
159376	SLEEVE LEAD 3/16" X 4 1/2" X	SLEEVE LEAD 3/16" X 4 1/2" X 2	RUSGREEN AVRIL, G.A., CO. G & W ELECTRIC CO. MAC PRODUCTS RICHARDS MANUFACTURING		N N N N Y
159384	SLEEVE LEAD 3/16" X 6" X 28"	SLEEVE LEAD 3/16" X 6" X 28"	RUSGREEN AVRIL, G.A., CO. G & W ELECTRIC CO. MAC PRODUCTS		N N N Y
159541	SLEEVE LEAD 3/16" X 5 1/2" X	SLEEVE LEAD 3/16" X 5 1/2" X 2	RUSGREEN AVRIL, G.A., CO. G & W ELECTRIC CO. MAC PRODUCTS RICHARDS MANUFACTURING		N N N N Y
159558	SOLDER 40/60 BAR	SOLDER 40/60 BAR	RUSGREEN AVRIL, G.A., CO. KESTER SOLDER CO. MAC PRODUCTS OATEY LEAD CO.	MBS46	N N N Y N
159566	SOLDER 50/50 BAR	SOLDER 50/50 BAR FOR LEAD SLEEVE SOLDER, 50 PARTS TIN - 50 PARTS LEAD, ONE POUND BARS MADE FROM VIRGIN METAL. FOR USE IN CLOSING THE FILLING HOLES IN LEAD SLEEVES USED ON 13.2 KV PILC CABLE SPLICES.	AVRIL, G.A., CO. KESTER SOLDER CO. MAC PRODUCTS OATEY LEAD CO.		N N N N N
160424	CONE COMP 1000CU	CONE COMP CU 1000MCM	BURNDY	Z4444	Y
160465	CONNECTION 4/0 CABLE	CONNECTION 4/0 CABLE	BURNDY	NYT-3426	Y
160523	CONN TEE 1000 RUN TO 1000 TAP	CONN TEE 1000 BOLT RUN 1000 COMP TAP CONNECTOR, TEE, BOLTED TO A RUN CABLE AND COMPRESSED TO TAP CABLE. FOR MAKING A TAP ONTO 1000 CABLE WITH 1000 CABLE. CONNECTOR TO BE MADE OF TINNED ELECTRICAL GRADE COPPER OR BRO	BURNDY	NYT4444	N
160556	ADAPTER REDUCING CU 4/0AWG TO	ADAPTER REDUCING CU 4/0AWG TO 2/0AWG. TIN-ELECTRO PLATED.	HOMAC MAC PRODUCTS BURNDY	2131-13 MXT 1000-1000 Y-2826R	N Y Y
161141	CONN COMP BUTT 4CU	CONN BUTT COMP CU 4AWG	BURNDY HUBBELL MAC PRODUCTS PENN-UNION	YS4C VHS-4 MRC 4 BBCU-4	N N N N

161216	CONN COMP BUTT 2/0CU	CONN BUTT COMP CU 2/0AWG	THOMAS & BETTS	CU4	Y
			BURNDY	YS26	N
			HOMAC	C-2/0	N
			HUBBELL	VHS20	N
			MAC	MRC 2/0	N
			PRODUCTS		
			PENN-UNION	BBCU2/0	N
			THOMAS & BETTS	CU20	Y
161224	CONN COMP BUTT 2CU	CONN BUTT COMP CU 2AWG	BURNDY	YS2C	Y
			HOMAC	C-2	N
			HUBBELL	VHS-2	N
			MAC	MRC2	N
			PRODUCTS		
			PENN-UNION	BBCU2	N
			THOMAS & BETTS	CU2	N
161240	ADAPTER REDUCING CU 300MCM TO	ADAPTER, REDUCING, CU 300MCM TO 4/0. TIN-ELECTRO PLATED.	BURNDY	Y-3028R	Y
161307	KIT TAPE VARNISH CAMBRIC 2"X4"	KIT TAPE VARN CAMB 2-1/2 4-3/4 12-1 KIT, TAPE, VARNISH CAMBRIC, OIL PACKED, BIAS CUT, BLACK, .012 INCH THICK IN 12 FT ROLLS. CONTAINS 2 ROLLS OF 1/2 INCH WIDE, 4 ROLLS OF 3/4 INCH WIDE, AND 12 ROLLS OF 1 INCH WIDE TAPE. FOR USE ON 1	G & W ELECTRIC CO.		N
161844	CONN TEE 1000 RUN TO 500 TAP	CONN, TEE, 1000 MCM BOLT ON RUN, 500 MCM COMPRESSION TAP CONNECTOR. CONNECTOR TO BE MADE OF TINNED ELECTRICAL GRADE COPPER OR BRONZE, FOR COPPER TO COPPER CONNECTIONS.	MAC PRODUCTS	M708	Y
			BURNDY	NYT4434	Y
161869	CONN TEE 500 RUN TO 500 TAP	CONN, TEE, 500 MCM BOLT ON RUN, 500 MCM COMPRESSION TAP CONNECTOR. CONNECTOR TO BE MADE OF TINNED ELECTRICAL GRADE COPPER OR BRONZE, FOR COPPER TO COPPER CONNECTIONS.	AFL GLOBAL	BCKT50-50	N
161885	CONN COMP BUTT 4/0CU	CONN BUTT COMP CU 4/0AWG	BURNDY	NYT3434	Y
			MAC	MXT 500-500	N
			PRODUCTS		
			BURNDY	YS28	N
			HUBBELL	VHS-40	Y
			MAC	MRC-4/0	N
			PRODUCTS		
			PENN-UNION	BBCU-4/0	N
			THOMAS & BETTS	CU40	N
161893	CONE COMP 500CU	CONE COMP CU 500MCM	BURNDY	Z3444	Y
			MAC	UC500-500	N
			PRODUCTS		
161935	TAPE SPLICING HV EPR 3/4" WIDE	TAPE SPLICING HV EPR 3/4"X30' NO LINER TAPE,SPLICING,HIGH VOLTAGE,EPR COMPOSITI ON,NO LINER, 0.030 INCHES THICK BY 3/4 INCHES WIDE BY 30 FEET.	3M	130C-3/4(00073)	Y
162024	LUG TAP 1000MCM TO 750MCM DBL	TAP LUG 1000MCM TO 750MCM	PLYMOUTH RUBBER CO.	3/4/2211	N
			BURNDY	QQGFL44B1T6	N
162032	LUG TAP 500MCM TO 4/0AWG DBLE	TAP LUG 500MCM TO 4/0AWG	HUBBELL	TLD-82L	Y
			BURNDY	QQGFL34B1T6	N
			HUBBELL	TLD-62L	N
			PENN-UNION	LDN-050NE	Y
			SOUTHERN STATES INC		N
162040	LUG TAP 2/0AWG TO 8AWG SINGLE	TAP LUG 2/0AWG TO 8AWG	BURNDY	QGFL26B2T6	Y
			HUBBELL	TLS-32L	N
			PENN-UNION	LSN-2/0NE	N

162651	SOLDER 50/50 #9 WIRE FOR CU	SOLDER 50/50 NO 9 WIRE FOR CU CONNECTORS SOLDER, 50 PARTS TIN - 50 PARTS LEAD, NO . 9 WIRE SIZE,SOLID CORE,NO FLUX,ONE POUND SPOOLS. FOR USE ON COPPER SPLIT TINNED CONNECTORS AND CABLE CONTACTS.	AVRIL, G.A., CO.		N
			FEDERATED METALS CORP.		N
			KESTER SOLDER CO.		N
			MAC PRODUCTS		N
			OATEY	20015	Y
			OATEY LEAD CO.		N
162883	SPLICE REPAIR 15KV 3/0AL-3/0AL	SPLICE REPAIR CABLE 15KV 3/0 TO 3/0 URD SPLICE, REPAIR, CABLE, 15KV, 3/0 AL TO 3 /0 AL URD, FOR USE IN REPAIRING CABLE WHERE NO MORE THAN SIX INCHES OF T HE CABLE IS DAMAGED. (CONNECTOR NOT INCLUDED W/SPLICE)	3M	5412-R-CIR-3/0	Y
162891	SPLICE REPAIR 15KV 4/0AL-4/0AL	SPLICE REPAIR CABLE 15KV 4/0 TO 4/0 URD SPLICE, REPAIR, CABLE, 15KV, 4/0 AL TO 4 /0 AL URD, FOR USE IN REPAIRING CABLE WHERE NO MORE THAN SIX INCHES OF T HE CABLE IS DAMAGED. (CONNECTOR INCLUDED W/SPLICE)	RAYCHEM 3M	HVS-1511E-RJ 5412R-CIR-4/0	N Y
163006	CONN COMP TERM 3/0CU	CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TIN-PLATED, 3/0 AWG COPPER OR ALUMINUM CONDUCTOR.	RAYCHEM BURNDY	HVS-1512E-RJ YA27A5	N N
163014	CONN COMP TERM STACK 3/0CU	CONN COMP TERM STACK CU 3/0AWG 2HOLE CONNECTOR,COPPER,COMPRESSI ON,TERMINAL,STACKING,3/0 AWG,2HOLE NEMA-SPACED,TINNED,FOR USE ON TOP OF NEMA-SPACED TWO HOLE FLAT COMPRESSION CONNECTOR TERMINALS.	HOMAC HOMAC	AL3/0NTN ASL 3/0 N	Y Y
163105	CONN COMP BUTT 750AL COMP	CONN BUTT COMP AL 750 COMP	HUBBELL 3M	ATL30BN 20019	N N
			HOMAC	AC-750	N
			HUBBELL	VACS-750	N
			MAC	MTAP 750	N
			PRODUCTS		
			THOMAS & BETTS	ASP750	Y
164558	BUS IWBC AL 4"x4"x0.312"-26 FT	BUS IWBC AL 4"x4"x0.312" 26 FT LENGTH VENTED INTEGRAL WEB CHANNEL BUS CONDUCTOR, 6101 ALLOY, T61 TEMPER, 57% IACS MIN CONDUCTIVITY, ALCOA SECTION 88960 WITH 5/8" DIA VENT HOLES PROVIDED ON 4" CENTERLINES. BUS MUST HAVE VENT HOLES FOR KUB ACCEPTANCE.	AFL GLOBAL		Y
			COPPER AND BRASS SALES		N
			J M TULL METALS CO.		N
			MEIER METAL SERVICE CENTER		N
			MILLER ALUMINUM SALES CO.		N
			T W METALS		N

			VINCENT BRASS & ALUMINUM CO.		N
164574	SUPPORT BUS AL 4" WIDE IWBC 3"	BUS SUPPORT, AL, WITH ANTICHATTER S.S. SPRING CLIP FOR MOUNTING 4x4x0.312 AND 6x4x0.375 AL IWBC (ALCOA SECTIONS 88960 AND 250011) ON TR216 INSULATORS WITH 3" DIA BC MOUNTING HOLE PROVISIONS (2- HOLES ALIGNED WITH BUS) FOR RIGID OR NON-RIGID CLAMPING	AFL-DOSSERT	IWCB 4-3-AA- SP1	N
			HUBBELL	IWCB443KUB	N
			SEFCOR	ASIWP-63-3-S1	Y
			THOMAS & BETTS	IWCBS-44-3	N
164582	BUS TUBE AL ROUND 4" X 40'	BUS TUBE AL IPS 4 X40'	AFL GLOBAL COPPER AND BRASS SALES J M TULL METALS CO. MEIER METAL SERVICE CENTER MILLER ALUMINUM SALES CO. T W METALS VINCENT BRASS & ALUMINUM CO.		Y N N N N N N N
164590	SUPPORT BUS AL 4" IPS	BUS SUPPORT AL 4" IPS ER ALUMINUM BUS SUPPORT WITH STATIC SPRINGS FOR 4" IPS STD (SCH 40) ALUMINUM TUBE BUS. SUPPORT MUST BE CAPABLE OF EITHER SLIP-FREE OR RIGID CLAMPING FOR MOUNTING ON 5" BOL	HUBBELL	AUR-40-5	Y
164608	SUPPORT BUS EXP COUPLER 4" IPS	BUS SUPPORT EXP CPLER 4" IPS ER ALUMINUM HORIZONTAL EXPANSION BUS SUPPORT FOR 4" IPS STD (SCH 40) ALUMINUM TUBE BUS TO 5" B.C. STATION POS T INSULATOR.	SEFCOR	AXCTI-64-5	Y
164814	CONN TEE 4" TUBE TO 1590MCM E	CONN TEE 4" TUBE TO 1590MCM ER	DELTA STAR	FTU-206-AL	Y
			HUBBELL	ATTC-4016	N
			SEFCOR	ATRCT-6446	N
164822	CONN TEE 4" IPS TO 4-HOLE PAD	CONN TEE 4" IPS TO 4 HOLE PAD	HUBBELL	ATTF-4040-1	N
			SEFCOR		Y
164830	CONN TERM 4" IPS 4 HOLE STR A	CONN TERM 4" IPS 4 HOLE STR AL	HUBBELL	ASTF-40-D	N
			SEFCOR		Y
164848	CONN FLEX 4" IPS AL TO 4-HOLE	CONN FLEXIBLE 4" IPS	SEFCOR	AFXT-64-4B	Y
164855	SUPPORT BUS 1590AL 5" BC	BUS SUPPORT AL 1590MCM 5" BC ER ALUMINUM BUS SUPPORT, 1590MCM AA CONDUCTOR TO 5" BC STATION POST INSULATOR, TO BE MOUNTED IN ANY POSITION .	BURNDY	UHKR16A-5	N
			HUBBELL	ACS-16-5	N
			SEFCOR	AVCA-46-5	Y
				AVCA-51-5	N
164863	SUPPORT BUS 795AL 3" BC	BUS SUPPORT AL 795MCM 3" BC ER ALUMINUM BUS SUPPORT, 795MCM AA CONDUCTOR TO 3" BC STATION POST INSULATOR, TO BE MOUNTED IN ANY POSITION .	BURNDY	UHKR14A-3	Y
			HUBBELL	ACS-13-3	N
			SEFCOR	AVCA-34-3	N
165167	TRANSDUCER CURRENT 3PH 0-3MA	TRANSDUCER CURRENT 3-PH 0- 3MA	AMETEK	CCC-30B-1	N
			SCIENTIFIC COLUMBUS, INC. TRANSDATA INC	4044-CT510A2	N
				30CS501	Y

165704	BOX-PAD FBGL 50"X56"X15"D	BOX/PAD FIBERGLASS 15X56X50 HVY DTY BOX/PAD, 15 X 56 X 50 FIBERGLASS, FOR USE AS A BASE (PAD) FOR SINGLE PHASE PADMOUNTED TRANSFORMERS FROM 25KVA THROU GH 167KVA. BOX/PAD SHALL BE EQUIPPED WITH A MIN OF 4 THREADED INSERTS (1 CENT	CONCAST	FC-38-43-15	N
			HIGHLINE PRODUCTS CORP.	HIGHHL49DE HL374315-2630	Y
166140	CABLE "H" JOINT DISCONNECTABLE	CABLE "H" JOINT DISCONNECTABLE; DISCONNECTABLE CABLE JOINT, COLD SHRINK, RICHARDS JSCS SERIES JOINT SYSTEM, "H" JOINT WITH SLEEVE RESTRAINTS. FOR USE ON NETWORK CABLE REPLACEMENT ONLY.	NORDIC RICHARDS MANUFACTURING	CBP-37-43-15A P625JHA1	N Y
166142	CABLE JOINT DISCONNECTABLE INS	CABLE JOINT DISCONNECTABLE INSULATING CAP; DISCONNECTABLE CABLE JOINT, COLD SHRINK, RICHARDS JSCS SERIES JOINT SYSTEM, INSULATING CAP FOR UNUSED POINTS ON "h" JOIN ASSEMBLY. FOR USE ON NETWORK CABLE REPLACEMENT ONLY.	RICHARDS MANUFACTURING	P625JIC-NB	Y
166144	CABLE JOINT DISCONNECTABLE 1/0	DISCONNECTABLE CABLE JOINT, COLD SHRINK, RICHARDS JSCS SERIES JOINT SYSTEM, FOR CABLE SIZES 1/0 TO 500MCM. FOR USE ON NETWORK CABLE REPLACEMENT ONLY.	RICHARDS MANUFACTURING	P625JSCSO	Y
166146	CABLE JOINT DISCONNECTABLE 750	CABLE JOINT DISCONNECTABLE 750 - 1500MCM; DISCONNECTABLE CABLE JOINT, COLD SHRINK, RICHARDS JSCS SERIES JOINT SYSTEM, FOR CABLE SIZES 750 TO 1500MCM. FOR USE ON NETWORK CABLE REPLACEMENT ONLY	RICHARDS MANUFACTURING	P625JSCSQ	Y
166157	FUSE CURRENT-LIMIT T-T 2/0MCM	FUSE CURR LIMITING T-T 2/0AWG	BUSSMAN RELIANCE ELECTRIC	KCD UCL-20TT	Y N
166165	FUSE CURRENT-LIMIT T-T 4/0AWG	FUSE CURR LIMITING T-T 4/0AWG	BUSSMAN RELIANCE ELECTRIC	KCF UCL-40TT	Y N
166173	FUSE CURRENT-LIMIT T-T 500MCM	FUSE CURR LIMITING T-T 500MCM	BUSSMAN RELIANCE ELECTRIC	KCM UCL-50TT	Y N
166174	FUSE CURRENT-LIMIT T-B 500MCM	FUSE, CURRENT LIMITING, TUBE TO OFFSET BOLT, FOR 500MCM COPPER CABLE. FOR USE ON NETWORK CABLE REPLACEMENT ONLY.	BUSSMAN	KDM	Y
166181	FUSE CURRENT-LIMIT T-T 1000MCM	FUSE CURR LIMITING T-T 1000MCM	BUSSMAN	KCS	Y
166231	COVER SPLICE RUBBER 6-2AWG	COVER SPLICE RUBR 6 AWG-2AWG	HOMAC	FSS20	Y
166249	COVER SPLICE RUBBER 2/0-4/0AWG	COVER SPLICE RUBR 2/0-4/0AWG	HOMAC	FSS350	Y
166256	COVER SPLICE RUBBER 500-1000	COVER SPLICE RUBR 500-1000MCM	ILSCO HOMAC	SS350-Z FSS1000	N Y
166314	CAP END CABLE 600V 800-1000MCM	CAP END CABLE 600V 800-1000MCM	HOMAC	CAP125	Y
166439	PUMP SUMP AUTO 8 SERIES 4/10 H	PUMP SUMP AUTO 8 SERIES 4/10 HP MODEL 8-CBA	LITTLE GIANT	508357,MODEL# 8-CBA 8-CBA 3P641-A	N Y N
166470	BRACKET TERM 2AWG-750MCM URD	BRACKET TERM 2-750 MCM URD	W. W. GRAINGER ALUMA FORM INC. BLACKBURN ELASTIMOLD HUBBELL	CS-820-51919 MPB6 W/O BKT 1535-AFB-1	Y N N N

166520	TAPE RED COLOR-CODE 1/2" WIDE	TAPE RED COLOR CODING 3/4 X 66 TAPE, RED, COLOR CODING, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME, ABRASION, UV RAYS, MOISTURE, CHEMICALS AND COLD WEATHER IN ACCORDANCE WITH EXISTING GSA CODES.	3M	35	Y
166538	TAPE WHITE COLOR-CODE 1/2" W	TAPE WHITE COLOR CODING 3/4" X 66 TAPE, WHITE, COLOR CODING, 3/4" VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME, ABRASION, UV RAYS, MOISTURE, CHEMICALS AND COLD WEATHER, IN ACCORDANCE WITH EXISTING GSA CODES.	SCOTCH 3M CO. 3M	RED 3/4 X 66 35	N Y
166546	TAPE BLUE COLOR-CODE 1/2" WIDE	TAPE BLUE COLOR CODING 3/4 X 66 TAPE, BLUE, COLOR CODING, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME, ABRASION, UV RAYS, MOISTURE, CHEMICALS AND COLD WEATHER, IN ACCORDANCE WITH EXISTING GSA	SCOTCH 3M CO. 3M	WHITE 3/4 X 66 35	N Y
166553	TAPE GREEN COLOR-CODE 1/2" W	TAPE GREEN COLOR CODING 3/4 X 66 TAPE, GREEN, COLOR CODING, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME, ABRASION, UV RAYS, MOISTURE, CHEMICALS, AND COLD WEATHER, IN ACCORDANCE WITH EXISTING GSA	SCOTCH 3M CO. 3M	BLUE 3/4 X 66 35	N Y
166587	SWITCH AUX 10-STAGE SWBD-MTG	SWITCH AUXILIARY 10 STAGE SWBD MTD SB-1 SWITCH, AUXILIARY, 10 STAGE FOR SWITCHBOARD MOUNTING. TEN NORMALLY OPEN & TEN NORMALLY CLOSED MAKE-BEFORE-BREAK CONTACTS MAINTAINED ALL POSITIONS. ESCUTCHEON TO BE STANDARD AND LABELED "O	SCOTCH 3M CO. ELECTROSWITCH	GREEN 3/4 X 66	N
166645	DEVICE GROUNDING FOR 500MCM DW	DEVICE GROUNDING FOR 500MCM DW	GENERAL ELECTRIC BLACKBURN	SB-1 SPECIAL	Y N
168369	CONN COMP TERM 600CU	CONN COMP TERM CU 600MCM 2-HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL, 2 HOLE FLAT W/NEMA SPACING, TINNED FOR INDOOR OR OUTDOOR USE ON 600MCM COPPER CONDUCTOR.	COOPER POWER SYSTEMS ELASTIMOLD HOMAC	2637326B15M SA3 31MAHJ AL600-N	N Y Y
168377	CONN COMP TERM 350CU	CONN COMP TERM 350MCM 2-HOLE FLAT CONNECTOR, COMPRESSION-TYPE, TERMINAL, FLAT 2-HOLE, 1-3/4" FROM CENTERS, 1/2 INCH STUDS, TIN-PLATED, 350 MCM COPPER OR ALUMINUM CONDUCTOR.	BURNDY HOMAC	YA31A3 AL350NTN	Y N

168385	CONN COMP TERM STACK 300AL	CONN COMP TERM STACK AL 300MCM 2HOLE CONNECTOR,ALUM.,COMPRESSION ,STACKING,TERMINAL,300MCM,2- HOLE,NEMA SPACED, TINNED, FOR INDOOR OR OUTDOOR USE TO TERMINATE CONDUCTORS ON TOP OF NEMA SPACED 2-HOLE FLAT COMPRESSION TERMINALS	HOMAC	ASL 300-NTN	Y
168393	CONN COMP TERM STACK 350CU	CONN COMP TERM STACK CU 350MCM 2HOLE CONNECTOR,COPPER,COMPRESSI ON,STACKING,TERMINAL,350MCM,2- HOLE,NEMA SPACED, TINNED ,FOR INDOOR OR OUTDOOR USE TO TERMINATE CONDUCTORS ON TOP OF NEMA SPACED 2-HOLE FLAT 350MCM COMPRESSION TERMINALS	HUBBELL HOMAC	ATL-300-BN ASL 350 N	N Y
168401	CONN COMP TERM STACK 600CU	CONN COMP TERM STACK CU 600MCM 2HOLE CONNECTOR,COPPER,COMPRESSI ON,STACKING,TERMINAL,600MCM,2 HOLE,NEMA SPACED, TINNED, FOR INDOOR OR OUTDOOR USE TO TERMINATE CONDUCTORS ON TOP OF NEMA SPACED 2-HOLE FLAT 600MCM COMPRESSION TE	HUBBELL HOMAC	CSL-350-BN ASL 600 N	N Y
168526	CLAMP CABLE UNISTRUT 4-1/2"	FITTING, CABLE CLAMP, THERMOPLASTIC ELASTOMER CUSHION(REPLACING PORCELAIN). ELECTRO-GALVANIZED CLAMP, 4- 1/2" HOLE-SIZE FOR 1-5/8 INCH METAL FRAMING CHANNEL. ELECTRO-GALVANIZED HARDWARE.	HUBBELL B-LINE	CSL-600-BN 4093ZN	N Y
				B4093	N
			KIN LINE (E E RULE)		N
			POWERSTRUT UNISTRUT CORP.	PS723-4 1/2"EG U470B	N N
168732	STUD CU 1-7/8" X 5/8 FOR BOL-T	STUD, TIN-CU, 1-7/8 X 5/8 INCH, THREADED. TO BE USED WITH 600 AMP DEADBREAK URD CABLE ACCESSORIES.	COOPER POWER SYSTEMS	STUD635C	Y
168799	TERM CABLE RUB 15KV 3/0AL 1-PC	TERMINATOR CABLE RUB 3/0AWG 15KV 1 PIECE TERMINATOR, CABLE, 15KV CLASS, ONE PIECE , SLIP-ON OR COLD SHRINK RUBBER, FOR OUTDOOR USE ON 3/0 AWG ALUMINUM, TWO CONDUCTOR, 15KV, JACKETED URD CABLE WITH 175 MIL EP INSULATION. THE TERMINATOR CO	ELASTIMOLD 3M	675SA 5642-3/0	N Y
			ELASTIMOLD MACLEAN POWER SYSTEMS	PCT1-1260-4 JPT15J1-SO7	N N
168864	TERMINATOR CABLE RUB 750MCM 15	TERMINATOR KIT, CABLE, SILICONE RUBBER, OUTDOOR, CLASS I TERMINATION, 15 KV CLASS, 110 KV BIL, FOUR SKIRT, FOR 750 MCM ALUMINUM OR COPPER CABLE WITH JACKETED CONCENTRIC NEUTRAL CABLE (JCN).	3M	5644	Y
168898	SPLICE REPAIR 15KV 1/0AL-1/0AL	SPLICE REPAIR CABLE 15KV 1/0 TO 1/0 URD SPLICE, REPAIR, CABLE, 15KV, 1/0 AL TO 1 /0 AL URD, FOR USE IN REPAIRING CABLE WHERE NO MORE THAN SIX INCHES OF T HE CABLE IS DAMAGED. (CONNECTOR INCLUDED W/SPLICE)	RAYCHEM 3M	TFT-152 5411R-CIR-1/0	N Y
			RAYCHEM	HVS-1511E-RJ	N

168906	CONN COMP BUTT 1/0AL	CONN BUTT COMP AL 1/0. USED WITH 3M MOLDED RUBBER SPLICE KITS.	3M	CIR-1/0	Y
168922	CONN COMP BUTT 500CU&AL OH	CONN BUTT COMP CU 500	3M	BURNDY YS34A1	Y N
168930	CONN COMP BUTT 750AL CMPT	CONN BUTT COMP AL 750CMPT	3M	HOMAC 20016	Y N
169235	INDICATOR FAULT 1PH 600A	INDICATOR FAULT 1PH 600A FOR PM TRANSF INDICATOR,FAULT,1PH,600A,WITH ONE SENSOR AND ONE REMOTE INDICATOR FOR USE IN PADMOUNTED TRANSFORMERS AND SWITCHGEAR. INDICATOR SHALL BE FURNISHED WITH KIT FOR FLUSH PANEL MOUNT	COOPER POWER SYSTEMS	ASC 600 8137273B08M W/RLMK	Y Y
169243	INDICATOR FAULT 3PH 600A	INDICATOR FAULT 3PH 600A FOR PM TRANSF INDICATOR,FAULT,3PH,600A,WITH THREE SENSORS AND ONE REMOTE INDICATOR FOR USE IN PAD MOUNTED TRANSFORMERS AND SWGR. INDICATOR SHALL BE FURNISHED W/KIT FOR FLUSH PANEL MOUNTING	COOPER POWER SYSTEMS	EDISON CONTROL 0 FISHER PIERCE 1514SP-6A1.5- 6S-L 8138195B05M W/RLMK	N N Y
169359	TAPE SPLICING HV EPR 2" WIDE	TAPE SPLICING HV EPR 2.0"X30' NO LINER TAPE, SPLICING, HIGH VOLTAGE, EPR COMPOSITION, NO LINER 0.030 INCHES THICK BY 2 INCHES WIDE BY 30 FEET.	3M	EDISON CONTROL 0 FISHER PIERCE 1515WP-6A1.5- 10S-L-B 130C -2X30FT	N N Y
169612	POLE MOUNTED 200A VACUUM FAULT INTERRUPTER (MVI)	POLE MOUNTED 200A VACUUM FAULT INTERRUPTER (MVI); Refer to KUB specification K99-821 for details		PLYMOUTH RUBBER CO.	N
169616	POLE MOUNTED 600A VACUUM FAULT INTERRUPTER (MVI)	POLE MOUNTED 600A VACUUM FAULT INTERRUPTER (MVI); Refer to KUB specification K99-821 for details, 35AL-11 CONN BARE WIRE 3/4IN 16ROD TO RISER (ADDITIONAL 3), 25ABT AIR BRUSHING TERM. 28KV, 25 INTERFACE (ADDITIONAL 3)			
169672	JACKET COLD-SHRINK 1/0AL&3/0AL	JACKET COLD SHRINK FOR 1/0 & 3/0 SPLICES JACKET,RUBBER,COLD SHRINK,FOR RE-JACKETING OVER 1/0 AND 3/0 15KV JACKETED CABLE SPLICES.KIT SHALL COME COMPLETE WITH ALL MATERIALS REQUIRED TO	3M	SJ-1A	Y
169821	CONN COMP TERM 2AL	CONN COMP TERM AL 2AWG 2HOLE FLAT CONNECTOR,ALUMINUM,COMPRESSION,TERMINAL, 2 HOLE FLAT,TWO 9/16 IN. HOLES 1 3/4 IN. ON CENTER,FOR I NDOOR OR OUTDOOR USE ON NO. 2 AWG ALUMINUM CONDUCTOR.	BLACKBURN	AL4	N
169961	ARRESTER 10KV M/O PARKING STAN	ARRESTER 10KV M/O PARKING STAND TYPE ARRESTOR,15KV CLASS,10KV DUTY CYCLE,8.4K V MCOV,METAL OXIDE, PARKING STAND TYPE, FOR USE WITH 20 0A LOAD BREAK ELBOWS IN PAD MOUNTED EQUIPMENT.	BURNDY COOPER POWER SYSTEMS	YA2CA9 3237686C10M	Y N
			ELASTIMOLD	167PSA	Y

170126	FRAME & COVER CI ROUND 24"	FRAME AND COVER ROUND 24" MANHOLE FRAME AND COVER, 24 INCH DIAMETER COVER, ROUND, MADE FROM GRAY CAST IRON PER LATEST ASTM SPECIFICATIONS PERTAINING TO LIGHT DUTY (SIDEWALK) TRAFFIC INSTALLATIONS. DIMENSIONS AND MARKING T	ACHESON FOUNDRY		Y
170936	SLEEVE LEAD 3/16" X 5" X 24"	SLEEVE LEAD 3/16" X 5" X 24"	KELLER FOUNDRY INC. AVRIL, G.A., CO. G & W ELECTRIC CO. MAC PRODUCTS	LS518724	N N N Y
171454	COMPOUND INSULATING POTHEAD	COMPOUND INSULATING POTHEADS /TRANS MOD COMPOUND, INSULATING, MEDIUM SOFT, ASPHALTIC BASE, LOW MELTING POINT, HIGH DIELECTRIC STRENGTH, AND LOW DIELECTRIC LOSS. COMPOUND USED TO FILL THE VOIDS IN 3/C PAPER INSULATED LEAD-COVERED 13.2	G & W ELECTRIC CO.	NOVOID "A"	N
172320	COMPOUND INSULATING SPLICE	COMPOUND INSULATING SPLICE COMPOUND, INSULATING, OIL INSOLUBLE, ASPHALTIC BASE WITH LOW MELTING POINT, HIGH DIELECTRIC STRENGTH, AND LOW DIELECTRIC LOSS. COMPOUND USED TO FILL THE LEAD SLEEVE AROUND A 13.2 KV PILC CABLE	MAC PRODUCTS RUSGREEN G & W ELECTRIC CO.	CP11 CP11-1 NOVOID "X"	N Y N N
172379	BUS TUBE CU HD SQ 2" X 2" X1	BUS TUBE CU HD SQ 2" X 2" X10'	MAC PRODUCTS RUSGREEN AFL GLOBAL	CO-21	Y N Y
172742	BUS ANGLE AL 4" X 3/8" - 25'	BUS, CONDUCTOR, ALUMINUM, ANGLE, 4" X 3/8", 25 FT LENGTH, 6101 ALLOY, T6 TEMPER, UABC ALCOA SECTION 142642 PER KUB SPECIFICATION C10-233 R3 DATED 7/84.	AFL GLOBAL		Y
173518	BUS ANGLE AL 3-1/4" X 1/4" - 25'	BUS, CONDUCTOR, ALUMINUM, ANGLE, 3-1/4" X 1/4", 25 FT LENGTH, 6101 ALLOY, T6 TEMPER, UABC ALCOA SECTION 88286 PER KUB SPECIFICATION C10-233 R3 DATED 7/84.	COPPER AND BRASS SALES J M TULL METALS CO. MEIER METAL SERVICE CENTER MILLER ALUMINUM SALES CO. T W METALS VINCENT BRASS & ALUMINUM CO. AFL GLOBAL		N N N N N N N N Y
			COPPER AND BRASS SALES J M TULL METALS CO. MEIER METAL SERVICE CENTER MILLER ALUMINUM SALES CO. T W METALS	43125	N N N N N

			VINCENT BRASS & ALUMINUM CO.		N
173526	BUS BAR CU 1/4" X 4" X 17'	BUS BAR CU HD FLT 1/4X4X17'	AFL GLOBAL		Y
173534	BUS BAR AL 3/8" X 2" X 20'	BUS BAR AL 2" X 3/8 X20'	AFL GLOBAL ALCOA	6101-T6	Y N
			ALUMINIO SA COPPER AND BRASS SALES	28435	N
			J M TULL METALS CO. MEIER METAL SERVICE CENTER		N N N
			MILLER ALUMINUM SALES CO. T W METALS		N N
			VINCENT BRASS & ALUMINUM CO.		N
174276	SLEEVE LEAD 3/16" X 6 1/2" X	SLEEVE LEAD 3/16" X 6 1/2" X 3	AVRIL, G.A., CO. G & W ELECTRIC CO. MAC PRODUCTS RICHARDS MANUFACTURI NG		N N N Y
175083	BUS BAR AL 4" x 3/8" - 20'	BUS, CONDUCTOR, ALUMINUM, BAR, 4" X 3/8", 20 FT LENGTH, 6101 ALLOY, T6 TEMPER PER KUB SPECIFICATION C10-233 R3 DATED 7/84. TO AVOID CORONA, THE BAR SECTION SHALL HAVE ROUNDED CORNERS EACH WITH A RADIUS OF 3/16"	RUSGREEN AFL GLOBAL	R41375WZT6R	N Y
			COPPER AND BRASS SALES J M TULL METALS CO. MEIER METAL SERVICE CENTER MILLER ALUMINUM SALES CO. T W METALS VINCENT BRASS & ALUMINUM CO.	28443	N N N N N N N
175331	CONPOUND FLUSHING	COMPOUND FLUSHING 1 GAL CAN COMPOUND, FLUSHING, VISCOUS MINERAL OIL, WITH LOW DIELECTRIC LOSS FOR REMOVING SURFACE DIRT AND MOISTURE AND ELIMINATING VOIDS IN 13.2 KV PILC CABLE SPLICES.	G & W ELECTRIC CO.		N
			MAC PRODUCTS RUSGREEN	CX31	Y N
176370	FRAME & COVER CI ROUND 28"	FRAME AND COVER ROUND 28" ER MANHOLE FRAME AND COVER, 28 INCH DIAMETER COVER, ROUND, MADE FROM GRAY CAST IRON PER LATEST ASTM SPECIFICATIONS PERTAINING TO HEAVY DUTY (STREET) TRAFFIC INSTALLATIONS. DIMENSIONS AND MARKING T	ACHESON FOUNDRY		Y
176578	CABLEWAY STRAIGHT 12" X 24'	CABLEWAY STRAIGHT 12" X 24'	KELLER FOUNDRY INC. MP/HUSKEY CORP.	A9C1-12-288	N Y
176586	CABLEWAY STRAIGHT 24" X 24'	CABLEWAY STRAIGHT 24" X 24'	MP/HUSKEY CORP.	A9CA2-24-288	Y
176594	COVER TEE HORZ 24" WIDE	COVER TEE HORZ 24" WIDE	MP/HUSKEY CORP.	CA3F-24-T-12	Y

178541	SLEEVE LEAD 3/16" X 7" X 30"	SLEEVE LEAD 3/16" X 7" X 30"	AVRIL, G.A., CO. G & W ELECTRIC CO. MAC PRODUCTS RICHARDS MANUFACTURI NG RUSGREEN		N N N Y N
179275	BUS TUBE AL IPS 2" - 20'	BUS, CONDUCTOR, ALUMINUM, 2" ANSI SCHEDULE 40 PIPE SIZE, 20 FT LENGTH, 6063 ALLOY, T6 TEMPER PER KUB SPECIFICATION C10-233 R3 DATED 7/84.	AFL GLOBAL	200S40YT6B	Y N N N N N
180018	CABLEWAY TEE HORZ 24"	CABLEWAY TEE HORZ 24"	MP/HUSKEY CORP.	A9C1-24T-12	Y
180026	REDUCER 24" TO 12" LEFTHAND	REDUCER 24" TO 12" LEFTHAND	MP/HUSKEY CORP.	A9C1-24RL-12	Y
180034	REDUCER 24" TO 12" RIGHTHAND	REDUCER 24" TO 12" RIGHTHAND	MP/HUSKEY CORP.	A9C1-24RR-12	Y
180042	RISER VERT OUTSIDE 30 -DEG 24"	RISER VERT OUTSIDE 30 -DEG 24"	MP/HUSKEY CORP.	A9C1-24V030-12	Y
180059	RISER VERT INSIDE 30-DEG 24"	RISER VERT INSIDE 30 -DEG 24"	MP/HUSKEY CORP.	A9C1-24V130-12	Y
180067	BOX CONN 24" TO VERT FLAT	BOX CONNECTOR 24" TO VERT FLT	MP/HUSKEY CORP.		Y
180083	COVER STRAIGHT 24" X 12'	COVER STRAIGHT 24" W X 12'	MP/HUSKEY CORP.	CA3F-24-144	Y
180091	COVER REDUCER 24" TO 12" LHA	COVER REDUCER 24" TO 12" LHAND	MP/HUSKEY CORP.	CA3F-24RL12	Y
180109	COVER REDUCER 24" TO 12" RHA	COVER REDUCER 24" TO 12" RHAND	MP/HUSKEY CORP.	CA3F-24RR12	Y
180117	ENDPLATE 12" WIDE	END PLATE 12" WIDE	MP/HUSKEY CORP.	ABE-12	Y
180125	ENDPLATE 24" WIDE	END PLATE 24" WIDE	MP/HUSKEY CORP.	ABE-24	Y
180406	CABINET 14-GAGE 8"X12"X12"	CABINET 14 GA 8 X 12" X 12" CABINET, 14 GA. ALUMINUM OR STAINLESS STEEL, NEMA 3R, 8" DEEP, 12" WIDE, 12" HIGH WITH A STAINLESS STEEL HINGE, C LAMP COVER HELD IN PLACE WITH A SEALABLE STAINLESS STEEL SPRING LATCH, S	CLEVELAND		N N N N Y
180414	CABINET 14-GAGE 10"X24"X24"	CABINET 14 GA 10 X 24 X 24" CABINET, 14 GA. ALUMINUM OR STAINLESS STEEL, NEMA 3R, 8" DEEP, 24" WIDE, 24" HIGH WITH A STAINLESS STEEL HINGE, C LAMP COVER HELD IN PLACE WITH A SEALABLE STAINLESS STEEL SPRING LATCH, S	CONNECTOR MFGR CO E. M. WIEGMANN & CO. ENGLISH ELECTRIC CORP. FEDERAL PACIFIC COMPANY HOFFMAN ENGR COMPANY CLEVELAND	BACT102424RC	N N N N Y N
			CONNECTOR MFGR CO	BACT102424RC	Y

			E. M. WIEGMANN & CO.	LOH24248	N
			ENGLISH ELECTRIC CORP.		N
			FEDERAL PACIFIC COMPANY		N
			HOFFMAN ENGR COMPANY	A-24R248HCLO	N
180737	BOX STEEL 10"X12"X5"D NEMA-12	BOX, STEEL, 12X10X5, TYPE NEMA 12 , CONTINUOUS HINGE AND CLAMP COVER W/ STEEL PANEL #A12P10 OR NAED-EDP #5479 0	HOFFMAN ENGR COMPANY	A-1210CH & A12P10	Y
180745	PUMP SUMP MANUAL 1/3 HP	PUMP SUMP MANUAL 1/3 HP	TEEL	3P512	Y
181078	CONN COMP TERM CU 12AWG 19STR	CONN COMP TERM CU 12AWG 19STR #10HOL FLT CONNECTOR, COMPRESSION TERMINAL, 12AWG CU 19 STRAND TO #10 1-HOLE FLAT, SEAMLESS BARREL. - - - 100 PER CARTON - - -	BURNDY	YAV12-G2 BOX	Y
181124	AIRSEAL 8" X 8" X 1/8" _1	AIR SEAL 8 X 8 X 1/8	KEARNEY	18415-1	Y
181305	LUG TAP 250MCM TO 6AWG SINGLE	TAP LUG 6AWG TO 250MCM	BURNDY	QGFL29B1T6	N
			HUBBELL PENN-UNION	TLS-42-L LSN-025NE	N
182097	SUPPORT BUS 2-795AL 3" BC	BUS SUPPORT AL 2-795MCM 3" BC ER ALUMINUM BUS SUPPORT, 2-795MCM AA CONDUCTORS TO 3IN BC STATION POST INSULATOR, TO BE MOUNTED IN ANY POSITION .	HUBBELL	ADCS-75-3	N
			JOHNSON & SONS INC. SEFCOR	ABS-75-3-2 AVCA2-34-3	N
182543	CONN SERV 4-OUTLET 8-500AL/CU	CONN SERV 4 OUTLETS 8-500AL/CU	HOMAC	FSN4-125AWR	Y
182618	SPLICE STR 15KV 1/0AL-3/0AL UD	SPLICE,STRAIGHT, 5-25KV URD, 1/0 AL TO 3/0 AL,MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING 1/0 AL,175 OR 220 MIL EPR W/CONCENTRIC NEUTRAL TO 3/0 AL, 175 MIL EPR W/CONCENTRIC NEUTRAL.	3M	5415A	Y
182667	BUSHING STANDOFF INSUL 600A	BUSHING, STANDOFF, INSULATED, 15KV, 600 AMP, FOR USE WITH A PARKING STAND TO ENABLE A DEENERGIZED CABLE TO BE REMOVED FROM A 600 AMP EQUIPMENT BUSHING AND "PARKED" ON THE STANDOFF BUSHING TEM	COOPER POWER SYSTEMS	ISB625AST	Y
182675	CAP PROTECTIVE INSUL 600A	CAP PROTECTIVE INSUL 600A BUSHING 15KV CAP, PROTECTIVE, INSULATING, 15KV, 600 A MP, FOR USE ON 600 AMP BUSHINGS WHEN 650 TEES HAVE BEEN REMOVED TEMPORAR ILY. CAP WILL BE SUPPLIED WITH DRAIN WIRE AND PULLING EYE FOR "HOT STIC	ELASTIMOLD COOPER POWER SYSTEMS	675SOP DPC625	N
182691	TRANSDUCER CURRENT 3PH 0-1MA	TRANSDUCER CURRENT 3-PH 0-1MA OUTPUT TRANSDUCER, CURRENT, 3-PHASE, 0-5 AMP 60 HERTZ INPUT, 0-1 MILLIAMP D.C. OUTPUT, BUILT-IN CALIBRATION, OVERALL ACCURACY WITHIN (+ OR -) 1/2% OF READING OVER THE RATED INPUT RANGE AT 25 DEG. C, OPERATIN	ELASTIMOLD AMETEK	656DR CCC-30B-1	Y
			SCIENTIFIC COLUMBUS, INC.	XLGI3051-A	N
			TRANSDATA INC	30CS501	Y

182709	TRANSDUCER VOLTAGE 1PH 0-1MA	TRANSDUCER VOLTAGE 1-PH 0-1MA OUTPUT TRANSDUCER, VOLTAGE, 1-PHASE, 0-150 VOLT 60 HERTZ INPUT, 0-1 MILLIAMPS D.C. OUTPUT, BUILT-IN CALIBRATION, OVERALL AC CURACY WITHIN (+ OR -) 1/2% OF READING OVER THE RATED INPUT RANGE AT 25 DEG. C,	AMETEK		N
			SCIENTIFIC COLUMBUS, INC.	XLGV1501-1	N
			TRANSDATA INC	10PS501	Y
182766	SPLICE STR 15KV 500CU/CMPT-500	SPLICE ST 15KV CU URD 500CMPT-500CMPT SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING 500 MCM CU COMPACT CONDUCTOR W/CONCENTRIC NEUTRAL, 175MIL EPR INSULATED CABLE.	3M	5407-CI-450	Y
182782	TERM CABLE RUB 15KV 500CU CMPT	TERMINATOR CABLE RUB 500CMPT	ELASTIMOLD 3M	15PCJ1K2320 5643	N Y
183004	BREAKER CKT 15A 600V	CIRCUIT BREAKER 15AMP 600VAC 3 POLES CIRCUIT BREAKER 15AMP 600VAC 3 POLES WITH 2A AND 2B AUX SWITCHES. WEST. TYPE FDB, MODIFICATION CODE: FDB30 15LA10. FOR USE IN P.T. SECONDARY CIRCUIT.	RAYCHEM WESTINGHOUSE	HVT-153-SJ FDB3015LA10	N Y
183053	CONE COMP 1000-500CU	CONE COMP CU 1000MCM-500MCM	BURNDY	Z3444	Y
183178	CONN COMP TERM 4AL	CONN COMP TERM AL 4AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN. HOLES 1 3/4 IN. ON CENTERS, FOR INDOOR AND OUTDOOR USE ON NO. 4 AWG. ALUMINUM CONDUCTOR.	MAC PRODUCTS BLACKBURN	UC1000-500 AL582	N Y
183228	PLUG TAP REDUCE 600-200A T-OP	PLUG, LOADBREAK REDUCING TAP, 15 KV, 600A TO 200A, FOR COOPER POWER SYSTEMS T-OP-II SYSTEM ONLY. ALIGNMENT SEGMENT AND ASYMETRIC TIN COPPER LUG INCLUDED.	HUBBELL COOPER POWER SYSTEMS	VAUL412BN LRTP615	N Y
183244	STUD CU EXTENDED FOR T-OP-II	STUD CU EXTENDED 600A	COOPER POWER SYSTEMS	0838573A01B	N
183293	CONN COMP TERM STACK 3/0AL	CONN COMP TERM STACK AL 3/0AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL, WITH TWO 9/16 IN. DIAMETER HOLES, NEMA SPACED 1 3/4 IN. ON CENTERS, FOR INDOOR AND OUTDOOR USE ON NO. 3/0 AWG ALUMINUM CONDUCTOR.	HOMAC	STUD-T ASL3/0-NTN	Y Y
183301	CONN COMP TERM STACK 4AL	CONN COMP TERM STACK AL 4AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL, WITH TWO 9/16 IN. DIAMETER HOLES, NEMA SPACED 1 3/4 IN. ON CENTERS, FOR INDOOR AND OUTDOOR USE ON NO. 4 AWG ALUMINUM CONDUCTOR.	HUBBELL MAC PRODUCTS HOMAC	ATL-30-BN MLB3/0N TOP ASL4-NTN	N N Y

183319	CONN COMP TERM STACK 2AL	CONN COMP TERM STACK AL 2AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMMPRESSI ON, TERMINAL, WITH TWO 9/16 IN. DIAMETER HOLES, NEMA SPACED 1 3/4 IN. ON CENTERS, FOR INDOOR AND OUTDOOR USE ON NO. 2 AWG ALUMINUM CONDUCTOR.	HOMAC	ASL2-NTN	Y
183871	CONN COMP TERM CU 12AWG 19STR	CONN COMP TERM CU 12AWG 19STR 1/4HOL FLT CONNECTOR, COMPRESSION TERMINAL, 12AWG CU 19 STRAND TO 1/4IN 1-HOLE FLAT, SEAMLESS BARREL. - - - 100 PER CARTON - - -	BURNDY	YAV12-G3 BOX	Y
184200	CONN TERM 2" IPS TO 4-H STR AL	CONN TERM 2" IPS TO 4 HOLE STR	BURNDY	NA18A-4N	Y
			DELTA STAR HUBBELL ROYAL SWITCHGEAR	FL-161-AL TF-20-4N	N N N
184333	CONN ELBOW REPAIR 200A 3PH LDB	CONN ELBOW REPAIR 200A 3PH LDBRK 2 CONNECTOR, ELBOW, 8.3/14.4 KV, 200A, 3 PHASE LOADBREAK FOR #2 AWG STRANDED COPPER CABLE WITH COPPER TAPE SHIELD, 17 5 MIL INSULATION. ELBOW KIT SHALL HAVE AN EXTENDED LENGTH HOUSING AND "COP	ELASTIMOLD	167ELR-6689- 0220	Y
184341	CONN ELBOW REPAIR 200A 3PH LDB	CONN ELBOW REPAIR 200A 3PH LDBRK 1/0 CONNECTOR, ELBOW, 8.3/14.4KV, 200A, 3 PHASE LOADBREAK FOR 1/0 COMPRESSED AL URD COMPRESSED CABLE WITH 175 OR 220 MIL INS ULATION AND CONCENTRIC NEUTRAL. ELBOW KIT SHALL HAVE AN EXTENDED LENGTH HOUSIN	ELASTIMOLD	167ELR-7495- 0240	Y
184358	CONN ELBOW REPAIR 200A 3PH LDB	CONN ELBOW REPAIR 200A 3PH LDBRK 3/0 CONNECTOR, ELBOW, 8.3/14.4KV, 200A, 3 PHASE LOADBREAK FOR 3/0 COMPRESSED AL URD CABLE WITH 175 MIL INSULATION AND CONCEN TRIC NEUTRAL. ELBOW KIT SHALL HAVE AN EXTENDED LENGTH HOUSING AND "COPPER TOP"	ELASTIMOLD	167ELR-7495- 0260	Y
184366	CONN ELBOW REPLMNT 200A 3PH LD	CONN ELBOW REPLMNT 200A 3PH LDBRK 2 CONNECTOR, ELBOW, 8.3/14.4KV, 200A, 3 PH LDBRK FOR #2 AWG STRANDED CU CABLE W/ CU TAPE SHIELD, 175 MIL INSULATION. THE KIT SHALL HAVE AN 11" LONGER HOUSING AND "COPPER TOP" COMPRESSION CONNECTOR.	ELASTIMOLD	167RLR-F-5220	Y
184374	CONN ELBOW REPLMNT 200A 3PH LD	CONN ELBOW REPLMNT 200A 3PH LDBRK 1/0 CONNECTOR, ELBOW, 8.3/14.4KV, 200A, 3 PH LDBRK FOR 1/0 COMPRESSED AL URD CABLE W/175 OR 220 MIL INSULATION & CONCENTRIC NEUT. THE KIT SHALL HAVE AN 11" LONGER HOUSING AND "COPPER TOP" COMPRESSION CON	ELASTIMOLD	167RLR-G-5240	Y
184382	CONN ELBOW REPLMNT 200A 3PH LD	CONN ELBOW REPLMNT 200A 3PH LDBRK 3/0 CONNECTOR, ELBOW, 8.3/14.4KV 200A, 3 PH LDBRK FOR 3/0 COMPRESSED AL URD CABLE W/175MIL INSULATION & CONCENTRIC NEUT. T HE KIT SHALL HAVE AN 11" LONGER HOUSING AND "COPPER TOP" COMPRESSION CONNECTOR.	ELASTIMOLD	167RLR-G-5260	Y
184705	CONN SWAGE SPLICE 4IN IPS AL	CONN SWAGE SPLICE 4IN IPS AL	DMC POWER INC.	PLK1000D64	Y
184713	CONN SWAGE TEE 4" IPS AL	CONN SWAGE TEE 4IN IPS TO 4 HO	DMC POWER INC.	PLK1100D64E2	Y

184721	CONN SWAGE TERM 4" TO 4-H PAD	CONN SWAGE TERM 4IN IPS TO 4 H	DMC POWER INC.	PLK1850D64B	Y
184739	CONN SWAGE END CAP 4" IPS BUS	CONN SWAGE END CAP 4IN IPS BUS	DMC POWER INC.	PLK1300D64	Y
184747	CONN SWAGE TERM 4" TO 4-H PADX	CONN SWAGE TERM 4IN IPS 4 HOLE	DMC POWER INC.	PLK2600D64E1	Y
184887	CONN ELBOW 200A 3 PHASE LDBRK	CONN ELBOW 200A 3 PHASE LDBRK	ELASTIMOLD	165LR-C-5270	Y
184937	SPACER CABLE 795MCM	SPACER CABLE 795	HUBBELL SEFCOR	APCS114 ASPC-29-4	N Y
184960	SPLICE LEAD KIT 3M (Discontin	SPLICE, LEAD 3M KIT	3M		Y
185736	MODULE JUNCTION 4WAY 15kV 600A	JUNCTION MODULE 4-WAY 600A DEADBREAK JUNCTION MODULE,DEADBREAK, 600 AMPERE, 8.3/14.4KV RATED, BRACKET MOUNTED, WITH 4 CONNECTION POINTS. FOR USE WITH SEPARABLE ELBOW CONNECTORS.	ELASTIMOLD	K675J4	Y
185785	PLUG TAP REDUCE 600-200A BOL-T	PLUG, LOADBREAK REDUCING TAP, 15 KV, 600A TO 200A.	ELASTIMOLD	650LRTPA3	Y
185807	GRIP, PULLING OFFSET EYE 750 U	GRIP, PULLING OFFSET EYE 750 U	LEWIS MFG CO.	OE-250-SW	Y
185868	SPACER CABLE 1590MCM	SPACER CABLE 1590	HUBBELL SEFCOR	APCS-16-4 ASPC-29-4	N Y
186064	CONN SERV 6-OUTLET 8-500AL/CU	CONN SERV 6 OUTLETS 8-500AL/CU	HOMAC	FSN6-125 / CSN-2011 SLEEVE	Y
186072	CONN BAR 10-POINT 1000MCM	CONN BAR 10 POINT 1000MCM CONNECTOR BAR 2-WAY, 10-POINT 2-HOLES/CONNECTION POINT-NEMA SPACED, SUBMERSIBLE, 600V INSULATED U/G TO CONNECT SERVICE TO NETWORK 1 3/4 NEMA SPACED HOLES TO ACCOMODATE STANDARD 2-HOLE COMPRESSION LUGS	HOMAC	FS55-175 / COVER FS1175	Y
186213	TAPE ORANGE COLOR-CODE 1/2" W	TAPE ORANGE 3/4 X 66 TAPE,ORANGE, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME,ABRASION,UV RAYS,MOISTURE,CHEMI CALS AND COLD WEATHER IN ACCORDANCE WITH EXISTING GSA CODES.	3M	35	Y
186221	TAPE BROWN COLOR-CODE 1/2" W	TAPE BROWN 3/4 X 66 TAPE,BROWN, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME,ABRASION,UV RAYS,MOISTURE,CHEMI CALS AND COLD WEATHER IN ACCORDANCE WITH EXISTING GSA CODES.	SCOTCH 3M CO. 3M	ORANGE 3/4 X 66 35	N Y
186239	TAPE YELLOW COLOR-CODE 1/2" W	TAPE YELLOW 3/4 X 66 TAPE,YELLOW, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME,ABRASION,UV RAYS,MOISTURE,CHEMI CALS AND COLD WEATHER IN ACCORDANCE WITH EXISTING GSA CODES.	SCOTCH 3M CO. 3M	BROWN 3/4 X 66 35	N Y
186387	CONN SERV 16-OUTLET W/ COVER	CONN SERV 16 OUTLETS W/COVER	HOMAC	FS88-175	Y
186726	JUNCTION MODULE 3-WAY FOR AUTO	JUNCTION MODULE 3-WAY FOR AUTO TRANSFER JUNCTION MODULE 3-WAY FOR AUTO TRANSFER MCGRAW EDISON/COOPER ONLY ,	COOPER POWER SYSTEMS	KNC207PA	Y
186734	ADAPTER CABLE LEAD "FOR AUTO T	ADAPTER CABLE LEAD "FOR AUTO T	ELASTIMOLD	1601CL-GA10AX	Y
186775	CLEANER HIGH-VOLTAGE CABL	CLEANER, HIGH VOLTAGE	CHEMSEARCH	VOLTZ	N

			LPS LABORATORIES	01020	N
				01420	Y
186973	RACK CABLE PLASTIC	RACK, PLASTIC	UNDERGROUN D DEVICES	CR 36-B	Y
186981	ARM CABLE PLASTIC	ARM, PLASTIC	UNDERGROUN D DEVICES	RA08	Y
187286	RISER 12" FOR PULLBOX	RISER 12" FOR PULLBOX	QUAZITE CORPORATION	PG3660EA12	Y
187336	INDICATOR FAULT NAVIGATOR FCI	FAULT INDICATOR, NAVIGATOR FCI , 41-2001-301 DUEL RESET, LOAD MEMORY	POWER DELIVERY PRODUCTS	41-2001-301	Y
187963	RED BI-POLAR LED LAMP 24E	RED BI-POLAR LED LAMP 243 TYPE, DDP CATALOG NO. 24LS4-R1. REPLACEMENT LAMP FOR WESTINGHOUSE 125 VDC MINALITE WITH 3200 OHM RESISTOR, SEE DDP DRAWING NO. 503050 RA FOR DETAILS.	DDP LED SOLUTIONS	24LS4-R1	Y
187971	GREEN BI-POLAR LED LAMP 24E	GREEN BI-POLAR LED LAMP 24E TYPE, DDP CATALOG NO 24LS4-G1. REPLACEMENT LAMP FOR WESTINGHOUSE 125 VDC MINALITE WITH 3200 OHM RESISTOR. SEE DDP DRAWING NO 503050 FA FOR DETAILS.	DDP LED SOLUTIONS	24LS4-G1	Y
187989	WHITE BI-POLAR LED LAMP 24E	WHITE BI-POLAR LED LAMP 24E TYPE, DDP CATALOG NO. 24LS4- W1. REPLACEMENT LAMP FOR WESTINGHOUSE 125 VDC MINALITE WITH 3200 OHM RESISTOR. SEE DDP DRAWING NO. 503050 RA FOR DETAILS.	DDP LED SOLUTIONS	24LS4-W1	Y
187997	BLUE BI-POLAR LED LAMP 24E	BLUE BI-POLAR LED LAMP 24E TYPE, DDP CATALOG NO. 24LS4-B1. REPLACEMENT LAMP FOR WESTINGHOUSE 125 VDC MINALITE WITH 3200 OHM RESISTOR. SEE DRAWING NO. 503050 RA FOR DETAILS.	DDP LED SOLUTIONS	24LS4-B1	Y
188185	GRIP CABLE FOR 6" CND 3-750MCM	GRIP CABLE FOR 6" CND 3-750MCM	LEWIS MFG CO.	LR-6-350	Y
188193	KIT ADAPTER CABLE #3/0 CU/COMP	KIT ADAPTER CABLE FOR #3/0 AWG ALUMINUM OR COPPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW	ELASTIMOLD	655CK-G0260	N
			RICHARDS MANUFACTURI NG	P725SK1G11	Y
188201	KIT ADAPTER CABLE #350 CU/CMPT	KIT ADAPTER CABLE FOR #350MCM ALUMINUM OR COPPER COMPACT CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW	ELASTIMOLD	655CK-J0290	N
			RICHARDS MANUFACTURI NG	P725SK1J14	Y
188219	KIT ADAPTER CABLE #4/0 CU/COMP	KIT ADAPTER CABLE FOR #4/0 AWG ALUMINUM OR COPPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW	ELASTIMOLD	655CK-H0270	N
			RICHARDS MANUFACTURI NG	P725SK1H12	Y
188227	KIT ADAPTER CABLE #500 CU/CMPT	KIT ADAPTER CABLE FOR #500MCM ALUMINUM OR COPPER COMPACT CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW	ELASTIMOLD	655CK-K0320	N
			RICHARDS MANUFACTURI NG	P725SK1K17	Y

188235	KIT ADAPTER CABLE #500 CU/COMP	KIT ADAPTER CABLE FOR #500 MCM ALUMINUM OR COPPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW	COOPER POWER SYSTEMS	CCA625FC21T	N
			ELASTIMOLD RICHARDS MANUFACTURING	655CK-K0330 P725SK1K18	N Y
188243	KIT ADAPTER CABLE #750 CU/CMPT	KIT ADAPTER CABLE FOR #750 MCM ALUMINUM OR COPPER COMPACT CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW	ELASTIMOLD	655CK-L0360	N
			RICHARDS MANUFACTURING	P925SK1L21	Y
188249	25KV BI METAL SUBUNIT KIT 750K	25KV BI METAL SUBUNIT KIT 750KCMIL P725SK1LM23	RICHARDS MANUFACTURING	P725SK1LM23	Y
188250	KIT ADAPTER CABLE #750 CU/COMP	KIT ADAPTER CABLE FOR #750 MCM ALUMINUM OR COOPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW	COOPER POWER SYSTEMS	CCA625HC25T	N
			ELASTIMOLD RICHARDS MANUFACTURING	655CK-LM0380 P725SK1LM23	N Y
188268	KIT ADAPTER CABLE #1/0 CU/COMP	KIT ADAPTER CABLE FOR #1/0 AWG ALUMINUM OR COPPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW	ELASTIMOLD	655CK-F0240	N
			RICHARDS MANUFACTURING	P725SK1F9	Y
188276	BOX UG H-D SERVICE 17 X 30 X 1	BOX, OPEN-BOTTOM HEAVY-DUTY, FIBERGLASS AND/OR RESIN AND/OR POLYMER CONCRETE, 17X30X18, W/LID RATED 15,000 LBS & MINIMUM FAILURE AT 22,568 LBS. BOX & LID SHALL BE FULLY TESTED & RATED "TEIR-15" IN ACCORDANCE WITH ANSI/SCTE 77 2007" SPECIFICATION	CDR SYSTEMS CORPORATION	PA12-1730-18	N
			HIGHLINE PRODUCTS CORP.	PHA173018S	N
				PHA173018XE1 KUB	Y
			QUAZITE CORPORATION	PG1730BA18 (BOX) PG1730HH00 (LID)	N
188284	BOX UG H-D CA- PULL 36 X 60 X	BOX UG H-D CA- PULL 36 X 60 X 48 BOX, OPEN-BOTTOM, HEAVY-DUTY, FIBERGLASS AND/OR RESIN AND/OR POLYMER CONCRETE, 36 X60 X 48D, W/ LID RATED 15,000 LBS & MINIMUM FAILURE AT 22,568 LBS. BOX & LID SHALL BE FULLY TESTED & RATED "TIER -22",	CDR SYSTEMS CORPORATION	PQ12-3660-48	N
			HIGHLINE PRODUCTS CORP.	CVA366048X01K UB	Y
			QUAZITE CORPORATION	PG3660BA24 (2 REQD. FOR BOX) & PG3660HH00 (LID)	N

188292	BOX UG CA-PULL 48 X 96 X 48	BOX UG CA-PULL 48 X 96 X 48 BOX, OPEN-BOTTOM, HEAVY-DUTY, FIBERGLASS AND/OR RESIN AND/OR POLYMER CONCRETE, 48 X 96 X 48D, W/ LID RATED 15,000 LBS & MINIMUM FAILURE AT 22,568 LBS. BOX & LID SHALL BE FULLY TESTED & RATED "TIER-22"	CDR SYSTEMS CORPORATION	PQ12-4896-48	N
			HIGHLINE PRODUCTS CORP.	CVA489648X01K UB	Y
			QUAZITE CORPORATION	PG4896BA48 (BOX) PG4896HH00 (LID)	N
188888	LUBRICANT SWITCH DRY GRAPHITE	LUBRICANT, SWITCH, DRY GRAPHITE FOR HIGH VOLTAGE ELECTRICAL APPLICATIONS. NON-OIL CONTAINING AND NON-CORROSIVE FOR TEMPERATURE APLLICATIONS BETWEEN -100 F TO 1000 F.	AERVOE INDUSTRIES	CROWN #8078	Y
188920	WIRE TIE NYLON 28 3/8" X 1/2"	WIRE TIE NYLON 28 3/8" X 1/2"	PANDUIT CORP	PLT8EH-QO	Y
188938	HOUSING STACK-T ELBOW 15K 600A	HOUSING STACK-T MOLDED-RUBBER ELBOW 15KV 600A WITH CONNECTING PLUG MOLDED INTO HOUSING. HOUSING SIZED FOR 750 MCM COMPRESSED 61-STRAND ALUMINUM CONDUCTORS (175-MIL EPR INSULATION THICKNESS) 15KV JACKETED CONCENTRIC NEUTRAL CABLE	RICHARDS MANUFACTURING	62CBN0	Y
189084	CONN COMP TERM DUAL 795AA STR	CONNECTOR COMPRESSION TERMINAL DUAL 795AA "ARBUTUS" STRAIGHT 4-HOLE NEMA-SPACED	SEFCOR	AL2-1031-4B	Y
189092	CONN COMP TERM DUAL 795AA ANG	CONNECTOR COMPRESSION TERMINAL DUAL 795AA "ARBUTUS" 90 DEGREE ANGLE 4-HOLE NEMA-SPACED	SEFCOR	AL2-1031-4B-90	Y
189100	CONN COMP TERM DUAL 1590AA STR	CONNECTOR COMPRESSION TERMINAL DUAL 1590AA "COREOPSIS" STRAIGHT 4-HOLE NEMA-SPACED	SEFCOR	AL2-1466-4B	Y
189118	CONN COMP TERM DUAL 1590AA ANG	CONNECTOR COMPRESSION TERMINAL DUAL 1590AA "COREOPSIS" 90-DEGREE ANGLE 4-HOLE NEMA-SPACED	SEFCOR	AL2-1466-4B-90	Y
189175	CONN ELBOW REPLMNT 200A LB 4/0	CONN ELBOW REPLMNT 200A LB 4/0	ELASTIMOLD	167RLR-H-0270	Y
189181	CONN ELBOW 200A LD BRK 4/0	CONN ELBOW LOADBREAK FOR 4/0 COMPRESSED AL URD CABLE, 2/ VOLTAGE TEST POINT CONNECTOR, 8.2/14.4 KV, 200A, 100% (175 MIL) EPR INSULATION, CONCENTRIC NEUTRAL	ELASTIMOLD	166-LRC-0270	Y
189209	CONN ELBOW REPAIR 200A LD BRK	CONN ELBOW REPAIR LOADBREAK FOR 4/0 COMPRESSED AL URD CABLE, 8.3/14.4 KV, 200A, 100% (175 MIL) EPR INSULATION, CONCENTRIC NEUTRAL	ELASTIMOLD	167ELR-8810-5270	Y
189217	TERM CABLE RUB 4/0 AL 15KV 1-P	TERMINATOR CABLE RUB 4/0AL 15KV 1 PIECE TERMINATOR, CABLE, 15KV CLASS, SLIP-ON OR COLD SHRINK RUBBER, FOR OUTDOOR USE ON 4/0 AWG ALUMINUM, JACKETED URD CABLE WITH 175 MIL EPR INSULATION	3M	5642-4/0	Y
189258	SUMP PUMP AND OIL CONTROL 120V	SUMP PUMP AND OIL SENSING CONTROL UNIT, 120 VAC, UP TO 1/2 HP SUBMERSIBLE PUMP, STAINLESS STEEL HOUSING. 2" SIDCHARGE CONNECTION, VORTEX IMPELLER, PUMP WIDTH NOT TO EXCEED 14", HEIGHT UP TO 17". CNTRL HOUSING NEMA 4X. AS PER KUB SPECIFICATION K17-868	ELASTIMOLD LITTLE GIANT	PCT1-1270-4	N Y

189340	SPLICE STR 15KV 4/0-4/0 AWG	SPLICE STR 15KV 4/0 AWG STRANDED CONDUCTOR	3M	5412-C1-4/0	Y
190231	TRANS BUSHING COVER BOX	TRANS BUSHING COVER BOX	TE CONNECTIVITY	BCIC-14/19/6-U	Y
190235	SUBSTATION BREAKER BUSHING COV	SUBSTATION BREAKER BUSHING COVER, RAYCHEM, BUSHING SHED DIAMETER 5"-8"; BUSHING CORE DIAMETER 1.7"-5"	TE CONNECTIVITY	BCAC-8D/14- 01(B6)	Y
190249	TRANS BUSHING COVER L-TUBE	TRANS BUSHING COVER L-TUBE	TE CONNECTIVITY	BCIC-10D/18-3	Y
190520	TERM CABLE RUB 69KV 1500MCM	COLD SHRINK SILICONE RUBBER TERMINATION KIT FOR COPPER JCN POWER CABLE RATED 69 KV, 1500 MCM, ONE PIECE, FOR OUTDOOR WEATHER-EXPOSED APPLICATIONS WITH SHEARBOLT TYPE NEMA 4-HOLE TINNED LUG	3M	7673-S-8-QCI- 1500	Y
190637	SPLICE WATERTIGHT UD KIT	SPLICE WATERTIGHT UD KIT	BURNDY	UGS350ULDB	Y
190652	MASTIC PAD 2200 SCOTCH 6 1/2'	MASTIC PAD 2200 SCOTCH 6 1/2 "x 4 1/2 "	3M	SCOTCH MASTIC PAD 2200	Y
190736	INDICATOR FAULT NAVIGATOR COMM	INDICATOR FAULT NAVIGATOR COMMUNICATING FAULT INDICATOR, NAVIGATOR LM FCI, 43- 1016-100, 100A MIN. TRIP 0.3-1.15 INCH CONDUCTOR	POWER DELIVERY PRODUCTS	NAVIGATOR LM CAT #43-1016- 100	Y

METERING

189233	TRN VOLTAGE OUTDOOR 8400V 70:1	VOLTAGE TRANSFORMER, OUTDOOR RATED, 2- BUSHING,CAST EPOXY RESIN INSULATED, 15KV CLASS, 60 HZ, 110KV BIL, 8400/14560Y-120 VOLTS, 70:1 RATIO, IEEE METER ACCURACY CLASS 0.3WXYZ, THERMAL RATING 1500 VA, AND SUPPLIED WITH STANDARD FACTORY TEST REPORTS.	GENERAL ELECTRIC	JVM-5C- 765C130203	Y
190785	ENCLOSURE SS 24" X 24" CP BOX	ENCLOSURE SS 24" X 24" CP BOX, ENCLOSURE, STAINLESS, 24 X 24 INCHES,LIGHTING CONTROL POINT BOX FOR DOWNTOWN NW VAULTS, WITH BACKPLATE HAMMOND CAT#1418N4S16J8LP			
202839	METER BOX POLY/CONC 30x48x30	METER BOX POLY/CONC 30x48x30 FIBERGLASS/POLYMER CONCRETE METER BOX FOR 2" WASTER METER INSTALLATIONS. BOX MEASURES 30"H X 48" L X 30"W	HIGHLINE PRODUCTS CORP.	CHA304830	N
202937	YOKE METER 1"	YOKE METER 1"	A Y MC DONALD MFG CO	CHA3048305 740-4-DM-44	Y Y
			FORD METER BOX CO		N N
			HD SUPPLY	4610CH18444NL	N
			MUELLER		N
203024	BOX METER PLASTIC 15"X24"	PLASTIC METER BOX 15 X 24			
204362	COPPERHORN METER-YOKE 3/4"	COPPERHORN METER YOKE 3/4" STANDARD COMPRESSION TYPE COPPERHORN SHALL BE DESIGNED FOR A 5/8 METER & BE FURNISHED WITH 3/4 MALE SWIVEL INLET AND 3/4 COMPRESSION TYPE OUTLET DESIGNED FOR COPPER AND BE FORD COPPERHO	A Y MC DONALD MFG CO	4606CH84-133 #1	N
			FORD METER BOX CO	740-1-M2-33 #1	Y N
			HD SUPPLY	4606CH84- 133NL	N
			MUELLER		N

207084	COUPLING METER LOK-PAK 1-1/2"	COUPLING METER 1-1/2" LOK-PAK #CF35-66 LOK-PAK METER COUPLING, 1-1/2, FLANGED, BRONZE **** THIS IS A SPECIAL ITEM MADE BY FORD METER BOX FOR KUB - UNIT PRICE MUST INCLUDE THE COUPLING, FLANGES, NIPPLES A	A Y MC DONALD MFG CO	7610-55	Y
			FORD METER BOX CO	CF35-66	N
			HD SUPPLY	3915KN-8-ASSYNL	N
207100	COUPLING METER LOK-PAK 2"	COUPLING METER 2" LOK-PAK #CF38-77 LOK-PAK METER COUPLING, 2, FLANGED, BRONZE, ***INCLUDE ITEMS LISTED BELOW**** THIS IS A SPECIAL ITEM MADE BY FORD METER BOX FOR KUB - UNIT PRICE MUST INCLUDE THE COUPLING # CF38-77 W/ FLANGE	A Y MC DONALD MFG CO	#CF38-77	Y
			FORD METER BOX CO		N
			HD SUPPLY	3920KN-K-ASSYNL	N
295873	BOX METER PLASTIC 15"X18"	BOX METER PLASTIC 15 x 18			
298931	VAULT RISER PRECAST CONC 64X138 (OD) 52X126 (ID) X 48H	VAULT RISER PRECAST CONC 64W X 138L (OD) 52W X 126L (ID) X 24H FOR 3", 4" AND 6" WATER METER ASSEMBLIES - 4,750 LBS (NON-TRAFFIC RATED)			
299461	LID STEEL FOR METER BOX	LID STEEL FOR CONC METER BOX LIDS, METER, STEEL, SHALL BE FABRICATED FROM 3/8" CAST IRON WITH RAISED LUGS TO DIMENSIONS SHOWN ON DRAWING 32-A.	ACHESON FOUNDRY		N
			B W BYRD METAL FABRICATORS		N
			BULL RUN METAL FABRICATORS		N
			EBBA IRON INC		N
			PRECIOUS		N
			WOODS AND METALS		
			SIGMA CORPORATION	C-217	Y
			TEC-FAB INC		N
			TYLER		N

POLES AND ARMS

140319	POLE STEEL 30' SQ W/ 7' ARM ST	POLE STEEL 30' SQ W/ 7' ARM ST LT POLE 30 FT NOM HEIGHT SQUARE TAPERED STEEL WITH BAKED ENAMEL OR ELECTROSTATIC AIR DRY BLACK FINISH, 15IN SQUARE (14.5I N BC) BASE PLATE, 3IN X 5IN MIN SIZE HANDHOLE W/COVER, GND LUG ATTACHED TO HA	ARCHITECTURA L AREA LIGHTING		N
			COOPER LIGHTING		Y
			UNION METAL MANUFACTURING CO.	70974-Y603	N
140491	CROSSARM STEEL 66KV SINGLE	CROSSARM STEEL 66KV SINGLE	VALMONT HUGHES BROS T & D STEEL STRUCTURES	4000A4.5A33G MSAG45	Y
141234	POLE WOOD 60' CLASS 2 DISTR	POLE WOOD 60' CLASS 2 DISTR 209 CONS POLE, 60 FT CLASS 2 PRESSURE TREATED SOUTHERN YELLOW PINE, CCA TREATED, FOR USE AS SUPPORTING STRUCTURES FOR ELECTRICAL DISTRIBUTION LINES.	BALDWIN POLE AND PILING CO		N
			BROWN WOOD PRESERVING CO.,INC.		N

			HUXFORD POLE & TIMBER		N
			INTERNATIONA L PAPER CO KOPPERS CO., INC.		N
			LANGDALE CO.		N
			MID GULF INDUSTRIES		N
			STALLWORTH TIMBER CO.		N
			THOMASSON LUMBER CO.		Y
			TRI STATE POLE & PILING INC.		N
141473	CROSSARM FBGL DEADEND 5'	CROSSARM FGLS DEADEND 5' STANDARD CROSSARM, FURNISHED COMPLETE WITH CAST IRON (PER ASTM A-153) CENTER MOUNTING BRACKET TO HAVE 12IN VERTICAL SPACING FOR 3/4IN BOLTS. CROSSARM MEMBER IS 4IN X 6IN TUBE (WITH HIGH-DENSITY FOAM FILLER) WITH UV PROTECTIVE	MACLEAN POWER SYSTEMS	PY05SD017-2E- SM	Y
			SHAKESPEARE CO.	LHD-508-P	N
141697	POLE ST LT STL 40' SQ W/ 7' AR	POLE STEEL 40' SQ/W 7' ARM	VALMONT	DS220-40'MH-P9- HH-FP-QB-SPCL	Y
142279	ARM AL WOOD POLE MTG BKT-5-G	ARM AL WOOD POLE MTG BKT-5-G	HOLOPHANE	BKT-5-G	Y
168047	POLE ST LT CAST 14' SGL TENON	POLE CAST 14' DECOR W/2-120V POLE, ARCHITECTURAL GRADE, FLUTED ROUND TAPERED CAST IRON, 14 1/2 FOOT, 3 INCH O.D. BY 3 INCH HIGH TENON ON TOP 15 INCH DIAMETER BOLT CIRCLE. ONE 120V 20 AMP SINGLE GFI RECEPTACLES	ANTIQUE STREET LIGHTS	PIC2015ANBK FG-S	N
			HOLOPHANE	CLC15FTN20P0 7ABGBKR168CF GI	Y
169433	POLE STEEL W/ SHEPHERD'S	POLE STEEL 12' W/SHEPHERD'S CROOK BKT POLE STEEL BOTTLENECK 12FT IN LENGTH, 4I N O.D. TOP SECTION AND 5IN O.D. BOTTOM SECTION WELDED TO THE ANCHOR PLAT E WITH A 9IN BOLT CIRCLE AND SUPPLIED WITH A 2 3/8IN O.D. BENT ALUMINUM ARM AS	LUMEC INC	STD-FGSBKH SPR12- RSV1453PRA5G FI	Y
170308	ARM AL WOOD POLE MTG 10' BKT	ARM AL WOOD POLE MTG 10'	HAPCO (HUBBARD ALUM PROD CO.)	46107	Y
			UNION METAL MANUFACTURI NG CO.	64-Y16	N
170324	ARM AL WOOD POLE MTG 6'	ARM AL WOOD POLE MTG 6'	HAPCO (HUBBARD ALUM PROD CO.)	46108	N
			UNION METAL MANUFACTURI NG CO.	54-Y86	Y
170381	ARM AL WOOD POLE MTG 15' TRUSS	ARM AL WOOD POLE MTG 15'	HAPCO (HUBBARD ALUM PROD CO.)	46109	Y
			UNION METAL MANUFACTURI NG CO.	64-Y17	N

170522	ARM AL WOOD POLE MTG 24" X 2"	ARM AL WOOD POLE MTG 24" X 2" BRACKET ARM, ALUMINUM SINGLE MEMBER 2IN DIAMETER BY 24IN IN LENGTH FOR SUPPORTING LIGHTING LUMINAIRES ON WOOD POLES.	ACTION MFG	AMI-101-A-KUB	Y
			AMERICAN METAL PRODUCTS, INC.	A-2-2	N
			MACLEAN POWER SYSTEMS UTILITY METALS	A-2-2	N
				P200AO20	N
171686	ARM AL WOOD POLE MTG 30" X 1"	ARM AL WOOD POLE MTG 30" X 1-1/4" BRACKET ARM, ALUMINUM SINGLE MEMBER 30IN X 1-1/4IN FOR MOUNTING OF LIGHTING LUMINAIRES ON WOOD POLES; A 7/1 6IN SQUARE HOLE SHALL BE MADE IN SUPPORT BRACKET TO ACCOMMODATE GROUNDING	AMERICAN METAL PRODUCTS, INC.	A-125-2.5	N
			HAPCO (HUBBARD ALUM PROD CO.)		N
			MACLEAN POWER SYSTEMS UTILITY METALS	CA 18103	N
				M125A026	Y
172122	CROSSARM FIR 3-5/8X4-5/8X8'	CROSSARM FIR 3-5/8X4-5/8X8' CROSSARM, DENSE DOUGLAS FIR, 3 5/8 X 4 5/8 X 8FT OR 3 3/4 X 4 3/4 X 8FT, TREATED WITH PENTACHLOROPHENOL AS PER AW PA STANDARDS C25; AFTER ALL SAWING, MACHINING AND DRILLING ARE COMPLETED. RE	PENNINGTON	3-5/8X4-5/8X8'	Y
172593	POLE WOOD 40' CLASS 4 DISTR	POLE WOOD 40' CLASS 4 DISTR 209 POLE, 40 FT CLASS 4 PRESSURE TREATED SOUTHERN YELLOW PINE, CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.	BALDWIN POLE AND PILING CO		N
			BROWN WOOD PRESERVING CO.,INC.		N
			HUXFORD POLE & TIMBER		N
			INTERNATIONAL PAPER CO		N
			KOPPERS CO., INC.		N
			LANGDALE CO.		Y
			MID GULF INDUSTRIES		N
			STALLWORTH TIMBER CO.		N
			THOMASSON LUMBER CO.		N
			TRI STATE POLE & PILING INC.		N
172601	POLE WOOD 45' CLASS 3 DISTR	POLE WOOD 45' CLASS 3 DISTR 209 CONS POLE, 45 FT CLASS 3 PRESSURE TREATED SOUTHERN YELLOW PINE, CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.	BALDWIN POLE AND PILING CO		N
			BROWN WOOD PRESERVING CO.,INC.		N
			HUXFORD POLE & TIMBER		N
			INTERNATIONAL PAPER CO		N

			KOPPERS CO., INC.	N
			LANGDALE CO. MID GULF INDUSTRIES	Y N N
			STALLWORTH TIMBER CO. THOMASSON LUMBER CO.	N N N
			TRI STATE POLE & PILING INC.	N
172627	POLE WOOD 50' CLASS 2 DISTR	POLE WOOD 50' CLASS 2 DISTR 209 CONS POLE, 50 FT CLASS 2 PRESSURE TREATED SOUTHERN YELLOW PINE, CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.	BALDWIN POLE AND PILING CO	N
			BROWN WOOD PRESERVING CO.,INC.	N
			HUXFORD POLE & TIMBER	N
			INTERNATIONA L PAPER CO KOPPERS CO., INC.	N N N
			LANGDALE CO. MID GULF INDUSTRIES	N N N
			STALLWORTH TIMBER CO. THOMASSON LUMBER CO.	Y N N
			TRI STATE POLE & PILING INC.	N
172635	POLE WOOD 55' CLASS 2 DISTR	POLE WOOD 55' CLASS 2 DISTR 209 CONS POLE, 55 FT CLASS 2 PRESSURE TREATED SOUTHERN YELLOW PINE, CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.	BALDWIN POLE AND PILING CO	N
			BROWN WOOD PRESERVING CO.,INC.	N
			HUXFORD POLE & TIMBER	N
			INTERNATIONA L PAPER CO KOPPERS CO., INC.	N Y N
			LANGDALE CO. MID GULF INDUSTRIES	N N N
			STALLWORTH TIMBER CO. THOMASSON LUMBER CO.	N N N
			TRI STATE POLE & PILING INC.	N
173997	POLE WOOD 100' CLASS 1 TRANS	POLE WOOD 100' CLASS 1 TRANS 179 ER POLE, 100FT CLASS 1; SOUTHERN PINE, PRES SURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER- BORNE CHROMATED CO PPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL BORNE PENTACHLOROPHENOL	BALDWIN POLE AND PILING CO	N
			INTERNATIONA L PAPER CO J H BAXTER CO KOPPERS CO., INC.	N N N N

			MID GULF INDUSTRIES		Y
			NIEDERMEYER-MARTIN CO		N
			NORTH PACIFIC LUMBER		N
			THOMASSON LUMBER CO.		N
174003	CROSSARM FIR 3-5/8X4-5/8X10'	CROSSARM FIR 3-5/8X4-5/8X10' CROSSARM, DENSE DOUGLAS FIR, 3 5/8 X 4 5/8 X 10FT OR 3 3/4 X 4 3/4 X 10FT, TREATED WITH PENTACHLOROPHENOL AS PER AW PA STANDARDS C25; AFTER ALL SAWING, MACHINING AND DRILLING ARE COMPLETED. RE	PENNINGTON	3-5/8X4-5/8X10'	Y
174284	POLE ST LT AL 27'-6" 8"X6" W/O	POLE ST LT AL 27' 6" 8X6.0" POLE 27FT 6IN NOM HEIGHT ROUND TAPERED(8 "X6") ALUM WITH 11IN TO 12IN SLOTTED BC BASE PLATE W/ANCHOR BOLT COVERS, 4IN X 6 .5IN HANDHOLE W/COVER, 1 1/2IN DIA HOLE 8" FROM TOP OF POLE AND WITH ALUM NUT WE	HAPCO (HUBBARD ALUM PROD CO.)	28838	Y
			PFAFF AND KENDALL	RTA8M28AA-987	N
			UNION METAL MANUFACTURING CO.	154A7128401S	N
174292	ARM AL 6' BANDED TRUSS	ARM AL 6' BANDED SINGLE MEM BRACKET ARM, ALUMINUM 6 FT. SINGLE MEMBE R, COMPLETE WITH BANDING MOUNTING HARDWARE FOR MOUNTING ON ALUMINUM POLE WITH 6 INCH O.D. AT TOP. ARM TO HAVE 2 FT 6 INCH RISE.	HAPCO (HUBBARD ALUM PROD CO.)	15269-001	Y
			PFAFF AND KENDALL	E636-6.0-CLAMP	N
174367	ARM AL 15' BANDED TRUSS	ARM AL 15' BANDED TRUSS BRACKET ARM, ALUMINUM, 15 FT. TRUSS, COMPLETE WITH MOUNTING HARDWARE FOR BANDED TYPE MOUNTING ON ALUMINUM POLE WITH A 6 INCH DIAMETER TOP. ARM TO HAVE A 2 FT 6 INCH RISE.	HAPCO (HUBBARD ALUM PROD CO.)	15269-003	Y
			PFAFF AND KENDALL	G88169H	N
			UNION METAL MANUFACTURING CO.		N
174474	POLE WOOD 30' CLASS 5 DISTR	POLE WOOD 30' CLASS 5 DISTR 209 CONS POLE, 30 FT CLASS 5 PRESSURE TREATED SOUTHERN YELLOW PINE, CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.	BALDWIN POLE AND PILING CO		N
			BROWN WOOD PRESERVING CO.,INC.		N
			HUXFORD POLE & TIMBER		N
			INTERNATIONAL PAPER CO		Y
			KOPPERS CO., INC.		N
			LANGDALE CO.		N
			MID GULF INDUSTRIES		N
			STALLWORTH TIMBER CO.		N
			THOMASSON LUMBER CO.		N
			TRI STATE POLE & PILING INC.		N

176453	CROSSARM FBGL 2PH 2"	CROSSARM FBGL, TWO PHASE, VERTICAL PIN INSULATOR BRACKET, 15 DEGREES, 2 INCH ROD, 36 INCHES LONG. 1 INCH COATED THREADS. 11/16 INCH MOUNTING. DUCTILE IRON BASE AND END FITTING.	HUBBELL	2SBH36VV1	N
			MACLEAN POWER SYSTEMS	G2HDA236DV1	Y
177758	POLE WOOD 65' CLASS 2 TRANS	POLE WOOD 65' CLASS 2 TRANS 179 POLE, 65FT CLASS 2; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTACHLOROPHENOL OR WATER-BORNE CHROMATED COPPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL	BALDWIN POLE AND PILING CO		N
			INTERNATIONAL PAPER CO		N
			J H BAXTER CO		Y
			KOPPERS CO., INC.		N
			MID GULF INDUSTRIES		N
			NIEDERMEYER-MARTIN CO		N
			NORTH PACIFIC LUMBER		N
			THOMASSON LUMBER CO.		N
177766	POLE WOOD 70' CLASS 2 TRANS	POLE WOOD 70' CLASS 2 TRANS 179 POLE, 70 FT CLASS 2; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTACHLOROPHENOL OR WATER-BORNE CHROMATED COPPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL	BALDWIN POLE AND PILING CO		N
			INTERNATIONAL PAPER CO		N
			J H BAXTER CO		N
			KOPPERS CO., INC.		N
			MID GULF INDUSTRIES		Y
			NIEDERMEYER-MARTIN CO		N
			NORTH PACIFIC LUMBER		N
			THOMASSON LUMBER CO.		N
177774	POLE WOOD 75' CLASS 2 TRANS	POLE WOOD 75' CLASS 2 TRANS 179 POLE, 75FT CLASS 2; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTACHLOROPHENOL OR WATER-BORNE CHROMATED COPPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL	BALDWIN POLE AND PILING CO		N
			INTERNATIONAL PAPER CO		N
			J H BAXTER CO		N
			KOPPERS CO., INC.		N
			MID GULF INDUSTRIES		N
			NIEDERMEYER-MARTIN CO		Y
			NORTH PACIFIC LUMBER		N
			THOMASSON LUMBER CO.		N

177782	POLE WOOD 80' CLASS 1 TRANS	POLE WOOD 80' CLASS 1 TRANS 179 POLE, 80FT CLASS 1; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER- BORNE CHROMATED COPPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL	BALDWIN POLE AND PILING CO	N
			INTERNATIONAL PAPER CO	Y
			J H BAXTER CO	N
			KOPPERS CO., INC.	N
			MID GULF INDUSTRIES	N
			NIEDERMEYER- MARTIN CO	N
			NORTH PACIFIC LUMBER	N
			THOMASSON LUMBER CO.	N
177790	POLE WOOD 85' CLASS 1 TRANS	POLE WOOD 85' CLASS 1 TRANS 179 POLE, 85FT CLASS 1; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER- BORNE CHROMATED COPPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL	BALDWIN POLE AND PILING CO	N
			INTERNATIONAL PAPER CO	Y
			J H BAXTER CO	N
			KOPPERS CO., INC.	N
			MID GULF INDUSTRIES	N
			NIEDERMEYER- MARTIN CO	N
			NORTH PACIFIC LUMBER	N
			THOMASSON LUMBER CO.	N
177808	POLE WOOD 90' CLASS 1 TRANS	POLE WOOD 90' CLASS 1 TRANS 179 POLE, 90FT CLASS 1; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER- BORNE CHROMATED COPPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL	BALDWIN POLE AND PILING CO	N
			INTERNATIONAL PAPER CO	N
			J H BAXTER CO	N
			KOPPERS CO., INC.	N
			MID GULF INDUSTRIES	N
			NIEDERMEYER- MARTIN CO	N
			NORTH PACIFIC LUMBER	Y
			THOMASSON LUMBER CO.	N
178764	CROSSARM FBGL 1PH 1-1/2"	CROSSARM FBGLS, SINGLE PHASE, VERTICAL PIN INSULATOR BRACKET, 15 DEGREES, 1.5 INCH ROD, 18 INCHES LONG. 1 INCH COATED THREAD. 11/16 INCH MOUNTING. DUCTILE IRON BASE AND END FITTING.	HUBBELL 1SBM18V1	N
			HUGHES BROS MACLEAN POWER SYSTEMS	N Y
			CF810-18 G1MDA118DV1	N Y

179184	ARM STEEL BKT 18"	ARM STEEL BKT 18" 3HOLE WOOD POLE ARM, METAL BRACKET, 18 INCH, 3 HOLE, FOR MOUNTING INSULATOR, ARRESTOR AND CUTOUT BRACKET ON WOOD POLE, WITH 1/2" - 13 TAPPED GROUNDING LUG HOLE.	ATLAS POWER PRODUCTS	AVIB3-18	N
			HUBBELL MACLEAN POWER SYSTEMS	IACB185	N Y
180570	ARM STEEL 10' & 15'	ARM STEEL 10 & 15'	UNION METAL MANUFACTURING CO.	TYPE 440	Y
181016 181636	POLE STEEL GLV 45' CLASS 3 ARM AL 15' TRUSS	POLE STEEL GLV 45' CLASS 3 ARM AL 15' TRUSS ARM, ALUMINUM 15FT TRUSS TYPE CONSTRUCTION FOR MOUNTING ON A FIBERGLASS POLE COMPLETE WITH MOUNTING HARDWARE KIT .	SHAKESPEARE CO.	OPAR-15X6 W/OPHW-1X6	Y
182238	POLE ST LT AL 50' W/O ARM	POLE ST LT AL 50' W/O ARM POLE, ROUND TAPERED ALUMINUM 49FT 2IN WITHOUT ARM AND WITH A 2 3/8IN TENON ON TOP FOR A 50FT MOUNTING HEIGHT OF AN OFF ROAD LUMINAIRE. POLE TO HAVE A 14.5IN DIAMETER BOLT CIRCLE, GROUND LUG AND SUP	HAPCO (HUBBARD ALUM PROD CO.)	DRAWING #A71277	Y
182485 184523	POLE STEEL GLV 50' CLASS 2 CROSSARM STEEL DAVIT 69KV 1PH	POLE STEEL GLV 50' CLASS 2 CROSSARM STEEL DAVIT 69KV 1PH 6.5FT ER HEAVY DUTY STEEL DAVIT ARM FOR 1 PHASE OF 69KV CIRCUIT, 6.5' LONG WITH BASE PLATE FOR 7/8" MOUNTING BOLTS, GALVANIZED WITH 33KSI STEEL	HUGHES BROS	4000A6.5A33G	Y
			T & D STEEL STRUCTURES HOLOPHANE	HSAG65	N Y
184929	ARM AL CAST TWIN	ARM AL CAST TWIN	MOLDCAST	C30-CA/BK 84122-12-BLP- DTA	N N
			W. J. WHATLEY INC.	DA40-2	N
186742	POLE ST LT CAST 14' DBL TENON	POLE 14'-6" CAST IRON POLE, 20" DIA BASE, BLACK PAINTED FINISH, 3" X 9" TENON, 15" BOLT CIRCLE DIAMETER, WASHINGTON SERIES CAST ALUMINUM CROSSARM WITH 2-3" OD TENONS FOR LUMINAIRE MOUNTING, BLACK PAI 125V GROUND FAULT CIRCUIT INTERRUPTER	ANTIQUE STREET LIGHTS	PI C20 15 ANBK FG-S WTA28ANBK	N
			HOLOPHANE	ZC1520CIBKHW TACA/BKHFUI S-SBKH	Y
186999	POLE, ALUMINUM 18 FT OVERALL H	POLE, ALUMINUM 18 FT OVERALL H	HAPCO (HUBBARD ALUM PROD CO.)	75-006-P1 DRAWING # A85093	Y
			UNION METAL MANUFACTURING CO.	125-0430-160F- BLK	N
187443	CROSSARM FBGL DEADEND 8'	CROSSARM FBGLS DEADEND 8 FT STANDARD CROSSARM, FURNISHED COMPLETE WITH CAST IRON (PER ASTM A-153) CENTER MOUNTING BRACKET TO HAVE 12 IN VERTICAL SPACING FOR 3/4 IN BOLTS. CROSSARM MEMBER IS 4 IN X 6 IN TUBE (WITH HIGH-DENSITY FOAM FILLING) WITH UV	MACLEAN POWER SYSTEMS	PY08SD003-2E- SM	Y

187450	CROSSARM FBGL DEADEND 10'	CROSSARM FGLS DEADEND 10T STANDARE CROSSARM, FURNISHED COMPLETE WITH CAST IRON (PER ASTM A-153) CENTER MOUNTING BRACKET TO HAVE 12 IN VERTICAL SPACING FOR 3/4 IN BOLTS.	MACLEAN POWER SYSTEMS	PY10SD005-2E-SM	Y
187740	POLE WOOD 35' CLASS 5 DISTR	POLE WOOD 35' CLASS 5 DISTR 209 CONS POLE, 35 FT CLASS 5 PRESSURE TREATED SOUTHERN YELLOW PINE, CCA TREATED, FOR USE AS SUPPORTING STRUCTURES FOR ELECTRICAL DISTRIBUTION LINES.	KOPPERS CO., INC.		Y
187815	POLE, ALUM, 50' , UNIVERSAL	POLE, ALUM, 50' , UNIVERSAL FOR USE WITH UP TO 15' ARM OR TENON TOP, MAY BE USED WITH OR W/O TRANSFORMER BASE, CONSTRUCT PER HAPCO DRAWING B 15268	LANGDALE CO. HAPCO (HUBBARD ALUM PROD CO.)	15268-050	N Y
187823	POLE, ALUM, 45' , UNIVERSAL	POLE, ALUM, 45', UNIVERSAL FOR USE WITH UP TO 15' ARM OR TENON TOP, MAY BE USED WITH OR W/O TRANSFORMER BASE, CONSTRUCT PER HAPCO DRAWING B 15268	HAPCO (HUBBARD ALUM PROD CO.)	15268-045	Y
187831	POLE, ALUM, 40', UNIVERSAL	POLE, ALUM, 40', UNIVERSAL FOR USE WITH UP TO 15' ARM OR TENON TOP, MAY BE USED WITH OR W/O TRANSFORMER BASE, CONSTRUCT PER HAPCO DRAWING B15268	HAPCO (HUBBARD ALUM PROD CO.)	15268-040	Y
187849	TENON ASSY FOR UNIVERSAL POLES	TENON ASSEMBLY, 2' DIA. X 4.25" LONG TENON, FOR SLIP FIT ON UNIVERSAL POLES, WITH (4) 3-1/2"-13NC X 1/2" LONG SS SOCKET TYPE CUP POINT SET SCREWS, CONSTRUCT PER HAPCO DRAWING A13393	HAPCO (HUBBARD ALUM PROD CO.)		Y
187856	"T" BASE FOR UNIVERSAL POLES	"T" BASE FOR UNIVERSAL POLES TRANSFORMER BASE, TOP BC: 10.5" TO 13.3".. BOTTON BC: 13" TO 15". FOR USE WITH HAPCO SERIES 15268-40' , -45, & -50' UNIVERSAL POLES. HAPCO DRAWING A70501	HAPCO (HUBBARD ALUM PROD CO.)	70501	Y
187864	"T" BASE CONNECTING HARDWARE	"T" BASE CONNECTING HARDWARE FOR "T" BASE A70501 HAPCO DRAWING A76341	HAPCO (HUBBARD ALUM PROD CO.)	72655	Y
188623	POLE STEEL 85 FT CL H4	POLE STEEL 85 FT CL H4, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-874, "STEEL UTILITY POLES-2007 NESC HEAVY LOADING". HOLES DRILLED PER KUB DRAWING B-15131	THOMAS & BETTS		N
188656	POLE STEEL 90 FT CL H4	POLE STEEL 90 FT CL H4, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-874, "STEEL UTILITY POLES-2007 NESC HEAVY LOADING". HOLES DRILLED PER KUB DRAWING B-15131	THOMAS & BETTS		N
188664	POLE STEEL 90 FT CL H6	STEEL POLE 90 FT CL H6, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-874, "STEEL UTILITY POLES-2007 NESC HEAVY LOADING". HOLES DRILLED PER KUB DRAWING B-15131	THOMAS & BETTS		N
			TRINITY MEYER UTILITY STRUCTURES, LLC.		Y

			TRINITY MEYER UTILITY STRUCTURES, LLC.		Y
188680	POLE STEEL 95 FT CL H2	STEEL POLE 95 FT CL H2, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-874, "STEEL UTILITY POLES-2007 NESC HEAVY LOADING". HOLES DRILLED PER KUB DRAWING B-15131	THOMAS & BETTS		Y
188695	POLE STEEL 95 FT CL H6	POLE STEEL 95 FT CL H6, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-874, STEEL UTILITY POLES-2017 NESC MEDIUM LOADING. HOLES DRILL PER KUB DRAWING B-15131	TRINITY MEYER UTILITY STRUCTURES, LLC.		Y
188698	POLE STEEL 100 FT CL H6	STEEL POLE 100 FT CL H6, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-874, "STEEL UTILITY POLES-2007 NESC HEAVY LOADING". HOLES DRILLED PER KUB DRAWING B-15131	TRINITY MEYER UTILITY STRUCTURES, LLC.		Y
188953	POLE WOOD CE 45' CLASS 3	POLE WOOD 45' CLASS 3 DISTR POLE, 45 FT CLASS 3 PRESSURE TREATED SOUTHERN YELLOW PINE, CE TREATED, FOR USE AS SUPPORTING STRUCTURES FOR ELECTRICAL DISTRIBUTION LINES PER KUB SPECIFICATION B01- 209			
188961	POLE WOOD CE 40' CLASS 4	POLE WOOD 40' CLASS 4 DISTR POLE, 40 FT CLASS 4 PRESSURE TREATED SOUTHERN YELLOW PINE, CE TREATED, FOR USE AS SUPPORTING STRUCTURES FOR ELECTRICAL DISTRIBUTION LINES PER KUB SPECIFICATION B01- 209			
189027	BEAM CROSSARM FG H-D 4" X 6" X	BEAM CROSSARM FIBERGLASS EXTRA HEAVY-DUTY W/ UV COATING 4" X 6" X 312" W/O MOUNTING HARDWARE. 1200LB. VERTICAL LOADING PER WIRE FOR 3 WIRES IN H-FRAME HORIZONTAL ASSEMBLY	PUPI	T4000-312-KU2	Y
189035	KNEE BRACE FG 3-5/8" X 4-5/8"	BRACE KNEE FIBERGLASS TWO PER SET EXTRA HEAVY-DUTY W/ UV COATING 3-5/8" X 4-5/8" X 93-1/2" W/ GALVANIZED SAW TOOTH TEE BRACKET END FITTINGS WITH 13/16" HOLES.TWO SETS REQUIRED FOR H-FRAME CROSSARM ASSEMBLY	PUPI	S100025	Y
189043	X-BRACE KIT FG FOR H-FRAME ASS	X-BRACE KIT FIBERGLASS HEAVY- DUTY W/ UV COATING W/ CENTER CLAMP & L-TYPE END FITTINGS FOR H-FRAME POLES THAT ARE SPACED 150" ON CENTERS	PUPI	XBR3000-150-2	Y
189068	CROSSARM TANGENT PUPI FG 10' W	CROSSARM TANGENT PUPI FG 10' EXTRA HEAVY-DUTY WITH UV COATING & CENTER MOUNTING, BUNDLED QUANTITIES NOT TO EXCEED 35 EA PER	PUPI	TB3000-120-05	Y
189076	CROSSARM TANGENT PUPI FG 8' W/	CROSSARM TANGENT PUPI FIBERGLASS 8' EXTRA HEAVY-DUTY WITH UV COATING & CENTER MOUNTING, BUNDLED QUANTITIES NOT TO EXCEED 35 EA PER	CREATIVE PULTRUSIONS	CPI- HT6096100M	N
189266	POLE WOOD CE 35' CLASS 5	POLE WOOD 35' CLASS 5 CE DISTR POLE, 35 FT CLASS 5 PRESSURE TREATED SOUTHERN YELLOW PINE, PENTACHLOROPHENOL TREATED, FOR USE AS SUPPORTING STRUCTURES FOR ELECTRICAL DISTRIBUTION LINES PER KUB SPECIFICATION B01-209.	PUPI	TB3000-96-03-2	Y

189357	POLE DUCTILE IRON 45 FT CL 2	POLE DUCTILE IRON 45 FT CL 2 DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION TO1-875, "DUCTILE IRON UTILITY POLES-DISTRIBUTION". HOLES DRILLED PER KUB STANDARD DRAWING SWG-02580-PDI-D.	MCWANE CAST IRON PIPE CO	C245GC	Y
189365	POLE DUCTILE IRON 50 FT CL 2	POLE DUCTILE IRON 50 FT CL 2 DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-875, "DUCTILE IRON UTILITY POLES-DISTRIBUTION". HOLES DRILLED PER KUB STANDARD DRAWING DWG-02580-PDI-D.	MCWANE CAST IRON PIPE CO	C250GC	Y
189373	POLE DUCTILE IRON 55 FT CL 2	POLE DUCTILE IRON 55 FT CL 2 DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-875. "DUCTILE IRON UTILITY POLES-DISTRIBUTION". HOLES DRILLED PER KUB STANDARD DRAWING DWG-02580-PDI-D.	MCWANE CAST IRON PIPE CO	C255GC	Y
189381	POLE DUCTILE IRON 60 FT CL 1	POLE DUCTILE IRON 60 FT CL 1, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION TO1-875, "DUCTILE IRON UTILITY POLES-DISTRIBUTION". HOLES DRILLED PER KUB STANDARD DRAWING DWG-02580-PDI-D.	MCWANE CAST IRON PIPE CO	C160GC	Y
189399	POLE DUCTILE IRON 65 FT CL 1	POLE DUCTILE IRON 65 FT CL 1M DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-875. "DUCTILE IRON UTILITY POLE-DISTRIBUTION". HOLES DRILLED PER KUB STANDARD DRAWING DWG-02580-PDI-D.	MCWANE CAST IRON PIPE CO	C165GC	Y
189407	POLE STEEL 80 FT CL H4	POLE STEEL 80 FT CLASS H4, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-874, "STEEL UTILITY POLES-2007 NESC HEAVY LOADING". HOLES DRILLED PER KUB DRAWING B-15131	DISTRAN PRODUCTS INC. DIS-TRAN		N
			THOMAS & BETTS TRINITY MEYER UTILITY STRUCTURES, LLC. VALMONT		N
189426	DAVIT ARM - 9" OPGW	DAVIT ARM - 9" OPGW			
189428	HENDRIX BM-24 TANGENT BRACKET	HENDRIX DAVIT ARM B-24 24" TANGENT MESSENGER BRACKET, 5-45-12 DUCTILE IRON, HOT DIP GALV. ASTMA-123, 16.76 LBS.			
189464	ARM ST LT 7' STEEL UNIVERSAL	ARM STREET LIGHT 7 FT., STEEL, UNIVERSAL SYSTEM. DESIGNED AND MANUFACTURED PER KUB DRAWING B-15134	UNION METAL MANUFACTURING CO.		N
			VALMONT	7 FT SINGLE ARM-FP	Y
189472	ARM ST LT 7' TWIN STEEL UNIVER	ARM STREET LIGHT 7 FT. TWIN STEEL, UNIVERSAL SYSTEM DESIGNED AND MANUFACTURED PER KUB DRAWING B-15134	UNION METAL MANUFACTURING CO.		N
			VALMONT	7 FT DOUBLE ARM-FP	Y
189480	ARM ST LT 10' STEEL UNIVERSAL	ARM STREET LIGHT 10' STEEL SINGLE, UNIVERSAL SYSTEM DESIGNED AND MANUFACTURED PER KUB DRAWING B-15134	UNION METAL MANUFACTURING CO.		N
			VALMONT	10' SINGLE ARM-FP	Y
189498	ARM ST LT 10' TWIN STEEL UNIVE	ARM STREET LIGHT 10' STEEL TWIN/DOUBLE UNIVERSAL SYSTEM. DESIGNED AND MANUFACTURED PER KUB DRAWING B-15134	UNION METAL MANUFACTURING CO.		N

			VALMONT	10' DOUBLE ARM-FP	Y
189506	POLE ST LT 30/ SQ STEEL UNIVER	POLE STREET LIGHT 30' , SQUARE TAPERED STEEL, UNIVERSAL SYSTEM DESIGNED AND MANUFACTURED PER KUB DRAWING B-15134.	UNION METAL MANUFACTURI NG CO.		N
			VALMONT	DS220-30¿MH- P9-HH-FP-AB- SPCL	Y
189514	POLE ST LT 40' SQ STEEL UNIVER	POLE STREET LIGHT 40', SQUARE TAPERED STEEL, UNIVERSAL SYSTEM DESIGNED AND MANUFACTURED PER KUB DRAWING B-15134	UNION METAL MANUFACTURI NG CO.		N
			VALMONT	DS220-40'MH-P9- HH-FP-AB-SPCL	Y
189522	TRN BASE, UNIVERSAL STL POLES	TRANSFORMER BASE, UNIVERSAL STEEL POLES, DESIGNED AND MANUFACTURED PER KUB DRAWING B-15134.	UNION METAL MANUFACTURI NG CO.		N
			VALMONT	BREAKAWAY BASE (M098)-FP	Y
189548	POLE STEEL 80 FT CL H6	POLE STEEL 80FT, CLASS H6, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATIN TO1-874, "STEEL UTILITY POLES- 2007 NESC HEAVY LOADING". HOLES DRILLED PER KUB DRAWING B-15131	DISTRAN PRODUCTS INC. DIS-TRAN		N
			THOMAS & BETTS TRINITY MEYER UTILITY STRUCTURES, LLC.		N
			VALMONT		Y
189555	POLE STEEL 85 FT CL H6	POLE STEEL 85 FT, CLASS H6 DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-874, " STEEL UTILITY POLES - 2007 NESC HEAVY LOADING". HOLES DRILLED PER KUB DRAWING B-15131	DISTRAN PRODUCTS INC. DIS-TRAN		N
			THOMAS & BETTS TRINITY MEYER UTILITY STRUCTURES, LLC.		N
			VALMONT		Y
189597	POLE STEP DUCTILE IRON W/KNURL	POLE STEPS WITH KNURL FOR DUCTILE IRON POLES	SENIOR INDUSTRIES	SI-0040K	Y
189647	POLE DUCTILE IRON 40 FT CL 2	POLE DUCTILE IRON 40 FT CL 2, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-875, "DUCTILE IRON UTILITY POLES- DISTRIBUTION". HOLES DRILLED PER KUB STANDARD DRAWING DWG-02580-PDI-D.	MCWANE CAST IRON PIPE CO		Y
189654	POLE DUCTILE IRON 35 FT CL 2	POLE DUCTILE IRON 35 FT CL 2, DESIGNED, MANUFACTURED, AND DELIVERED PER KUB SPECIFICATION T01-875, "DUCTILE IRON UTILITY POLES- DISTRIBUTION". HOLES DRILLED PER KUB STANDARD DRAWING DWG-02580-PDI-D.	MCWANE CAST IRON PIPE CO		Y
189688	STEEL, TOUCHUP KIT MYERSCLAD	STEEL, TOUCHUP KIT MYERSCLAD	TRINITY MEYER UTILITY STRUCTURES, LLC.		Y
189696	POLE DUCT IRON TOUCH UP ACRYL	POLE DUCT IRON TOUCH UP ACRYL	MCWANE CAST IRON PIPE CO	07A8280	Y
190314	CROSSARM TANGENT PUPI 12 FT	CROSSARM TANGENT PUPI 12 FT	PUPI	TB30001441522	Y
190322	CROSSARM DEADEND PUPI 12 FT	CROSSARM DEADEND PUPI 12 FT	PUPI	DA3000144E607	Y

190793	LUMINAIRE LAKE LOUDOUN ARM	LUMINAIRE LAKE LOUDOUN ARM, VC-8 SERIES	LUMEC INC	VC8-1A-BKTX- LMS53982B VC8-1A-R5- BKTX- LMS53982F	N Y
190991	POLE STEEL 70 FT. CL H4	POLE STEEL 70 FT. CL H4 DESIGNED, MANUFACTURED, & DELIVERED PER KUB SPEC T01-874. HOLES DRILLED PER KUB DWG B- 15131.	DISTRAN PRODUCTS INC. DIS-TRAN		N
			THOMAS & BETTS TRINITY MEYER UTILITY STRUCTURES, LLC.		N Y
191007	POLE STEEL 75FT CL H4	POLE STEEL 75FT CL H4, DESIGNED, MANUFACTURED, & DELIVERED PER KUB SPEC T01-874. HOLES DRILLED PER KUB DWG B- 15131	DISTRAN PRODUCTS INC. DIS-TRAN		N N
			THOMAS & BETTS TRINITY MEYER UTILITY STRUCTURES, LLC. VALMONT		N Y N

FIBERGLASS MATERIAL

124826	BRACKET FBGL STEEL XARM CO MTG	BRACKET FGLS STL XARM MTG CO BKT BRACKET, FIBERGLASS, FOR CUTOUT ATTACHME NT TO STEEL ARM, 11/16 IN. HOLE IN END FITTINGS 12 INCHES ON CENTER, 1- 1/2 IN. ROD DIAMETER	HUGHES BROS	CF914-15	Y
			MACLEAN POWER SYSTEMS	7500-012	N
173310	BRACKET FBGL CO-ARR 1HOLE	BRACKET FBGL, 1-HOLE, CUTOUT AND ARRESTER, SINGLE PHASE, 15 DEGREE ANGLE, DUCTILE IRON OR ALUMINUM BASE & END FITTING. NO CLEATS. 1.5 INCH FBGL ROD, 18 INCHES LONG. 6 INCH BOLT SPACING. 1/2"-13 X 2" CONNECTING HARDWARE.	HUBBELL	1SBM18CB	N
			MACLEAN POWER SYSTEMS	G1MDA118DCB	Y
174383	BRACKET FBGL 24" DOWN LEAD	BRACKET FGLS, DOWN LEAD, 24 INCH LONG, 3/4 INCH ROD. 11/16 INCH MOUNTING HOLE. DUCTILE IRON BASE AND END FITTING. HOT DIP GALVANIZED - ASTM A-153.	HUBBELL	DLM24BC	N
			MACLEAN POWER SYSTEMS	DLBB-24	Y
176479	PIN FBGL POLE TOP 2"	PIN FBGL, POLE/RIDGE TOP, SINGLE PHASE, 2 INCH ROD, 18 INCHES LONG. ACCEPTS 5/8 INCH MOUNTING HARDWARE. DUCTILE IRON BASE AND END FITTING. HOT DIP GALVANIZED PER ASTM A-153.	MACLEAN POWER SYSTEMS	G1HDR118AS1	Y
179150	BRACKET FBGL 15" STANDOFF	BRACKET FBGL, SINGLE PHASE STANDOFF, 15 DEGREE ANGLE, 15- 16 INCHES LONG, HORIZONTAL PIN. 11/16 INCH MOUNTING HOLES. DUCTILE IRON BASE. DI OR AL INSULATOR FERRULE. 1 INCH COATED THREAD.	HUBBELL	1SBM15H1	N
			MACLEAN POWER SYSTEMS	G1MDA116AS1	Y

179838	BRACKET FBGL CO-ARR 2HOLE	BRACKET FBGL,SINGLE PHASE,FOR CUTOUT & ARRESTER, TWO MOUNTING HOLES 9/16 INCH. 0 DEGREE ANGLE. 1.5 INCH ROD, 18 INCHES LONG. 11/16 INCH MOUNTING. DUCTILE IRON BASE AND END FITTING. STANDARD HARDWARE.	ALUMA FORM INC.	F1CA-MV-H18-D3-H	Y
			HUGHES BROS	CF668-18-B	N
				CF668-18B-13	N
			MACLEAN POWER SYSTEMS	G1MD0118DDB	N
180612	BRACKET FBGL CO-ARR 3PH	BRACKET FBGL,3 PHASE,2 HOLES PER PHASE 9/16 INCH, FOR CUTOUT AND ARRESTER PER PHASE, 1.5 INCH ROD, 36-48 INCH LONG, 13 INCH WIDE, ZERO DEGREE ANGLE. 11/16 INCH MOUNTING. DUCTILE IRON BASE AND END FITTING.	HUBBELL	1SBMCB	N
			HUGHES BROS	CF910-1B	N
			MACLEAN POWER SYSTEMS	G3MA023613DD	Y
				B	
180661	ARM BKT 18" 1-1/2" 3-HOLE	BRACKET FBGL,SINGLE PHASE,3 POSITION, CLOVERLEAF, FOR CUTOUT AND ARRESTER, 1.5 INCH ROD, 18 INCH LONG,15 DEGREE ANGLE. 11/16 INCH MOUNTING. DUCTILE IRON BASE AND END FITTING.	HUBBELL	1SBM18CL	N
			MACLEAN POWER SYSTEMS	G1MDA118AT	Y
184291	PIN FBGL 15KV 9" 6X5/8 SHANK	PIN FBGL, SINGLE PHASE, JUMPER, 1.5 INCH ROD, 9 INCHES LONG, 5/8 INCH X 6 INCH BOLT. DUCTILE IRON BASE AND END FITTING. HOT DIP GALVANIZED. 1 INCH THREAD.	HUGHES BROS	G1MDA318DT CF793-9-6	N Y

WATER

PIPE AND FITTINGS

200075	CAP PVC SCH-40 F-THREAD 2"	CAP PVC 2" THREAD SCH 40 FIPT	SPEARS MANUFACTURING COMPANY	447-020	Y
200103	MEGALUG PIPE-RESTRAINT 3"	MEGALUG 3" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C	CAPITOL MANUFACTURING	EZ-03	N
			EBBA IRON INC	1103	N
			SIGMA CORPORATION	SLDP3	Y
200104	MEGALUG PIPE-RESTRAINT 4"	MEGALUG 4" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C	CAPITOL MANUFACTURING	EZ-04	N
			EBBA IRON INC	1104	N
			SIGMA CORPORATION	SLDP4	Y

200106	MEGALUG PIPE-RESTRAINT 6"	MEGALUG 6" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C	CAPITOL MANUFACTURING	EZ-06	N
			EBBA IRON INC SIGMA CORPORATION	1106 SLDEP6	N Y
200107	MEGALUG PIPE-RESTRAINT 36" (CRITICAL STOCK)	MEGALUG PIPE-RESTRAINT 36"MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C			
200108	MEGALUG PIPE-RESTRAINT 8"	MEGALUG 8" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C	CAPITOL MANUFACTURING	EZ-08	N
			EBBA IRON INC SIGMA CORPORATION	1108 SLDEP8	N Y
200109	MEGALUG PIPE-RESTRAINT 42" (CRITICAL STOCK)	MEGALUG PIPE-RESTRAINT 42" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C			
200110	MEGALUG PIPE-RESTRAINT 10"	MEGALUG 10" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C	CAPITOL MANUFACTURING	EZ-10	N
			EBBA IRON INC SIGMA CORPORATION	1110 SLDP10	N Y
200112	MEGALUG PIPE-RESTRAINT 12"	MEGALUG 12" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C	CAPITOL MANUFACTURING	EZ-12	N
			EBBA IRON INC SIGMA CORPORATION	1112 SLDEP12	N Y
200114	MEGALUG PIPE-RESTRAINT 14"	MEGALUG PIPE-RESTRAINT 14" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C			

200115	MEGALUG PIPE-RESTRAINT 18" (CRITICAL STOCK)	MEGALUG PIPE-RESTRAINT 18" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C				
200116	MEGALUG PIPE-RESTRAINT 16"	MEGALUG 16" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536- 84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C	CAPITOL MANUFACTURI NG	EZ-16		N
			EBBA IRON INC SIGMA CORPORATION	1116 SLDEP16		N Y
200117	MEGALUG PIPE-RESTRAINT 30" (CRITICAL STOCK)	MEGALUG PIPE-RESTRAINT 30" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C				
200118	BUSHING BRASS 2"X3/4"	BUSHING BRASS 2 X 3/4	A Y MC DONALD MFG CO	72206		Y
200122	COUPLING TRANSITION 18" X 24"	COUPLING TRANSITION 18" X 24" LONG FOR DUCTILE IRON PIPE, 18" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER	HD SUPPLY SMITH-BLAIR INC	3020B07NL #411-00195016- 003		N N
				411-00195016- 003		Y
200124	MEGALUG PIPE-RESTRAINT 24"	MEGALUG 24" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536- 84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C	CAPITOL MANUFACTURI NG	EZ-24		N
			EBBA IRON INC SIGMA CORPORATION	1124 SLDP24		N Y
200171	COUPLING TRANSITION 54" (CRITI	COUPLING STEEL 54", 57.56 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANSSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	411-00575616- 003		Y
200209	COUPLING ELECTROFUSION 6"DIPS	COUPLING ELECTRO FUSE 6 DIPS	CENTRAL PLASTICS	5751971		Y
			FRIATEC INCORPORATE D			N N
200210	TEE TAPP HDPE 6"DIPS W/ 2"IPS	6 DIPS X 2 IPS TAP TEE HDPE	FLYING W PLASTICS			N
200213	PIPE HDPE 1"IPS	PIPE POLY 1 IPS 3408 HDPE, 1" IPS SDR 9 500' COILS MANUFACTURED IN COMPLIANCE WITH ASTM F714 AND ASTM D3035, NSF 61 AND AWWA C901 APPROVED, W/CO- EXTRUDED BLUE COVER OR EXTRUDED SOLID BLUE STRIPES (MINIMUM 3				

				ORBURG	Y
			PERFORMANCE		N
			PIPE		
			RINKER		N
			MATERIALS		
200214	PIPE HDPE 2"IPS	PIPE POLY 2 IPS 3408 HDPE 2" IPS SDR 11, 500' COIL MANUFACTURED IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 NSF 61 AND AWWA C901 APPROVED WITH A CO-EXTRUDED BLUE COVER OR EXTRUDED SOLID BLUE STRIPES	FLYING W PLASTICS		N
			HD SUPPLY	0941P021140IPS	N
				STICK	
			PERFORMANCE	4100 SERIES	Y
			PIPE		
			RINKER	DRISCOPEX	N
			MATERIALS	POLY PIPE	N
200217	VALVE HDPE 2"IPS	VALVE POLY 2 BUTT FUSION OUTLETS AWWA NSF 61 MADE FROM PE-3408 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HEAD ADAPTER SDR 11 COLOR BLACK FULL OPEN PORT	KEROTEST	33052011	Y
				POLYBALL	N
			NORDSTROM		N
200218	TEE TAP HDPE 8"DIPS X 1"IPS SDR9	TEE TAP PL 8" DIPS X 1" IPS HDPE SDR9			
200219	TEE TAPP HDPE 2"IPS X 1"IPS SDR9	TEE TAP PL 2 IPS X 1 IPS HDPE SDR-9			
200220	TEE TAPP HDPE 2"IPS W/ 2"IPS	TEE TAP PL 2 IPS X 2 IPS			
200221	TEE TAPP HDPE 8"DIPS W/ 2"IPS	TEE TAP PL 8 DIPS X 2 IPS			
200223	SADDLE CORP 8"DIPS X 2"IPS	CORP SADDLE 8 DIPS X 2 IPS	CENTRAL PLASTICS	10004656	Y
			FRIATEC	VA ELECTRO	N
			INCORPORATE	SERVICE	
			D	SADDLE	
200224	TEE HDPE BUTT 8"DIPS X 8"DIPS	TEE POLY 8 DIPS BUTT MOLDED	CENTRAL PLASTICS	1000426	Y
					N
			INDEPENDANT		N
			PIPE		
			PRODUCTS		
			PERFORMANCE		N
			PIPE		
200225	ELL HDPE 90-DEG 8"DIPS	ELL POLY 8 DIPS MOLDED	CENTRAL PLASTICS	10004149	Y
					N
			INDEPENDANT		N
			PIPE		
			PRODUCTS		
			PERFORMANCE		N
			PIPE		
200226	CAP HDPE 8"DIPS	CAP POLY 8 DIPS	CENTRAL PLASTICS		Y
					N
			INDEPENDANT		N
			PIPE		
			PRODUCTS		
			PERFORMANCE		N
			PIPE		
200228	COUPLING HDPE ELECTRO 8"DIPS	COUPLING ELECTRO 8 DIPS	CENTRAL PLASTICS	10000355	Y
					N
			FRIATEC		N
			INCORPORATE		
			D		
200229	REDUCER HDPE 8"DIPS X 6"DIPS	REDUCER POLY 8 DIPS X 6 DIPS	CENTRAL PLASTICS		N
				RED0806110	Y
			INDEPENDANT		N
			PIPE		
			PRODUCTS		
			PERFORMANCE		N
			PIPE		
200232	ELL HDPE SOCKET 90-DEG 1"IPS	ELL POLY 1 IPS SOCKET	CENTRAL PLASTICS		N

			INDEPENDANT PIPE PRODUCTS PERFORMANCE	1096438	Y
200233	ELL HDPE BUTT 45-DEG 8"DIPS	ELL 8 DIPS BUTT 45 DEG MOLDED	CENTRAL PLASTICS	10004103	N Y
200235	PIPE HDPE 4"DIPS	PIPE POLY 4 DIPS 3408 HDPE 4' DIPS SDR 11 40' LENGTHS MANUFACTURED IN COMPLIANCE WITH ASTM F714 AND ASTM D3035, NSF 61 AND AWWA C906 APPROVED WITH A CO- EXTRUDED BLUE COVER OR EXTRUDED	INDEPENDANT PIPE PRODUCTS PERFORMANCE PIPE AMERIPLAST INCORPORATE D		N N N N
200242	TEE COMP BRASS 3/4"IPS X 3/4"	TEE BRASS COMPRESSION 3/4"	RINKER MATERIALS MUELLER	H-15381 H15381-N	N Y
200244	TEE HDPE 6"DIPS X 6"DIPS	TEE POLY 6" DIPS BUTT	CENTRAL PLASTICS	1000425 6912034	Y N N
200245	CAP HDPE 6"DIPS	CAP POLY 6" DIPS HDPE	INDEPENDANT PIPE PRODUCTS PERFORMANCE PIPE CENTRAL PLASTICS		N N Y
200257	PIPE CORRUGATED PERF SOLID 4"	CORRUAGATED PIPE 4" SOLID - PERFORATED	INDEPENDANT PIPE PRODUCTS PERFORMANCE PIPE	ECD0600110	N N
200258	BUSHING BRASS 3"X2"	BUSHING BRASS 3" X 2"	A Y MC DONALD MFG CO	72206	Y
200262	GASKET FIELD LOC 8"	GASKET FIELD LOC 8"	HD SUPPLY MCWANE CAST IRON PIPE CO	3020B20NL	N N
200272	INSERT PLASTIC 3/4"	INSERT 3/4" PLASTIC		SURE STOP	Y
200299	NIPPLE BRASS 1/2"X4"	NIPPLE BRASS 1/2" X 4"			
200300	NIPPLE BRASS 1/2"X6"	NIPPLE BRASS 1/2" X 6"			
200313	PLUG BRASS 2"	PLUG BRASS 2"	A Y MC DONALD MFG CO	72203	Y
200317	CORPORATION 1 1/2 " FEMALE TH	CORPORATION 1 1/2 " FEMALE TH	HD SUPPLY A Y MC DONALD MFG CO	3020PNL 73148B	N Y
200334	ADAPTER HDPE SDR-11 MJ 4"DIPS	ADAPTER MJ 4 DIPS SDR 11	HD SUPPLY MUELLER	3615FB1600NL	N N
200336	ADAPTER HDPE SDR-11 MJ 6"DIPS	ADAPTER MJ 6 DIPS SDR 11	CENTRAL PLASTICS	10001473	Y
200338	ADAPTER HDPE SDR-11 MJ 8"DIPS	ADAPTER MJ 8 DIPS SDR 11	INDEPENDANT PIPE PRODUCTS CENTRAL PLASTICS	MJDO800110	N
			INDEPENDANT PIPE PRODUCTS	10001487	Y
			INDEPENDANT PIPE PRODUCTS	MJDO800110	N

200354	CORPORATION STOP 1" CC x 1" FI	CORPORATION STOP 1" CC x 1" FIP THREAD, GROUND KEY CORPORATION VALVE SHALL BE FURNISHED WITH AWWA TAPERED THREAD INLETS AND FEMALE IRON PIPE THREAD OUTLET. CORPORATION VALVE IS TO BE MANUFACTURED AND TESTED IN ACCORDANCE WITH ANS/AWWA C800.	A Y MC DONALD MFG CO	73148B	Y
			HD SUPPLY	3610FB1600-4- NL	N
			MUELLER	B-20045 1" CC X 1" FIP	N
200355	STRAIGHT SERVICE BALL VALVE 1"	STRAIGHT SERVICE BALL VALVE 1" FIP X 3/4" FIP THREADS. VALVES SHALL BE MANUFACTURED AND TESTED IN ACCORDANCE WITH ANSI/AWWA C800.	A Y MC DONALD MFG CO	76101W	Y
			HD SUPPLY	3710B11343WN L	N
			MUELLER	B-20200 1" FIP X 3/4" FIP	N
200356	3/4" MALE FITTING SCHEDULE 40	3/4" MALE FITTING SCHEDULE 40 PVC	GENOVA	30407	Y
200357	3/4" FEMALE FITTING SCHEDULE 4	3/4" FEMALE FITTING SCHEDULE 40 PVC	GENOVA	30307	Y
200359	1" X 3/4" REDUCER BUSHING SCHE	1" X 3/4" REDUCER BUSHING SCHEDULE 40 PVC	GENOVA	34317	Y
200364	SHARKBITE PUSH FITTING 3/4" X	SHARKBITE PUSH FITTING 3/4" X 3/4" FNPT CONNECTOR	CASH ACME	UO-88-BAG	Y
			HD SUPPLY	3007AFU088LF	N
			SHARKBITE	U088LF	N
200365	1" MALE FITTING SCHEDULE 40 P	1" MALE FITTING SCHEDULE 40 PVC PART NUMBER 436-010	GENOVA	30410	Y
			SPEARS MANUFACTURI NG COMPANY	436-010	N
200366	1" FEMALE FITTING SCHEDULE 40	1" FEMALE FITTING SCHEDULE 40 PVC PART NUMBER435-010	GENOVA	30310	Y
			SPEARS MANUFACTURI NG COMPANY	435-010	N
200368	GASKET RED RUBBER 3" KIT 150#	GASKET RED RUBBER 3" KIT 150# #20 1/8" FULL FACE W/ A307A GR2 HEX BOLTSS AND A563 FINISHED HEX NUTS, ALL PLAIN FINISH			
200369	GASKET RED RUBBER 4" KIT 150#	GASKET RED RUBBER 4" KIT 150# #20 1/8" FULL FACE W/ A307A GR2 HEX BOLTSS AND A563 FINISHED HEX NUTS, ALL PLAIN FINISH			
200371	GASKET RED RUBBER 6" KIT 150#	GASKET RED RUBBER 6" KIT 150# #20 1/8" FULL FACE W/ A307A GR2 HEX BOLTSS AND A563 FINISHED HEX NUTS, ALL PLAIN FINISH			
200372	GASKET RED RUBBER 8" KIT 150#	GASKET RED RUBBER 8" KIT 150# #20 1/8" FULL FACE W/ A307A GR2 HEX BOLTSS AND A563 FINISHED HEX NUTS, ALL PLAIN FINISH			
200373	GASKET RED RUBBER 10" KIT 150#	GASKET RED RUBBER 10" KIT 150# #20 1/8" FULL FACE W/ A307A GR2 HEX BOLTSS AND A563 FINISHED HEX NUTS, ALL PLAIN FINISH			
200375	TEE GLV 1-1/4"X1"	TEE GLV 1-1/4"X1"			
200385	GASKET FIELD LOC 24"	GASKET FIELD LOC 24"			
200387	GASKET FIELD LOC 10"	GASKET FIELD LOC 10"			
200388	FITTING PVC 1/2" FEMALE SCH 40	1/2" FEMALE FITTING SCHEDULE 40 PVC			
200389	FITTING PVC 1/2" MALE SCH 40	1/2" MALE FITTING SCHEDULE 40 PVC			
200390	SADDLE CORP 8" DIPS X 4" IPS	SADDLE CORP 8"DIPS X 4"IPS			
200393	ADAPTER HDPE SDR-11 MJ 4" IPS	ADAPTER HDPE SDR-11 MJ 4" IPS	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS	6912104 MJ10400110	Y N

200395	ADAPTER HDPE SDR-11 MJ 3" IPS	ADAPTER HDPE SDR-11 MJ 3" IPS	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS	10007487 MJ10300110	Y N
200413 200414 200416	NIPPLE 3" CLOSE BRASS NIPPLE 3" SHOULDER BRASS TEE 3" X 2" BRASS	NIPPLE 3" CLOSE BRASS NIPPLE 3" SHOULDER BRASS TEE 3" X 2" BRASS	A Y MC DONALD MFG CO HD SUPPLY	72230 3030T20NL	Y N
200429	PIPE DI SJ CLASS-350 48" (CRITICAL STOCK)	48 $\frac{1}{2}$ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A			
200431	SLEEVE DI MJ LONG-BODY 48" (CRITICAL STOCK)	SLEEVE DI MJ 48" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " & ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION, & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIO SURFACES SHALL BE TAR			
200432	MEGALUG 48" (CRITICAL STOCK)	MEGALUG 48" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND			
200433	PIPE DI SJ CLASS-350 54" (CRITICAL STOCK)	54" DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH			
200434	SLEEVE DI MJ LONG-BODY 54" (CRITICAL STOCK)	SLEEVE DI MJ 54" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " & ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION, & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIO SURFACES SHALL BE TAR			
200436 200450	COUPLING 54" 57.56 OD X 24" LONG #F411 (CRITICAL STOCK) PIPE DI 14" (CRITICAL STOCK)	COUPLING 54" 57.56 OD X 24" LONG #F411 PIPE DI 14" (CRITICAL STOCK) 14" DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A			
200451	PIPE DI 18" (CRITICAL STOCK)	PIPE DI 18" (CRITICAL STOCK) 18 $\frac{1}{2}$ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A			

200452	PIPE DI 36" (CRITICAL STOCK)	PIPE DI 36" (CRITICAL STOCK) 36 $\frac{1}{2}$ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A				
200453	PIPE DI 42" (CRITICAL STOCK)	PIPE DI 42" (CRITICAL STOCK) 42 $\frac{1}{2}$ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A				
200470	ARPOL 2.38 O.D. FIX-U CPLG	ARPOL 2.38 O.D. FIX-U CPLG FOR REPAIR OF 2" HDPE MAINS				
200471	2" SS INSERT IPS SDR9	ARPOL 2" STAINLESS STEEL INSERT IPS SDR9 TO BE USED WITH 2" ARPOL FITTINGS	A Y MC DONALD MFG CO	6137 SERIES		Y
200472	2" SS INSERT IPS SDR11	ARPOL 2" STAINLESS STEEL INSERT IPS SDR11 TO BE USED WITH 2" ARPOL FITTINGS	HD SUPPLY A Y MC DONALD MFG CO	0902IPS9C 6138 SERIES		N Y
200692	CORPORATION-STOP 2"FIPT	CORPORATION 2 FEMALE THREAD	HD SUPPLY A Y MC DONALD MFG CO	39206138 73148B		N Y
200694	COUPLING COMP 4" DI AQUAGRIP	COUPLING COMP 4 WATER	HD SUPPLY MUELLER	3620FB1600NL B-20045 CORP VALVE		N N
200696	COUPLING COMP 6" DI AQUAGRIP	COUPLING COMP 6 WATER	MUELLER	AGC-480 AQUAGRIP COUPLING		N Y
200698	COUPLING COMP 8" DI AQUAGRIP	COUPLING COMP 8 WATER	MUELLER	AGC-480 AQUAGRIP COUPLING		N Y
200804	COUPLING TRANSITION 4"	4 TRANSITION COUPLING 4" ALL- PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER	ROMAC INDUSTRIES INC	AGC-690 AQUAGRIP COUPLING		N Y
			SMITH-BLAIR INC	XR501-5.60 X 5.60		N
200806	COUPLING TRANSITION 6"	6 TRANSITION COUPLING 6" ALL- PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER	ROMAC INDUSTRIES INC	AGC-905 AQUAGRIP COUPLING		N Y
			SMITH-BLAIR INC	461-04290535- 000		N
				461-04460560- 000		Y
200808	COUPLING TRANSITION 8"	8 TRANSITION COUPLING 8" ALL- PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER	ROMAC INDUSTRIES INC	XR501-7.60 X 7.60		N
			SMITH-BLAIR INC	461-06300740- 000		N
				461-06540765- 000		Y
			ROMAC INDUSTRIES INC	XR501-9.75 X 9.75		N
			SMITH-BLAIR INC	461-08540960- 000		N
				461-08540985- 000		Y

200810	COUPLING TRANSITION 10"	10 TRANSITION COUPLING 10" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER	ROMAC INDUSTRIES INC	XR501-12.15 X 12.15	N
			SMITH-BLAIR INC	461-10641197-000	N
				461-10651220-000	Y
200812	COUPLING TRANSITION 12"	12 TRANSITION COUPLING 12" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER	ROMAC INDUSTRIES INC	XR501-14.41 X 14.41	N
			SMITH-BLAIR INC	461-12751421-000	N
				461-12751440-000	Y
201011	CLAMP REPAIR 24" x 20" SERIES	CLAMP REPAIR 24" x 20" SERIES 268 EXTRA RANGE FULL CIRCUMFERENCE BAND 18-8 TYPE 304 STAINLESS STEEL, GASKET NITRILE (BUNAN) COMPOUNDED	MUELLER	510-20-2566	Y
201021	COUPLING TRANSITION 48" (CRITI	COUPLING STEEL 48", 50.80 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	411-00508016-003	Y
201022	COUPLING TRANSITION 42" (CRITI	COUPLING STEEL 42", 44.50 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	411-00445016-003	Y
201023	COUPLING TRANSITION 36" (CRITI	COUPLING STEEL 36", 38.30 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	411-00383016-003	Y
201024	COUPLING TRANSITION 30" (CRITI	COUPLING STEEL 30", 32.00 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	411-00320016-003	Y
201025	COUPLING TRANSITION 24" (CRITI	COUPLING STEEL 24", 25.80 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	411-002580016-003	Y
201026	COUPLING TRANSITION 18" (CRITI	COUPLING STEEL 18", 19.50-OD, 12" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	411-00195033-003	Y
201027	COUPLING TRANSITION 16" (CRITI	COUPLING CAST IRON 16", 17.40-17.80 OD RANGE, 12" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANSI A21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	442-00001780-400	Y

201028	COUPLING TRANSITION 14" (CRITI	COUPLING CAST IRON 14", 15.30-1550 OD RANGE, 12" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANSI A21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	441-00001550-900	Y
				442-00001550-400	N
201030	SLEEVE DI MJ LONG BODY 14" (CRITICAL STOCK)	SLEEVE DI MJ LONG BODY 14" (CRITICAL STOCK) FOR DI PIPE 15" IN LENGTH			
201031	SLEEVE DI MJ LONG BODY 16" (CRITICAL STOCK)	SLEEVE DI MJ LONG BODY 16" (CRITICAL STOCK) FOR DI PIPE 15" IN LENGTH			
201032	SLEEVE DI MJ LONG BODY 18" (CRITICAL STOCK)	SLEEVE DI MJ LONG BODY 18" (CRITICAL STOCK) FOR DI PIPE 15" IN LENGTH			
201033	SLEEVE DI MJ LONG BODY 24" (CRITICAL STOCK)	SLEEVE DI MJ LONG BODY 24" (CRITICAL STOCK) FOR DI PIPE 15" IN LENGTH			
201034	SLEEVE DI MJ LONG BODY 30" (CRITICAL STOCK)	SLEEVE DI MJ LONG BODY 30" (CRITICAL STOCK) FOR DI PIPE 24" IN LENGTH			
201035	SLEEVE DI MJ LONG BODY 36" (CRITICAL STOCK)	SLEEVE DI MJ LONG BODY 36" (CRITICAL STOCK) FOR DI PIPE 24" IN LENGTH			
201036	SLEEVE DI MJ LONG BODY 42" (CRITICAL STOCK)	SLEEVE DI MJ LONG BODY 42" (CRITICAL STOCK) FOR DI PIPE 24" IN LENGTH			
201050	SADDLE ELECTRO FUSE 2" X 1" TAP TEE	SADDLE ELECTRO FUSE 2" X 1" TAP TEE			
201517	FLANGE BLIND DI 4"	FLANGE BLIND DI 4" COMPANION & BLIND TYPE FLANGES 3" THRU 6 " SHALL CONFORM TO ANSI STANDARD 16.1 CAST IRON PIPE FLANGES & FLANGED FITTING S, CLASS 125.	AMERICAN CAST IRON PIPE CO		N
			CLOW CORP		N
			SIGMA CORPORATION	BDF4	Y
			SIGMA/NAPPCO	BDF	N
			/RUSSELL TYLER/UNION		N
			U S PIPE & FOUNDRY CO		N
201731	SLEEVE GLV 3/4"	SLEEVE GLV 3/4" GALVANIZED FITTINGS 1/2" THRU 3", SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WI			
201749	SLEEVE GLV 1"	SLEEVE GLV 1" GALVANIZED FITTINGS SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
201756	SLEEVE GLV 1-1/2"	SLEEVE GLV 1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
201764	SLEEVE GLV 2"	SLEEVE GLV 2" GALVANIZED FITTINGS SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
201933	NIPPLE GLV 1-1/4"X3"	NIPPLE, 1 1/4" X 3" GALVANIZED			
201934	NIPPLE GLV 1-1/4"X4"	NIPPLE, 1 1/4" X 4" GALVANIZED			
201935	NIPPLE GLV 1-1/4"X5"	NIPPLE, 1 1/4" X 5" GALVANIZED			
201936	NIPPLE GLV 1-1/4"X6"	NIPPLE, 1 1/4" X 6" GALVANIZED			

201948	NIPPLE GLV 1-1/2"X8"	NIPPLE GALVANIZED 1 1/2 X 8			
201952	NIPPLE GLV 2"X2"	NIPPLE, 2" X 2" GALVANIZED			
201972	24" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADAPTER	24" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADAPTER			
201974	24" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER	24" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER			
201976	30" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADAPTER	30" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADAPTER			
201978	30" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER	30" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER			
201984	36" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADAPTER	36" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADAPTER			
201986	36" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER	36" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER			
201996	BUSHING GLV 1-1/4"X3/4"	BUSHING GLV 1-1/4X 3/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT			
202002	BUSHING GLV 1-1/4"X1"	BUSHING GLV 1-1/4X1" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT			
202004	GASKET FIELD LOC 4"	GASKET FIELD LOC 4"			
202267	BUSHING GLV 2"X1-1/4"	BUSHING GLV 2X 1-1/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT			
202523	TEE BRASS 1" X 1" X 3/4"	TEE BRASS 3/4X1"	A Y MC DONALD MFG CO	72230	Y
			HD SUPPLY	3010T07NL	N
			MERIT BRASS CO		N
202721	ADAPTER CU-STL 3/4" FPT	ADAPTER CU-TO-STL 3/4" F-TH PVC INSIDE I.P. THREAD TO P.E. 3/4" TUBING ADAPTER SHALL BE A ONE PIECE STRAIGHT COUPLING WITH INSIDE I.P. THREADS ON ONE END & A PUSH-ON SELF LOCKING O RING CONNECTION ON THE OTHER END.	HD SUPPLY	3907H15456N	N
			MUELLER	H15457N	N
				H15457-N	Y
202747	COUPLING CORP ADAPTER 3/4"	COUPLING CORP ADAPTER 3/4" COMPRESSION TYPE 3/4" CORPORATION COCK C OUPLINGS SHALL BE ONE PIECE STRAIGHT COUPLING WITH A COPPER SERVICE THREAD ON ONE END & A COMPRESSION CONNECTION ON THE OTHER END.	A Y MC DONALD MFG CO	74755Q	Y
			FORD METER BOX CO	C04-33	N
			HAYES MFG CO	5305-71EE	N
			HD SUPPLY	3907C0433QNL	N
			MUELLER	H15071	N

202762	COCK CORPORATION 3/4"	COCK CORP 3/4" COMPRESSION TYPE CORPORATION COCKS SHALL BE FURNISHED WITH AWWA TAPERED THREAD INLETS & COMPRESSION CONNECTIONS FOR TYPE K COPPER SERVICE PIPE OUTLETS. OUTLET THREADS SHALL CONFORM TO ANSI/AWW	A Y MC DONALD MFG CO	74701Q	Y
			FORD METER BOX CO	F1000-3&4 (3/4"&1")	N
			HD SUPPLY	3607F1000-3- QNL	N
			MUELLER	H15008 (3/4" & 1")	N
202770	COCK CORPORATION 1"	COCK CORP 1" COMPRESSION TYPE CORPORATION COCKS 3/4" THRU 2" FURNISHED WITH AWWA TAPERED THREAD INLETS & COMPRESSION CONNECTIONS FOR TYPE K COPPER SERVICE PIPE OUTLETS. OUTLET THREADS SHALL CONFORM TO ANSI/AWW	A Y MC DONALD MFG CO	4701-22	N
			FORD METER BOX CO	74701Q F1000-3&4 (3/4"&1")	Y N
			HD SUPPLY	3610F1000-4- QNL	N
			MUELLER	H15008 (3/4" & 1")	N
202788	COCK CORPORATION 1-1/2"	COCK CORP 1-1/2" COMPRESSION TYPE CORPORATION COCKS SHALL BE FURNISHED WITH AWWA TAPERED THREAD INLETS & COMPRESSION CONNECTIONS FOR TYPE K COPPER SERVICE PIPE OUTLETS. OUTLET THREADS SHALL CONFORM TO ANSI/AWWA STD C	A Y MC DONALD MFG CO	4701	N
			FORD METER BOX CO	74701BQ F1000	Y N
			HD SUPPLY	3615FB1006NL	N
			MUELLER	H15013 (1-1/2"& 2")	N
202796	COCK CORPORATION 2"	COCK CORP 2" COMPRESSION TYPE CORPORATION COCKS SHALL BE FURNISHED WITH AWWA TAPERED THREAD INLETS & COMPRESSION CONNECTIONS FOR TYPE K COPPER SERVICE PIPE OUTLETS. OUTLET THREADS SHALL CONFORM TO ANSI/AWWA STD C	A Y MC DONALD MFG CO	4701-T	N
			FORD METER BOX CO	74701BQ F1000	Y N
			HD SUPPLY	3620FB10007 Q NL	N
			MUELLER	H15013 (1-1/2"& 2")	N
202830	UNION BRASS 1"	UNION BRASS 1"	A Y MC DONALD MFG CO	72220	Y
			HD SUPPLY	3010UNL	N
202832	COUPLING BI 1 1/4"	COUPLING BI 1 1/4"			
202833	GASKET TRANS HDPE SDR-21 3"	GASKET TRANS HDPE SDR-21 3"			
202834	GASKET FIELD LOC 6"	GASKET FIELD LOC 6"			
202835	GASKET FIELD LOC 12"	GASKET FIELD LOC 12"			
202836	GASKET MJ 24"	GASKET MJ 24"			
202837	GASKET MJ 30"	GASKET MJ 30"			
202843	REDUCER PVC 2" X 1 1/4" SCH 40	REDUCER PVC 2" X 1 1/4" SCH 40			
202844	REDUCER PVC 1 1/2" X 1 1/4" FEMALE	REDUCER PVC 1 1/2" X 1 1/4" FEMALE THREAD SCH 40			
202845	FITTING PVC 1 1/4" FEMALE THREAD SCH 40	FITTING PVC 1 1/4" GLUE-FEMALE THREAD SCH 40			
202847	FITTING PVC 1 1/4" MALE THREAD SCH 40	FITTING PVC 1 1/4" GLUE-MALE THREAD SCH 40			
202849	ELL PVC 1 1/2" 90 DEG SCH 40	ELL PVC SCH 40 1 1/2" 90 DEGREE			
202850	ELL PVC 1 1/4" 90 DEG SCH 40	ELL PVC SCH 40 1 1/4" 90 DEGREE			

202851	ELL PVC 1" 90 DEG SCH 40	ELL PVC SCH 40 1" 90 DEGREE	SPEARS MANUFACTURING COMPANY	406-010	Y
202852	ELL PVC 3/4" 90 DEG SCH 40	ELL PVC SCH 40 3/4" 90 DEGREE			
202854	COUPLING 2" PVC SCH 40	COUPLING 2" PVC SCH 40			
202855	COUPLING 1 1/2" PVC SCH 40	COUPLING 1 1/2" PVC SCH 40			
202856	COUPLING 1 1/4" PVC SCH 40	COUPLING 1 1/4" PVC SCH 40			
202857	COUPLING 1" PVC SCH 40	COUPLING 1" PVC SCH 40	SPEARS MANUFACTURING COMPANY	429-010	Y
202858	COUPLING 3/4" PVC SCH 40	COUPLING 3/4" PVC SCH 40	SPEARS MANUFACTURING COMPANY	429-007	Y
202859	CAP PVC 1" SCH 40	CAP 1" PVC SCH 40			
202860	CAP PVC 3/4" SCH 40	CAP 3/4" PVC SCH 40	SPEARS MANUFACTURING COMPANY	447-007	Y
202862	NUT HEX 1/2" PLATED	NUT HEX 1/2" PLATED			
202863	NUT HEX 1/2" GRADE 8 BLK	NUT HEX 1/2" GRADE 8 BLK			
202893	UNION NUT 3/4" #1CU HORN 40N	UNION NUT 3/4" #1CU HORN 40N	A Y MC DONALD MFG CO	40-N	Y
				4149-230-7	N
			HD SUPPLY	3907CSUN3NL	N
202894	COUPLING 1 1/2" BRASS	COUPLING 1 1/2" BRASS	A Y MC DONALD MFG CO	4422-145	N
				72210	Y
			HD SUPPLY	3015SNL	N
202896	UNION 2" BRASS	UNION 2" BRASS	A Y MC DONALD MFG CO	72220	Y
			HD SUPPLY	3020UNL	N
202897	REDUCER HEX 2" X 1 1/4" BRASS	REDUCER HEX 2" X 1 1/4" BRASS	A Y MC DONALD MFG CO	72206	Y
			HD SUPPLY	3020B12NL	N
202898	REDUCER HEX 1 1/2"X1 1/4" BRAS	REDUCER HEX 1 1/2"X1 1/4" BRASS	A Y MC DONALD MFG CO	72206	Y
			HD SUPPLY	3015BB12NL	N
202899	REDUCER BELL 2" X 1 1/2" BRASS	REDUCER BELL 2" X 1 1/2" BRASS	A Y MC DONALD MFG CO	72210	Y
			HD SUPPLY	3030R20NL	N
202900	REDUCER BELL 1" X 3/4" BRASS	REDUCER BELL 1" X 3/4" BRASS	A Y MC DONALD MFG CO	72210	Y
			HD SUPPLY	3010R07NL	N
202901	ELL BRASS 3/4" 45 DEG	ELL BRASS 45 DEG 3/4"	A Y MC DONALD MFG CO	72245	Y
			HD SUPPLY	30074NL	N
202902	COUPLING STAB REPAIR 2" IPS	COUPLING STAB REPAIR 2" IPS	PERFECTION	61055	Y
202903	ADAPTER CU-TO-STL 3/4" ML TH P	ADAPTER CU-TO-STL 3/4" ML TH PVC OUTSIDE I.P. THREAD TO P.E. 3/4" TUBING ADAPTER SHALL BE A ONE PIECE STRAIGHT COUPLING WITH OUTSIDE THREADS ON ONE END & A PUSH ON SELF LOCKING O RING END.	HD SUPPLY	3907H15426N	N
			MUELLER	H15424N	N
				H15424-N	Y
202904	COUPLING STAB REPAIR 1" IPS	COUPLING STAB REPAIR 1" IPS	PERFECTION	61029	Y
202905	COUPLING COMP 1 1/4" BRASS	COUPLING COMP 1 1/4" BRASS	A Y MC DONALD MFG CO	74758Q	Y
			HD SUPPLY	3912C4455QNL	N
202906	TAPPING TEE 8"DIPS X1 1/4" IPS	TAPPING TEE 8" DIPS X1 1/4" IPS			
202907	TEE TAPPING 6" DIPS X 1" IPS	TEE TAPPING 6" DIPS X 1" IPS	CENTRAL PLASTICS	10004587	Y
			PERFORMANCE	280/0/140	N
			PIPE		
202915	ELL 6" 45 DEG DIPS BUTT WELD	ELL 6" 45 DEG DIPS BUTT WELD			
202917	CAP SOCKET 6" DIPS HDPE	CAP SOCKET 6" DIPS HDPE			
202918	CAP SOCKET 8" DIPS HDPE	CAP SOCKET 8" DIPS HDPE			
202919	COUPLING ELECTROFUSION 3" IPS	COUPLING ELECTROFUSION 3" IPS			
202920	COUPLING ELECTROFUSION 4" DIPS	COUPLING ELECTROFUSION 4" DIPS			
202921	COUPLING ELECTROFUSION 6" IPS	COUPLING ELECTROFUSION 6" IPS			

202922	COUPLING ELECTROFUSION 8" IPS	COUPLING ELECTROFUSION 8" IPS			
202923	COUPLING ELECTROFUSION 12"DIPS	COUPLING ELECTROFUSION 12"DIPS			
202924	WATER STOP 6" DIPS	WATER STOP 6" DIPS			
202925	REDUCER 8" DIPS-8" IPS SDR-11	REDUCER 8" DIPS TO 8" IPS SDR-11			
202926	REDUCER 2"X1 1/4" IPS BUTTWELD	REDUCER 2" X 1 1/4" IPS BUTTWELD			
202927	REDUCER 3"DIPSX3" IPS BUTTWELD	REDUCER 3"DIPS X3" IPS BUTTWELD			
202928	REDUCER 6"DIPSX6"IPS BUTTWELD	REDUCER 6" DIPS X 6" IPS BUTTWELD			
202930	REDUCER 8" DIPS X 6" IPS	REDUCER 8" DIPS X 6" IPS			
202931	ADAPTER FLANGE 4" DIPS HDPE-DI	ADAPTER FLANGE 4" DIPS HDPE-DI			
202932	ADAPTER FLANGE 8" DIPS HDPE-DI	ADAPTER FLANGE 8" DIPS HDPE-DI			
202933	ADAPTER 2" MALE X 2 1/2" FEM CI	ADAPTER 2" MALEX2 1/2" FEM CI			
202938	WIRE 12 CU SOLID BLACK 500' RL	WIRE 12 CU SOLID BLACK 500' RL			
202940	MJ ACCESSORY KIT 3"	MJ ACCESSORY KIT 3"			
202941	MJ ACCESSORY KIT 4"	MJ ACCESSORY KIT 4"			
202942	MJ ACCESSORY KIT 6"	MJ ACCESSORY KIT 6"			
202943	MJ ACCESSORY KIT 8"	MJ ACCESSORY KIT 8"			
202944	MJ ACCESSORY KIT 10"	MJ ACCESSORY KIT 10"			
202946	MJ ACCESSORY KIT 12"	MJ ACCESSORY KIT 12"			
202947	MJ ACCESSORY KIT 14"	MJ ACCESSORY KIT 14"			
202948	MJ ACCESSORY KIT 16"	MJ ACCESSORY KIT 16"			
202953	TEE COMP 2"X2"X2" BRASS	TEE COMP 2"X2"X2" BRASS	A Y MC DONALD MFG CO HD SUPPLY	72230 3920T444777QN L	Y N L
202956	PIPE BRASS 1 1/4" MALE THREAD	PIPE BRASS 1 1/4" MALE THREAD			
202961	COUPLING COMP 12" DI AQUAGRIP	COUPLING COMP 12" DI AQUAGRIP	MUELLER	AGC-1320	Y
202962	COUPL COMP 1" BRASS TO 1" HDPE	COUPL COMP 1" BRASS TO 1" HDPE	MUELLER	H15408N H15408-N	N Y
202967	COUPLING 1" RED BRASS, NO-LEAD, FNPT END CONNECTIONS	COUPLING 1" RED BRASS, NO-LEAD, FNPT END CONNECTIONS			
202970	6" TOP BOLT COUPLING - LONG SL	6" TOP BOLT COUPLING - LONG SLEEVE 6.56"-7.60" OD RANGE (167-193MM), FUSION BONDED EPOXY COATED, BUNA N GASKETS CERTIFIED TO NSF/ANSI 61-G, 304 STAINLESS STEEL BOLTS & NUTS	SMITH-BLAIR INC	42206560760031	Y
202972	8" TOP BOLT COUPLING - LONG SL	8" TOP BOLT COUPLING - LONG SLEEVE, 8.54"-9.85" OD RANGE (167-193MM), FUSION BONDED EPOXY COATED, BUNA N GASKETS CERTIFIED TO NSF/ANSI 61-G, 304 STAINLESS STEEL BOLTS & NUTS	SMITH-BLAIR INC	42208540985031	Y
202976	RESTRAINED COUPLING 2.38" OD E	RESTRAINED COUPLING 2.38" OD EZW 7" SLEEVE, EPOXY COATED, SBR GASKETS, ALLOY BOLTS/NUTS FOR JOINING AND RESTRAINING PLAIN END PIPE OF SAME OUTSIDE DIAMETERS	SMITH-BLAIR INC	EZWS	Y
203150	VALVE ANGLE 3/4"FPT	VALVE, ANGLE 3/4"	A Y MC DONALD MFG CO FORD METER BOX CO HD SUPPLY	7604B AV11-333W NL 3707AV11333W NL	Y N N NL
203158	NIPPLE BRASS 1"X5"	NIPPLE BRASS 1X5" BRASS NIPPLES 3/4" THRU 2" SHALL BE MADE FROM PIPE CONFORMING TO CO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO LEE BRASS		N N

203182	NIPPLE BRASS 2"X8"	NIPPLE BRASS 2X8" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	MERIT BRASS CO A Y MC DONALD MFG CO	2200 SERIES	Y	N
			BLUE RIDGE PIPE & NIPPLE CO			N
203190	NIPPLE BRASS 2"X6"	NIPPLE BRASS 2X6" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y	N
			LEE BRASS MERIT BRASS CO			N
			A Y MC DONALD MFG CO	3020N060NL		N
203208	NIPPLE BRASS 2"X4"	NIPPLE BRASS 2X4" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y	N
			BLUE RIDGE PIPE & NIPPLE CO			N
			LEE BRASS MERIT BRASS CO			N
203216	NIPPLE BRASS 2"X2"	NIPPLE BRASS 2X2" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y	N
			BLUE RIDGE PIPE & NIPPLE CO			N
			LEE BRASS MERIT BRASS CO			N
203224	NIPPLE BRASS 1-1/2"X8"	NIPPLE BRASS 1-1/2X8" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y	N
			BLUE RIDGE PIPE & NIPPLE CO			N
			LEE BRASS MERIT BRASS CO			N
203232	NIPPLE BRASS 1-1/2"X6"	NIPPLE BRASS 1-1/2X6" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y	N

			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS MERIT BRASS CO		N N
203240	NIPPLE BRASS 1-1/2"X4"	NIPPLE BRASS 1-1/2X4" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			ATLAS UTILITY SUPPLY CO		N
			BLUE RIDGE PIPE & NIPPLE CO		N
			DAVIS LEE BRASS MERIT BRASS CO		N N N
203257	NIPPLE BRASS 1-1/2"X3"	NIPPLE BRASS 1-1/2X3" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS MERIT BRASS CO		N N
203265	NIPPLE BRASS 1-1/2"X2"	NIPPLE BRASS 1-1/2X2" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS MERIT BRASS CO		N N
203273	NIPPLE BRASS 1"X6"	NIPPLE BRASS 1" X 6" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS MERIT BRASS CO		N N
203281	NIPPLE BRASS 1"X4"	NIPPLE BRASS 1X4" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS MERIT BRASS CO		N N

203299	NIPPLE BRASS 1"X3"	NIPPLE BRASS 1" X 3" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			ATLAS UTILITY SUPPLY CO		N
			BLUE RIDGE PIPE & NIPPLE CO		N
			DAVIS		N
			LEE BRASS		N
			MERIT BRASS CO		N
203307	NIPPLE BRASS 1"X2"	NIPPLE BRASS 1X2" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS		N
			MERIT BRASS CO		N
203315	NIPPLE BRASS 3/4"X6"	NIPPLE BRASS 3/4X6" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS		N
			MERIT BRASS CO		N
203323	NIPPLE BRASS 3/4"X5"	NIPPLE BRASS 3/4X5" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS		N
			MERIT BRASS CO		N
203331	NIPPLE BRASS 3/4"X4"	NIPPLE BRASS 3/4X4" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS		N
			MERIT BRASS CO		N
203349	NIPPLE BRASS 3/4"X3"	NIPPLE BRASS 3/4X3" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y

			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS MERIT BRASS CO	3007N030NL	N
203356	NIPPLE BRASS 3/4"X2"	NIPPLE BRASS 3/4X2" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL	A Y MC DONALD MFG CO	2200 SERIES	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			LEE BRASS MERIT BRASS CO	3007N020NL	N
203372 203380	INSERT SS FOR 1" HDPE TUBING SLEEVE BRASS 2" FPT	INSERT SS FOR 1" HDPE TUBING SLEEVE BRASS 2" THREADED THREADED BRASS SLEEVES SHALL BE FOR CONNECTING REGULAR SEAMLESS RED BRASS PIPE CONFORMING TO THE LATEST REVISION O F ASTM B-43 & B251 AND BE THREADED WITH NATIONAL STANDARD THREADS.	A Y MC DONALD MFG CO	72210	Y
			BLUE RIDGE PIPE & NIPPLE CO		N
			HD SUPPLY LEE BRASS MERIT BRASS CO	3020SNL	N
					N
					N
203414	TEE BRASS 2"X2"	TEE BRASS 2"	A Y MC DONALD MFG CO	72230	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	3020T20NL	N
					N
					N
203415	TEE BRASS 2" MTR FLANGE X MPT X MPT	TEE BRASS 2" MTR FLANGE X MPT X MPT, AY MCDONALD MODEL #720- HNN (OVAL FLANGE)			
203448	ELL BRASS 45-DEG 2"	ELL BRASS 2" 45DEG	A Y MC DONALD MFG CO	72245	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30204NL	N
					N
					N
203455	ELL BRASS 90-DEG STREET 2"	ELL BRASS 2" STREET	A Y MC DONALD MFG CO	72290	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30209ENL	N
					N
					N
203463	ELL BRASS 90-DEG PLAIN 2"	ELL BRASS 2" PLAIN 90DEG	A Y MC DONALD MFG CO	72290	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30209NL	N
					N
					N
203513	PLUG CORPORATION BRASS 3/4"	PLUG CORP BRASS 3/4"	A Y MC DONALD MFG CO	3206	N
				72203	Y
			FORD METER BOX CO	STOCK ITEM	N
			HD SUPPLY MUELLER	3007H10033N H10033	N
203521	PLUG CORPORATION BRASS 1"	PLUG CORP BRASS 1"	A Y MC DONALD MFG CO	3206	N
				72203	Y
			FORD METER BOX CO	STOCK ITEM	N

203539	ADAPTER CU-STL 2"MPT	ADAPTER CU-TO-STL 2" MALE TH OUTSIDE I.P.THREADS, COMPRESSION TYPE ADAPTER FITTINGS SHALL BE STRAIGHT COUPLINGS WITH OUTSIDE I.P. END & A COMPRESSION TYPE JOINT ON THE OTHER END.	HD SUPPLY	3010H10033N	N
			MUELLER	H-10033	N
			A Y MC	4753-22	N
				74753Q	Y
			FORD METER	C84-77	N
			BOX CO		
			HAYES MFG CO	5606	N
203547	COUPLING CU-STL 2"FPT	COUPLING CU-TO-STL 2" FEM-TH INSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER 3/4" THRU 2" SHALL BE STRAIGHT COUPLINGS WITH INSIDE I.P. THREADS ON ONE END & A COMPRESSIONS TYPE JOINT ON THE OTHER END.	HD SUPPLY	3920C8477QNL	N
			JAMES JONES		N
			CO		
			MUELLER	H15428	N
			A Y MC	4754T-2	N
			DONALD MFG		
			CO		
				74754Q	Y
			FORD METER	C14	N
			BOX CO		
			HAYES MFG CO	SERIES 5600	N
203562	COUPLING CU-CU UNION 2"	COUPLING CU-TO-CU 2" UNION THREE-PART UNION COUPLING 3/4" THRU 2" SHALL HAVE COMPRESSION CONNECTIONS ON EACH END FOR TYPE K COPPER OR POLYETHYLE NE SERVICE TUBING.	HD SUPPLY	3920C1477QNL	N
			JAMES JONES		N
			CO		
			MUELLER	H15451	N
			A Y MC	4758-22	N
			DONALD MFG		
			CO		
				74758Q	Y
			FORD METER		N
			BOX CO		
			HAYES MFG CO	SERIES 5615	N
203653	TEE BRASS 1-1/2"X1-1/2"	TEE BRASS 1-1/2"	HD SUPPLY	3920C4477QNL	N
			JAMES JONES	J2609	N
			CO		
			MUELLER	H15403	N
			A Y MC	72230	Y
			DONALD MFG		
			CO		
			HD SUPPLY	3015T15NL	N
			LEE BRASS		N
			MERIT BRASS		N
			CO		
203661	TEE BRASS 1-1/2"X3/4"	TEE BRASS 1-1/2X3/4"	A Y MC	72230	Y
			DONALD MFG		
			CO		
			HD SUPPLY	3015T07NL	N
			LEE BRASS		N
			MERIT BRASS		N
			CO		
203695	PLUG CORPORATION BRASS 1-1/2"	PLUG CORP BRASS 1-1/2IN DEL	A Y MC	3206	N
			DONALD MFG		
			CO		
				72203	Y
203752	ADAPTER CU-STL 1-1/2"FPT	ADAPTER CU-TO-STL 1-1/2" FM TH INSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER SHALL BE STRAIGHT COUPLINGS WITH INSIDE I.P. THREADS ON ONE END & A COMPRESSION TYPE JOINT ON THE OTHER END.	HD SUPPLY	3015H10033N	N
			MUELLER	H-10033	N
			A Y MC	4754-22	N
				74754Q	Y
			FORD METER	C14-66	N
			BOX CO		

			HAYES MFG CO	N
			HD SUPPLY 3915C1466QNL	N
			JAMES JONES J2607	N
			CO	
			MUELLER H15451	N
203760	COUPLING CU-STL 1-1/2"MPT	COUPLING CU-TO-STL 1-1/2" M-TH	A Y MC 4753-T	N
		OUTSIDE I.P.THREADS,	DONALD MFG	
		COMPRESSION TYPE 3/ 4" THRU 2"	CO	
		FITTINGS SHALL BE STRAIGHT		
		COUPLINGS WITH OUTSIDE I.P.		
		END & A COMPRESSION TYPE		
		JOINT ON THE OTHER END.		
			74753Q	Y
			FORD METER C84	N
			BOX CO	
			HAYES MFG CO 5606	N
			HD SUPPLY 3915C8466QNL	N
			JAMES JONES J2605	N
			CO	
			MUELLER	N
203778	COUPLING CU-CU UNION 1-1/2"	COUPLING CU-TO-CU 1-1/2" UNION	A Y MC 4758-22	N
		THREE-PART UNION COUPLING	DONALD MFG	
		SHALL HAVE COMPRESSION	CO	
		CONNECTIONS ON EACH END FOR		
		TYPE K COPPER OR		
		POLYETHYLENE SERVICE TUBING.		
			74758Q	Y
			FORD METER	N
			BOX CO	
			HAYES MFG CO SERIES 5615 CF	N
			HD SUPPLY 3915C4466QNL	N
			JAMES JONES J2609	N
			CO	
			MUELLER H15403	N
203885	TEE BRASS 2"X1"	TEE BRASS 2X1"	A Y MC 72230	Y
			DONALD MFG	
			CO	
			HD SUPPLY 3020T10NL	N
			LEE BRASS	N
			MERIT BRASS	N
			CO	
203893	TEE BRASS 1" X 3/4" X 3/4" BUL	TEE BRASS 1X3/4"	A Y MC 72230	Y
			DONALD MFG	
			CO	
			HD SUPPLY 3007T10NL	N
			LEE BRASS	N
			MERIT BRASS	N
			CO	
203901	TEE BRASS 1"X1"	TEE BRASS 1"	A Y MC 72230	Y
			DONALD MFG	
			CO	
			HD SUPPLY 3010T10NL	N
			LEE BRASS	N
			MERIT BRASS	N
			CO	
203943	PLUG CORPORATION BRASS 2"	PLUG CORP BRASS 2"	A Y MC 3206	N
			DONALD MFG	
			CO	
			72203	Y
			HD SUPPLY 3020PNL	N
203976	ADAPTER CU-STL 1"MPT	ADAPTER CU-TO-STL 1" MALE TH	MUELLER H-10033	N
		COUPLING 1 MALE THREAD.	A Y MC	N
		OUTSIDE I.P. THREADS,	DONALD MFG	
		COMPRESSION TYPE ADAPTER FIT-	CO	
		TINGS SHALL BE STRAIGHT		
		COUPLING WITH OUTSIDE I.P. END		
		AND A COMPRESSION TYPE JOINT		
		ON THE OTHER END.		
			74753T	Y
			FORD METER C-84-44	N
			BOX CO	
			HAYES MFG CO 5606	N
			HD SUPPLY 3910C8444QNL	N
			JAMES JONES J2605	N
			CO	
			MUELLER H-15428	N

203984	ADAPTER CU-STL 1" FPT	ADAPTER CU-TO-STL 1" FM TH INSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER SHALL BE STRAIGHT COUPLINGS WITH INSIDE I.P. THREADS ON ONE END & A COMPRESSION TYPE JOINT ON THE OTHER END.	A Y MC DONALD MFG CO	4754-1	N
				74754Q	Y
			FORD METER BOX CO		N
			HAYES MFG CO	SERIES 5600 CF	N
			HD SUPPLY JAMES JONES CO	3910C1444QNL J2607	N N
204008	COUPLING CU-CU UNION 1"	COUPLING CU-TO-CU 1" UNION THREE-PART UNION COUPLING SHALL HAVE COMPRESSION CONNECTIONS ON EACH END FOR TYPE K COPPER OR POLYETHYLENE SERVICE TUBING.	MUELLER A Y MC DONALD MFG CO	H15451 4758-T	N N
				74758Q	Y
			FORD METER BOX CO		N
			HAYES MFG CO	SERIES 5615	N
			HD SUPPLY JAMES JONES CO	3910C4444QNL J2609	N N
204099	ADAPTER CU-LD 3/4"	ADAPTER CU-TO-LD 3/4" OLD-TYPE DOUBLE EXTRA STRONG LEAD FLANGE ADAPTER SHALL BE A STRAIGHT COUPLING WITH GASKET. INLET SHALL BE LEAD FLANGE AND OUTLET SHALL BE COPPER TUBING FLARE CONNECTION. THREADS SHALL CONFORM TO AW	MUELLER A Y MC DONALD MFG CO	H15403 LFC4-33-NL	N Y
204115	ADAPTER CU-STL FEM-THREAD 3/4"	ADAPTER CU-TO-STL 3/4" FM TH INSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER SHALL BE STRAIGHT COUPLINGS WITH INSIDE I.P. THREADS ON ONE END & A COMPRESSION TYPE JOINT ON THE OTHER END.	MUELLER A Y MC DONALD MFG CO	H-15510 4754-T	N N
				74754Q	Y
			FORD METER BOX CO	C14-33	N
			HAYES MFG CO		N
			HD SUPPLY JAMES JONES CO	3907C1433QNL J2607	N N
204123	ADAPTER CU-STL MALE-THRED 3/4"	ADAPTER CU-TO-STL 3/4" ML TH OUTSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER FITTINGS SHALL BE STRAIGHT COUPLINGS WITH OUTSIDE I.P. END & A COMPRESSION TYPE JOINT ON THE OTHER END.	MUELLER A Y MC DONALD MFG CO	H15451 4753-T	N N
				74753T	Y
			FORD METER BOX CO	C84-33	N
			HAYES MFG CO		N
			HD SUPPLY JAMES JONES CO	3907C8433QNL J2605	N N
			MUELLER	H15428	N

204131	COUPLING CU-CU COMP 1"X3/4"	COUPLING CU-TO-CU 1X3/4" COMP 3-PARTS THREE-PART COPPER TO COPPER COMPRESSION COUPLING SHALL BE FOR CONNECTION TYPE K COPPER TUBING BY MEANS OF A THREE PART UNION. THREADS SHALL CONFORM TO ANSI/AWWA STANDARD C-800-89 OR LATEST RE	A Y MC DONALD MFG CO		N
				74758Q	Y
			FORD METER	C44-34	N
			BOX CO		
			HAYES MFG CO	5615-CF	N
			HD SUPPLY	390710C4434QNL	N
			JAMES JONES	J-2609	N
			CO		
204149	COUPLING CU-CU UNION 3/4"	COUPLING CU-TO-CU 3/4" UNION THREE-PART UNION COUPLING SHALL HAVE COMPRESSION CONNECTIONS ON EACH END FOR TYPE K COPPER OR POLYETHYLENE SERVICE TUBING.	MUELLER A Y MC DONALD MFG CO	H15403 4758-T	N N
				74758Q	Y
			FORD METER	C44	N
			BOX CO		
			HAYES MFG CO		N
			HD SUPPLY	3907C4433QNL	N
			JAMES JONES	J2609	N
			CO		
204347	COUPLING GLV 3"	COUPLING GLV 3" DRESSER 38 DRESSER TYPE COUPLING PIPE SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE & SHALL BE 3 OR 4 BOLT STYLE. COUPLINGS SHALL BE H	MUELLER DRESSER MFG	H15403 STYLE 38	N N
			FORD METER	STYLE FS3	N
			BOX CO		
			SMITH-BLAIR	411-90035001-003	Y
			INC		N
204370	UNION GLV 1/2"	UNION GLV 1/2" GALVANIZED UNIONS, GROUND JOINT TYPE 1/2 " THRU 3" SHALL BE HOT DIPPED GALV MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 PSI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.			
204388	UNION GLV 3/4"	UNION GLV 3/4" GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.			
204396	UNION GLV 1"	UNION GLV 1" GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.			
204412	UNION GLV 1-1/2"	UNION GLV 1-1/2" GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.			

204420	NIPPLE GLV 3"x2"	NIPPLE GLV 3X2" GALVANIZED NIPPLES SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAMLESS STEEL PIPE CONFORMING TO ASTM STANDARD A53. NIPPLES MUST NOT BE PAINTED.
204438	NIPPLE GLV 3"x4"	NIPPLE GLV 3X4" GALVANIZED NIPPLES SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAMLESS STEEL PIPE CONFORMING TO ASTM STANDARD A53. NIPPLES MUST NOT BE PAINTED.
204446	UNION GLV 2"	UNION GLV 2" GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.
204453	REDUCER GLV 3/4"x1/2"	REDUCER GLV 3/4X1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204461	REDUCER GLV 1"x3/4"	REDUCER GLV 1X3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204479	REDUCER GLV 1-1/4"x1/2"	REDUCER GLV 1-1/4X 1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204487	REDUCER GLV 1-1/4"x3/4"	REDUCER GLV 1-1/4X 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204495	REDUCER GLV 1-1/4"x1"	REDUCER GLV 1-1/4X1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204511	REDUCER GLV 1-1/2"x3/4"	REDUCER GLV 1-1/2" X 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204529	REDUCER GLV 1-1/2"x1"	REDUCER GLV 1-1/2X 1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204537	REDUCER GLV 1-1/2"X1-1/4"	REDUCER GLV 1-1/2X1-1/4IN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204545	REDUCER GLV 2"X3/4"	REDUCER GLV 2" X 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204552	REDUCER GLV 2"X1"	REDUCER GLV 2" X 1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204560	REDUCER GLV 2"X1-1/4"	REDUCER GLV 2" X1-1/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204578	REDUCER GLV 2"X1-1/2"	REDUCER GLV 2X 1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204586	SLEEVE GLV 1/2"	SLEEVE GLV 1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204594	SLEEVE GLV 1-1/4"	SLEEVE GLV 1-1/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204644	ELL GLV PLAIN 1-1/4"	ELL GLV 1-1/4" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY
204669	NIPPLE GLV 3"X6"	NIPPLE GLV 3X6" GALVANIZED NIPPLES SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAMLESS STEEL PIPE CONFORMING TO ASTM STANDARD A53. NIPPLES MUST NOT BE PAINTED.
204693	ELL GLV 90 DEG 2"	ELL GLV 2" 45DEG GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204750	REDUCER GLV 3"X2"	REDUCER GLV 3X2" GALVANIZED FITTINGS SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY				
204826	PLUG GLV 1/2"	PLUG GLV 1/2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT				
204834	PLUG GLV 3"	PLUG GLV 3" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT				
204909	TEE GLV 1-1/4"X3/4"	TEE GLV 1-1/4X3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY				
204933	TEE GLV 1-1/2"X3/4"	TEE GLV 1-1/2X3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY				
204990	TEE GLV 2"X1-1/2"	TEE GLV 2X1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY				
205005	PLUG GLV 1-1/2"	PLUG GLV 1-1/2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT				
205039	PLUG GLV 2"	PLUG GLV 2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT				
205047	PLUG GLV 1"	PLUG GLV 1" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT				
205062	PLUG GLV 1-1/4"	PLUG GLV 1-1/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT				
205153	ADAPTER PVC 2"BE X 2"MIPT	ADAPTER PVC 2" BE X MIPT	HARCO	131-025	Y	N

			JOHNS MANVILLE CO VASSALLO		N
205179	BEND PVC 90-DEG 2"BE	BEND PVC 2" 90DEG BE	HARCO JOHNS MANVILLE CO SPEARS	406-020	N N N Y
205187	BEND PVC 45-DEG 2"BE	BEND PVC 2" 45DEG BE PVC FITTING SHALL BE CLASS 200 PRESSURE PVC GASKET JOINT 0- RING BELL JOINT FOR WATER SERVICE. ** WATER DISTRIBUTION **	MANUFACTURI NG COMPANY VASSALLO HARCO	122-020	N Y
205203	TEE PVC 2"BE X2"BE	TEE PVC 2" BE PVC FITTING SHALL BE CLASS 200 PRESSURE PVC GASKET JOINT 0 RING BELL JOINT FOR WATER SERVICE. ** WATER DISTRIBUTION **	JOHNS MANVILLE CO VASSALLO HARCO	112-220	N N N Y
205252	SADDLE HINGED FOR PVC/IPS PIP	SADDLE HINGED FOR PVC/IPS PIPE 2" W/1" CC THREAD MANUFACTURED IN COMPLIANCE WITH ANSI/AWWA C800, BRASS COMPONENTS CONFORM TO ASTM B62 ASTM B584, UNS C83600-85-5-5- 5, CERTIFIED TO NSF/ANSI61, SILICON BRONZE HINGE PIN AND BOLTS, EPDM O-RING, PIPE AND	JOHNS MANVILLE CO VASSALLO A Y MC DONALD MFG CO	3801	N N N N
205294	SADDLE HINGED FOR PVC/IPS PIP	SADDLE HINGED FOR PVC/IPS PIPE 2" W/3/4" CC THREAD MANUFACTURED IN COMPLIANCE WITH ANSI/AWWA C800, BRASS COMPONENTS CONFORM TO ASTM B62 ASTM B584, UNS C83600-85-5-5- 5, CERTIFIED TO NSF/ANSI61, SILICON BRONZE HINGE PIN AND BOLTS, EPDM O-RING, PIPE AND	FORD METER BOX CO MUELLER A Y MC DONALD MFG CO	3891 SERIES S-70 H-13420 CC S13420 3801	Y N N N N
205310	CAP GLV 3/4"	CAP GLV 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY	FORD METER BOX CO MUELLER	3891 SERIES S-70 H-13420 CC S13420	Y N N N
205328	CAP GLV 1"	CAP GLV 1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			

205336	CAP GLV 1-1/2"	CAP GLV 1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
205385	SLEEVE GLV 3"	SLEEVE GLV 3" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
205427	TEE GLV 2"X3/4"	TEE GLV 2" X 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
205468	PLUG GLV 3/4"	PLUG GLV 3/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT			
205492	SILCOCK ANGLE 3/4"	SILCOCK ANGLE-TYPE 3/4"	A Y MC DONALD MFG CO HD SUPPLY NIBCO TANNER	72015 3407ASCT 63CL 901	Y N N N
205583	COUPLING GLV 1/2"	COUPLING GLV 1/2" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE 1/2 " THRU 2" SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEA	COUPLING SYSTEMS INC	E 058	N
			DRESSER MFG FORD METER BOX CO SMITH-BLAIR INC	STYLE 38 411	N N N
205633	COUPLING GLV 2"	COUPLING GLV 2" DRESSER 38 DRESSER COUPLING SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE & SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TYPE.	DRESSER MFG	411-08401-003 STYLE 38	Y N
			FORD METER BOX CO SMITH-BLAIR INC	STYLE FC3 411-00023801- 003	N N
205641	COUPLING GLV 1-1/2"	COUPLING GLV 1-1/2" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE, SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TYP	DRESSER MFG	411-023801-003 STYLE 38	Y N
			FORD METER BOX CO SMITH-BLAIR INC	STYLE FC3-190- 5 411 411-019001-003	N N Y

205658	COUPLING GLV 1-1/4"	COUPLING GLV 1-1/4" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE, SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE W/150 PSI WORKING PRESSURE & SHALL BE 2 BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TY	DRESSER MFG	STYLE 38	N
			FORD METER BOX CO SMITH-BLAIR INC	STYLE FS3 411	N
205666	COUPLING GLV 1"	COUPLING GLV 1" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE, SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TYPE	DRESSER MFG	STYLE 38	N
			FORD METER BOX CO SMITH-BLAIR INC	411-016601-003	Y
205674	COUPLING GLV 3/4"	COUPLING GLV 3/4" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE, SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TYP	COUPLING SYSTEMS INC	E 078	N
			DRESSER MFG FORD METER BOX CO SMITH-BLAIR INC	STYLE 38 FC3 411	N
206839	TEE GLV 3"X2"	TEE GLV 3X2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY		411-010501-003	Y
206862	ELL GLV STREET 1-1/4"	ELL GLV 1-1/4" STREET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
207068	ELL GLV PLAIN 3"	ELL GLV 3" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
207126	TEE GLV 3"X3"	TEE GLV 3" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
207365	COUPLING TRANS FOR CI PIPE 2"	COUPLING TRANS 2" FOR CI PIPE TRANSITION PIPE COUPLING SHALL BE DESIGNED TO CONNECT CAST IRON & DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER.	DRESSER MFG	162	N

			SMITH-BLAIR INC	433	N
210567	VALVE ANGLE INVERTED COMP 3/4"	VALVE ANGLE INVERTED 3/4" KEY- TYPE#KV-2 FORD STYLE ANGLE INVERTED KEY SERVICE VALVE WITH INLET PACK JOINT FOR COPPER OR PLASTIC TUBE, AND OUTLET FEMALE IRON PIPE THREADS. VALVE SHALL CONFORM TO AWWA C-800.	A Y MC DONALD MFG CO	441-0263-900 7602B-22	Y Y
			FORD METER BOX CO	AV41-333W	N
210690	VALVE ANGLE INVERT FLARED 3/4"	VALVE ANGLE INVERTED KEY- TYPE#AV21-333 ANGLE VALVE SHALL BE INVERTED KEY TYPE WITH COMPRESSION INLET AND INSIDE PIPE THREAD OUTLET. INVERTED KEY .	A Y MC DONALD MFG CO	3707AV41333W NL 74606B	N Y
			FORD METER BOX CO	7602B AV21-333	N N
210708	ADAPTER CU 3/4"X5/8"	ADAPTER CU-TO-CU 5/8 X 3/4" EXTRA STRONG LEAD FLANGE ADAPTER SHALL B E A STRAIGHT COUPLING WITH GASKET FOR EXTRA STRONG LEAD FLANGE. INLET SHALL BE LEAD FLANGE AND OUTLET SHALL BE COPPER TUBING FLARE CONNECTION. THREADS SHALL C	A Y MC DONALD MFG CO	3707AV21333W NL LFC4-23-NL	N Y
			HAYES MFG CO	5340	N
210900	COPPERHORN #1 MALE FITTING BEL	COPPERHORN #1 MALE FITTING BELLY BUTTON STYLE PART #CHS8-33-NL	JAMES JONES CO MUELLER A Y MC DONALD MFG CO	J1555 (J1561 GASKET) H15505 720-4M4-1	N N Y
			HD SUPPLY MCDONALD	CHS8-33-NL 720-4M4 5149- 245	N N
210948	COPPERHORN #1 MALE 40-M3	#1 COPPERHORN MALE-40-M3	A Y MC DONALD MFG CO	40-M3	Y
			HD SUPPLY	3907FCSW106M NL	N
212423	ELL GLV PLAIN 1/2"	ELL GLV 1/2" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
212449	ELL GLV STREET 1/2"	ELL GLV 1/2" STREET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
212464	TEE GLV 1/2"X1/2"	TEE GLV 1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY			
212498	BUSHING BRASS 3/4"X1/2"	BUSHING BRASS 3/4X1/2"	A Y MC DONALD MFG CO	72206	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	3007B05NL	N N N

212506	BUSHING BRASS 1"X3/4"	BUSHING BRASS 1X3/4"	A Y MC DONALD MFG CO	72206	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	3010B07NL	N N N
212514	BUSHING BRASS 1-1/2"X3/4"	BUSHING BRASS 1-1/2X3/4"	A Y MC DONALD MFG CO	72206	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	3015B07NL	N N N
212522	BUSHING BRASS 1-1/2"X1"	BUSHING BRASS 1-1/2X1"	A Y MC DONALD MFG CO	72206	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	3015B10NL	N N N
212530	BUSHING BRASS 2"X1-1/2"	BUSHING BRASS 2X1-1/2"	A Y MC DONALD MFG CO	72206	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	3020B15NL	N N N
212548	BUSHING BRASS 2"X1"	BUSHING BRASS 2X1"	A Y MC DONALD MFG CO	72206	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	3020B10NL	N N N
212555	ELL BRASS PLAIN 3/4"	ELL BRASS 3/4" PLAIN	A Y MC DONALD MFG CO	72290	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30079NL	N N N
212563	ELL BRASS STREET 3/4"	ELL BRASS 3/4" STREET	A Y MC DONALD MFG CO	72291	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30079ENL	N N N
212571	ELL BRASS PLAIN 1"	ELL BRASS 1" PLAIN	A Y MC DONALD MFG CO	72290	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30109NL	N N N
212589	ELL BRASS STREET 1"	ELL BRASS 1" STREET	A Y MC DONALD MFG CO	72291	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30109ENL	N N N
212597	ELL BRASS 45-DEG 1"	ELL BRASS 1" 45DEG	A Y MC DONALD MFG CO	72245	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30104NL	N N N
212605	ELL BRASS PLAIN 1-1/2"	ELL BRASS 1-1/2" PLAIN	A Y MC DONALD MFG CO	72290	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30159NL	N N N
212613	ELL BRASS STREET 1-1/2"	ELL BRASS 1-1/2" STREET	A Y MC DONALD MFG CO	72291	Y
			HD SUPPLY LEE BRASS	30159ENL	N N

			MERIT BRASS CO		N
212621	ELL BRASS 45-DEG 1-1/2"	ELL BRASS 1-1/2" 45DEG	A Y MC DONALD MFG CO	72245	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	30154NL	N N N
212639	TEE BRASS 3/4"X3/4"	TEE BRASS 3/4"	A Y MC DONALD MFG CO	72230	Y
			HD SUPPLY LEE BRASS MERIT BRASS CO	3007T07NL	N N N
213173	CLAMP UG FIG-380 4"	CLAMP UG 4" FIG #380			
213181	CLAMP UG FIG-380 6"	CLAMP UG 6" FIG #380			
213199	CLAMP UG FIG-380 8"	CLAMP UG 8" FIG #380			
213215	CLAMP UG FIG-380 12"	CLAMP UG 12" FIG #380			
213223	CLAMP UG FIG-380 14"	CLAMP UG 14" FIG #380			
213231	CLAMP UG FIG-380 16"	CLAMP UG 16" FIG #380			
213249	CLAMP UG FIG-380 20"	CLAMP UG 20" FIG #380			
213256	CLAMP UG FIG-380 24"	CLAMP UG 24" FIG #380			
215061	BEND O/S DI MJ 8"X24"DROP	BEND O/S DI MJ 8" 24" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS 3 " THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE W	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DMO824 DMO/XMO	N Y N N N N
215418	COUPLING TRANS DI&CI 16"	COUPLING TRANS 16" DI&CI DRESS 162 TRANSITION PIPE COUPLING SHALL BE DESIGNED TO CONNECT CAST IRON & DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER. LENGTH OF COUPLING SHALL BE 10 INCHES.	DRESSER MFG	162	N
			MUELLER SMITH-BLAIR INC	1728 431	N N
				441-00001780- 900	Y
215459	BEND O/S DI MJ 12"X24"DROP	BEND O/S DI MJ 12" 24" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAN IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DMO1224 DMO/XMO	N Y N N N N

216946	PIPE HDPE WATER 8"DIPS	PIPE, HDPE WATER 8" DIPS SDR 11, ARNCO CORP HDPE 3408 FOR POTABLE WATER, MEETS OR EXCEEDS ALL AWWA, NSF AND ASTM STANDARDS, HEAT INDENTED DATA LINES TO INCLUDE TYPE OF MATERIAL SIZE APPLICABLE STANDARDS AND CERTIFICATIONS AND DATE AND LOCATION OF MANUFACTURER;	N
		PERFORMANCE PIPE	N
		4000 SERIES	Y
		RINKER MATERIALS	N
216947	PIPE HDPE WATER 6"DIPS	PIPE, HDPE WATER 6" DIPS SDR 11, ARNCO CORP HDPE 3408 FOR POTABLE WATER, MEETS OR EXCEEDS ALL AWWA, NSF AND ASTM STANDARDS, HEAT INDENTED DATA LINES TO INCLUDE TYPE OF MATERIAL SIZE APPLICABLE STANDARDS AND CERTIFICATIONS AND DATE AND LOCATION OF MANUFACTURER;	N
		PERFORMANCE 4000 SERIES PIPE	Y
		RINKER MATERIALS	N
216949	PIPE HDPE WATER 1"CTS	PIPE, HDPE WATER 1" CTS SDR 11, HDPE 3408 FOR POTABLE WATER, MEETS OR EXCEEDS ALL AWWA, NSF AND ASTM STANDARDS, HEAT INDENTED DATA LINES TO INCLUDE TYPE OF MATERIAL SIZE APPLICABLE STANDARDS AND CERTIFICATIONS AND DATE AND LOCATION OF MANUFACTURER;	N
219899	GASKET TRANS HDPE SDR-21 4"	GASKET TRANSITION 4" SDR #21	
219907	GASKET TRANS HDPE SDR-21 6"	GASKET TRANSITION 6" SDR #21	
219915	GASKET TRANS HDPE SDR-21 8"	GASKET TRANSITION 8" SDR #21	
260347	CAP BI 3/4"_2	CAP BI 3/4"	
260826	ELL BI 90-DEG STREET 3/4"_2	ELL BI 90-DEG STREET 3/4"	
260834	ELL BI 90-DEG 3/4"_2	ELL BI 90-DEG 3/4"	
261493	NIPPLE BI 3/4" X CLOSE_2	NIPPLE BI 3/4" X CLOSE	
261494	NIPPLE BI 3/4"X2"_2	NIPPLE BI 3/4"X2"	
261495	NIPPLE BI 3/4"X3"_2	NIPPLE BI 3/4"X3"	
261496	NIPPLE BI 3/4"X4"_2	NIPPLE BI 3/4"X4"	
261497	NIPPLE BI 3/4"X5"_2	NIPPLE BI 3/4"X5"	
261498	NIPPLE BI 3/4"X6"_2	NIPPLE BI 3/4"X6"	
261499	NIPPLE BI 3/4"X7"_2	NIPPLE BI 3/4"X7"	
261500	NIPPLE BI 3/4"X8"_2	NIPPLE BI 3/4"X8"	
261501	NIPPLE BI 3/4"X9"_2	NIPPLE BI 3/4"X9"	
261502	NIPPLE BI 3/4"X10"_2	NIPPLE BI 3/4"X10"	
262731	REDUCER BELL BI 1"X3/4"_2	REDUCER BELL BI 1"X3/4"	
262830	ELL BI 90-DEG 1"_2	ELL BI 90-DEG 1"	
262848	ELL BI 90-DEG STREET 1"_2	ELL BI 90-DEG STREET 1"	
262863	ELL BI REDUCER 1"X3/4"_2	ELL BI REDUCER 1"X3/4"	
262871	UNION BI 1"_2	UNION BI 1"	
262897	COUPLING BI 1"_2	COUPLING BI 1"	
262905	NIPPLE BI 1" X CLOSE_2	NIPPLE BI 1" X CLOSE	
262906	NIPPLE BI 1"X2"_2	NIPPLE BI 1"X2"	
262907	NIPPLE BI 1"X3"_2	NIPPLE BI 1"X3"	
262908	NIPPLE BI 1"X4"_2	NIPPLE BI 1"X4"	
262909	NIPPLE BI 1"X5"_2	NIPPLE BI 1"X5"	
262910	NIPPLE BI 1"X6"_2	NIPPLE BI 1"X6"	
263754	ELL BI 90-DEG REDU 1-1/4"X3/4"_2	ELL BI 90-DEG REDU 1-1/4"X3/4"	
263896	NIPPLE BI 1-1/4"X2"_2	NIPPLE BI 1-1/4"X2"	
263897	NIPPLE BI 1-1/4"X3"_2	NIPPLE BI 1-1/4"X3"	
263898	NIPPLE BI 1-1/4"X4"_2	NIPPLE BI 1-1/4"X4"	
263900	NIPPLE BI 1-1/4"X6"_2	NIPPLE BI 1-1/4"X6"	
263906	NIPPLE BI 1-1/4"X12"_2	NIPPLE BI 1-1/4"X12"	
273654	COUPLING PVC COMP 3/4"	COUPLING PVC COMP 3/4"	
273670	COUPLING PVC COMP 1"	COUPLING PVC COMP 1"	
273696	COUPLING PVC COMP 1 1/4"	COUPLING PVC COMP 1-1/4"	
273712	COUPLING PVC COMP 2"	COUPLING PVC COMP 2"	

290015	TEE DI FJ 4"X4"	TEE DI FJ 4" 125LB DUCTILE IRON FITTINGS, FLANGED JOINT 3" THRU 8" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORD	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DFT44	N Y N N N N
290023	TEE DI FJ 5-1/2"OC 3"X3"	TEE DI FJ 3" 5-1/2" CTR-TO- FACE DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORD	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DF /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DFT33	N Y N N N N
290080	BEND DI FJ 90-DEG 3"	BEND DI FJ 3" 90-D 125LB DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A	AMERICAN DUCTILE IRON PIPE CO		N
			SIGMA CORPORATION SIGMA/NAPPCO DF /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DFB390	Y N N N N
290098	BEND DI FJ 90-DEG 4"	BEND DI FJ 4" 90-D DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DF /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DFB490	N Y N N N N
290387	PLUG DI MJ SOLID 4"	PLUG DI MJ 4" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S 3" THRU 24" SHALL CONFORM TO ANSI/ AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTERIOR OR EXTERIOR SURFACES SHALL BE TAR COATED.	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP		N

			SIGMA CORPORATION	DMP4	Y
			SIGMA/NAPPCO	DMP	N
			/RUSSELL		N
			STAR PIPE PRODUCTS		N
			TYLER/UNION		N
			U S PIPE & FOUNDRY CO		N
290437	BEND DI MJ 45-DEG 12"BE&BE	BEND DI MJ 12" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STAMDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP		N
			SIGMA CORPORATION	DMB1245	Y
			SIGMA/NAPPCO	SERIES DMB	N
			/RUSSELL		N
			STAR PIPE PRODUCTS		N
			TYLER/UNION		N
			U S PIPE & FOUNDRY CO		N
290510	BEND DI FJ 45-DEG 6"	BEND DI FJ 6" 45 D DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP		N
			SIGMA CORPORATION	DFB645	Y
			SIGMA/NAPPCO	DF	N
			/RUSSELL		N
			STAR PIPE PRODUCTS		N
			TYLER/UNION		N
			U S PIPE & FOUNDRY CO		N
290650	TUBING CU 1"X 60' COIL	TUBING CU 1" 60' COIL COPPER TUBING, SHALL BE TYPE K ANNEALED & SHALL CONFORM TO ASTM STANDARD B88 & SHALL BE FURNISHED IN 60' COILS.	BRIDGEPORT BRASS CO		N
			CERRO COPPER		N
			LEE RAN		N
			MUELLER		N
				TYPE K	Y
290668	PIPE CU 2"X20'	PIPE CU 2" 20' LONG COPPER TUBING, SHALL BE TYPE K, ANNEAL ED & SHALL CONFORM TO ASTM STANDARD B88, & SHALL BE FURNISHED IN 20' STRAIGHT LENGTHS. SOFT	READING TUBE BRIDGEPORT BRASS CO		N
			CERRO COPPER		N
			LEE RAN		N
			MUELLER		N
				TYPE K	Y
290676	PIPE CU 1-1/2"X20'	PIPE CU 1-1/2" 20' LONG COPPER TUBING, SHALL BE TYPE K, ANNEAL ED & SHALL CONFORM TO ASTM STANDARD B88, & SHALL BE FURNISHED IN 20' STRAIGHT LENGTHS. SOFT	READING TUBE BRIDGEPORT BRASS CO		N
			CERRO COPPER		N
			LEE RAN		N
			MUELLER		N
				TYPE K	Y
			READING TUBE		N

290742	PIPE DI SJ 6"	PIPE DI SJ 6" SHALL CONFORM TO ANSI/AWWA STANDARD C-15 1/A21.51-86 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED W/ SLIP JOINT & BE CEMENT LINED & COATED INSIDE & OUTSIDE W	AMERICAN CAST IRON PIPE CO		N
			GRIFFIN FOUNDRY		N
			MCWANE CAST IRON PIPE CO		N
				TYTON JOINT	Y
			U S PIPE & FOUNDRY CO		N
290767	TEE DI FJ 6"	TEE DI FJ 6" 8" CTR-TO- FACE DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION	DFT66	N Y
			SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION	DF	N
			U S PIPE & FOUNDRY CO		N
290775	BEND DI FJ 90-DEG 6"	BEND DI FJ 6" 90-D 8" CTR-TO-FACE DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI /AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION	DFB690	N Y
			SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION		N
			U S PIPE & FOUNDRY CO		N
290809	BEND DI MJ 11-1/4-DEG 10"BE&BE	BEND DI MJ 10" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION	DMB1011	N Y
			SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION	SERIES DMB	N
			U S PIPE & FOUNDRY CO		N
291112	PLUG DI MJ SOLID 10"	PLUG DI MJ 10" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP		N

			SIGMA CORPORATION	DMP10	Y
			SIGMA/NAPPCO	DMP	N
			/RUSSELL		N
			STAR PIPE PRODUCTS		N
			TYLER/UNION		N
			U S PIPE & FOUNDRY CO		N
291237	REDUCER DI MJ 12"BE X 6"BE	REDUCER DI MJ 12X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP		N
			SIGMA CORPORATION	DMR126	Y
			SIGMA/NAPPCO	DMR	N
			/RUSSELL		N
			STAR PIPE PRODUCTS		N
			TYLER/UNION		N
			U S PIPE & FOUNDRY CO		N
291245	SLEEVE DI MJ LONG-BODY 12"	SLEEVE DI MJ 12" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACES SHA	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP		N
			MCWANE CAST IRON PIPE CO		N
			SIGMA CORPORATION	DML12	Y
			SIGMA/NAPPCO		N
			/RUSSELL		N
			STAR PIPE PRODUCTS		N
			TYLER/UNION		N
291260	CROSS DI MJ 12"X12" BE	CROSS DI MJ 12" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP		N
			SIGMA CORPORATION	A2362-77	N
			SIGMA/NAPPCO	DMC1212	Y
			/RUSSELL	DMC	N
			STAR PIPE PRODUCTS		N
			TYLER/UNION		N
			U S PIPE & FOUNDRY CO		N
291278	PLUG DI MJ SOLID 12"	PLUG DI MJ 12" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTERIOR & EXTERIOR SURFACES SHALL BE TAR COATED.	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP		N
			SIGMA CORPORATION	DMP12	Y
			SIGMA/NAPPCO	DMP	N
			/RUSSELL		N

			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
291286	BEND DI MJ 22-1/2-DEG 12"BE&BE	BEND DI MJ 12" 22-1/2" D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMB1222 CORPORATION	Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
291401	BEND O/S DI MJ 6"X24"DROP	BEND O/S DI MJ 6" 24" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMO624 CORPORATION	Y
			SIGMA/NAPPCO DMO/XMO /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
291757	PLUG DI MJ SOLID 6"	PLUG DI MJ 6" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			HYDRANT REPAIR PARTS INC	N
			SIGMA DMP6 CORPORATION	Y
			SIGMA/NAPPCO DMP /RUSSELL	N
			STAR PIPE PRODUCTS	N
			U S PIPE & FOUNDRY CO	N
291765	PLUG DI MJ 6" W/ 2"TAP	PLUG DI MJ 6" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C-110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMTP6 CORPORATION	Y
			SIGMA/NAPPCO DTP /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N

291781	PLUG DI MJ 12" W/ 2"TAP	PLUG DI MJ 12" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT12 CORPORATION SIGMA/NAPPCO DTP /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
291799	BEND DI MJ 11-1/4-DEG 6" BE&BE	BEND DI MJ 6" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB611 CORPORATION SIGMA/NAPPCO SERIES DMB /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
291807	BEND DI MJ 11-1/4-DEG 12"BE&BE	BEND DI MJ 12" 11-1/4 D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB1211 CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
291823	BEND DI MJ 22-1/2-DEG 6" BE&BE	BEND DI MJ 6" 22-1/2" D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR CP,"AC T FOTTOMGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB622 CORPORATION SIGMA/NAPPCO SERIES DMB /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N

291831	BEND DI MJ 45-DEG 6" BE&BE	BEND DI MJ 6" 45 D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB645 CORPORATION SIGMA/NAPPCO SERIES DMB /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
291849	BEND O/S DI MJ 12"X18"DROP	BEND O/S DI MJ 12"18" DROP BE&SE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMO1218 CORPORATION SIGMA/NAPPCO DMO/XMO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
291856	CROSS DI MJ 6"X6" BE	CROSS DI MJ 6" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMC66 CORPORATION SIGMA/NAPPCO DMC /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
291872	SLEEVE DI MJ LONG-BODY 6"	SLEEVE DI MJ 6" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACE	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DML6 CORPORATION SIGMA/NAPPCO DML /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N

291880	TEE DI MJ 10"BE X 6"BE	TEE DI MJ 10X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT106 CORPORATION	N Y
			SIGMA/NAPPCO DMT /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
291906	BEND DI MJ 90-DEG 6" BE&BE	BEND DI MJ 6" 90-D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB690 CORPORATION	N Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
291914	BEND DI MJ 90-DEG 12" BE&BE	BEND DI MJ 12" 90-D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB1290 CORPORATION	N Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
291922	BEND O/S DI MJ 6"X12"DROP	BEND O/S DI MJ 6" 12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMO612 CORPORATION	N Y
			SIGMA/NAPPCO DMO/XMO /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N

291930	BEND O/S DI MJ 6"X18"DROP	BEND O/S DI MJ 6" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN	N
			DUCTILE IRON	
			PIPE CO	
			CLOW CORP	N
			SIGMA DMO618	Y
291948	TEE DUCTILE MJ 6"BE X 6"BE	TEE DI MJ 6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	CORPORATION	
			SIGMA/NAPPCO DMO/XMO	N
			/RUSSELL	
			STAR PIPE	N
			PRODUCTS	
291955	TEE DI MJ 12"BE X 12"BE	TEE DI MJ 12" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	
			CLOW CORP	N
			SIGMA DMT6	Y
292052	REDUCER DI MJ 12"PE X 10"BE	REDUCER DI MJ 12X10" PE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	CORPORATION	
			SIGMA/NAPPCO DMT	N
			/RUSSELL	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	
			CLOW CORP	N
			SIGMA DMR1210	Y
			CORPORATION	
			SIGMA/NAPPCO	N
			/RUSSELL	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	

292961	REDUCER DI MJ 10"BE X 6"BE	REDUCER DI MJ 10X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMR106 CORPORATION SIGMA/NAPPCO DMR /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
293191	REDUCER DI MJ 16"BE X 8"BE	REDUCER DI MJ 16X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMR168 CORPORATION SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMT STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
293266	PLUG DI MJ 4" W/ 2"TAP	PLUG DI MJ 4" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMTP4 CORPORATION SIGMA/NAPPCO DTP /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
293290	TEE DI MJ 12"BE X 6"BE	TEE DI MJ 12X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT126 CORPORATION SIGMA/NAPPCO DMT /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N

293308	TEE DI MJ 12"BE X 8"BE	TEE DI MJ 12X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT128 CORPORATION	N Y
			SIGMA/NAPPCO DMT /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
293357	PLUG DI MJ SOLID 8"	PLUG DI MJ 8" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTERIOR & EXTERIOR SURFACES SHALL BE TAR COATED.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMP8 CORPORATION	N Y
			SIGMA/NAPPCO DMP /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
293746	TEE DI MJ 6"BE X 4"BE	TEE DI MJ 6X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT64 CORPORATION	N Y
			SIGMA/NAPPCO DMT /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
293951	BEND DI MJ 11-1/4-DEG 16"BE&BE	BEND DI MJ 16" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION AND SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH A	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB1611 CORPORATION	N Y
			SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMT	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N

294066	CROSS DI MJ 8"X6" BE	CROSS DI MJ 8X6" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION,FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMC86	Y
			CORPORATION	
			SIGMA/NAPPCO DMC	N
			/RUSSELL	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	
294116	BEND DI MJ 22-1/2-DEG 16"BE&BE	BEND DI MJ 16" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OF LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMB1622	Y
			CORPORATION	
			SIGMA/NAPPCO DMB/DMC/DMR/	N
			/RUSSELL DMT	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	
294124	BEND DI MJ 45-DEG 16"BE&BE	BEND DI MJ 16" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMB1645	Y
			CORPORATION	
			SIGMA/NAPPCO DMB/DMC/DMR/	N
			/RUSSELL DMT	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	
294132	BEND DI MJ 90-DEG 16"BE&BE	BEND DI MJ 16" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BIRUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMB1690	Y
			CORPORATION	
			SIGMA/NAPPCO DMB/DMC/DMR/	N
			/RUSSELL DMT	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	

294546	REDUCER DI MJ 6"BE X 3"BE	REDUCER DI MJ 6X3" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMR63 CORPORATION SIGMA/NAPPCO DMR /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
294751	TUBING CU 3/4"X60' COIL	TUBING CU 3/4" 60' COIL COPPER TUBING, SHALL BE TYPE K ANNEALED & SHALL CONFORM TO ASTM STANDARD B88 & SHALL BE FURNISHED IN 60' COILS. *** DOMESTIC MANUFACTURERS ONLY ***	BRIDGEPORT BRASS CO	N
			CERRO COPPER LEE RAN MUELLER TYPE K READING TUBE	N N N Y N
294769	PIPE GLV 3/4"MPT	PIPE GLV 3/4" MALE-TH 21' W/ COUPLG GALVANIZED PIPE SHALL BE STANDARD A53 WEIGHT WELDED OR SEAMLESS STEEL CONFORMING TO LATEST REVISION OF ASTM STANDARD A120. THE PIPE SHALL BE FURNISHED IN 21' LENGTHS. EACH LENGTH S		
294777	PIPE GLV 1"MPT	PIPE GLV 1" MALE-TH W/ COUPLING 21' GALVANIZED PIPE SHALL BE STANDARD A53 WEIGHT WELDED OR SEAMLESS STEEL CONFORMING TO LATEST REVISION OF ASTM STANDARD A120. THE PIPE SHALL BE FURNISHED IN 21' LENGTHS. EACH LENGTH S		
294785	PIPE GLV 1-1/2"MPT	PIPE GLV 1-1/2" MALE-TH W/ COUPLG 21' GALVANIZED PIPE SHALL BE STANDARD A53 WEIGHT WELDED OR SEAMLESS STEEL CONFORMING TO LATEST REVISION OF ASTM STANDARD A120. THE PIPE SHALL BE FURNISHED IN 21' LENGTHS. EACH LENGTH S		
294819	PIPE GLV 2"MPT	PIPE GLV 2" MALE-TH W/ COUPLING 21' GALVANIZED PIPE SHALL BE STANDARD A53 WEIGHT WELDED OR SEAMLESS STEEL CONFORMING TO LATEST REVISION OF ASTM STANDARD A120. THE PIPE SHALL BE FURNISHED IN 21' LENGTHS. EACH LENGTH S		
294835	TEE DI MJ 10"BE X 10"BE	TEE DI MJ 10" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT10 CORPORATION SIGMA/NAPPCO DMT /RUSSELL	N Y N

			STAR PIPE PRODUCTS	N
			TYLER	N
			U S PIPE & FOUNDRY CO UNION	N
294868	BEND DI MJ 22-1/2-DEG 10"BE&BE	BEND DI MJ 10" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION	N
			SIGMA/NAPPCO /RUSSELL	Y
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
294918	BEND DI MJ 45-DEG 10" BE&BE	BEND DI MJ 10" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION	N
			SIGMA/NAPPCO SERIES DMB /RUSSELL	Y
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
294926	REDUCER DI MJ 8"BE X 4"BE	REDUCER DI MJ 8X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION	N
			SIGMA/NAPPCO DMR /RUSSELL	Y
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
294983	PIPE DI SJ 10"	PIPE DI SJ 10" SHALL CONFORM TO ANSI/AWWA STD C151/A21. 51-86 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN	AMERICAN CAST IRON PIPE CO	N
			GRIFFIN FOUNDRY	N
			MCWANE CAST IRON PIPE CO	N
			TYTON JOINT	Y
			U S PIPE & FOUNDRY CO	N

295006	PIPE DI SJ 4"	PIPE DI SJ 4" SHALL CONFORM TO ANSI/AWWA STANDARD C151 /A21.51-86 OR LATEST REVIVION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN	AMERICAN CAST IRON PIPE CO		N
			GRIFFIN FOUNDRY MCWANE CAST IRON PIPE CO		N
				TYTON JOINT	Y
			U S PIPE & FOUNDRY CO		N
295014	PIPE DI SJ 3"	PIPE DI SJ 3" SHALL CONFORM TO ANSI/AWWA STANDARD C151 /A21.51-86 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN	AMERICAN CAST IRON PIPE CO		N
			GRIFFIN FOUNDRY MCWANE CAST IRON PIPE CO		N
				TYTON JOINT	Y
			U S PIPE & FOUNDRY CO		N
295063	REDUCER DI MJ 24"BE X 16"BE	REDUCER DI MJ 24X16" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR IN BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION	DMR2416	N
			SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION	DMB/DMC/DMR/ DMT	N
			U S PIPE & FOUNDRY CO		N
295089	REDUCER DI MJ 24"SE X 12"BE	REDUCER DI MJ 24X12" SE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION	DMR2412	N
			SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION	DMB/DMC/DMR/ DMT	N
			U S PIPE & FOUNDRY CO		N
295170	PIPE DI SJ 24" (CRITICAL STOCK	PIPE DI SJ 24" DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A	AMERICAN CAST IRON PIPE CO		N
			CLOW CORP GRIFFIN FOUNDRY		N

			MCWANE CAST IRON PIPE CO	N
			TYTON JOINT	Y
			U S PIPE & FOUNDRY CO	N
295204	BEND O/S DI MJ 8"X12"DROP	BEND O/S DI MJ 8" 12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTING & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA C104	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMO812 CORPORATION	N Y
			SIGMA/NAPPCO DMO/XMO	N
			/RUSSELL STAR PIPE PRODUCTS	N N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
295212	BEND O/S DI MJ 8"X18"DROP	BEND O/S DI MJ 8" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA C104	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMO818 CORPORATION	N Y
			SIGMA/NAPPCO DMO/XMO	N
			/RUSSELL STAR PIPE PRODUCTS	N N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
295261	TEE DI MJ 16"BE X 8"BE	TEE DI MJ 16X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION AND SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH A	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT168 CORPORATION	N Y
			SIGMA/NAPPCO DMB/DMC/DMR/ DMT	N
			/RUSSELL STAR PIPE PRODUCTS	N N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
295279	PIPE DI SJ 8"	PIPE DI SJ 8" SHALL CONFORM TO ANSI/AWWA STANDARD C151 /A21.51-86 OR LATEST REVISION, WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN	AMERICAN CAST IRON PIPE CO	N
			GRIFFIN FOUNDRY MCWANE CAST IRON PIPE CO	N N
			TYTON JOINT	Y
			U S PIPE & FOUNDRY CO	N

295287	PIPE DI SJ 16" (CRITICAL STOCK	PIPE DI SJ 16" SHALL CONFORM TO ANSI/AWWA STANDARD C151 /A21.51-86 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN	AMERICAN CAST IRON PIPE CO		N
			GRIFFIN FOUNDRY MCWANE CAST IRON PIPE CO		N
				TYTON JOINT	Y
295337	PIPE DI SJ 12"	PIPE DI SJ 12" SHALL CONFORM TO ANSI/AWWA C151/A21.51-86 OR LATEST REVISION, WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN	U S PIPE & FOUNDRY CO AMERICAN CAST IRON PIPE CO		N
			GRIFFIN FOUNDRY MCWANE CAST IRON PIPE CO		N
				TYTON JOINT	Y
295352	TEE DI MJ 12"BE X 4"BE	TEE DI MJ 12X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION, FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AW	U S PIPE & FOUNDRY CO AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DMT /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DMT124	N Y N N N N
295618	BEND O/S DI MJ 12"X12"DROP	BEND O/S DI MJ 12" 12" DROP PE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DMO/XMO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DMO1212	N Y N N N N
295675	BEND DI MJ 45-DEG 24" BE&BE	BEND DI MJ 24" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMT	DMB2445	N Y N

			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
295899	PIPE PVC CLASS-200 2"BE X 20'	PIPE PVC 2" CLASS-200 BE 20' LONG PVC PIPE SHALL BE CLASS 200, BEAR THE NSF SEAL OF APPROVAL & MEET REQUIREMENTS OF PS-22-70 & ASTM D-2441. TYPE 1, 2000 PSI DESIGN STRESS COMPOUNDS MEETING ASTM D-1784 SPECIFICAT	AMERICAN PIPE & PLASTICS	N
			QUAIL VULCAN PLASTICS	N
			SDR21	Y
295931	TUBING HDPE YARDLEY#3406 1"	TUBING HDPE 1" YARDLEY #3406 300' ROLL SPECIAL SPECS WS-88 POLYETHYLENE TUBING 1", FOR WATER SERVICE PIPING		
295956	BEND O/S DI MJ 4"X12"DROP	BEND O/S DI MJ 4" 12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION. (AWWA C- 153) FOR COMPACT & SHALL BE WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION	N
			DMO412	Y
			SIGMA/NAPPCO /RUSSELL	N
			DMO/XMO	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
295972	TEE DI MJ 8"BE X 4"BE	TEE DI MJ 8X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION. FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AW	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION	N
			DMT84	Y
			SIGMA/NAPPCO /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
296079	SLEEVE DI MJ LONG-BODY 3"	SLEEVE DI MJ 3" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACE	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION	N
			DML3	Y
			SIGMA/NAPPCO DML /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N

296087	SLEEVE DI MJ LONG-BODY 4"	SLEEVE DI MJ 4" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACE	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
296095	SLEEVE DI MJ LONG-BODY 8"	SLEEVE DI MJ 8" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACE	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DML /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
296103	SLEEVE DI MJ LONG-BODY 10"	SLEEVE DI MJ 10" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACE	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DML /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
296111	SLEEVE DI MJ LONG-BODY 16"	SLEEVE DI MJ 16" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " & ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACES SHALL BE TAR COATED.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N

296343	BEND DI MJ 11-1/4-DEG 8" BE&BE	BEND DI MJ 8" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB811 CORPORATION	N Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
296350	BEND DI MJ 22-1/2-DEG 8" BE&BE	BEND DI MJ 8" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTING & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB822 CORPORATION	N Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
296368	BEND DI MJ 45-DEG 8" BE&BE	BEND DI MJ 8" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB845 CORPORATION	N Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
296376	TEE DI MJ 8"BE X 6"BE	TEE DI MJ 8X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT86 CORPORATION	N Y
			SIGMA/NAPPCO DMT /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N

296533	PLUG DI MJ SOLID 24"	PLUG DI MJ 24" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTERIOR & EXTERIOR SURFACES SHALL BE TAR COATED.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMP24 CORPORATION	N Y
			SIGMA/NAPPCO DMP24 /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
296558	TEE DI MJ 24"BE X 12"BE	TEE DI MJ 24X12" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT2412 CORPORATION	N Y
			SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMT	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
296665	BEND DI MJ 45-DEG 30" BE&BE	BEND DI MJ 30" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB3045 CORPORATION	N Y
			SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMT	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
296723	BEND DI MJ 90-DEG 10" BE&BE	BEND DI MJ 10" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB1090 CORPORATION	N Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N

296749	BEND O/S DI MJ 10"X18"DROP	BEND O/S DI MJ 10" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
			DMO1018	
296756	BEND DI MJ 90-DEG 8" BE&BE	BEND DI MJ 8" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO SERIES DMB /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
			DMB890	
296764	PLUG DI MJ 8" W/ 2"TAP	PLUG DI MJ 8" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DTP /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
			DMTP8	
296772	TEE DI MJ 8"BE X 8"BE	TEE DI MJ 8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO DMT /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
			DMT8	
296798	BEND DI FJ 90-DEG 8"	BEND DI FJ 8" 90-D SHORT-RADIUS DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI STANDARD A 21.10 (AWWA C-110). FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH ANSI STANDARD A21.4 (C-1	AMERICAN DUCTILE IRON PIPE CO	N

			CLOW CORP	N
			DRESSER MFG	N
			MCWANE CAST	N
			IRON PIPE CO	
			SIGMA DFB890	Y
			CORPORATION	
			SIGMA/NAPPCO DF	N
			/RUSSELL	
			U S PIPE &	N
			FOUNDRY CO	
296806	PLUG DI MJ 10" W/ 2"TAP	PLUG DI MJ 10" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMTP10	Y
			CORPORATION	
			SIGMA/NAPPCO DTP	N
			/RUSSELL	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	
296814	REDUCER DI MJ 16"BE X 12"BE	REDUCER DI MJ 16X12" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMR1612	Y
			CORPORATION	
			SIGMA/NAPPCO DMB/DMC/DMR/	N
			/RUSSELL DMT	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	
296822	REDUCER DI MJ 16"BE X 6"BE	REDUCER DI MJ 16X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMR166	Y
			CORPORATION	
			SIGMA/NAPPCO DMB/DMC/DMR/	N
			/RUSSELL DMT	
			STAR PIPE	N
			PRODUCTS	
			TYLER/UNION	N
			U S PIPE &	N
			FOUNDRY CO	
296848	REDUCER DI MJ 12"BE X 8"BE	REDUCER DI MJ 12X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMR128	Y
			CORPORATION	
			SIGMA/NAPPCO DMR	N
			/RUSSELL	
			STAR PIPE	N
			PRODUCTS	

			TYLER/UNION U S PIPE & FOUNDRY CO	N N
296863 296897	TEE DI MJ 16"BE X 16"BE TEE DI MJ 16"BE X 6"BE	TEE DI MJ 16X16" BE&BE TEE DI MJ 16X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMT166 CORPORATION	N Y
			SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMTXXXXX	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION U S PIPE & FOUNDRY CO	N N
296913	CROSS DI MJ 16"BE X 16"BE	CROSS DI MJ 16X16" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS 1 4" AND ABOVE SHALL CONFORM TO ANSI/ AWWA STD.C110/A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMC1616 CORPORATION	N Y
			SIGMA/NAPPCO /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION U S PIPE & FOUNDRY CO	N N
296921	PLUG DI MJ SOLID 16"	PLUG DI MJ 16" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.		
296939	CROSS DUCTILE MJ 16"X12" BE	CROSS DI MJ 16X12" DUCTILE IRON MECHANICAL JOINT FITTINGS 1 4" AND ABOVE SHALL CONFORM TO ANSI/ AWWA STD. C110/A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & A BITUMASTIC SEALCOAT IN COMPLI	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMC1612 CORPORATION	N Y
			SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMT	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION U S PIPE & FOUNDRY CO	N N
296947	CROSS DUCTILE MJ 16"X8" BE	CROSS DI MJ 16X 8" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI STANDARD C110/A21. 10-87 OR LATEST REVISION & SHALL BE LINE D WITH CEMENT MORTAR & BITUMASTIC SEALCOST IN COMPLIANCE WITH ANSI/AWWA S	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMC168 CORPORATION	N Y
			SIGMA/NAPPCO /RUSSELL	N

			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
296954	CROSS DUCTILE MJ 8"X8" BE	CROSS DI MJ 8" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMC88	Y
			CORPORATION	
			SIGMA/NAPPCO DMC	N
			/RUSSELL	
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297069	REDUCER DI MJ 8"BE X 6"BE	REDUCER DI MJ 8X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STANDARD C104/	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMR86	Y
			CORPORATION	
			SIGMA/NAPPCO DMR	N
			/RUSSELL	
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297101	ANCHORING-ELBOW DI MJ 6"	ANCHORING-ELBOW DI MJ 6"	CLOW CORP	N
			SIGMA SSB690	Y
			CORPORATION	
			SIGMA/NAPPCO SSB/DMH/SSA	N
			/RUSSELL	
			TYLER/UNION	N
297143	BEND DI MJ 11-1/4-DEG 4" BE&BE	BEND DI MJ 4" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMB411	Y
			CORPORATION	
			SIGMA/NAPPCO SERIES DMB	N
			/RUSSELL	
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297150	BEND DI MJ 22-1/2-DEG 4" BE&BE	BEND DI MJ 4" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STANDARD C104/	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMB422	Y
			CORPORATION	
			SIGMA/NAPPCO SERIES DMB	N
			/RUSSELL	

			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297168	BEND DI MJ 90-DEG 4" BE&BE	BEND DI MJ 4" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMB490 CORPORATION	Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297176	BEND DI MJ 45-DEG 4" BE&BE	BEND DI MJ 4" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMB445 CORPORATION	Y
			SIGMA/NAPPCO SERIES DMB /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297184	TEE DI MJ 4"BE X 4"BE	TEE DI MJ 4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMT4 CORPORATION	Y
			SIGMA/NAPPCO DMT /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297234	REDUCER DI MJ 6"BE X 4"BE	REDUCER DI MJ 6X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N
			SIGMA DMR64 CORPORATION	Y
			SIGMA/NAPPCO DMR /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N

297341	BEND O/S DI MJ 16"X18"DROP	BEND O/S DI MJ 16" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMO1618 CORPORATION	N Y
			SIGMA/NAPPCO DMO/XMO /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297374	CROSS DUCTILE MJ 12"X8" BE	CROSS DI MJ 12X8" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMC128 CORPORATION	N Y
			SIGMA/NAPPCO /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297648	PLUG DI MJ SOLID 3"	PLUG DI MJ 3" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES BE TAR COATED.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMP3 CORPORATION	N Y
			SIGMA/NAPPCO DMP /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297655	PLUG DI MJ 3" W/ 2"TAP	PLUG DI MJ 3" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMTP3 CORPORATION	N Y
			SIGMA/NAPPCO DTP /RUSSELL	N
			STAR PIPE PRODUCTS	N
			TYLER/UNION	N
			U S PIPE & FOUNDRY CO	N
297697	REDUCER DI MJ 4"BE X 3"BE	REDUCER DI MJ 4X3" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP	N

			SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO AMERICAN DUCTILE IRON PIPE CO	DMR43	Y
297713	BEND O/S DI MJ 10"X12"DROP	BEND O/S DI MJ 10"12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN			N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DMO1012 DMO/XMO	Y N
297804	PIPE DI SJ 30" (CRITICAL STOCK	PIPE DI SJ 30" 30 ₂ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A	AMERICAN CAST IRON PIPE CO		N
			GRIFFIN FOUNDRY MCWANE CAST IRON PIPE CO		N N
				TYTON JOINT	Y
298067	TEE DI MJ 24"BE X 24"BE	TEE DI MJ 24" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMSTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DMT24 DMB/DMC/DMR/ DMT	N Y N
298075	COUPLING TRANSITION CI 24"	COUPLING TRANS 24" CI (26.32)-STL(25.80) COUPLING SHALL BE DESIGNED TO CONNECT PLAIN END CAST IRON PIPE TO PLAIN END STEEL PIPE WITH A WORKING PRESSURE OF 150 PSI. COUPLING SHALL HAVE 14 BOLTS AND BE HEAVY DUTY TYPE. LENGTH OF COUPL	DRESSER MFG	62 TYPE 1	N
			MUELLER SMITH-BLAIR INC	MAXIFIT 2575 413	N Y

298158	BEND DI MJ 22-1/2-DEG 3"	BEND DI MJ 3" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO SERIES DMB /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
298166	BEND DI MJ 45-DEG 3"	BEND DI MJ 3" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STANDARD C104/	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
298174	BEND DI MJ 90-DEG 3"	BEND DI MJ 3" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO SERIES DMB /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N
298182	BEND O/S DI MJ 3"X24"DROP	BEND O/S DI MJ 3" 24" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N

298299	BEND DI MJ 11-1/4-DEG 3"	BEND DI MJ 3" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB311 CORPORATION SIGMA/NAPPCO SERIES DMB /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO UNION FOUNDRY	N Y N N N N N N
298505	TEE DI FJ 8" X 8"	TEE DI FJ 8" DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DFT88 CORPORATION SIGMA/NAPPCO DF /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N N N
298745	BEND DI MJ 22-1/2-DEG 24"BE&BE	BEND DI MJ 24" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BIRUMASTIC SEALCOST IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB2422 CORPORATION SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMT	N Y N N
298752	BEND DI MJ 11-1/4-DEG 24"BE&BE	BEND DI MJ 24" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & A BITUMASTIC SEALCOAT IN COMPLIANCE WITH A	AMERICAN DUCTILE IRON PIPE CO	N
			CLOW CORP SIGMA DMB2411 CORPORATION SIGMA/NAPPCO DMB/DMC/DMR/ /RUSSELL DMT TYLER/UNION U S PIPE & FOUNDRY CO	N Y N N N

299156	TEE DI MJ 16"BE X 12"BE	TEE DI MJ 16X12" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST	AMERICAN DUCTILE IRON PIPE CO		N
			CLOW CORP SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL STAR PIPE PRODUCTS TYLER/UNION U S PIPE & FOUNDRY CO	DMT1612	N Y N N N N
299724	COUPLING 24" ROMAC 25.80"-26.8	COUPLING 24" ROMAC 25.80"-26.80" FOR OVERSIZED CAST IRON PIPE OD TO STANDARD DUCTILE IRON PIPE OD WITH AN OD RANGE 25.80 - 26.80	ROMAC INDUSTRIES INC		N
845271	TEE WYE 4" W/GASKET B.B.S.	WYE-TEE PVC 4"X4"X4" B.B.S.		TC-400	Y
HARDWARE					
200026	BOLT MACHINE 1/2"X2-3/4"	BOLT MACH 1/2X2-3/4"			
200243	CONN SPLIT BOLT BRNZ 8AWG WIRE	CONN SPLIT BOLT BRNZ 8AWG WIRE	BURNDY	KS15	Y
200376	BOLT STUD 7/8" x 4 1/2" BLK	BOLT STUD 7/8" x 4 1/2" BLK			
200377	BOLT STUD 3/4" X 3 1/4" BLK	BOLT STUD 3/4" X 3 1/4" BLK			
200379	BOLT MJ 3/4" X 5" BLK	BOLT MJ 3/4" X 5" BLK			
200380	BOLT MJ 3/4" X 6" BLK	BOLT MJ 3/4" X 6" BLK			
200381	BOLT MJ 1" x 6" BLK	BOLT MJ 1" x 6" BLK			
200382	BOLT MJ 3/4" X 4 1/2" ANTI-ROT	BOLT MJ 3/4" X 4 1/2" ANTI-ROTATION	HD SUPPLY	21AMB10745NR	N
			SIGMA CORPORATION	ATB45	Y
200383	BOLT MJ 3/4" X 5" ANTI-ROTATION	BOLT MJ 3/4" X 5" ANTI-ROTATION			
200384	BOLT MJ 3/4" X 4" ANTI-ROTATIO	BOLT MJ 3/4" X 4" ANTI-ROTATION	HD SUPPLY	21AMB1074NR	N
			SIGMA CORPORATION	ATB40	Y
200392	WASHER SILICON-BRZ 5/8"	WASHER SILICON-BRZ 5/8"			
200396	BOLT STUD 1/2" X 2 1/4" BK	BOLT STUD 1/2" X 2 1/4" BK			
200397	BOLT STUD 3/4" X 2 1/4" BLK	BOLT STUD 3/4" X 2 1/4" BLK			
201383	BOLT MJ 3/4" X 3 1/2" ANTI-ROT	BOLT MJ 3/4" X 3 1/2" ANTI-ROTATION	HD SUPPLY	21AMB10735NR	N
			SIGMA CORPORATION	ATB35	Y
201533	WOOL LEAD 5-LB BOX	WOOL LEAD LEAD WOOL SHALL COMPLY WITH THE REQUIREMENTS OF LATEST REVISION OF ASTM STANDARD B29 FOR COMMON DESILVERED PIG LEAD. THE LEAD SHALL BE FURNISHED IN SHREADED FORM.	JONES STEPHENS CORP	L40-001	Y
			MAYFIELD WILLARD		N N
201982	NUT HEX 1/2"	NUT HEX 1/2"	THE FASTENAL COMPANY	201982	N Y
202864	NUT HEX 5/8" BLK	NUT HEX 5/8" BLK			
202865	NUT HEX 5/8" GRADE 8 BLK	NUT HEX 5/8" GRADE 8 BLK			
202866	NUT HEX 3/4" BLK	NUT HEX 3/4" BLK			
202867	NUT HEX 3/4" GRADE 8 BLK	NUT HEX 3/4" GRADE 8 BLK			
202868	NUT HEX 7/8" BLK	NUT HEX 7/8" BLK			
202872	BOLT MACH 5/8"X 3 1/2" G-8 307B	BOLT MACH 5/8"X 3 1/2" G-8 307B			
202873	BOLT MACH 3/4" X 5"	BOLT MACH 3/4" X 5"			
202874	BOLT STUD 5/8" X 2 3/4" BLK	BOLT STUD 5/8" X 2 3/4" BLK			
202875	BOLT STUD 5/8" X 3 1/4" BLK	BOLT STUD 5/8" X 3 1/4" BLK			
202876	BOLT STUD 5/8" X 3 1/2" BLK	BOLT STUD 5/8" X 3 1/2" BLK			
202877	BOLT STUD 5/8" X 3 3/4" BLK	BOLT STUD 5/8" X 3 3/4" BLK			
202878	BOLT STUD 3/4" X 3" BLK	BOLT STUD 3/4" X 3" BLK			
202880	BOLT STUD 3/4" X 3 1/2" BLK	BOLT STUD 3/4" X 3 1/2" BLK			
202882	BOLT MJ 3/4" X 4 1/2" BLK	BOLT MJ 3/4" X 4 1/2" BLK			
202883	BOLT MJ 5/8" X 2 1/2" BLK	BOLT MJ 5/8" X 2 1/2" BLK			
202892	WASHER 5/8" BRASS FLAT	WASHER 5/8" BRASS FLAT			
202957	CLAMP GROUND ROD 1/2" -1"	CLAMP GROUND ROD 1/2" -1"	THOMAS & BETTS	AJ 26665	Y
202958	CLAMP GROUND ROD 1 1/4" -2"	CLAMP GROUND ROD 1 1/4" -2" T&B AJ-2 WATERPIPE GRD CLMP			

206326	BOLT MACH 1/2"X2"	BOLT MACH 1/2X 2" W/ HEX NUT BLACK STEEL MACHINE BOLTS 1/2" THRU 3/4" WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1(SQUARE AND HEXAGON BOLTS AND NUTS). BOLTS & NUTS SHALL BE	ALBANY FASTENERS	N
			FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO SUNPACK OF PENSECOLA	N Y
206342	BOLT MACH 1/2"X2-1/2"	BOLT MACH 1/2X 2-1/2" W/ HEX NUT BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1(SQ UARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H		
206367	BOLT MACH 1/2"X3"	BOLT MACH 1/2X3" W/ HEX NUT BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1(SQ UARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	ALBANY FASTENERS	N
			FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO SUNPACK OF PENSECOLA	N Y
206508	BOLT MACH 5/8"X2-1/4"	BOLT MACH 5/8X 2-1/4" HEX BLK- STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1(SQ UARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	ALBANY FASTENERS	N
			FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO SUNPACK OF PENSECOLA	N Y
206524	BOLT MACH 5/8"X2-1/2"	BOLT MACH 5/8X 2-1/2" HEX BLACK- STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	ALBANY FASTENERS	N
			FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO SUNPACK OF PENSECOLA	N Y

206540	BOLT MACH 5/8"X2-3/4"	BOLT MACH 5/8X 2-3/4" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	ALBANY FASTENERS	N
			FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO	N
			SUNPACK OF PENSECOLA	Y
206565	BOLT MACH 5/8X 3" HEX BLACK-ST	BOLT MACH 5/8X 3" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	ALBANY FASTENERS	N
			FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO	N
			SUNPACK OF PENSECOLA	Y
206649	BOLT MACH 3/4"X3"	BOLT MACH 3/4X 3" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	ALBANY FASTENERS	N
			FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO	N
			SUNPACK OF PENSECOLA	Y
206664	BOLT MACH 3/4"X3-1/2"	BOLT MACH 3/4X 3-1/2" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	ALBANY FASTENERS	N
			FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO	N
			SUNPACK OF PENSECOLA	Y
206748	BOLT STUD 5/8"X2-1/2" W/ NUT	BOLT STUD 5/8X2-1/2" W/NUT BLACK IRON STUD BOLTS & NUTS 5/8" THRU 3/4" SHALL BE BOLT GRADE B-7 CUT THREAD MACHINE BOLTS WITH AMERICAN STANDARD THREADS. THE STUDS SHALL BE FURNISHED WITH TWO HEXAGON HEAD NUTS.	ALBANY FASTENERS OF TENNESSEE	N
			KNOXVILLE BOLT & SCREW CO	N

206763	BOLT STUD 5/8"X3" W/ NUT	BOLT STUD 5/8X3" W/NUT BLACK IRON STUD BOLTS & NUTS SHALL BE BOLT GRADE B-7 CUT THREAD MACHINE BOLTS WITH AMERICAN STANDARD THREADS. THE STUD S SHALL BE FURNISHED WITH TWO HEXAGON HEAD NUTS.	SUNPACK OF PENSECOLA HOUSE OF THREADS	Y
			KNOXVILLE BOLT & SCREW CO	N
210781	BOLT MACH 5/8X 3" SILICON-BRON	BOLT MACH 5/8X 3" SILICON-BRONZE SILICON BRONZE BOLTS WITHOUT NUTS SHALL BE AMERICAN STANDARD REGULAR WITH STANDARD THREADS. BOLT MATERIAL SHALL BE DURONZE PMG OR APPROVED EQUAL MATERIAL & BE OF THE FINISHED TYPE	SUNPACK OF PENSECOLA ALBANY FASTENERS	Y
			H M HARPER CO	N
			KNOXVILLE BOLT & SCREW CO	N
210799	NUT HEX SILICON-BRONZE 5/8"	NUT SILICON-BRONZE 5/8" HEX HEXAGON NUTS, SILICON BRONZE, SHALL BE O F THE FINISHED TYPE MADE OF DURONZE, PMG OR APPROVED EQUAL MATERIAL & SHALL H AVE AMERICAN STANDARD THREADS.	SUNPACK OF PENSECOLA ALBANY FASTENERS	Y
			BUY WHOLESALE	Y
			H M HARPER CO	N
			KNOXVILLE BOLT & SCREW CO	N
211144	BOLT TIE 3/4"	BOLT TIE 3/4" 3/4 JOINT RESTRAINER BOLT SHALL MEET THE REQUIREMENTS OF ASTM A242 TYPE 2, PLAIN AND ASTM A325, TYPE 3D, 60 ,000 LB. TENSILE STRENGTH. STAR FIGURE 7 W/O NUTS.	SIGMA NA CORPORATION	Y
			STAR NATIONAL PRODUCTS B & G INDUSTRIES	N
213280	ROD ALL-THREAD 3/4"X10'	ROD ALL-THREAD 3/4X10' ALL THREADED RODS SHALL BE SAE 1020 LOW CARBON STEEL W/A TENSILE STRENGTH OF 77,000 PSI. THREADS SHALL BE ANSI STD B 18.1.2 STANDARD MACHINE THREADS. RODS SHALL BE FURNISHED IN 3/4" DIAMETER		N
			CONTINENTAL INDUSTRIES	N
			HOUSE OF THREADS	Y
			SIGMA/NAPPCO /RUSSELL	N
			VULCAN FOUNDRY	N
215467	WASHER SQ 2-1/4" W/ 13/16"HOLE	WASHER SQUARE 2-1/4" W/ 13/16" NUT COUPLING 3/4" HEXAGON OR SQUARE STEEL NUTS SHALL BE SE MI-FINISHED STEEL CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2. 1 SQUARE & HEXAGON BOLTS & NUTS.	FASTENERS OF TENNESSEE	N
216895	NUT COUPLING 3/4"			
			KNOXVILLE BOLT & SCREW CO	Y

291062	BOLT MJ T-HEAD 3/4"X3-1/2"	BOLT MJ T-HEAD 3/4X3-1/2" (MCWANE) BOLT SHALL CONFORM TO ASTM A407 MADE OF DUCTILE IRON 60-42-10 WITH A MINIMUM TENSILE AND YIELD STRENGTH OF 60000# AND 40000#. 10% MINIMUM ELONGATION.	EBBA IRON INC		N
			SIGMA CORPORATION	TB35	Y
291229	BOLT MJ PIPE 3/4"X4"	BOLT MJ PIPE 3/4X4" BOLT SHALL CONFORM TO ASTM A307 MADE OF DUCTILE IRON 60-42-10 WITH A MINIMUM TENSILE AND YIELD STRENGTH OF 60000# AND 40000#. 10% MINIMUM ELONGATION.	EBBA IRON INC		N
			SIGMA CORPORATION	TB40	Y
291329	VALVE OPERATING NUT, STD - 4	REPLACEMENT VALVE OPERATING NUT, STANDARD - 4	WACHS	# 4	Y
291330	VALVE OPERATING NUT, STD - 5	REPLACEMENT VALVE OPERATING NUT, STANDARD - 5	WACHS	# 5	Y
291331	VALVE OPERATING NUT, STD - 6	REPLACEMENT VALVE OPERATING NUT, STANDARD - 6	WACHS	# 6	Y
291332	VALVE OPERATING NUT, STD - 7	REPLACEMENT VALVE OPERATING NUT, STANDARD - 7	WACHS	# 7	Y
291333	VALVE OPERATING NUT, STD - 8	REPLACEMENT VALVE OPERATING NUT, STANDARD - 8	WACHS	# 8	Y
291334	VALVE OPERATING NUT, STD - 9	REPLACEMENT VALVE OPERATING NUT, STANDARD - 9	WACHS	# 9	Y
291335	VALVE OPERATING NUT, STD - 10	REPLACEMENT VALVE OPERATING NUT, STANDARD - 10	WACHS	#10	Y
293001	LEAD CAULKING ASTM-B29	LEAD CAULKING ASTM B-29 CAULKING LEAD SHALL COMPLY WITH THE REQUIREMENTS OF THE LATEST REVISION OF ASTM STANDARD B29 FOR PIG LEAD. THE LEAD SHALL BE COMMON DESILVERED LEAD REFINED FROM ORE OR OTHER MATERIAL	EVAN TARASET		Y
			MAYFIELD TARACOAT WILLARD		N
299438	LUG DI #C-65	LUG DI C-65 LUGS SHALL BE DUCTILE IRON TO MEET ASTM A536-80. LUGS SHALL BE DESIGNED TO FACILITATE THE RESTRAINING OF PIPE JOINT S.	ASTRAL CORP	S 14	N
			CONTINENTAL EASTERN CORP	DUCTILE LUG	N
			ROMAC INDUSTRIES INC		N
			SIGMA CORPORATION		Y
			SIGMA/NAPPCO /RUSSELL	DUCTILE LUG	N
METERING					
200098	METER-BOX 17"X30"X18"	METER-BOX 17"X30"X18"	HIGHLINE PRODUCTS CORP.	195120	Y
			OLD CASTLE	1730-18	N
200207	WASHER METER RUBBER 3/4"X1/8"	WASHER RUBBER METER 3/4 X 1/8	CORLEY MFG COMPANY	004-6287	N
			MUELLER	H10895	Y
200208	WASHER METER RUBBER 1"X1/8"	WASHER RUBBER METER 1 X 1/8	CORLEY MFG COMPANY	004-6293	Y
200246	LID FOR SQ METER BOX FRAME 2"	LID FOR SQ METER BOX FRAME 2" HOLES WITH 2" HOLES FOR PROREADER SQUARE METER BOX LIDS SHALL BE CAST IRON CONFORMING TO ASTM A48-76 AND /OR EQUAL KNOXVILLE UTILITIES BOARD SPECIAL SPEC # W021 WITH 2" HOLES FOR PROREADER	ACHESON FOUNDRY		N
			SIGMA CORPORATION		Y
200319	WASHER METER RUBBER 5/8"X1/8"	WASHER RUBBER METER 5/8 X 1/8	CORLEY MFG COMPANY	004-6292	N

200374	NUT 5/8" FORD METER CONNECTOR	NUT 5/8" FORD METER CONNECTOR	MUELLER	H10895	Y
201657	FLANGE METER BRASS 1-1/2"	FLANGE METER 1-1/2" METER FLANGES SHALL CONFORM TO THE REQUIREMENTS OF COMPANION FLANGES AS DESCRIBED IN AWWA STANDARD C-700 COLD-90 OR LATEST REVISION, COLD WATER METERS - DISPLACEMENT TYPE.	A Y MC DONALD MFG CO	7610F	Y
201665	FLANGE METER BRASS 2"	FLANGE METER 2" METER FLANGES SHALL CONFORM TO THE REQUIREMENTS OF COMPANION FLANGES AS DESCRIBED IN ANSI STANDARD B16.1 "CAST IRON PIPE FLANGES & FLANGED FITTINGS, CLASS 125."	FORD METER BOX CO METER MFG A Y MC DONALD MFG CO	NO. 6F 610F	N N
202839	METER BOX POLY/CONC 30x48x30	METER BOX POLY/CONC 30x48x30 FIBERGLASS/POLYMER CONCRETE METER BOX FOR 2" WASTER METER INSTALLATIONS. BOX MEASURES 30"H X 48" L X 30"W	FORD METER BOX CO METER MFG UNION FOUNDRY HIGHLINE PRODUCTS CORP.	7610F 6F CHA304830	Y N N N
202840	METER BOX POLY/CONC 30x48x24	METER BOX POLY/CONC 30x48x24 FIBERGLASS/ POLYMER CONCRETE METER BOX FOR 2" WATER METER INSTALLATIONS. BOX MEASURES 24"H x 48"L x 24"W.	HIGHLINE PRODUCTS CORP.	CHA3048305 CHA304824	Y N
202891	WASHER 1 1/4"X1/8"RUBBER METER	WASHER 1 1/4"X1/8" METER RUBBER		CHA3048245	Y
202937	YOKE METER 1"	YOKE METER 1"	A Y MC DONALD MFG CO	740-4-DM-44	Y
203024	BOX METER PLASTIC 15"X24"	PLASTIC METER BOX 15 X 24			N
203839	BOX METER POLYMER CONC 30" W X	MACLEAN-HIGHLINE PHA304830XW001 W/ LIFT POINTS, INCLUDES 2 COVERS W/ "KUB WATER" ON BOTH COVERS, ONE COVER INCLUDES 4-1/2" DIAM. CIRCULAR RECESSED AREA 1/2" DEEP COVER W/ 2" DIAM. THRU HOLE	HIGHLINE PRODUCTS CORP.	PHA304830XW0 01	Y
203840	BOX METER POLYMER CONC 30" W X	MACLEAN-HIGHLINE PHA304824XW001 W/ LIFT POINTS, INCLUDES 2 COVERS W/ "KUB WATER" ON BOTH COVERS, ONE COVER INCLUDES 4-1/2" DIAM. CIRCULAR RECESSED AREA 1/2" DEEP IN COVER W/ 2" DIAM. THRU HOLE	HIGHLINE PRODUCTS CORP.	PHA304824XW0 01	Y
204206	ADAPTER FLANGE COUPLING 3"	ADAPTER FLANGE COUPL 3" W/ ACCESSORIES FLANGED ADAPTER 3" THRU 10" SHALL BE DESIGNED TO JOIN PLAIN END DUCTILE IRON TO ANSI B16.1 CLASS 125 FLANGES OF THE SAME NOMINAL SIZE AND SHALL BE FURNISHED FULLY ASSEMBLED WITH ACCESSORIES.	DRESSER MFG	STYLE 127	N
			FORD METER BOX CO	FFCA-388	N

			SMITH-BLAIR INC	912-90039603- 000	Y
				STYLE 912- 90039603-000	N
204289	ADAPTER FLANGE COUPLING 8"	ADAPTER FLANGE COUPL 8" W/ACCESSORIES FLANGED ADAPTER SHALL BE DESIGNED TO JOIN PLAIN END CI AND DI TO ANSI STANDARD B16.1 CLASS 125 FLANGES OF THE SAME NOMI NAL SIZE AND SHALL BE FURNISHED FULLY ASSEMBLED.	DRESSER MFG	STYLE 127	N
			FORD METER BOX CO	STYLE FFCA	N
			SMITH-BLAIR INC	912-90094008- 000	Y
				STYLE 912- 9084008-000	N
204313	ADAPTER FLANGE COUPLING 4"	ADAPTER FLANGE COUPL 4" W/ ACCESSORIES FLANGED ADAPTER SHALL BE DESIGNED TO JOI N PLAIN END DUCTILE IRON TO ANSI B16.1 CLASS 125 FLANGES OF THE SAME NOMI NAL SIZE AND SHALL BE FURNISHED FULLY ASSEMBLED WITH ACCESSORIES.	DRESSER MFG	STYLE 127	N
			FORD METER BOX CO	FFCA-491	N
			SMITH-BLAIR INC	912-90051004- 000	Y
				STYLE 912- 90051004-000	N
204321	ADAPTER FLANGE COUPLING 6"	ADAPTER FLANGE COUPL 6" W/ ACCESSORIES FLANGED ADAPTER SHALL BE DESIGNED TO JOI N PLAIN END DUCTILE IRON TO ANSI B16.1 CLASS 125 FLANGES OF THE SAME NOMI NAL SIZE AND SHALL BE FURNISHED FULLY ASSEMBLED.	DRESSER MFG	STYLE 127	N
			FORD METER BOX CO	FFCA-712	N
			SMITH-BLAIR INC	912-90069606- 000	Y
				STYLE 912- 90072006-000	N
204339	ADAPTER FLANGE COUPLING 10"	ADAPTER FLANGE COUPL 10" W/ ACCESSORIES FLANGED ADAPTER SHALL BE DESIGNED TO JOI N PLAIN END CAST IRON TO ANSI STANDARD B16.1 CLASS 125 FLANGES OF THE SAME NOMI NAL SIZE AND SHALL BE FURNISHED FULLY ASSEMBLED.	DRESSER MFG	STYLE 127	N
			FORD METER BOX CO	STYLE FFCA	N
			SMITH-BLAIR INC	912-90116010- 000	Y
				STYLE 912- 90116010-000	N
204362	COPPERHORN METER-YOKE 3/4"	COPPERHORN METER YOKE 3/4" STANDARD COMPRESSION TYPE COPPERHORN SHALL BE DESIGNED FOR A 5/8 METER & BE FURNISHED WITH 3/4 MALE SWIVEL INL ET AND 3/4 COMPRESSION TYPE OUTLET DESIGNED FOR COPPER AND BE FORD COPPERHO	A Y MC DONALD MFG CO	4606CH84-133 #1	N
			FORD METER BOX CO	740-1-M2-33 #1	Y
			HD SUPPLY	4606CH84- 133NL	N
			MUELLER		N
205013	COUPLING METER STRAIGHT 3/4"	COUPLING METER 3/4" STRAIGHT	A Y MC DONALD MFG CO	74620	Y
			FORD METER BOX CO	C38	N
			HD SUPPLY	4407C382325NL	N

207084	COUPLING METER LOK-PAK 1-1/2"	COUPLING METER 1-1/2" LOK-PAK #CF35-66 LOK-PAK METER COUPLING, 1-1/2, FLANGED, BRONZE **** THIS IS A SPECIAL ITEM MADE BY FORD METER BOX FOR KUB - UNIT PRICE MUST INCLUDE THE COUPLING, FLANGES, NIPPLES A	MUELLER A Y MC DONALD MFG CO	H-10891 7610-55	N Y
			FORD METER BOX CO HD SUPPLY	CF35-66 3915KN-8- ASSYNL	N N
207100	COUPLING METER LOK-PAK 2"	COUPLING METER 2" LOK-PAK #CF38-77 LOK-PAK METER COUPLING, 2, FLANGED, BRONZE, ***INCLUDE ITEMS LISTED BELOW**** THIS IS A SPECIAL ITEM MADE BY FORD METER BOX FOR KUB - UNIT PRICE MUST INCLUDE THE COUPLING # CF38-77 W/ FLANGE	A Y MC DONALD MFG CO	#CF38-77	Y
			FORD METER BOX CO HD SUPPLY	3920KN-K- ASSYNL	N N
210609	#1 COPPERHORN FEMALE-FITTING 4	#1 COPPERHORN FEMALE-FITTING	A Y MC DONALD MFG CO	40-F3	N
			HD SUPPLY	3907CSS133NL	Y
213009	GASKET METER COUPLING 1-1/2"	GASKET METER 1-1/2" COUPLING			
213025	GASKET METER COUPLING 2"	GASKET METER 2" COUPLING			
219691	ADAPTER UNI-FLANGE 3"	ADAPTER UNI-FLANGE 3" FLANGE ADAPTER FOR JOINING PLAIN END DUCTILE IRON PIPE TO ANSI B16.1 125 LB FLANGES. FURNISHED WITH STANDARD MECHANICAL JOINT TYPE GASKET IN ACCORDANCE WITH ANSI A21.11 AND CUP POINT SCREWS FO	MCWANE CAST IRON PIPE CO		N
			SIGMA CORPORATION	ZF2-C3	Y
			SIGMA/NAPPCO /RUSSELL	SERIES ZF	N
219709	ADAPTER UNI-FLANGE 4"	ADAPTER UNI-FLANGE 4" FLANGE ADAPTER FOR JOINING PLAIN END DUCTILE IRON PIPE TO ANSI B16.1 125LB FLANGES. FURNISHED WITH STANDARD MECHANICAL JOINT TYPE GASKET IN ACCORDANCE WITH ANSI A21.11 AND CUP POINT SCREWS FO	MCWANE CAST IRON PIPE CO	SERIES 200	N N
			SIGMA CORPORATION	ZF2-C4	Y
			SIGMA/NAPPCO /RUSSELL	SERIES ZF	N
219725	ADAPTER UNI-FLANGE 6"	ADAPTER UNI-FLANGE 6" FLANGE ADAPTER FOR JOINING PLAIN END DUCTILE IRON PIPE TO ANSI B16.1 125LB. FLANGES. FURNISHED WITH STANDARD MECHANICAL JOINT TYPE GASKET IN ACCORDANCE WITH ANSI A21.11 AND CUP POINT SCREWS FO	MCWANE CAST IRON PIPE CO	SERIES 200	N N
			SIGMA CORPORATION	ZF2-C6	Y
			SIGMA/NAPPCO /RUSSELL	SERIES ZF	N
			UNIFLANGE CO	SERIES 200	N

219733	ADAPTER UNI-FLANGE 8"	ADAPTER UNI-FLANGE 8" FLANGE ADAPTER FOR JOINING PLAIN END DUCTILE IRON PIPE TO ANSI B16.1 125 LB FLANGES. FURNISHED WITH STANDARD MECHANICAL JOINT TYPE GASKET IN ACCORDANCE WITH ANSI A21.11 AND CUP POINT SCREWS FOR PIP	MCWANE CAST IRON PIPE CO		N
			SIGMA CORPORATION	ZF2-C8	Y
			SIGMA/NAPPCO /RUSSELL	ZFT-C8 SERIES ZF	N
293977	SECTION UPPER D&R METER BOX	UPPER-SECTION D&R METER BOX	ACHESON FOUNDRY GRIFFIN FOUNDRY		N
			SIGMA CORPORATION	7121	Y
293985	FRAME FOR SQUARE METER BOX	FRAME FOR SQUARE METER BOX METER BOX FRAMES & COVER SHALL BE CAST IRON CONFORMING TO ASTM A48-76 AND/OR KUB DRAWING B-154, SPECIAL SPEC # W021	ACHESON FOUNDRY		N
			EAST JORDAN IRON WORKS INC		N
			SIGMA CORPORATION	MB317	Y
			SIGMA/NAPPCO /RUSSELL TYLER		N
294009	SECTION LOWER D&R METER BOX	LOWER-SECTION D&R METER BOX	ACHESON FOUNDRY GRIFFIN FOUNDRY		N
			SIGMA CORPORATION	7122	Y
294017	LID FOR D&R METER BOX	LID FOR D&R METER BOX	ACHESON FOUNDRY GRIFFIN FOUNDRY		N
			SIGMA CORPORATION	MB712C	Y
294020	LID FOR D&R METER BOX WITH 2" HOLE	LID FOR D&R METER BOX WITH 2" HOLE			N
294025	LID FOR SQUARE METER BOX FRAME	LID FOR SQ METER BOX FRAME SQUARE METER BOX FRAMES & LIDS SHALL BE CAST IRON CONFORMING TO ASTM A48-76 AND /OR EQUAL KNOXVILLE UTILITIES BOARD SPECIAL SPEC # W021	ACHESON FOUNDRY		N
			EAST JORDAN IRON WORKS INC	V-8441	N
			SIGMA CORPORATION	MB317	Y
			SIGMA/NAPPCO /RUSSELL TYLER		N
295873	BOX METER PLASTIC 15"X18"	BOX METER PLASTIC 15 x 18			
298513	SLAB PRECAST 9'-6" X 5'-4" METER BOX	SLAB PRECAST 9'-6" X 5'-4" METER BOX			
298521	SLAB PRECAST METER BOX 11'-6" X 5'-4"	SLAB PRECAST METER BOX 11'-6" X 5'-4"			
298535	Meter Bushing 5/8" x 3/4"	Meter Bushing converts 5/8" meter to 5/8" x 3/4" meters (2 per meter) manufactured in compliance with ANSI/AWWA C 800 Brass components conform to ASTM B62 and ASTM B584, UNSC83600-85-5-5-5	A Y MC DONALD MFG CO	10J12X75-KIT	Y
				P/N 10J12X75-KIT	N
298539	ADAPTER #12 5/8"MTR X 3/4"SERV	ADAPTER #12	A Y MC DONALD MFG CO	10J12	Y

			FORD METER BOX CO	12 S, M, L.	N
298547	ADAPTER #14 5/8"MTR X 1"SERV	ADAPTER #14	HD SUPPLY A Y MC DONALD MFG CO	3907A12MNL 710J14	N Y
			FORD METER BOX CO	A14	N
298554	ADAPTER #46 1"MTR X 1-1/2"SERV	ADAPTER #46	HD SUPPLY A Y MC DONALD MFG CO	390610A14NL 710J46	N Y
			FORD METER BOX CO	A46	N
298562	ADAPTER #47 1"MTR X 2"SERV	ADAPTER #47	A Y MC DONALD MFG CO	710J47	Y
			FORD METER BOX CO	A47	N
298570	ADAPTER #67 1-1/2"MTR X 2"SERV	ADAPTER #67 FOR 1-1/2IN METER	A Y MC DONALD MFG CO	710J67	Y
			FORD METER BOX CO	A67	N
298930	VAULT RISER PRECAST CONC 64X138 (OD) 52X126 (ID) X 48H	VAULT RISER PRECAST CONC 64W X 138L (OD) 52W X 126L (ID) X 48H FOR 3", 4" AND 6" WATER METER ASSEMBLIES - 9,500 LBS (NON- TRAFFIC RATED)			
298931	VAULT RISER PRECAST CONC 64X138 (OD) 52X126 (ID) X 48H	VAULT RISER PRECAST CONC 64W X 138L (OD) 52W X 126L (ID) X 24H FOR 3", 4" AND 6" WATER METER ASSEMBLIES - 4,750 LBS (NON- TRAFFIC RATED)			
298932	VAULT RISER PRECAST CONC 64X138 (OD) 52X126 (ID) X 36H	VAULT RISER PRECAST CONC 64W X 138L (OD) 52W X 126L (ID) X 36H FOR 3", 4" AND 6" WATER METER ASSEMBLIES - 7,125 LBS (NON- TRAFFIC RATED)			
298933	RISER PRECAST CONC 64"W X138"L (OUT) 52"W X126"L (IN) X 48"H	RISER PRECAST CONC 64"W X138"L (OUT) 52"W X126"L (IN) X 48"H 9500 LBS FOR 3", 4" AND 6" WATER METER ASSEMBLIES			
298934	VAULT LID PRECAST CONC 64W X 138L X 6H WITH ALUMINUM HATCHES	VAULT LID PRECAST CONC 64W X 138L X 6H WITH ALUMINUM HATCHES FOR 3", 4" AND 6" WATER METER ASSEMBLIES - 2,800 LBS (NON- TRAFFIC RATED)			
299461	LID STEEL FOR METER BOX	LID STEEL FOR CONC METER BOX LIDS, METER, STEEL, SHALL BE FABRICATED FROM 3/8" CAST IRON WITH RAISED LUGS TO DIMENSIONS SHOWN ON DRAWING 32-A.	ACHESON FOUNDRY		N
			B W BYRD METAL FABRICATORS		N
			BULL RUN METAL FABRICATORS		N
			EBBA IRON INC PRECIOUS WOODS AND METALS		N N
			SIGMA CORPORATION	C-217	Y
			TEC-FAB INC TYLER		N N
299738	LID IRON ROUND WITH 2" HOLE FOR 3/4" METER BOX	LID IRON ROUND WITH 2" HOLE FOR 3/4' METER BOX WITTH RAISED LETTERS (KNOXVILLE UTILITIES BOARD, WATER) & NON SLIP SURFACE, 3/8" THICK, CAST IRON MATERIAL			

SADDLES AND CLAMPS

200011	SADDLE SERV 16" W/ 3/4" TAP	SADDLE SERV 16" TAP 3/4" DOUB-STRAP SERVICE SADDLE FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA STANDARD	FORD METER BOX CO	F202	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313-188807	Y
200017	SADDLE HINGED FOR PVC/IPS PIP	SADDLE HINGED FOR PVC/IPS PIPE 4" W/2" CC THREAD MANUFACTURED IN COMPLIANCE WITH ANSI/AWWA C800, BRASS COMPONENTS CONFORM TO ASTM B62 ASTM B584, UNS C83600-85-5-5-5, CERTIFIED TO NSF/ANSI61, SILICON BRONZE HINGE PIN AND BOLTS, EPDM O-RING, PIPE AND	A Y MC DONALD MFG CO	3891	Y
200018	SADDLE HINGED FOR PVC/IPS PIP	SADDLE HINGED FOR PVC/IPS PIPE 6" W/2" CC THREAD MANUFACTURED IN COMPLIANCE WITH ANSI/AWWA C800, BRASS COMPONENTS CONFORM TO ASTM B62 ASTM B584, UNS C83600-85-5-5-5, CERTIFIED TO NSF/ANSI61, SILICON BRONZE HINGE PIN AND BOLTS, EPDM O-RING, PIPE AND	A Y MC DONALD MFG CO	3891	Y
200248	REPAIR CLAMP 24" WITH 30" LEN	REPAIR CLAMP 24" WITH 30" LENGTH FOR CAST IRON PIPE, PIPE RANGE 25.70-26.80	SMITH-BLAIR INC	2283025703000	N
				228-30257030-000	Y
200249	CLAMP FULL-CIRCLE 2"X7-1/2"	CLAMP FULL CIRCLE 2" X 7 1/2"	SMITH-BLAIR INC	22900023807000	N
200295	CLAMP REPAIR 6" SINGLE BAND FO	CLAMP REPAIR 6" SINGLE BAND FOR DI PIPE	SMITH-BLAIR INC	226-069012	Y
200302	CLAMP 10" TAP 3/4" DI&AC SS-BA	CLAMP 10" TAP 3/4" DI&AC SS-BANDS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, CORROSION RESISTANT ALLOY STEEL BOLTS. C LAMP WIDTHS SHALL BE 12-1/2.	SMITH-BLAIR INC	226-690012129	N
				239-00011015-007	Y
200430	CLAMP 48" BELL JOINT #274 DI P	48" BELL JOINT LEAK CLAMP, 50.80 PIPE OD, 55.94 BELL OD, 7.90 BELL LENGTH, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING	SMITH-BLAIR INC	#274	N
200435	CLAMP 54" BELL JOINT #274 DI P	54" BELL JOINT LEAK CLAMP, 57.56 PIPE OD, 62.63 BELL OD, 9.40 BELL LENGTH, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKIN	SMITH-BLAIR INC	X274 #274	Y
				X274	Y

200440	CLAMP 14" BELL JOINT (CRITICAL	14" BELL JOINT LEAK CLAMP, 15.30-17.80 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	274-00001530-000	Y
200441	CLAMP 16" BELL JOINT (CRITICAL	16" BELL JOINT LEAK CLAMP, 17.40-19.92 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	274-00001740-000	Y
200442	CLAMP 18" BELL JOINT (CRITICAL	18" BELL JOINT LEAK CLAMP, 19.50-21.92 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	274-00001950-000	Y
200443	CLAMP 24" BELL JOINT (CRITICAL	24" BELL JOINT LEAK CLAMP, 25.80-30.32 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	274-00002580-000	Y
200444	CLAMP 30" BELL JOINT (CRITICAL	30" BELL JOINT LEAK CLAMP, 31.74-37.74 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	274-00003174-000	Y
200445	CLAMP 42" BELL JOINT (CRITICAL STOCK)	42" BELL JOINT LEAK CLAMP, 44.50 PIPE OD, 49.36 BELL OD, 7.90 BELL LENGTH, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING			
200446	CLAMP 36" BELL JOINT (CRITICAL STOCK)	36" BELL JOINT LEAK CLAMP, 37.96-43.70 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE			
201040	CLAMP REPAIR FULL CIRCLE 14" (CLAMP REPAIR FULL-CIRCLE 14" HEAVY DUTY, 15.30-15.80 OD RANGE, NSF GASKET NITRILE (BUNA N), ALLOY BOLTS AND NUTS PER ANSI B18.2.2, 16" WIDTH. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	228-20150715-000	Y
201041	CLAMP REPAIR FULL CIRCLE 16" (CLAMP REPAIR FULL-CIRCLE 16" HEAVY DUTY, 17.40-17.80 OD RANGE, NSF GASKET NITRILE (BUNA N), ALLOY BOLTS AND NUTS PER ANSI B18.2.2, 16" WIDTH. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	228-20171515-000	Y
				267-00153016000	N
				267-00174016000	N

201042	CLAMP REPAIR FULL CIRCLE 18" (CLAMP REPAIR FULL-CIRCLE 18" HEAVY DUTY, 19.50-20.10 OD RANGE, NSF GASKET NITRILE (BUNA N), ALLOY BOLTS AND NUTS PER ANSI B18.2.2, 16" WIDTH. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	228-20192315- 000	Y
				267- 00195016000	N
201043	CLAMP REPAIR FULL CIRCLE 24" (CLAMP REPAIR FULL-CIRCLE 24" HEAVY DUTY, 25.80-26.60 OD RANGE, NSF GASKET NITRILE (BUNA N), ALLOY BOLTS AND NUTS PER ANSI B18.2.2, 16" WIDTH. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	228-30257015- 000	Y
				267- 00258016000	N
201044	SPLIT REPAIR SLEEVE 30" (CRITI	SPLIT REPAIR SLEEVE 30" TO FIT 32.00 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	#675	N
				675	Y
201045	SPLIT REPAIR SLEEVE 36" (CRITI	SPLIT REPAIR SLEEVE 36" TO FIT 38.30 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	#675	N
				675	Y
201046	SPLIT REPAIR SLEEVE 42" (CRITI	SPLIT REPAIR SLEEVE 42" TO FIT 44.50 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	#675	N
				675	Y
201047	SPLIT REPAIR SLEEVE 48" (CRITI	SPLIT REPAIR SLEEVE 48" TO FIT 50.80 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	#675	N
				675	Y
201048	SPLIT REPAIR SLEEVE 54" (CRITI	SPLIT REPAIR SLEEVE 54" TO FIT 57.56 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE	SMITH-BLAIR INC	#675	N
				675	Y
202884	SADDLE SERV 6" X W 1" TAP PVC	SADDLE SERV 6" X W 1" TAP PVC	A Y MC DONALD MFG CO MUELLER	S13431	Y
					Y
202886	SADDLE SERV 14" W 3/4" TAP DI&AC	SADDLE SERV 14" W 3/4" TAP DI&AC			N
202888	SADDLE HINGED FOR PVC/IPS PIP	SADDLE HINGED FOR PVC/IPS PIPE 6" W/1" CC THREAD MANUFACTURED IN COMPLIANCE WITH ANSI/AWWA C800, BRASS COMPONENTS CONFORM TO ASTM B62 ASTM B584, UNS C83600-85-5-5-5, CERTIFIED TO NSF/ANSI61, SILICON BRONZE HINGE PIN AND BOLTS, EPDM O-RING, PIPE AND	A Y MC DONALD MFG CO	3891	Y
			MUELLER SMITH-BLAIR INC	313-00066309- 000	N
202889	SADDLE SERV 24" W 1 1/2" TAP	SADDLE SERV 24" W 1 1/2" TAP			N
202890	SADDLE SERV 24" W 3/4" TAP	SADDLE SERV 24" W 3/4" TAP			N
202954	CLAMP 8" X 2" TAP PVC	CLAMP 8" X 2" TAP PVC			N
202955	CLAMP REPAIR 14" AC	CLAMP REPAIR 14" AC			N
204156	CLAMP CI SJ #60 6"	CLAMP 6" CI SJ BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT 4" THRU 30" SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.	DRESSER MFG	STYLE 60, 160	N
			SMITH-BLAIR INC	274	N
				274-00000690- 000	Y

204248	CLAMP CI SJ #60 8"	CLAMP 8" CI SJ BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.	DRESSER MFG	STYLE 60, 160	N
			SMITH-BLAIR INC	274	N
				274-0000905-000	Y
204701	CLAMP REPAIR SERVICE 3/4"	CLAMP REPAIR SERVICE 3/4" PIPE REPAIR CLAMPS 3/4" THRU 3" FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.	ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER	N
			DRESSER MFG	STYLE 118	N
			FORD METER BOX CO		N
			SMITH-BLAIR INC	245 REDI-CLAMP	N
				245-010506-000	Y
204719	CLAMP REPAIR SERVICE 1"	CLAMP REPAIR SERVICE 1" PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.	ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER	N
			DRESSER MFG	STYLE 118	N
			FORD METER BOX CO	FSC-132 X 6"	N
			SMITH-BLAIR INC		N
				245-00013206-000	Y
204727	CLAMP REPAIR SERVICE 1-1/2"	CLAMP REPAIR SERVICE 1-1/2" PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.	ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER	N
			DRESSER MFG	STYLE 118	N
			FORD METER BOX CO		N
			SMITH-BLAIR INC	245 REDI-CLAMP	N
				245-019006-000	Y
204735	CLAMP REPAIR SERVICE 2"	CLAMP REPAIR SERVICE 2" PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.	DRESSER MFG	STYLE 118	N
			FORD METER BOX CO	STYLE FSC	N
			SMITH-BLAIR INC	245 REDI-CLAMP	N
				245-023806-000	Y
205302	SADDLE SERV DI&AC 10" W/ 1" TAP	SADDLE SERV 10" TAP 1" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA STANDARD	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	STYLE 291	N
			FORD METER BOX CO	STYLE 202	N
			JAMES JONES CO	J-979	N
			JCM IND	402-1125	N

			MUELLER	H-10533	N
			ROMAC	202	N
			INDUSTRIES		
			INC		
			SMITH-BLAIR		N
			INC		
				313-00121209-000	Y
205344	SADDLE SERV DI&AC 12" W/ 1" TAP	SADDLE SERV 12" TAP 1" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL DOUBLE STRAPPED, WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA STANDARD	CASCADE WATERWORKS		N
			DRESSER MFG	STYLE 291	N
			FORD METER	F202-1438XCC4	N
			BOX CO		
			JAMES JONES	J979	N
			CO		
			JCM IND	402-1426	N
			MUELLER	H-10536	N
			ROMAC	202	N
			INDUSTRIES		
			INC		
			SMITH-BLAIR	313-143209-000	Y
			INC		
				STYLE 313	N
205351	SADDLE SERV DI&AC 12" W/ 2" TAP	SADDLE SERV 12" TAP 2" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED, WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA STANDARD	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	STYLE 291	N
			FORD METER	F202-1438 CC7	N
			BOX CO		
			JAMES JONES	J-979 12X2CC	N
			CO		
			JCM IND	402-1426	N
			MUELLER	H-10536	N
			ROMAC	202	N
			INDUSTRIES		
			INC		
			SMITH-BLAIR		N
			INC		
				313-0143215	Y
205393	CLAMP REPAIR SERVICE 3"	CLAMP REPAIR SERVICE 3IN D PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.	ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER	N
			DRESSER MFG	STYLE 118	N
			FORD METER	STYLE FSC	N
			BOX CO		
			ROCKWELL	245 REDI-CLAMP	N
			SMITH-BLAIR	245	N
			INC		
				245-00035006-000	Y
205518	SADDLE SERV CC-THREAD 2"X3/4"	SADDLE SERV 2X3/4" CC-THREAD STEEL PIPE SERVICE SADDLES SHALL BE SINGLE STRAP TYPE WITH NEOPRENE GASKETS. TAP SHALL BE ANSI/AWWA STANDARD C-800-89 OR LATEST REVISION, TAPERED THREAD.	CASCADE WATERWORKS	CDS-1	N
			FORD METER	F101-250 CC3	N
			BOX CO		
			MUELLER	H10475	N
			ROMAC	101	N
			INDUSTRIES		
			INC		

			SMITH-BLAIR INC	311-025607	Y
206953	SADDLE SERV STL 2" W/ 1" TAP	SADDLE SERV 2" TAP 1" STL PIPE STEEL PIPE SERVICE SADDLES SHALL BE SINGLE STRAP TYPE WITH NEOPRENE GASKETS. WITH NEOPRENE GASKETS. TAP SHALL BE ANSI /AWWA STANDARD C-800- 89 OR LATEST REVISION, TAPERED THREAD.	CASCADE WATERWORKS	CDS-1	N N
			FORD METER BOX CO		N
			MUELLER	H10475	N
			ROMAC	101	N
			INDUSTRIES INC		
			SMITH-BLAIR INC	311-00025609- 000	Y
206961	SADDLE SERV DI&AC 8" W/ 1" TAP	SADDLE SERV 8" TAP 1" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA STANDARD	CASCADE WATERWORKS	CDS-2	N N
			DRESSER MFG	291	N
			FORD METER BOX CO	202-979-XCC4	N
			JAMES JONES CO	J948	N
			JCM IND	402-0963	N
			MUELLER	H10530	N
			ROMAC	202	N
			INDUSTRIES INC		
			SMITH-BLAIR INC	313	N
				313-101009-000	Y
206987	SADDLE SERV DI&AC 4" W/ 1" TAP	SADDLE SERV 4" TAP 1" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N
			FORD METER BOX CO	202	N
			JAMES JONES CO	J979	N
			JCM IND	402-0545	N
			MUELLER	H-10522	N
			ROMAC	202	N
			INDUSTRIES INC		
			SMITH-BLAIR INC	313	N
				313-00048009- 000	Y
207043	SADDLE SERV DI&AC 6" W/ 2" TAP	SADDLE SERV 6" TAP 2" CC THREAD DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE WATERWORKS		N
			DRESSER MFG	291	N
			FORD METER BOX CO	202	N
			JAMES JONES CO	J979	N
			JCM IND	402-0745	N
			MUELLER	H10526	N

			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313-076015	Y
207209	SADDLE SERV DI&AC 4" W/ 2" TAP	SADDLE SERV 4" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N
			FORD METER	202	N
			BOX CO		
			JAMES JONES CO	J979	N
			JCM IND	402-0545	N
			MUELLER	H-10522	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313	N
				313-048015	Y
207241	SADDLE SERV DI&AC 6" W/ 3/4" TAP	SADDLE SERV 6" TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N
			FORD METER	F202-760X-CC3	N
			BOX CO		
			JAMES JONES CO	J 979	N
			JCM IND	402-0745	N
			MUELLER	H 10526	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313	N
				313-076007-000	Y
207266	SADDLE SERV DI&AC 6" W/ 1" TAP	SADDLE SERV 6" TAP 1" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N
			FORD METER	F202-760X-CC3	N
			BOX CO		
			JAMES JONES CO	J 979	N
			JCM IND	402-0745	N
			MUELLER	H-10526	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313	N
				313-00076009-000	Y
207308	SADDLE SERV DI&AC 4" W/ 3/4" TAP	SADDLE SERV 4" TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO CORROSION RESISTANT STRAPS	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N

			FORD METER BOX CO	F-202-526 CC3	N
			JAMES JONES CO	J-979 4X3/4 CC	N
			JCM IND	402-0545	N
			MUELLER	H-10522	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313	N
				313-048007-000	Y
207704	SADDLE SERV DI&AC 3" W/ 3/4TAP	SADDLE SERV 3" TAP 3/4" DI&AC SERVICE SADDLE FOR DUCTILE IRON SHALL BE SINGLE STRAP TYPE WITH NEOPRENE GASKET. TAP SHALL BE ANSI/AWWA STANDARD C-800-89 OR LATEST REVISION, TAPERED THREADS.	FORD METER BOX CO		N
			MUELLER ROMAC INDUSTRIES INC	H10478 X 3/4 101	N
			SMITH-BLAIR INC	313-00035407- 000	Y
					N
207720	SADDLE SERV STEEL 3" W/ 2" TA	SADDLE SERV 3IN TAP 2" STEEL WITH CC THREAD SERVICE SADDLE FOR STEEL PIPE SHALL BE S INGLE STRAP TYPE WITH CEMENTED NEOPRENE GASKET. TAP SHALL BE ANSI/AWWA STANDARD C-800-89 OR LATEST REVISION, WITH TAPERED THREADS.	FORD METER BOX CO		N
			MUELLER ROMAC INDUSTRIES INC	H10477 101	N
			SMITH-BLAIR INC	IF WATER 313- 00035414-000	Y
					N
207886	SADDLE SERV DI&AC 10" W 2"TAP	SADDLE SERV 10" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED, WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N
			FORD METER BOX CO	F202, FS202, FC202	N
			JAMES JONES CO	J948	N
			JCM IND		N
			MUELLER	H-10533	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313	N
				313-0121215- 000	Y
210823	SADDLE SERV DI&AC 6" W/ 1-1/2"	SADDLE SERV 6"X1-1/2" DI&AC 6.84-7.60 SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	BAKER	4181-745-1- 1/2CC	N
			CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N
			FORD METER BOX CO	F202-760#CC6	N
			JAMES JONES CO	J948	N

			JCM IND	402-0745	N
			MUELLER		N
			ROCKWELL	313-76013	N
			ROMAC	202	N
			INDUSTRIES		
			INC		
			SMITH-BLAIR	313-00076013-	Y
			INC	000	
210922	SADDLE SERV DI&AC 8" W/ 2"TAP	SADDLE SERV 8" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE		N
			WATERWORKS		
			DRESSER MFG	291	N
			FORD METER	F-202-979-XCC7	N
			BOX CO		
			JAMES JONES	J948	N
			CO		
			JCM IND	402-0963	N
			MUELLER	H-10530	N
			ROCKWELL	313	N
			ROMAC	202	N
			INDUSTRIES		
			INC		
			SMITH-BLAIR	313-101015-000	Y
			INC		
211243	SADDLE SERV DI&AC 8" W/ 1-1/2"	SADDLE SERV 8" TAP 1-1/2 DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED, WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE	CDS-2	N
			WATERWORKS		
			DRESSER MFG	291	N
			FORD METER	202-979-CC6	N
			BOX CO		
			JAMES JONES	J979	N
			CO		
			JCM IND	402-0963	N
			MUELLER	H-10517 THRU	N
				10537	
			ROMAC	202	N
			INDUSTRIES		
			INC		
			SMITH-BLAIR	313	N
			INC		
				313-00101013-	Y
				000	
215004	CLAMP DI&AC 10" W/ 1"TAP	CLAMP 10" TAP 1" DI&AC SERV REPAIR SERVICE REPAIR CLAMPS SHALL FIT ALL CLASSES CI & AC PIPE, BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLTS LUGS & HIGH HIGH CORROSION RESISTANT ALLOY STEEL BOL	DRESSER MFG	361 WIDE RANGE	N
			FORD METER	STYLE FS1	N
			BOX CO		
			SMITH-BLAIR	239-00111015-	Y
			INC	009	
				STYLE 238	N
				SUPERRANGE	
215012	CLAMP DI&AC 12" W/ 1"TAP	CLAMP 12" TAP 1" DI&AC SERV REPAIR SERVICE REPAIR CLAMPS SHALL FIT ALL CLASSES CI & AC PIPE, BE SINGLE PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL B	CLOW CORP	STYLE 3131 SS NO. B	Y
			DRESSER MFG		N
			FORD METER	STYLE FS1	N
			BOX CO		

			ROCKWELL	STYLE 238	N
				SUPERRANGE	
			SIGMA	239-00132015-	N
			CORPORATION	009	
215020	CLAMP FOR DI&AC 12" W/ 2" TAP	CLAMP 12" TAP 2" DI&AC SERV REPAIR SERVICE REPAIR CLAMPS SHALL FIT ALL CLASSES CI & AC PIPE, BE MULTI-PANEL STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS.	DRESSER MFG	361 WIDE RANGE	N
			FORD METER BOX CO	STYLE FS1	N
			SMITH-BLAIR INC	239-00132015- 015	Y
				STYLE 238	N
215434	CLAMP REPAIR CI 16"	CLAMP REPAIR CI 16"	SMITH-BLAIR INC	228-2017-1515- 000	N
				228-20178220- 000	Y
217315	SADDLE SERV DI&AC 12" W/ 1-1/2	SADDLE SERV 12 TAP 1-1/2 DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS- CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT ST	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N
			FORD METER BOX CO		N
			JAMES JONES CO	J979	N
			JCM IND	402-1426	N
			MUELLER	H10517-37	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313-00143213- 000	Y
				STYLE 313	N
219816	SADDLE SERV DI&AC 10" W/ 3/4" T	SADDLE SERV 10 TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS- CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	291	N
			FORD METER BOX CO	202-1212-XCC3	N
			JAMES JONES CO	J 979	N
			JCM IND	402-1125	N
			MUELLER	H10517-37	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313	N
				313-121207-000	Y
219824	SADDLE HINGED FOR PVC/IPS PIPE	SADDLE HINGED FOR PVC/IPS PIPE 4" W/3/4" CC THREAD MANUFACTURED IN COMPLIANCE WITH ANSI/AWWA C800, BRASS COMPONENTS CONFORM TO ASTM B62 ASTM B584, UNS C83600-85-5-5- 5, CERTIFIED TO NSF/ANSI61, SILICON BRONZE HINGE PIN AND BOLTS, EPDM O-RING, PIPE AND	A Y MC DONALD MFG CO	3891	Y
			FORD METER BOX CO		N
			MUELLER		N
			SMITH-BLAIR INC	313 045507 000- 6"	N

219840	SADDLE HINGED FOR PVC/IPS PIPE	SADDLE HINGED FOR PVC/IPS PIPE 6" W/3/4" CC THREAD MANUFACTURED IN COMPLIANCE WITH ANSI/AWWA C800, BRASS COMPONENTS CONFORM TO ASTM B62 ASTM B584, UNS C83600-85-5-5-5, CERTIFIED TO NSF/ANSI61, SILICON BRONZE HINGE PIN AND BOLTS, EPDM O-RING, PIPE AND	A Y MC DONALD MFG CO	313-045007-000 3891	N Y
			FORD METER BOX CO		N
			MUELLER		N
			SMITH-BLAIR INC	313 045507-6"	N
				313-00069007-000	N
219865	CLAMP REPAIR PVC 4"	CLAMP REPAIR PVC 4" CLAMPS FOR PVC PIPE REPAIR 4" SHALL BE SINGLE BAND, FULL CIRCLE TYPE, SMITH-BLAIR STYLE 226 OR APPROVED EQUAL. WIDTH SHALL BE 12.5 INCHES.	FORD METER BOX CO	F1-473 X 12	N
			SMITH-BLAIR INC	226-045012	Y
219873	CLAMP REPAIR PVC 6"	CLAMP REPAIR PVC 6" CLAMPS FOR PVC PIPE REPAIR SHALL BE SINGLE BAND, FULL CIRCLE TYPE, SMITH-BLAIR STYLE 226 OR APPROVED EQUAL. WIDTH SHALL BE 12.5 INCHES.	FORD METER BOX CO	F1-696 X 12	N
			SMITH-BLAIR INC	226-066312	N
				226-066312-000	Y
219881	CLAMP REPAIR PVC 8"	CLAMP REPAIR PVC 8" CLAMPS FOR PVC PIPE REPAIR, 8", SHALL BE SINGLE BAND, FULL CIRCLE TYPE, SMITH-BLAIR STYLE 226 OR AN APPROVED EQUAL. SDR-21 WIDTH SHALL BE 12.5 INCHES	FORD METER BOX CO	F1-894 X 12	N
			SMITH-BLAIR INC	226-086312	Y
				226-0863-12 620	N
290064	SLEEVE TAPPING 6X6" SS OD 7.10	SLEEVE TAPPING 6X6" SS OD 7.10-7.50 AC TAPPING SLEEVES FOR 6", 8", & 10" PIPE SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS & WASHERS SHALL BE M	DRESSER MFG		N
			FORD METER BOX CO	FAST	N
			MUELLER	H619	N
			ROMAC INDUSTRIES INC	SST	N
				SST-7.50X6	Y
			SMITH-BLAIR INC	663	N
290288	CLAMP CI SJ 10"	CLAMP 10" CI SJ DRESSER #60&160 BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.	DRESSER MFG	STYLE 60, 160	N
			SMITH-BLAIR INC	274	N
				274-00001110-000	Y
290296	CLAMP CI SJ 12"	CLAMP 12" CI SJ DRESSER #60&160 BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.	DRESSER MFG	STYLE 60, 160	N
			SMITH-BLAIR INC	274	N

290346	SLEEVE TAPP SS 16"CI W/ 4"TAP	SLEEVE TAPPING 16X4" SS C&D CI 150 TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG	274-00001320-000 620	Y N
			FORD METER BOX CO ROMAC INDUSTRIES INC	FAST	N
				SST-17.55X4	Y
290361	SLEEVE TAPP SS 12"CI W/ 4"TAP	SLEEVE TAPPING 12X4" SS 13.10-13.50 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	SMITH-BLAIR INC DRESSER MFG	663 620	N N
			FORD METER BOX CO ROMAC INDUSTRIES INC	FAST	N
				SST-13.56X4	Y
290718	SLEEVE TAPPING 10X8" SS 11.75-	SLEEVE TAPPING 10X8" SS 11.75-12.15 AC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR	DRESSER MFG	620	N
			FORD METER BOX CO MUELLER ROMAC INDUSTRIES INC	FAST	N
				SST	N
				SST-11.85X8	Y
290932	CLAMP DI&AC SS-BANDS 4"	CLAMP DI&AC 4" SS-BANDS 12"-WI CLAMPS SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON AND ASBESTOS-CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE BOLT STYL	SMITH-BLAIR INC DRESSER MFG	663 362 WIDE RANGE	N N
			FORD METER BOX CO JCM IND	F2-557X12.5 102 EXT RGE,LG WDTN	N N
			MUELLER ROMAC INDUSTRIES INC	CL2-557X12	N
			SMITH-BLAIR INC	226-048012 227-48012	Y N

291252	SLEEVE TAPP SS 16"CI W/ 6"TAP	SLEEVE TAPPING 16X6" SS 17.40-17.80 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG 620	N	
			FORD METER BOX CO	FAST	N
			JCM IND	432-1740X6	N
			ROMAC INDUSTRIES INC		N
				SST-17.80X6	Y
			SMITH-BLAIR INC	663	N
291641	CLAMP 12" BELL JOINT	CLAMP 12IN AC SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.	DRESSER MFG	STYLE 60-S	N
			SMITH-BLAIR INC	274-00001320-000	Y
291864	SADDLE SERV DI&AC 8" W/ 3/4"TP	SADDLE SERV 8" TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE WATERWORKS		N
			DRESSER MFG	291	N
			FORD METER BOX CO	F-202-979-XCC3	N
			JAMES JONES CO	J 979	N
			JCM IND	402-0963	N
			MUELLER	DE2A0854CC	N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313	N
292094	SLEEVE TAPPING 10X6" SS 11.75-	SLEEVE TAPPING 10X6" SS 11.75-12.15 AC TAPPING SLEEVE SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR	DRESSER MFG	313-101007 620	Y N
			FORD METER BOX CO	FAST	N
			MUELLER	H619	N
			ROMAC INDUSTRIES INC	SST	N
				SST-11.85X6	Y
			SMITH-BLAIR INC	663	N
292193	CLAMP DI&AC SS-S 4" W/ 3/4" TAP	CLAMP 4" TAP 3/4" DI&AC SS SERVICE REPAIR CLAMPS 4", 6", 8", SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS, & HIGH CORROSION RESISTANT ALLOY STEEL BOL	FORD METER BOX CO		N
			MUELLER	512	N
			ROMAC INDUSTRIES INC	SS2	N
			SMITH-BLAIR INC	239-00045015-006	Y

292607	SLEEVE TAPP SS 6"CI W/ 4"TAP	SLEEVE TAPPING 6X4" SS OD 6.90-7.30 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAP AROUND TYPE. BODY,NUTS,BOLTS, AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG	TYPE 239 SUPER RANGE 620	N N
			FORD METER BOX CO		N
			JCM IND	432-0720-X4	N
			ROMAC	SST-7.30X4	Y
			INDUSTRIES INC		
			SMITH-BLAIR	663	N
			INC		
292615	SLEEVE TAPPING 6X6" SS OD 6.90	SLEEVE TAPPING 6X6" SS OD 6.90-7.30 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. BODY,NUTS,BOLTS AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG	620	N
			FORD METER	FAST	N
			BOX CO		
			ROMAC		N
			INDUSTRIES INC		
				SST-7.30X6	Y
			SMITH-BLAIR	663	N
			INC		
292623	SLEEVE TAPP SS 6"CI W/ 3"TAP	SLEEVE TAPPING 6X3" SS OD 6.90-7.30 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. BODY,NUTS,BOLTS, & WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG	620	N
			FORD METER	FAST	N
			BOX CO		
			ROMAC	SST	N
			INDUSTRIES INC		
				SST-7.00X3	Y
			SMITH-BLAIR	663	N
			INC		
292649	SLEEVE TAPP SS 8"CI W/ 4"TAP	SLEEVE TAPPING 8X4" SS OD 9.05-9.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG	620	N
			FORD METER	FAST	N
			BOX CO		
			ROMAC	SST	N
			INDUSTRIES INC		
			SMITH-BLAIR	663	N
			INC		
				SST-9.45X4	Y
292656	SLEEVE TAPPING 8X6" SS OD 9.05	SLEEVE TAPPING 8X6" SS OD 9.05-9.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR APPROVED	DRESSER MFG	620	N
			FORD METER	FAST-945-6A	N
			BOX CO		

			JCM IND	432-0905-X6	N
			ROMAC	SST-9.45	N
			INDUSTRIES INC		
				SST-9.45X6	Y
292680	SLEEVE TAPP SS 10"CI W/ 4"TAP	SLEEVE TAPPING 10X4" SS 11.06-11.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	SMITH-BLAIR INC	662-09050600- 000	N
			DRESSER MFG	620	N
			FORD METER BOX CO	FAST	N
			ROMAC INDUSTRIES INC	SST	N
				SST-11.13X4	Y
292698	SLEEVE TAPPING 10X6" SS 11.06-	SLEEVE TAPPING 10X6" SS 11.06-11.45 CI TAPPING SLEEVE SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	SMITH-BLAIR INC	663	N
			DRESSER MFG	620	N
			FORD METER BOX CO	FAST	N
			JCM IND	432-1110X6	N
			ROMAC INDUSTRIES INC		N
				SST-11.45X6	Y
292706	SLEEVE TAPPING 10X8" SS 11.06-	SLEEVE TAPPING 10X8" SS 11.06-11.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	SMITH-BLAIR INC	663	N
			DRESSER MFG	620	N
			FORD METER BOX CO	FAST	N
			ROMAC INDUSTRIES INC	SST	N
				SST-11.45X8	Y
292730	SLEEVE TAPP SS 12"CI W/ 6"TAP	SLEEVE TAPPING 12X6" SS 13.10-13.50 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	SMITH-BLAIR INC	663	N
			DRESSER MFG	620	N
			FORD METER BOX CO	FAST	N
			JCM IND	432-1320X6	N
			ROMAC INDUSTRIES INC		N
				SST - 13.56X6	Y
			SMITH-BLAIR INC	663	N

292748	SLEEVE TAPP SS 12"CI W/ 8"TAP	SLEEVE TAPPING 12X8" SS 13.10-13.50 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG	620	N
			FORD METER BOX CO ROMAC INDUSTRIES INC	FAST	N
				SST-13.56X8	Y
			SMITH-BLAIR INC	663	N
292763	SLEEVE TAPP SS 16"CI W/ 8"TAP	SLEEVE TAPPING 16X8" SS 17.40-17.80 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG	620	N
			FORD METER BOX CO ROMAC INDUSTRIES INC	SST	N
			SMITH-BLAIR INC	663	N
293084	SLEEVE TAPPING 8X6" SS OD 9.20	SLEEVE TAPPING 8X6" SS OD 9.20-9.60 AC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR	DRESSER MFG	620	N
			FORD METER BOX CO MUELLER ROMAC INDUSTRIES INC	FAST	N
				SST	N
				SST-9.60X6	Y
			SMITH-BLAIR INC	663	N
294165	SADDLE SERV DI&AC 24" W/ 2"TAP	SADDLE SERV 24" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	DRESSER MFG	291	N
			FORD METER BOX CO JAMES JONES CO JCM IND MUELLER ROMAC INDUSTRIES INC SMITH-BLAIR INC	202	N
				J979	N
				402-	N
				H-105	N
				202	N
				313	N
				313-00258015-000	Y

295055	CLAMP DI&AC SS-S 8" W/ 1"TAP	CLAMP 8" TAP 1" DI&AC SS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS, & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C	FORD METER BOX CO	STYLE FS2	N
			SMITH-BLAIR INC	239-00090512-007 TYPE 239 SUPER RANGE	Y N
296392	CLAMP REPAIR FULL-CIRCLE 3"	CLAMP REPAIR FULL-CIRCLE 3" PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 THRU 7 1/2 INCHES.	ADAMS PIPE REPAIR PRODUCTS		N
			DRESSER MFG FORD METER BOX CO	STYLE 360	N N
			SMITH-BLAIR INC	226	N
296491	CLAMP DI&AC SS-BANDS 3"	CLAMP DI&AC 3" SS-BANDS 12"-WI CLAMPS SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON AND ASBESTOS-CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE BOLT STYL	DRESSER MFG	226-035007-000	Y N
			JCM IND	102 EXT RGE, LG WIDTH	N
			MUELLER	XTRA RANGE FULL SEAL	N
			SMITH-BLAIR INC	227 SUPER RANGE	N
296509	CLAMP DI&AC SS-B 8" W/ 2"TAP	CLAMP 8" TAP 2" DI&AC SS-BANDS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, CORROSION RESISTANT ALLOY STEEL BOLTS. C LAMP WIDTHS SHALL BE 12-1/2.	CLOW CORP	227-035012-000 STYLE 3132 SS NO. B	Y N
			FORD METER BOX CO	STYLE FS2	N
			SMITH-BLAIR INC	239-00090512-015 TYPE 239 SUPER RANGE	Y N
296517	CLAMP DI&AC SS 10" W/ 2"TAP	CLAMP 10" TAP 2" DI&AC SERV REPAIR SERVICE REPAIR SHALL FIT ALL CLASSES CI & AC PIPE, BE MULTI PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS.	DRESSER MFG	361 WIDE RANGE	N
			FORD METER BOX CO	STYLE FS1	N
			SMITH-BLAIR INC	239-00111012-015 STYLE 238 SUPERRANGE	Y N
296905	CLAMP DI&AC SS-B 6" W/ 1"TAP	CLAMP 6" TAP 1" DI&AC SS-BANDS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS, & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C	FORD METER BOX CO	STYLE FS2	N
			SMITH-BLAIR INC	239-00069012-009 TYPE 239 SUPER-RANGE	Y N

296962	CLAMP DI&AC SS-B 6" W/ 3/4"TAP	CLAMP TAP 6" 3/4" DI&AC SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER, SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C	FORD METER BOX CO	F2	N
			MUELLER ROMAC INDUSTRIES INC	512	N
			SMITH-BLAIR INC	239-069012-007	Y
				TYPE 239	N
296996	CLAMP DI&AC SS-S 8" W/ 3/4"TAP	CLAMP 8" TAP 3/4" DI&AC SS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER, SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C	FORD METER BOX CO	F2	N
			MUELLER ROMAC INDUSTRIES INC	512 SS2	N
			SMITH-BLAIR INC	239	N
				239-090512-007	Y
297127	CLAMP DI&AC SS-S 6" W/ 2"TAP	CLAMP 6" TAP 2" DI&AC SS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED, CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C	FORD METER BOX CO		N
			SMITH-BLAIR INC	239-00069012-015	Y
					N
297135	CLAMP DI&AC SS-B 6" W/ 1-1/2"T	CLAMP 6" TAP 1-1/2" DI&AC SS-B SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGERS, SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C			
297549	CLAMP REPAIR FULL-CIRCLE 2"	CLAMP REPAIR FULL-CIRCLE 2" FULL CIRCLE REPAIR CLAMPS FOR STEEL PIPE OR CAST IRON PIPE. O.D. RANGE 2.35- 2.63. CLAMP WIDTH SHALL BE 7.5 INCHES. SPECIAL SPECIFICATION.	FORD METER BOX CO	F1-263 X 7.5	N
			SMITH-BLAIR INC	226-023807	N
				226-023807-000	Y
297747	CLAMP DI&AC SS-BANDS 6"	CLAMP DI&AC 6" SS-BANDS 12"-WI CLAMPS SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON & ASBESTOS-CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE BOLT STYL	DRESSER MFG	362 WIDE RANGE	N
			FORD METER BOX CO	F2-764-12	N
			JCM IND	102 EXT RGE, LG WIDTH	N
			MUELLER ROMAC INDUSTRIES INC	CL2-764X12	N
			SMITH-BLAIR INC	227-069012	Y
				227-69012	N

297754	CLAMP DI&AC SS-BANDS 8"	CLAMP DI&AC 8" SS-BANDS 12"-WI CLAMPS SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON AND ASBESTOS CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE BOLT STYL	DRESSER MFG	362 WIDE RANGE	N
			FORD METER BOX CO	STYLE F2-979- 12.5	N
			JCM IND	102 EXT RGE,LG WPTH	N
			MUELLER	XTRA RANGE FULL SEAL	N
			ROCKWELL ROMAC INDUSTRIES INC	227-090812-000	N
			SMITH-BLAIR INC	227-090512-000	Y
297762	SLEEVE TAPPING 8X8" SS OD 9.20	SLEEVE TAPPING 8X8" SS OD 9.20- 9.60 AC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR	DRESSER MFG	620	N
			FORD METER BOX CO	FAST	N
			MUELLER	H619	N
			ROMAC INDUSTRIES INC	SST	N
			SMITH-BLAIR INC	SST-9.60X8 663	Y
297770	SLEEVE TAPPING 8X8" SS OD 9.05	SLEEVE TAPPING 8X8" SS OD 9.05- 9.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. BOD Y, NUTS, BOLTS, AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.	DRESSER MFG	620	Y
			FORD METER BOX CO		N
			JCM IND	432-0940X8	N
			ROMAC INDUSTRIES INC	SST	N
			SMITH-BLAIR INC	SST-9.45X8 663	N
297903	CLAMP CI SJ #60-S 6"	CLAMP 6" SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.	DRESSER MFG	STYLE 60-S	N
			SMITH-BLAIR INC	274-00000690- 000	Y
297911	CLAMP CI SJ #60-S 8"	CLAMP 8" SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.	DRESSER MFG	STYLE 60-S	N
			SMITH-BLAIR INC	274-0905	Y
297929 297937	CLAMP CI SJ #60-S 10" CLAMP CI SJ #60-S 12"	CLAMP 10" SJ DRESSER #60-S CLAMP 12" CI SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.	DRESSER MFG	STYLE 60-S	N
			SMITH-BLAIR INC	274	N

298844	SADDLE SERV DI&AC 16" W/ 2" TAP	SADDLE SERV 16" TAP 2" DI&ACC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED, WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S	CASCADE WATERWORKS	CDS-2	N
			DRESSER MFG	181	N
			FORD METER	F202, FS202,	N
			BOX CO	FC202	
			JAMES JONES CO	J948	N
			JCM IND	402-	N
			MUELLER		N
			ROMAC INDUSTRIES INC	202	N
			SMITH-BLAIR INC	313	N
				313-00188815-000	Y
299208	CLAMP REPAIR 8" SINGLE BAND FO	CLAMP REPAIR 8" SINGLE BAND FOR DI PIPE	SMITH-BLAIR INC	22600090512000	N
				226-090512-000	Y
299420	SADDLE SERV DI & AC 8" W/ 3/4"	SADDLE SERV 8" TAP 3/4" PVC 7.69-8.72 PVC PIPE SERVICE SADDLE SHALL BE SMITH-B LAIR INC STYLE 311 OR APPROVED EQUAL WITH 3/4" TAP HAVING ANSI/AWWA STANDARD C800-89 OR LATEST REVISION, TAPERED THREADS.	DRESSER MFG	291	N
			FORD METER	F101	N
			BOX CO		
			MUELLER	H-105	N
			SMITH-BLAIR INC	311	N
				313-00101007-000	Y
299479	SLEEVE TAPPING 6X6" SS-BODY FO	SLEEVE TAPPING 6X6" SS-BODY FOR PVC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, & WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR	DRESSER MFG	620	N
			FORD METER	FAST	N
			BOX CO		
			ROMAC INDUSTRIES INC	NEED OD OF PIPE	Y
				SST	N
			SMITH-BLAIR INC	663	N
299487	SLEEVE TAPPING 8X6" SS-BODY FO	SLEEVE TAPPING 8X6" SS-BODY FOR PVC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, & WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR	DRESSER MFG	620	N
			FORD METER	FAST	N
			BOX CO		
			ROMAC INDUSTRIES INC	SST	N
				SST-9.45X6	Y
			SMITH-BLAIR INC	663	N

299636	SADDLE SERV PVC 3" W/ 3/4" TAP	SADDLE SERV 3" TAP 3/4" PVC 0194 DRESSER PVC SERVICE SADDLES, 3", 4", 6", 8" SHALL BE SMITH-BLAIR STYLE 313 OR APPROVED EQUAL WITH 3/4" TAP HAVING ANSI /AWWA STD C800-89 OR LATEST REVISION. TAPERED THREADS.	DRESSER MFG		N
			FORD METER BOX CO		N
			MUELLER		N
			SMITH-BLAIR INC	313	N
				313-00035407-000	Y
299644	SADDLE SERV DI&AC 12" W/ 3/4" T	SADDLE SERV 12" TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SH	DRESSER MFG	291	N
			FORD METER BOX CO	F202-1438X-CC3	N
			JAMES JONES CO	J 979	N
			MUELLER	H 10517-37	N
			SMITH-BLAIR INC	313	N
				313-143207-000	Y
300109	8" ST X 20" - FULL CIRCLE CLAM	CLAMP STL 8" X 20"	SMITH-BLAIR INC	225-10086320-000	Y
VALVES					
200133	LID GATE BOX HEAVY DROP *WATER	LID GATE BOX HEAVY DROP *WATER East Jordon 24lbs	EAST JORDAN IRON WORKS INC	68000045	N
			JOHN BOUCHARD & SONS		Y
200164	WRENCH BLOW-OFF KUPFERLE	WRENCH BLOW-OFF (KUPFERLE)	KUPFERLE FOUNDRY COMPANY	TF500-W36	Y
200176	VALVE GATE 10" VERT FJ OPEN RI	VALVE GATE 10" VERT FJ OPEN RIGHTDOUBLE-DISK RESILIENT-SEATED FLANGED JOINT VALVE SHALL CONFORM TO ANSI/AWWA STD.C-509-87 OR LATEST REVISION WITH FLANGED ENDS CONFORMING TO ANSI B16.1 CLASS 125, NON-RISING STEM TURNING CLOCKWISE TO OPE	MUELLER	A2360-6	N
200200	BLUE PADLOCK SEALS WITH KUB LE	BLUE PADLOCK SEALS WITH KUB LETTERING, 2/ 1/2" LONG, 100 LB BREAKING STRENGTH SOLID STEEL HASP, KUB LABELING AND NUMBERING OF SEALS	AMERICAN CASTING	A2361-6	Y
			STOFFEL SALES CORP		Y
200247	VALVE BUTTERFLY MJ 30"	VALVE BUTTERFLY 30" MJ SPECIAL SPECS NOTE; DISCS AND INTERNAL WATERWAY SHALL BE EPOXY COATED.	MUELLER	3211-20	N
200415	GATE VALVE 3" BRASS	GATE VALVE 3" BRASS	HD SUPPLY MILWAUKEE VALVE	B3211-23 G3030NL UP148	N
200459	KUPFERLE AUTOMATIC FLUSHING DE	KUPFERLE AUTOMATIC FLUSHING DEVICE 9400 All Climate.	KUPFERLE FOUNDRY COMPANY	9400	Y
200704	VALVE GATE COMP FOR DI PIPE 4"	VALVE GATE 4 COMP WATER RESILIENT SEATED VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION. HDPE COMPRESSION OUTLETS, MIN. ALLOWABLE WORKING PRESSURE 200 PSI. TURN CLOCKWISE TO	MUELLER	9400-AC A2362-77	N

200706	VALVE GATE COMP FOR DI PIPE 6"	VALVE GATE 6 COMP WATER RESILIENT SEATED VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION. HDPE COMPRESSION OUTLETS, MIN. ALLOWABLE WORKING PRESSURE 200 PSI. TURN CLOCKWISE TO	MUELLER	A2362-77 AQUAGRIP A2362-77	N Y
200708	VALVE GATE COMP FOR DI PIPE 8"	VALVE GATE 8 COMP WATER RESILIENT SEATED VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION. HDPE COMPRESSION OUTLETS, MIN. ALLOWABLE WORKING PRESSURE 200 PSI. TURN CLOCKWISE TO	MUELLER	A2362-77 AQUAGRIP A2362-77	N Y
202841	CAP DEBRIS LOCKABLE TALL	LOCKABLE DEBRIS CAP DC457 WITH LD4 LOCKING BRACKET - FITS SCREW / SLIP 6 1/4" - 6 3/4", TRI CAM SPRING LOADED WITH SELF ADJUSTING CONTACT PADS - BLUE HANDLE	SOUTHWIRE	A2362-77 AQUAGRIP DC457	N Y
202842	CAP DEBRIS LOCKABLE SHORT	LOCKABLE DEBRIS CAP DC455 WITH LOCKING DEVICE LD-4 - FITS SCREW / SLIP 5" - 5 1/2", TRI CAM SPRING LOADED WITH SELF ADJUSTING CONTACT PADS - BLUE HANDLE			
202950	GATE VALVE 1" WHEEL	GATE VALVE 1" WHEEL	HYDRANT REPAIR PARTS INC	76275-312-666	Y
202951 203851	GATE VALVE NUT WHEEL WHEEL HAND FOR GATE VALVE 2"	GATE VALVE NUT WHEEL WHEEL HAND 2" FOR GATE VALVE	HAMMOND VALVE CO MILWAUKEE VALVE	76375-408-C66	N Y
204222	VALVE AIR&VAC CRISPIN 1"	VALVE AIR&VAC 1" CRISPIN AIR VALVES 1" SHALL BE DOUBLE PURPOSE TYPE TO VENT LARGE AIR FLOWS IN AND OUT ON FILLING AND DRAINING PIPE SYSTEMS AND TO CONSTANTLY RELEASE ACCUMULATED AIR ON PRESSURIZED SYSTEMS.	ARI	D-040	Y
			BERMAD MULTIPLEX MFG CO	1" 4405 CRISPIN UL-10	N N
205625	VALVE GATE BRASS 2"	VALVE GATE BRASS 2" BRONZE GATE VALVES SHALL BE FOR 150 PSI WATER WORKING PRESSURE, WITH BRONZE BODIES, SCREWED ENDS, RISING STEMS AND OPERATING WHEEL TURNING CLOCKWISE TO CLOSE. OPERATING VALVES SHALL BE SOLID W	PRIMER CORP CRANE VALVE CO	APCO MDL 143C 428	N N
			HAMMOND VALVE CO	IB640	N
			HD SUPPLY KITZ CORP	34204FGLF 24-200	N N
			LUNKENHEIMER	2127	N
			MILWAUKEE VALVE	148	N
			STOCKHAM VALVES & FITTINGS	UP148 B-100	Y N

207167	VALVE GATE BRASS 1"	VALVE GATE BRASS 1" BRONZE GATE VALVES SHALL BE FOR 150 PSI WATER WORKING PRESSURE, WITH BRONZE BODIES, SCREWED ENDS, RISING STEMS AND OPERATING WHEEL TURNING CLOCKWISE TO CLOSE. OPERATING VALVES SHALL BE SOLID	AMERICAN VALVE MFG CORP	4FG	N
			CRANE VALVE CO	428	N
			HAMMOND VALVE CO		N
			HD SUPPLY	34104FGLF	N
			KITZ CORP	24-100	N
			LUNKENHEIMER	2127	N
			MILWAUKEE VALVE	148	N
			STOCKHAM VALVES & FITTINGS	UP148 B-100	Y N
207183	VALVE GATE BRASS 3/4"	VALVE GATE BRASS 3/4" BRONZE GATE VALVES SHALL BE FOR 150 PSI WATER WORKING PRESSURE, WITH BRONZE BODIES, SCREWED ENDS, RISING STEMS AND OPERATING WHEEL TURNING CLOCKWISE TO CLOSE. OPERATING VALVES SHALL HAVE A SO	AMERICAN VALVE MFG CORP	4FG	N
			CRANE VALVE CO	428	N
			HAMMOND VALVE CO	IB640	N
			HD SUPPLY	34074FGLF	N
			KITZ CORP	24-034	N
			LUNKENHEIMER	2127	N
			MILWAUKEE VALVE	148	N
			STOCKHAM VALVES & FITTINGS	UP148 B-100	Y N
207480	VALVE AIR&VAC CRISPIN 2"	VALVE AIR&VAC 2" CRISPIN AIR VALVES 2" SHALL BE DOUBLE PURPOSE TYPE TO VENT LARGE AIR FLOWS IN AND OUT ON FILLING AND DRAINING PIPE SYSTEMS AND TO CONSTANTLY RELEASE ACCUMULATED AIR ON PRESSURIZED SYSTEMS.	ARI	D-040	Y
			BERMAD MULTIPLEX MFG CO	2" 4415 CRISPIN UL-20	N N
			VALVE & PRIMER CORP	2" APCO MODEL 145C	N
207506	VALVE GATE BRASS 1-1/2"	VALVE GATE BRASS 1-1/2" BRONZE GATE VALVES SHALL BE FOR 150 PSI WATER WORKING PRESSURE, WITH BRONZE BODIES, SCREWED ENDS, RISING STEMS AND OPERATING WHEEL TURNING CLOCKWISE TO CLOSE. OPERATING VALVES HAVE A SOLID	AMERICAN VALVE MFG CORP	4FG	N
			CRANE VALVE CO	428	N
			HAMMOND VALVE CO	IB640	N
			HD SUPPLY	34154FGLF	N
			KITZ CORP	24-112	N
			LUNKENHEIMER	2127	N
			MILWAUKEE VALVE	148	N
			STOCKHAM VALVES & FITTINGS	UP148	Y N

210732	VALVE BALL STRAIGHT 5/8"	VALVE BALL 5/8" STRAIGHT 5/8 STRAIGHT BALL SERVICE VALVE SHALL BE DESIGNED TO OPERATE AS INLET VALVE IN A METER INSTALLATION & BE FURNISHED WITH A 3/4 COMPRESSION TYPE INLET DESIGNED FOR COPPER TUBING & 3/4"	A Y MC DONALD MFG CO	6102T	N
			FORD METER BOX CO	76102WT B41-233	Y N
			HD SUPPLY	3707B41233WQ NL	N
			JAMES JONES CO	J2021	N
215038	VALVE CHECK CI MJ 10"	VALVE CHECK 10" CI MJ			
220004	VALVE CHECK BZ IN-LINE DUAL 1"	VALVE CHECK 1" IN-LI DUAL BZ IN&OUT-IPT CHECK VALVES, (1") IN-LINE DUAL, SHALL BE STANDARD BRONZE BODY TYPE WITH ALL INTERNAL PARTS ACCESSIBLE FOR REPAIR PURPOSES. INLET AND OUTLET CONNECTIONS SHALL BE I. P. THREAD	HD SUPPLY	90010H14243N	N
			MUELLER	H-14243 H14243-N	N Y
220012	VALVE CHECK BZ IN-LINE 1-1/2"	VALVE CHECK 1-1/2" IN-LINE DUAL BZ IN&O CHECK VALVES, (1-1/2") IN-LINE DUAL, SHALL BE STANDARD BRONZE BODY TYPE WITH ALL INTERNAL PARTS ACCESSIBLE FOR REPAIR PURPOSES. INLET AND OUTLET CONNECTIONS SHALL BE I. P. THREAD	HD SUPPLY	900150H14243N	N
			MUELLER	H-14243 H14243-N	N Y
220020	VALVE CHECK BZ IN-LINE DUAL 2"	VALVE CHECK 2" IN-LI DUAL BZ IN&OUT-IPT CHECK VALVES, (2") IN-LINE DUAL SHALL BE STANDARD BRONZE BODY TYPE WITH ALL INTERNAL PARTS ACCESSIBLE FOR REPAIR PURPOSES. INLET AND OUTLET CONNECTIONS SHALL BE I. P. THREAD	HD SUPPLY	900200H14243N	N
			MUELLER	H-14243 H14243-N	N Y
239597	VALVE BALL BRASS 1/4"	VALVE BALL BRASS 1/4"	HD SUPPLY MILWAUKEE VALVE	GT10001 UP148	N Y
239605	VALVE BALL BRASS 3/8"	VALVE BALL BRASS 3/8"	HD SUPPLY MILWAUKEE VALVE	GT10002 PM01	N Y
239613	VALVE BALL BRASS 1/2"	VALVE BALL BRASS 1/2"	HD SUPPLY MILWAUKEE VALVE	GT10003 UP148	N Y
239621	VALVE BALL BRASS 3/4"	VALVE BALL BRASS 3/4"	HD SUPPLY SMITH COOPER	3407BG100 8145	N Y
239639	VALVE BALL BRASS 1"	VALVE BALL BRASS 1"	HD SUPPLY MILWAUKEE VALVE	3410BG100 UP148	N Y
239647	VALVE BALL BRASS 1-1/4"	VALVE BALL BRASS 1-1/4"	HD SUPPLY MILWAUKEE VALVE	GT1012 UP148	N Y
239654	VALVE BALL BRASS 1-1/2"	VALVE BALL BRASS 1-1/2"	HD SUPPLY MILWAUKEE VALVE	GT1015 UP148	N Y
239662	VALVE BALL BRASS 2"	VALVE BALL BRASS 2"	HD SUPPLY MILWAUKEE VALVE	3420BG100 UP148	N N
			SMITH COOPER	8145	Y
239663	VALVE BALL BRASS 2" FPT X TELE	VALVE BALL BRASS 2" FPT X TELESCOPING MTR FLANGE W/ CURB STOP OPERATING HEAD AY MCDONALD MODEL #7E6101MW2	A Y MC DONALD MFG CO	PART #5149-493	Y

239664	VALVE BALL BRASS 2" FPT X FPT	VALVE BALL BRASS 2" FPT X FPT W/ CURB STOP OPERATING HEAD, AY MCDONALD MODEL #76101	A Y MC DONALD MFG CO	PART #5129-119 Y	
290031	VALVE CHECK CI FJ 3"	VALVE CHECK 3" CI FJ CAST IRON FLANGED SWING CHECK VALVES SHALL HAVE CAST IRON BODIES & BE FULLY BRONZE MOUNTED. ENDS ARE TO BE FACED & DRILLED IN ACCORDANCE WITH ANSI STANDARD B16.1, CLASS 125. VALVES SHALL BE D	AMERICAN DARLING CO	52SC	N
			HAMMOND VALVE CO	IR1124	N
			KENNEDY VALVE MFG CO	106	N
			M & H VALVE CO	59-02	N
			MUELLER	A2600-6 A2600-6 OR A2120-6	Y N
290049	VALVE SWING-CHECK CI FJ 4"	VALVE SWING-CHECK 4" CI FJ CAST IRON FLANGED SWING CHECK VALVES SHALL HAVE CAST IRON BODIES & BE FULLY BRONZE MOUNTED. ENDS ARE TO BE FACED & DRILLED IN ACCORDANCE WITH ANSI STAND- ARD B16.1, CLASS 125. VALVES SHALL BE D	AMERICAN DARLING CO		N
			HAMMOND VALVE CO	IR1124	N
			KENNEDY VALVE MFG CO	106	N
			M & H VALVE CO	59-02	N
			MUELLER	A2600-6 OR A2120-6 A2602-6	N Y
290056	VALVE GATE FJ 4"	VALVE GATE 4" FJ RESILIENT-SEATED FLANGED JOINT VALVES SHALL CONFORM TO ANSI/AWWA STD. C-509-87 OR LATEST REVISION WITH FLANGED ENDS CONFORMING TO ANSI B16.1 CLASS 125, NON-RISING STEM TURNING CLOCKW	AMERICAN VALVE & HYDRANT DIV	AMERICAN 80 CRS	N
			CLOW CORP	F-6102	N
			KENNEDY VALVE MFG CO		N
			M & H VALVE CO	3067-02	N
			MUELLER	A2360-6 A2370-6	Y N
			STOCKHAM VALVES & FITTINGS	W-134	N
			U S PIPE & FOUNDRY CO	5100	N
			WATEROUS CO	SERIES 500	N
290478	VALVE GATE CI MJ 3"	VALVE GATE 3" CI MJ VERT RESILIENT-SEATED MJ VALVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STD C-509-87 OR LATEST REVISION, WITH MJ ENDS, NON-RISING STEM TURN CLOCKWISE TO OPEN. O-RING STEM & SEALS FITTED WITH A STD WRENCH NU	AMERICAN AVK COMPANY	SERIES 25/40	N
			AMERICAN VALVE & HYDRANT DIV	AMERICAN-80 CRS	N
			CLOW CORP	F6100	N
			KENNEDY VALVE MFG CO	1571XR	N
			M & H VALVE CO	3067-01	N

			MUELLER	A-2360-20	N
				A2361-23	Y
			STOCKHAM		N
			VALVES &		
			FITTINGS		
			U S PIPE &	5460	N
			FOUNDRY CO		
			WATEROUS CO	SERIES 500	N
290551	VALVE GATE CI MJ 6"	VALVE GATE 6" CI MJ VERT RESILIENT-SEATED M.J. VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION, WITH M.J. ENDS, NON-RISING STE M, TURN CLOCKWISE TO OPEN, O- RING,STEM SEALS, AND FITTED WITH A STD. WRENCH NUT	AMERICAN AVK COMPANY	SERIES 25/40	N
			AMERICAN VALVE & HYDRANT DIV		N
			CLOW CORP	F6100	N
			KENNEDY	1571XR	N
			VALVE MFG CO		
			M & H VALVE CO	3067-01	N
			MUELLER	A2360-20	N
				A2360-23	Y
			U S PIPE &	5460	N
			FOUNDRY CO		
			WATEROUS CO	SERIES 500	N
290759	VALVE GATE FJ 6"	VALVE GATE 6" FJ RESILIENT- SEATED FLANGED JOINT VALVES SHALL CONFORM TO ANSI/AWWA STD. C-509-87 OR LATEST REVISION WITH FLANGED ENDS CONFORMING TO ANSI B16.1 CLASS 125, NON-RISING STEM TURNING CLOCKW	AMERICAN VALVE & HYDRANT DIV	AMERICAN AFC 2500	N
			CLOW CORP	F-6102	N
			KENNEDY	1561XR	N
			VALVE MFG CO		
			M & H VALVE CO	3067-02	N
			MUELLER		N
				A2361-6	Y
			STOCKHAM	W-134	N
			VALVES & FITTINGS		
			U S PIPE &	5100	N
			FOUNDRY CO		
			WATEROUS CO	SERIES 500	N
290890	VALVE GATE FLANGE-JOINT 3"	VALVE GATE 3" FJ RESILIENT- SEATED FLANGED JOINT VALVES SHALL CONFORM TO ANSI/AWWA STD. C-509-87 OR LATEST REVISION, WITH FLANGE D ENDS CONFORMING TO ANSI B16.1 CLASS 125, NON-RISING STEM TURNING CLOCKW	AMERICAN VALVE & HYDRANT DIV	AMERICAN 80 CRS	N
			CLOW CORP		N
			KENNEDY	1561XR	N
			VALVE MFG CO		
			M & H VALVE CO	3067-02	N
			MUELLER	A2361-6	Y
				A2370-6	N
			STOCKHAM	W-134	N
			VALVES & FITTINGS		
			U S PIPE &	5100	N
			FOUNDRY CO		
			WATEROUS CO	SERIES 500	N

291310	VALVE TAPPING-GATE MJ 4"	VALVE TAPPING-GATE 4" MJ TAPPING,RESILIENT SEATED, MJ VALVES 3", 4", 6", 8", SHALL CONFORM TO ANSI/AWWA STD C509-87 OR LATEST REVISION, FLANGED WITH RAISED FACE TO MATCH GROOVE ON ONE END & MJ ON OTHER END. NON-RISING S	AMERICAN VALVE & HYDRANT DIV		N
			CLOW CORP KENNEDY VALVE MFG CO	F6114 1572X,SPEC FLANGE	N
			M & H VALVE CO	3751NRS	N
			MUELLER	A2361-23 H687	Y
			WATEROUS CO	500	N
291328	VALVE TAPPING-GATE MJ 3"	VALVE TAPPING-GATE 3" MJ TAPPING,RESILIENT SEATED, MJ VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION, FLANGED WITH RAISED FACE TO MATCH GROOVE ON ONE END & MJ ON OTHER END. NON-RISING STEM TURNING	AMERICAN VALVE & HYDRANT DIV	80CRS,SPEC FLANGE	N
			CLOW CORP KENNEDY VALVE MFG CO	F6114 1572X,SPEC FLANGE	N
			M & H VALVE CO	3751NRS	N
			MUELLER	A2361-19	Y
			WATEROUS CO	500	N
291971	VALVE GATE CI MJ VERT 8"	VALVE GATE 8" CI MJ VERT RESILIENT-SEATED MJ VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-89 OR LATEST REVISION OR C515, WITH MJ ENDS, NON-RISING STEM, TURN CLOCKWISE TO OPEN, O-RING, STEM SEALS, & FITTED WITH A STD WRENCH NUT.	AMERICAN AVK COMPANY	SERIES 25/40	N
			AMERICAN VALVE & HYDRANT DIV	AMERICAN-80 CRS	N
			CLOW CORP KENNEDY VALVE MFG CO	F16100 1571XR	N
			M & H VALVE CO	3067-01	N
			MUELLER	A2360-23	Y
292904	VALVE GATE CAST-IRON MJ 10"	VALVE GATE 10" CI MJ VERT RESILIENT-SEATED MJ VALVES SHALL CONFORM TO ANSI/AWWA STD.C509-87 OR LATEST REVISION, WITH MJ ENDS, NON-RISING STEM, TURN CLOCKWISE TO OPEN. O-RING,STEM SEALS, & FITTED WITH A STD. WRENCH NUT.	AMERICAN AVK COMPANY	SERIES 25/40	N
			AMERICAN VALVE & HYDRANT DIV	80CRS,SPEC FLANGE	N
			CLOW CORP KENNEDY VALVE MFG CO	F6114 1572,SPEC FLANGE	N
			M & H VALVE CO	3751NRS	N
			MUELLER	A2361-23 H687	Y

			WATEROUS CO	500	N
293019	VALVE TAPPING-GATE MJ 6"	VALVE TAPPING-GATE 6" MJ TAPPING RESILIENT SEATED MJ VALVES SHALL CONFORM TO ANSI/AWWA STD C509-87 OR LATEST REVISION, FLANGED WITH RAISED FACE TO MATCH GROOVE ON ONE END & MJ ON OTHER END. NON-RISING STEM TURNING C	AMERICAN VALVE & HYDRANT DIV	80CRS.SPEC FLANGE	N
			CLOW CORP KENNEDY VALVE MFG CO	F6114 1572X.SPEC FLANGE	N
			M & H VALVE CO	3751NRS	N
			MUELLER	A2360-19 H687	Y
			WATEROUS CO	500	N
293027	VALVE TAPPING-GATE MJ 8"	VALVE TAPPING-GATE 8" MJ TAPPING,RESILIENT SEATED, MJ VALVES SHALL CONFORM TO ANSI/AWWA STD C509-87 OR LATEST REVISION, FLANGED WITH RAISED FAC E TO MATCH GROOVE ON ONE END & MJ ON OTHER END. NON-RISING STEM TURNING CW T	AMERICAN VALVE & HYDRANT DIV	80CRS.SPEC FLANGE	N
			CLOW CORP KENNEDY VALVE MFG CO	1950X	N
			M & H VALVE CO	3751-01	N
			MUELLER	A2361-19 H687	Y
			WATEROUS CO	500	N
293050	VALVE SWING-CHECK CI FJ 6"	VALVE SWING-CHECK 6" CI FJ CAST IRON FLANGED SWING CHECK VALVES SHALL HAVE CAST IRON BODIES & BE FULLY BRONZE MOUNTED. ENDS ARE TO BE FACED & DRILLED IN ACCORDANCE WITH ANSI STAND- ARD B16.1, CLASS 125. VALVES SHALL BE D	AMERICAN DARLING CO	52SC	N
			HAMMOND VALVE CO KENNEDY VALVE MFG CO	IR1124 106	N
			M & H VALVE CO	59-02	N
			MUELLER	A2600-6 OR A2120-6 A2602-6	N
294041	GATE-BOX UPPER-SECTION	GATE BOX UPPER SECTION	CAPITOL FOUNDRY OF VIRGINA INC OPELIKA FOUNDRY	4906	N
			SIGMA CORPORATION	VB630	Y
			SIGMA/NAPPCO /RUSSELL TYLER		N
294058	GATE-BOX LOWER-SECTION	GATE BOX LOWER SECTION	CAPITOL FOUNDRY OF VIRGINA INC OPELIKA FOUNDRY	4906	N
			SIGMA/NAPPCO /RUSSELL TYLER		N
294074	BASE FOR GATE-BOX 32-LB	BASE GATE BOX 32LB	CAPITOL FOUNDRY OF VIRGINA INC OPELIKA FOUNDRY	18D-6860 4906	Y
					N

			SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL TYLER CAPITOL FOUNDRY OF VIRGINIA INC OPELIKA FOUNDRY SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL TYLER	VB630	Y
294082	LID FOR GATE-BOX	LID GATE BOX			N
				4906	N
				VB2600	Y
					N
294231	VALVE GATE CI MJ VERT 4"	VALVE GATE 4" CI MJ VERT RESILIENT-SEATED MJ VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION, WITH MJ ENDS, NON-RISING STEM, TURN CLOCKWISE TO OPEN, O- RING, STEM SEALS, & FITTED WITH A STD WRENCH NUT. V	AMERICAN VALVE & HYDRANT DIV CLOW CORP KENNEDY VALVE MFG CO	AMERICAN-80 CRS F6102 1571XR	N N N
			M & H VALVE CO MUELLER		N
				A-2360-20 A2360-23	N Y
			STOCKHAM VALVES & FITTINGS U S PIPE & FOUNDRY CO WATEROUS CO	5460 SERIES 500	N N
294355	VALVE BUTTERFLY MJ 12"	VALVE BUTTERFLY 12" MJ SPECIAL SPECS NOTE; DISCS AND INTERNAL WATERWAY SHALL BE EPOXY COATED.	AMERICAN DARLING CO	AWWA C504	N
			CLOW CORP	STYLE F5370,10&LARG R	N
			HENRY PRATT KENNEDY VALVE MFG CO	GROUNDHOG 30-C	N N
			M & H VALVE CO MUELLER		N
294587	VALVE BUTTERFLY MJ 16"	VALVE BUTTERFLY 16" MJ SPECIAL SPECS NOTE: DISCS AND INTERNAL WATERWAY SHALL BE EPOXY COATED.	AMERICAN DARLING CO	LINESEAL III/MB 3211 CL150B	Y N
			CLOW CORP	STYLE F5370,10&LARG R	N
			HENRY PRATT KENNEDY VALVE MFG CO	GROUNDHOG 30C	N N
			M & H VALVE CO MUELLER	450-01	N
296145	VALVE GATE VERT FJ 8"	VALVE GATE 8" VERT FJ DOUBLE- DISK RESILIENT-SEATED FLANGED JOINT VALVE SHALL CONFORM TO ANSI/AWWA STD.C-509-87 OR LATEST REVISION WITH FLANGED ENDS CONFORMING TO ANSI B16.1 CLASS 125, NON-RISING STEM TURNING CLOCKWISE TO OPE	AMERICAN VALVE & HYDRANT DIV	B3211-23	Y N

			M & H VALVE CO	67-02	N
			MUELLER	A2361-6 A2380-6	Y N
297382	VALVE SWING-CHECK CI FJ 8"	VALVE SWING-CHECK 8" CI FJ CAST IRON FLANGED SWING CHECK VALVES SHALL HAVE CAST IRON BODIES & BE FULLY BRONZE MOUNTED. ENDS ARE TO BE FACED & DRILLED IN ACCORDANCE WITH ANSI STAND- ARD B16.1, CLASS 125. VALVES SHALL BE D	AMERICAN DARLING CO		N
			HAMMOND VALVE CO	IR1124	N
			KENNEDY VALVE MFG CO	106	N
			M & H VALVE CO	59-02	N
			MUELLER	A2600-6 A2602-6	N Y
297580	VALVE GATE CI MJ VERT 12"	VALVE GATE 12" CI MJ VERT RESILIENT-SEATED, M.J. VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION OR C515, WITH M.J. ENDS, NON- RISING STE M, TURN CLOCKWISE TO OPEN. O-RING,STEM SEALS, AND FITTED WITH A STD. WRENCH NUT	AMERICAN VALVE & HYDRANT DIV		N
			CLOW CORP KENNEDY VALVE MFG CO	F6114 1572X,SPEC FLANGE	N N
			M & H VALVE CO	3751NRS	N
			MUELLER	A2361-23 H687	Y N
			WATEROUS CO	500	N
298018	VALVE BUTTERFLY MJ 24"	VALVE BUTTERFLY 24" MJ SPECIAL SPECS NOTE: DISCS AND INTERNAL WATERWAY SHALL BE EPOXY COATED.	AMERICAN DARLING CO		N
			CLOW CORP	STYLE F5370,8&LARGE R	N
			HENRY PRATT KENNEDY VALVE MFG CO	GROUNDHOG 30C	N N
			M & H VALVE CO	450-01	N
			MUELLER	B3211-23 LINESEAL III	Y N
298109	VALVE BUTTERFLY MJ 10"	VALVE BUTTERFLY 10" MJ SPECIAL SPECS DISC & INTERNAL WATERWAY SHALL BE EPOXY COATED	AMERICAN DARLING CO	AWWA C504	N
			CLOW CORP	STYLE F5370,10&LARG R	N
			HENRY PRATT KENNEDY VALVE MFG CO	30C	N N
			MUELLER	B3211-23 LINESEAL III/MB 3211	Y N
299131	VALVE DUAL-CHECK BACKFLOW 1"	VALVE DUAL-CHECK BACKFLOW 1" PREVENTER DUAL CHECK BACKFLOW PREVENTER, SHALL CONSIST OF TWO INDEPENDENTLY ACTING CHECK VALVES ASSEMBLED IN A SINGLE HOUSING. CHECKS SHALL BE READILY REMOVABLE FOR INSPECTION. VALVE	WATTS REGULATOR	LF7	Y
299164	ADAPTER VALVE-BOX 1"	ADAPTER VALVE BOX 1"	ACHESON FOUNDRY	SERIES A-8500	N N

			SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL	VB2601	Y
299172	ADAPTER VALVE-BOX 1-1/2"	ADAPTER VALVE BOX 1-1/2"	ACHESON FOUNDRY	SERIES A-8500	N
			SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL	VB26015	Y
299180	ADAPTER VALVE-BOX 2"	ADAPTER VALVE BOX 2"	ACHESON FOUNDRY	SERIES A-8500	N
			SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL	VB2602	Y
			SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL		N

HYDRANTS AND PARTS

200055	FLANGE SAFETY MUELLER	FLANGE SAFETY MUELLER 4-1/2" HYDT HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA/AWWA STANDARD C502- 85 FOR FIRE HYDRANTS. FLANGE SHALL BE SPLIT.	HYDRANT REPAIR PARTS INC	175284-1	Y
200127	LOWER VALVE PLATE M & H HYDRAN	LOWER VALVE PLATE M & H HYDRAN	MUELLER HYDRANT REPAIR PARTS INC	A28 #50	N Y
200128	NUT OPERATING OPEN-RIGHT	OPERATING NUT OPEN RIGHT	HYDRANT REPAIR PARTS INC	42 450 #1	N Y
				#1 CLOW F2500	N
200129	UPPER STANDPIPE GASKET CLOW F2	UPPER STANDPIPE GASKET CLOW F2	HYDRANT REPAIR PARTS INC	#19	Y
200130	HOUSING COVER AMERICAN DARLING	HOUSING COVER AMERICAN DARLING	HYDRANT REPAIR PARTS INC	4.50 CLOW 73-9	N Y
				73-9 AMERICAN DARLING	N
200131	MAIN VALVE RUBBER AMERICAN DAR	MAIN VALVE RUBBER AMERICAN DAR	NORTH MED SUPPLY HYDRANT REPAIR PARTS INC	#41 AMERICAN DARLING	N
200132	M & H 4 1/2" HYDRANT TRAFFIC R	M & H 4 1/2" HYDRANT TRAFFIC REPAIR	HYDRANT REPAIR PARTS INC	73-41 HRP-4-6-129	Y Y
200134	OIL FIRE-HYDRANT	FIRE HYDRANT OIL 10.5 OZ.	HYDRANT REPAIR PARTS INC	280354	Y
200140	NUT OPERATING MUELLER-A1	OPERATING NUT MUELLER A-1	MUELLER HYDRANT REPAIR PARTS INC	A51-H96 146441	N Y
200141	NUT HOLD-DOWN MUELLER-A84	HOLD DOWN NUT MUELLER A-84	MUELLER HYDRANT REPAIR PARTS INC	A-1 146502	N Y
200142	BOLT BREAKAWAY 1/2"X2-1/2"	BOLT BREAKAWAY 1/2" X 2 3/4"	MUELLER HD SUPPLY HYDRANT REPAIR PARTS INC	A-84 63BNK450525 1/2-13X2 3/4 BREAK B&N	N N N
200143	KIT MAIN-VALVE MUELLER	MAIN VALVE KIT MUELLER	HYDRANT REPAIR PARTS INC	290272	Y Y
				HRP 366 450 MAIN VALVE KIT IMP	N
200144	COUPLING BREAKAWAY MUEL-HYDT	MUELLER BREAKAWAY COUPLING	MUELLER HYDRANT REPAIR PARTS INC	280366 #25 SAFETY STEEL COUPLING 190350	N N Y

200145	STEM UPPER HYDRANT 4-1/2"	UPPER STEM 4 1/2 OLD IMPROVED	MUELLER MUELLER	185223	N Y
200163	SAFETY FLANGE REPAIR KIT AMERI	SAFETY FLANGE REPAIR KIT AMERICAN DARLING	HYDRANT REPAIR PARTS INC	HRPI-473/584	Y
200179 200261	BOLT BREAKAWAY 5/8"X2-3/4" O-RING LOWER MAIN VALVE SEAT	BOLT BREAKAWAY 5/8 X 2 3/4 O-RING LOWER MAIN VALVE SEAT M&H HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH ANSI/AWWA STANDARD C502- 85 FOR FIRE HYDRANTS.	HYDRANT REPAIR PARTS INC	#3	Y
200264	PLASTIC FIRE HYDRANT BAGS "NOT	PLASTIC FIRE HYDRANT BAGS TO READ "NOT IN SERVICE"	M & H VALVE CO JOSEPH G POLLARD CO	P6903	Y
200268	O-RING TOP SEAT RING MUELLER A	O-RING TOP SEAT RING MUELLER A-	MUELLER	P69250 A-39	N Y
200269	O-RING BOTTOM SEAT RING MUELLE	O-RING BOTTOM SEAT RING MUELLER A-44	HYDRANT REPAIR PARTS INC MUELLER MUELLER	A-44	Y
200286	UPPER STEM NEW CENTURION MUELL	UPPER STEM NEW CENTURION MUELLER FIRE HYDRANT	MUELLER	184093	N Y
200294	EXTENSION HYDRANT CLOW 12"	HYDRANT EXTENSION 12" CLOW	CLOW CORP HYDRANT REPAIR PARTS INC	MODEL 2500	N Y
200322	CLOW MEDALLION REPAIR KIT	CLOW MEDALLION REPAIR KIT r61C1F1620562	HD SUPPLY	041689	N
200326	KIT HYDRANT-EXTN MUELLER 4-1/2	HYDRANT EXT KIT MUELLER 4 1/2	HYDRANT REPAIR PARTS INC	61CL06F2500TR K HRPI-652 450 MEDAL SFRK R1620 A300	N Y Y
200331	PIN LOWER-STEM M&H-HYDRANT	LOWER STEM PIN M&H	HYDRANT REPAIR PARTS INC	HRPI-374 #36 450/525 6- 129 LWR STEM PIN #46	N N Y
200339	VALVE FACING #30 FOR M&H HYDRA	VALVE FACING #30 FOR M&H HYDRANT	M & H VALVE CO HYDRANT REPAIR PARTS INC	LOWER STEM PIN #30 VALVE FACING FOR 4.50 129 #44	N N Y
200340	VALVE RIVETS #31 FOR M&H HYDRA	VALVE RIVETS #31 FOR M&H HYDRANT	M & H VALVE CO HYDRANT REPAIR PARTS INC	#30	N
200341	BOLTS 3/8 X 2 1/2 FOR M&H HYDR	BOLTS 3/8 X 2 1/2 FOR M&H HYDRANT	HYDRANT REPAIR PARTS INC	#31	Y
200398 200399 200400	O-RING CLOW LOWER #20 BLACK O-RING CLOW UPPER #18 BLACK VALVE SEAT MAIN CLOW 4 1/2"	O-RING CLOW LOWER #20 BLACK O-RING CLOW UPPER #18 BLACK VALVE SEAT MAIN CLOW 4 1/2"	M & H VALVE CO	#31	N
200401 200403 200404	SNAP RING 4 1/2" CLOW THRUST NUT CLOW GASKET COVER #10 12" CLOW	SNAP RING 4 1/2" CLOW THRUST NUT CLOW GASKET COVER #10 12" CLOW	HYDRANT REPAIR PARTS INC	BOLT 3/8 X 2 1/2 N	Y
200405	MUELLER NEW STYLE KIT HRPI-374	MUELLER NEW STYLE KIT HRPI-374	HYDRANT REPAIR PARTS INC	T1600414	Y
200406 200407 200408	STEM EXT. 6" MUELLER I.O.S. STEM EXT. 12" MUELLER I.O.S. NUT CAP MUELLER	STEM EXT. 6" MUELLER I.O.S. STEM EXT. 12" MUELLER I.O.S. NUT CAP MUELLER	HYDRANT REPAIR PARTS INC	T0600424	Y
200406 200407 200408	STEM EXT. 6" MUELLER I.O.S. STEM EXT. 12" MUELLER I.O.S. NUT CAP MUELLER	STEM EXT. 6" MUELLER I.O.S. STEM EXT. 12" MUELLER I.O.S. NUT CAP MUELLER	HYDRANT REPAIR PARTS INC	A-49 CENTURION	Y

200409	NUT LOWER VALVE MUELLER	NUT LOWER VALVE MUELLER	HYDRANT REPAIR PARTS INC	142771	Y
200411	SAFETY STEM COUPLING MUELLER I	SAFETY STEM COUPLING MUELLER IOS	MUELLER	190350	Y
200412	SAFETY STEM SLEEVE MUELLER IOS	SAFETY STEM SLEEVE MUELLER IOS	MUELLER	H-75 H-95	N Y
200418	VALUE DRAIN MUELLER 4 1/2"	VALUE DRAIN MUELLER 4 1/2"			
200419	GASKET MUELLER 8" BLACK	GASKET MUELLER 8" BLACK			
200420	O-RING MUELLER	O-RING MUELLER			
200421	CAP HYDRANT MUELLER RED #8	CAP HYDRANT MUELLER RED #8			
200422	VALVE DRAIN MUELLER 4 1/2" HM	VALVE DRAIN MUELLER 4 1/2" HM			
200423	COUPLING MUELLER D2-04-4	COUPLING MUELLER D2-04-4	HD SUPPLY MUELLER	61MU190350	N Y
200424	HOSE NOZZLE 250 MUELLER	HOSE NOZZLE 250 MUELLER	HYDRANT REPAIR PARTS INC	290272	Y
200425	PUMPER NOZZLE 250 MUELLER	PUMPER NOZZLE 250 MUELLER	MUELLER HYDRANT REPAIR PARTS INC	A-18 290273	N Y
200426	O-RING STEM MUELLER CENTURION	O-RING STEM MUELLER CENTURION	MUELLER HYDRANT REPAIR PARTS INC	A-14 #6 194514	N N Y
200427	STEM PIN COUPLING MUELLER	STEM PIN COUPLING MUELLER			
200438	VALVE DRAIN FACING MUELLER BLK	VALVE DRAIN FACING MUELLER BLK	HYDRANT REPAIR PARTS INC	A-34	Y
200439	O-RING HOLD DOWN NUT MUELLER	O-RING HOLD DOWN NUT MUELLER			
200447	STEM PIN UPPER CENTURION MUELLER	STEM PIN UPPER CENTURION MUELLER			
200448	NOZZLE LOCK CENTURION MUELLER	NOZZLE LOCK CENTURION MUELLER	HYDRANT REPAIR PARTS INC		Y
200449	LOCK WASHER MUELLER 1"	LOCK WASHER MUELLER 1"			
200467	STEM EXT. 18" MUELLER I.O.S.	STEM EXT. 12" MUELLER I.O.S.			
200527	O-RING UPPER MAIN VALVE SEAT	O-RING UPPER MAIN VALVE SEAT M&H HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH ANSI/AWWA STANDARD C500- 86.	HYDRANT REPAIR PARTS INC	#29 425/450 UPR SEAT ORING 129	N
				#52	Y
			M & H VALVE CO		N
200584	VALVE BALATA FOR 4-1/2" HYDRNT	VALVE BALATA FOR 4-1/2" HYDT MUELLER HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. BALATA VALVE FOR 4-1/3" MUELLER HYDRANT	MUELLER		Y
200832	GASKET BONNET MUELLER H-59	GASKET H-59 MUELLER	HYDRANT REPAIR PARTS INC	H-59	N Y
			MUELLER ROCKWELL		N N
201012	VALVE RUBBER BALATA 4-1/2"	VALVE RUBBER BALATA 4-1/2"	HYDRANT REPAIR PARTS INC	#48	Y
			M & H VALVE CO	61MH4-224008	N
201160	ASSY SAFETY KIT STEM 4-1/2" (N	ASSY SAFETY KIT STEM 4-1/2" (NO STEM)	MUELLER		Y
				H-75/95/94	N
201194	STEM UPPER FOR 4-1/2" HYDRANT	STEM UPPER FOR 4-1/2" HYDRANT	HYDRANT REPAIR PARTS INC	#11	Y
			M & H VALVE CO		N
201384	NUT SHIELD R/H-THREAD	SHIELD NUT RH-TH	HYDRANT REPAIR PARTS INC	#1	Y
			M & H VALVE CO		N

202507	SEAT MAIN VALVE KIT M&H	SEAT MAIN VALVE KIT M&H	HYDRANT REPAIR PARTS INC	#25 4.50 MAIN VALVE M&H 129/929	N Y
			M & H VALVE CO		N
202549	WRENCH FIRE-HYDRANT MUELLER	WRENCH FIRE HYDRANT MUELLER	MUELLER	61MU175528	N
				A310	Y
202697	PLATE VALVE 4-1/4" HYDRANT	PLATE VALVE 4-1/4" HYDT	HYDRANT REPAIR PARTS INC	A-36 OR A-46	Y
			MUELLER	COLUMBIA	N
202713	NUT SHIELD LH-THREADS	SHIELD NUT LF-TH	HYDRANT REPAIR PARTS INC	#1	Y
			M & H VALVE CO		N
202869	BOLT BREAKAWAY 5/8" X 3-3/4"	BOLT BREAKAWAY 5/8" X 3-3/4"	HD SUPPLY HYDRANT REPAIR PARTS INC	63BNK450525	N Y
202959	GASKET HOSE NOZZLE MUELLER	GASKET HOSE NOZZLE MUELLER	HYDRANT	A-15	Y
202960	GASKET PUMPER NOZZLE MUELLER	GASKET PUMPER NOZZLE MUELLER	REPAIR PARTS INC		
203009	SEAT SEAL MUELLER TOP	SEAT SEAL MUELLER	HYDRANT REPAIR PARTS INC	A-39	Y
203010	O-RING BONNET MUELLER	O-RING BONNET MUELLER	HYDRANT REPAIR PARTS INC	A-5	Y
203012	O-RING BONNET STEM M&H	O-RING BONNET STEM M&H	HYDRANT REPAIR PARTS INC	#14 M&H	Y
203013	O-RING HOLD DOWN NUT M&H	O-RING HOLD DOWN NUT M&H			
203014	O-RING HOSE NOZZLE M&H	O-RING HOSE NOZZLE M&H			
203015	O-RING SEAT M&H	O-RING SEAT M&H			
203016	CAP WEATHER SEAL RED M&H	CAP WEATHER SEAL RED M&H			
203017	UPPER ROD AMERICAN DARLING	UPPER ROD AMERICAN DARLING	HYDRANT REPAIR PARTS INC	#30-11 MARK 73	Y
203018	GASKET COVER HOLD DOWN NUT AME	GASKET COVER HOLD DOWN NUT AMERICAN DARLING	HYDRANT REPAIR PARTS INC	73-2-1	Y
203019	GASKET HOLD DOWN NUT AMERICAN	GASKET HOLD DOWN NUT AMERICAN DARLING	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-14 73-14	N Y
203020	VALVE DRAIN FACING LEATHER	VALVE DRAIN FACING LEATHER	HYDRANT REPAIR PARTS INC	A-34	Y
203125	COUPLING BREAKABLE FOR 4-1/2"H	COUPLING BREAKABLE FOR 4-1/2"	HYDRANT REPAIR PARTS INC	#29	Y
			M & H VALVE CO		N
203141	GASKET STANDPIPE FOR 4-1/2"HYD	GASKET STANDPIPE FOR 4-1/2"	HD SUPPLY	61441805MH	N
			HYDRANT REPAIR PARTS INC	#15	Y
			M & H VALVE CO		N
203620	VALVE DRAIN FOR 4-1/2" HYDRANT	VALVE DRAIN FOR 4-1/2" HYDT	HYDRANT REPAIR PARTS INC	#23 4.50 M&H 129 DRAIN VALVE	N
			M & H VALVE CO	#43	Y
			M & H VALVE CO	#23 4.50 M&H 129 DRAIN VALVE	N
203638	GASKET LGE MAIN VALVE SEAT	GASKET LG MAIN VALVE SEAT	HYDRANT REPAIR PARTS INC	#48	Y
			M & H VALVE CO		N
203794	NOZZLE HOSE 2-1/2"	NOZZLE HOSE (2 1/2")	HYDRANT REPAIR PARTS INC	#16 2 1/2 HOSE NOZ FOR M&H 129 22-23	N Y

204040	NUT OPERATING 4-1/2" HYDT M&H	NUT OPERATING 4-1/2" HYDT M&H KIT	M & H VALVE CO HYDRANT REPAIR PARTS INC	STYLE 129T, #454057 #3 4.5 129 0P NT OR 1.5" PENT	N Y
212746	COVER O-RING M73	O-RING COVER M73	M & H VALVE CO AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-2-1 73-2-1	N Y
212753	NUT OPERATING HYDRANT M73	NUT OPERATING HYDT M73	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-1	N Y
212761	HOUSING O-RING HYDRANT M73	HOUSING O-RING HYDT M73 AMERICAN-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HOUSING O-RING, REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE HYDRANT	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-2-2 73-2-2	N Y
212779	COVER GASKET AM-DARL-M73	GASKET COVER M73	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-13 73-13	N Y
212787	GASKET HYDRANT AM-DARL-M73	GASKET HYDT M73 AMER DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HOUSING GASKET, REPLACEMENT PART FOR AMERICAN DARLING MARK 73 FIRE HYDRANT.	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-14 73-14	N Y
212795	ROD COUPLING HYDRANT-M73	ROD COUPLING HYDRANT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. ROD COUPLING S, REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE HYDRANT.	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-29-30 73-29-30	N Y
212803	PIN COUPLING HYDRANT-M73	PIN COUPLING HYDRANT M73	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-29-31 73-29-31	N Y
212811	FLANGE SAFETY-BARREL	FLANGE BARREL SAFETY FLANGE	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-29-45 73-29-45	N Y
212829	SEAT HYDRANT AM-DARL-M73	SEAT HYDRANT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HYDRANT SEAT , REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE HYDRANT.	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	73-35-02 73-35-02	N Y

212837	SEAT O-RING HYDRANT-M73	SEAT O-RING HYDRANT M73 AMERICAN-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HYDRANT SEAT O-RING, REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE HYDRANT.	AMERICAN DARLING CO	73-36-1	N
			HYDRANT REPAIR PARTS INC	73-36-1	Y
212845	GASKET DRAIN RING HYDT-M73	GASKET DRAIN RING HYDT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. DRAIN RING GASKET, REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE HYDRANT.	AMERICAN DARLING CO	73-38	N
			HYDRANT REPAIR PARTS INC	73-38	Y
212852	GASKET BARREL HYDRANT-M73	GASKET BARREL HYDT 73 DARLING	AMERICAN DARLING CO	73-38-1	N
			HYDRANT REPAIR PARTS INC	73-38-1	Y
212860	VALVE TOP HYDRANT AM-DARL-M73	VALVE TOP HYDT M73 AMER-DARLIN HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. VALVE TOP, R EPLACEMENT PART FOR AMERICAN- DARLING MARK-73 FIRE HYDRANT.	AMERICAN DARLING CO	73-40	N
			HYDRANT REPAIR PARTS INC	73-40	Y
212894	VALVE BOTTOM HYDRANT-M73	VALVE BOTTOM HYDT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. VALVE BOTTOM , REPLACEMENT PART FOR AMERICAN- DARLING MARK-73 FIRE HYDRANT.	AMERICAN DARLING CO	73-42	N
			HYDRANT REPAIR PARTS INC	73-42	Y
212910	CAP STEAMER HYDRANT M73 NST 1	CAP STEAMER HYDRANT M73 AMERICAN-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. STEAMER CAP, REPLACEMENT PART FOR AMERICAN- DARLING MARK-73 FIRE HYDRANT.	AMERICAN DARLING CO	73-26	N
			HYDRANT REPAIR PARTS INC	73-26	Y
212928	HOSE CAP HYDRANT M73 NST 1 1/2	HOSE CAP HYDRANT M73 AMERICAN-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HOSE CAP, RE PLACEMENT PART FOR AMERICAN-DARLING MARK-73 FIRE HYDRANT.	AMERICAN DARLING CO	73-21	N
			HYDRANT REPAIR PARTS INC	73-21	Y

290601	EXTENSION HYDRANT DRESSER 12"	EXTENSION 12" MUELL FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS 6", 12", 18", SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2" ORIGINAL DEPTH OF BURY & CLOCKWISE DIRECTION OF OPENING.	HYDRANT REPAIR PARTS INC	A319-012	Y
291013	EXTENSION HYDRANT DRESSER 6"	EXTENSION 6" MUELL FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DEPTH OF BURY & CLOCKWISE DIRECTION OF OPENING.	MUELLER HYDRANT REPAIR PARTS INC	A319-010 A319-006	N N Y
291369	EXTENSION HYDRANT M&H 6"	EXTENSION 6" M&H FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DEPTH OF BURY & CLOCKWISE DIRECTION OF OPENING.	MUELLER HYDRANT REPAIR PARTS INC	A319-006 401129-6	N N Y
291375	6" HYDRANT EXTENSION MUELLER NEW STYLE	6" HYDRANT EXTENSION MUELLER NEW STYLE	M & H VALVE CO	401129-6	N N
291617	EXTENSION HYDRANT M&H 12"	EXTENSION 12" M&H SM FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DEPTH OF BURY & CLOCKWISE DIRECTION OF OPENING.	HYDRANT REPAIR PARTS INC	401129-12	Y
291620	12" HYDRANT EXTENSION MUELLER NEW STYLE	12" HYDRANT EXTENSION MUELLER NEW STYLE	M & H VALVE CO	401129-12	N N
291625	EXTENSION HYDRANT M&H 18"	EXTENSION 18" M&H SM FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DEPTH OF BURY & CLOCKWISE DIRECTION OF OPENING.	HYDRANT REPAIR PARTS INC	401129-18	Y
291630	18" HYDRANT EXTENSION MUELLER NEW STYLE	18" HYDRANT EXTENSION MUELLER NEW STYLE	M & H VALVE CO	401129-18	N N
291635	18" CLOW EXTENSION	18" CLOW EXTENSION			
292987	EXTENSION HYDRANT MUELLER 18"	EXTENSION 18" MUELLER FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DEPTH OF BURY & CLOCKWISE DIRECTION OF OPENING.	HYDRANT REPAIR PARTS INC		N
293118	HYDRANT 4-1/2" OPEN & 4-1/2" BURY	HYDT 4-1/2" OPEN & 4-1/2" BURY SPECIAL SPECS FIRE HYDRANTS, TRAFFIC TYPE, MECHANICAL JOINT INLET	MUELLER M & H VALVE CO	A319-016 129	Y N
294249	HYDRANT 4-1/2" OPEN & 3-1/2" BURY	HYDT 4-1/2" OPEN & 3-1/2" BURY SPECIAL SPECS FIRE HYDRANTS, TRAFFIC TYPE, MECHANICAL JOINT INLET	MUELLER M & H VALVE CO	A421 129T	Y N
			MUELLER	A421	Y

296178	EXTENSION HYDRANT AM-DARL 12"	EXTENSION 12" HYDT M73 AMERICAN-DARLING FIRE HYDRANT VALVE & EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.	AMERICAN HYDRANT REPAIR PARTS INC	MARK 73 MARK 73	N Y
296186	EXTENSION HYDRANT AM-DARL 18"	EXTENSION 18" HYDT M73 AMERICAN-DARLING FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.			N
298943	EXTENSION HYDRANT AM-DARL 6"	EXTENSION 6" HYDT M73 GND-LINED AMER-D FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.	AMERICAN VALVE & HYDRANT DIV	MARK 73	N
299081	KIT HOSE-HANDLE AMLOK 2-1/2"	KIT AMLOK HOSE NOZZEL 2-1/2"	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC		N Y
299099	KIT STEAMER-NOZZLE AMLOK	KIT AMLOK STEAMER NOZZEL	AMERICAN DARLING CO HYDRANT REPAIR PARTS INC	24-4	N Y
299107	O-RING STEAMER-NOZZLE	O-RING STEAMER NOZZLE FOR 4-1/2" HYDT HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. STEAMER NOZZLE ORING FOR 4-1/2", MARK-73, AMERICAN- DARLING FIRE HYDRANT, T-MODEL.	AMERICAN DARLING CO	73-25-4	N
299115	NOZZLE O-RING HOSE AM-DARL HYD	NOZZLE O-RING HOSE HYDT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HOSE NOZZLE ORING FOR 4-1/2", MARK-73, AMERICAN- DARLING FIRE HYDRANT, T-MODEL.	AMERICAN DARLING CO	73-20-4 73-20-4	N Y

WATER PLANT PARTS

237756	SEDIBAG 2' X 2' CATCH BASIN FILTER	SEDIBAG 2' X 2' CATCH BASIN FILTER
237757	SEDIBAG 2' X 3' CATCH BASIN FILTER	SEDIBAG 2' X 3' CATCH BASIN FILTER
237758	HI FLOW SILTSACK 2' X 3' SEDIMENT CAPTURE DEVICE	HI FLOW SILTSACK 2' X 3' SEDIMENT CAPTURE DEVICE
237759	SILTSACK 2' X 2' SEDIMENT CAPTURE DEVICE	SILTSACK 2' X 2' SEDIMENT CAPTURE DEVICE
237760	SILTSACK 2' X 3' SEDIMENT CAPTURE DEVICE	SILTSACK 2' X 3' SEDIMENT CAPTURE DEVICE
280001	BELT 3L330	BELT 3L330
280002	BELT 3L330	BELT 3L330
280003	BELT 4L210	BELT 4L210
280004	BELT 4L300	BELT 4L300
280005	BELT 4L530	BELT 4L530
280006	BELT 4L620	BELT 4L620

280007	BELT 4L620	BELT 4L620
280008	BELT 4L900	BELT 4L900
280009	BELT 5L360	BELT 5L360
280010	BELT A21	BELT A21
280011	BELT A24	BELT A24
280012	BELT A25	BELT A25
280013	BELT A26	BELT A26
280014	BELT A32	BELT A32
280015	BELT A33	BELT A33
280016	BELT A39	BELT A39
280017	BELT A52	BELT A52
280018	BELT A59	BELT A59
280019	BELT AP66	BELT AP66
280020	BELT AX52	BELT AX52
280021	BELT B103	BELT B103
280022	BELT B66	BELT B66
280023	BELT B97	BELT B97
280024	BELT BX55	BELT BX55
281001	FILTER 24121212	FILTER 24121212
281002	FILTER 32170979	FILTER 32170979
281003	FILTER 39329602	FILTER 39329602
281004	FILTER 88171913	FILTER 88171913
281005	FILTER 110377-E100	FILTER 110377-E100
281006	FILTER 112845-06	FILTER 112845-06
281007	FILTER 14 x 25 x 1	FILTER 14 x 25 x 1
281008	FILTER 17 1/4 x 32 1/2 x 1	FILTER 17 1/4 x 32 1/2 x 1
281009	FILTER 18.5 x 18.5 x 1	FILTER 18.5 x 18.5 x 1
281010	FILTER 20 x 20 x 1	FILTER 20 x 20 x 1
281011	FILTER 20 x 24 x 2	FILTER 20 x 24 x 2
281012	FILTER 21 1/8 x 18 1/8 x 1	FILTER 21 1/8 x 18 1/8 x 1
281013	FILTER 24 x 24 x 2	FILTER 24 x 24 x 2
281014	FILTER 6 3/4 x 23 1/2 x 1	FILTER 6 3/4 x 23 1/2 x 1
281015	FILTER 6 3/4 x 27 1/2 x 1	FILTER 6 3/4 x 27 1/2 x 1
281016	FILTER 9 3/4 x 31 1/2 x 1	FILTER 9 3/4 x 31 1/2 x 1
281017	FILTER CB 5026 (AFD part# 15621)	FILTER CB 5026 (AFD part# 15621)
281018	FILTER R-1398 (CL2 Filter Kit)	FILTER R-1398 (CL2 Filter Kit)
281019	FILTER U-29305 (CL2 Vent Filters)	FILTER U-29305 (CL2 Vent Filters)

GAS

PIPE AND FITTINGS

300000	1-1/4" PE EF TEE	ELECTROFUSION TEE 1-1/4" IPS PE	M T DEASON	TRI0315F	Y
		100/3408	COMPANY INC		
300001	1" PE EF TEE	ELECTROFUSION TEE 2" IPS PE	M T DEASON	TRI0320	Y
		100/3408	COMPANY INC		
300002	4" PE EF TEE	ELECTROFUSION TEE 4" IPS	M T DEASON	TRI 0340	N
		PE100/3408	COMPANY INC		
300003	6" PE EF TEE	ELECTROFUSION TEE 6" IPS	M T DEASON	TRI0340	Y
		PE100/3408	COMPANY INC	TRI0360	Y
300004	8" PE EF TEE	ELECTROFUSION TEE 8" IPS PE	M T DEASON	TRI0380	Y
		100/3408	COMPANY INC		
300005	12" PE EF TEE	ELECTROFUSION TEE 12" IPS PE	M T DEASON	TRI 0398	N
		100/3408	COMPANY INC		
300006	4" X 2" PE EF REDUCING TEE	ELECTROFUSION REDUCING TEE 4"	M T DEASON	TRI0399F	Y
		X 2" IPS PE 100/3408	COMPANY INC	TRI0343F	Y
300007	6" X 4" PE EF REDUCING TEE	ELECTROFUSION REDUCING TEE 6"	M T DEASON	TRI0370	Y
		X 4" IPS PE 100/3408	COMPANY INC		
300008	8" X 4" PE EF REDUCING TEE	ELECTROFUSION REDUCING TEE 8"	M T DEASON	TRI 0385	N
		X 4" IPS PE100/3408	COMPANY INC		
300009	8" X 6" PE EF REDUCING TEE	ELECTROFUSION REDUCING TEE 8"	M T DEASON	TRI0385	Y
		X 6" IPS PE100/3408	COMPANY INC	TRI0390	Y
300010	12" X 8" PE EF REDUCER	ELECTROFUSION REDUCING TEE	M T DEASON	TRI0249-D	Y
		12" X 8" IPS PE100/3408	COMPANY INC		
300011	2" PE EF 90-DEG BEND	ELECTROFUSION 90 2" IPS PE	M T DEASON	TRI0475	Y
		100/3408	COMPANY INC		
300012	4" PE EF 90-DEG BEND	ELECTROFUSION 90 4" IPS PE	M T DEASON	TRI0485	Y
		100/3408	COMPANY INC		
300013	6" PE EF 90-DEG BEND	ELECTROFUSION 90 6" IPS PE	M T DEASON	TRI0490	Y
		100/3408	COMPANY INC		
300014	8" PE EF 90-DEG BEND	ELECTROFUSION 90 8" IPS PE	M T DEASON	TRI0495	Y
		100/3408	COMPANY INC		
300015	12" PE EF 90-DEG BEND	ELECTROFUSION 90 12" IPS PE	M T DEASON	TRI0498	Y
		100/3408	COMPANY INC		
300016	4" PE EF 45-DEG BEND	ELECTROFUSION 45 4" IPS PE	M T DEASON	TRI0440	Y
		100/3408	COMPANY INC		
300017	6" PE EF 45-DEG BEND	ELECTROFUSION 45 6" IPS PE	M T DEASON	TRI0445	Y
		100/3408	COMPANY INC		
300018	8" PE EF 45-DEG BEND	ELECTROFUSION 45 8" IPS PE	M T DEASON	TRI0450	Y
		100/3408	COMPANY INC		
300019	4" X 2" PE EF REDUCER	ELECTROFUSION REDUCER 4" X 2"	M T DEASON	TRI 0220	N
		IPS PE 100/3408	COMPANY INC		

300020	6" X 4" PE EF REDUCER	ELECTROFUSION REDUCER 6" X 4" IPS PE100/3408	M T DEASON COMPANY INC	TRI0220 TRI0230	Y Y
300021	8" X 4" PE ELECTROFUSION REDUCER	ELECTROFUSION REDUCER 8" X 4" IPS PE 100/3408	M T DEASON COMPANY INC	TRI 0235	Y
300022	8" X 6" PE EF REDUCER	ELECTROFUSION REDUCER 8" X 6" IPS PE100/3408	M T DEASON COMPANY INC	TRI0236	Y
300023	2" PE EF CAP	ELECTROFUSION CAP 2" IPS PE100/3408	M T DEASON COMPANY INC	TRI0500	Y
300024	4" PE EF CAP	ELECTROFUSION CAP 4" IPS PE 100/3408	M T DEASON COMPANY INC	TRI0510	Y
300025	6" PE EF CAP	ELECTROFUSION CAP 6" IPS PE 100/3408	M T DEASON COMPANY INC	TRI0515	Y
300026	8" PE EF CAP	ELECTROFUSION CAP 8" IPS PE 100/3408	M T DEASON COMPANY INC	TRI0520	Y
300027	2" PE EF REPAIR SADDLE	ELECTROFUSION REPAIR SADDLE 2" IPS PE 100/3408	M T DEASON COMPANY INC	TRI0535	Y
300028	4" PE EF REPAIR SADDLE	ELECTROFUSION REPAIR SADDLE 4" IPS PE 100/3408	M T DEASON COMPANY INC	TRI0545	Y
300029	6" PE EF REPAIR SADDLE	ELECTROFUSION REPAIR SADDLE 6" IPS PE 100/3408	M T DEASON COMPANY INC	TRI0550	Y
300030	EF REPAIR SADDLE 8" IPS	ELECTROFUSION REPAIR SADDLE 8" IPS PE 100/3408	M T DEASON COMPANY INC	TRI0560	Y
300031	2" X 2" EF HV TAP TEE	ELECTROFUSION H V TAPP TEE 2" X 2" IPS PE 100/3408	CENTRAL PLASTICS	10010496	N
			M T DEASON COMPANY INC	TRI0955	Y
300032	4" X 2" EF HV TAP TEE	ELECTROFUSION H V TAPP TEE 4" X 2" IPS PE 100/3408	CENTRAL PLASTICS	10009725	N
			M T DEASON COMPANY INC	TRI0975	Y
300033	6" X 2" EF HV TAP TEE	ELECTROFUSION H V TAPP TEE 6" X 2" IPS PE 100/3408	CENTRAL PLASTICS	10009731	N
			M T DEASON COMPANY INC	TRI0985	Y
300034	8" X 2" EF HV TAP TEE	ELECTROFUSION H V TAPP TEE 8" X 2" IPS PE 100/3408	M T DEASON COMPANY INC	TRI0995	Y
300035	12" X 2" EF HV TAP TEE	ELECTROFUSION H V TAPP TEE 12" X 2" IPS PE 100/3408	M T DEASON COMPANY INC	TRI1015	Y
300037	4" X 4" EF BRANCH SADDLE	ELECTROFUSION BRANCH SADDLE 4" X 4" IPS PE 100/3408	M T DEASON COMPANY INC	TRI1165	Y
300039	6" X 4" EF BRANCH SADDLE	ELECTROFUSION BRANCH SADDLE 6" X 4" IPS PE 100/3408	M T DEASON COMPANY INC	TRI1175	Y
300040	6" X 6" EF BRANCH SADDLE	ELECTROFUSION BRANCH SADDLE 6" X 6" IPS PE 100/3408	M T DEASON COMPANY INC	TRI1176	Y
300041	8" X 4" EF BRANCH SADDLE	ELECTROFUSION BRANCH SADDLE 8" X 4" IPS PE100/3408	M T DEASON COMPANY INC	TRI1180	Y
300042	8" X 6" EF BRANCH SADDLE	ELECTROFUSION BRANCH SADDLE 8" X 6" IPS PE 100/3408	M T DEASON COMPANY INC	TRI 1185	N
				TRI1185	Y
300043	12" X 4" EF BRANCH SADDLE	ELECTROFUSION BRANCH SADDLE 12" X 4" IPS PE 100/3408	M T DEASON COMPANY INC	TRI1200	Y
300044	12" X 6" EF BRANCH SADDLE	ELECTROFUSION BRANCH SADDLE 12" X 6" IPS PE 100/3408	M T DEASON COMPANY INC	TRI 1205	N
				TRI1205	Y
300045	12" X 8" EF BRANCH SADDLE	ELECTROFUSION BRANCH SADDLE 12" X 8" IPS PE 100/3408	M T DEASON COMPANY INC	TRI1210	Y
300047	4" EF POLYTAPP VALVE	ELECTROFUSION POLYTAPP VALVE 4" IPS PE100/3408	M T DEASON COMPANY INC	TRI1100	Y
300048	6" EF POLYTAPP VALVE	ELECTROFUSION POLY TAPP VALVE 6" IPS PE 100/3408	M T DEASON COMPANY INC	TRI1110	Y
300049	EF TAP TEE 2" X 1/2" IPS	ELECTROFUSION 2 X 1/2 MT DEASON KUB0730FYS IPS SF EF TAP TEE W/ SLEEVE	M T DEASON COMPANY INC	TRI0730YS	Y
300050	EF TAP TEE 4" X 1/2" IPS	ELECTROFUSION 4" X 1/2" IPS GAS SERVICE SADDLE PE100/3408 TAPPING TEES	M T DEASON COMPANY INC	TRI0790YS	Y
300052	12" EF REPAIR SADDLE - DOME	12" PE-ELECTROFUSION REPAIR SADDLE 12" IPS DOME PE-ELECTROFUSION REPAIR SADDLE P3408/4710/100 WITH TRIFUSION 4.7MM SINGLE PIN	M T DEASON COMPANY INC	TRI0569-F	Y
300053	2" EF REPAIR SADDLE - DOME	2" PE-ELECTROFUSION REPAIR SADDLE 2" IPS DOME PE-ELECTROFUSION REPAIR SADDLE PE3408/4710/100 WITH TRIFUSION 4.7MM SINGLE PIN	M T DEASON COMPANY INC	TRI0537-F	Y
300054	4" EF REPAIR SADDLE - DOME	4" PE-ELECTROFUSION REPAIR SADDLE 4" IPS DOME 43-ELECTROFUSION REPAIR SADDLE PE3408/4710/100 WITH TRIFUSION R.7MM SINGLE PIN	M T DEASON COMPANY INC	TRI0547-F	Y

300055	6" EF REPAIR SADDLE - DOME	" PE-ELECTROFUSION REPAIR SADDLE 6" IPS DOME PE-ELECTROFUSION REPAIR SADDLE PE3408/4710/100 WITH TRIFUSION 4.7MM SINGLE PIN	M T DEASON COMPANY INC	TRI0552-F	Y
300056	8" EF REPAIR SADDLE - DOME	8" PE-ELECTROFUSION REPAIR SADDLE 8" IPS DOME PE-ELECTROFUSION REPAIR SADDLE PE3408/4710/100 WITH TRIFUSION 4.7MM SINGLE PIN.	M T DEASON COMPANY INC	TRI0562-F	Y
300057	1-1/4" X 5' HDPE EF REPAIR SLE	1.25" X 5' PE-ELECTROFUSION REPAIR SLEEVE PE3408/PE4710 TRIFUSION PRE-TESTED IN ACCORDANCE TO DOT 192.513 AND ASTM F2164	M T DEASON COMPANY INC	TRI562-F TRI40125BA	N Y
300058	12" X 5' HDPE EF REPAIR SLEEVE	12" X 5' PE-ELECTROFUSION REPAIR SLEEVE PE3408/PE4710 TRIFUSION PRE-TESTED IN ACCORDANCE TO DOT 192.513 AND ASTM F2164	M T DEASON COMPANY INC	TRI4125BA	Y
300059	2" X 5' HDPE EF REPAIR SLEEVE	2" X 5' PE-ELECTROFUSION REPAIR SLEEVE PE3408/PE4710 TRIFUSION PRE-TESTED IN ACCORDANCE TO DOT 192.513 AND ASTM F2164	M T DEASON COMPANY INC	TRI4025BA	Y
300060	4" X 5' HDPE EF REPAIR SLEEVE	4" X 5' PE-ELECTROFUSION REPAIR SLEEVE PE3408/PE4710 TRIFUSION PRE-TESTED IN ACCORDANCE TO DOT 192.513 AND ASTM F2164	M T DEASON COMPANY INC	TRI4045BA	Y
300061	6" X 5' HDPE EF REPAIR SLEEVE	6" X 5' PE-ELECTROFUSION REPAIR SLEEVE PE3408/PE4710 TRIFUSION PRE-TESTED IN ACCORDANCE TO DOT 192.513 AND ASTM F2164	M T DEASON COMPANY INC	TRI4065BA	Y
300062	8" X 5' HDPE EF REPAIR SLEEVE	8" X 5' PE-ELECTROFUSION REPAIR SLEEVE PE3408/PE4710 TRIFUSION PRE-TESTED IN ACCORDANCE TO DOT 192.513 AND ASTM F2164	M T DEASON COMPANY INC	TRI4085BA	Y
300063	EF TAP TEE REPAIR SLEEVE 1.25"	1.25"X5' PE-EF TAP TEE REPAIR SLEEVE PE3408/PE4710, MT DEASON ITEM# TRI40715BA	M T DEASON COMPANY INC	TRI40715BA	Y
300064	EF TAP TEE REPAIR SLEEVE 12" X	12"X5' PE-EF TAP TEE REPAIR SLEEVE, PE3408/PE4710, MT DEASON ITEM# TRI40930BA	M T DEASON COMPANY INC	TRI40930BA	Y
300065	EF TAP TEE REPAIR SLEEVE 2" X	2"X5' PE-EF TAP TEE REPAIR SLEEVE, PE3408/PE4710, MT DEASON ITEM# TRI40750BA	M T DEASON COMPANY INC	TRI40750BA	Y
300066	EF TAP TEE REPAIR SLEEVE 4" X	4"X5' PE-EF TAP TEE REPAIR SLEEVE, PE3408/PE4710, MT DEASON ITEM# TRI40810BA	M T DEASON COMPANY INC	TRI40810BA	Y
300067	EF TAP TEE REPAIR SLEEVE 6" X	6"X5' PE-EF TAP TEE REPAIR SLEEVE, PE3408/PE4710, MT DEASON ITEM# TRI40840BA	M T DEASON COMPANY INC	TRI40840BA	Y
300068	EF TAP TEE REPAIR SLEEVE 8" X	8"X5' PE-EF TAP TEE REPAIR SLEEVE, PE3408/PE4710, MT DEASON ITEM# TRI40870BA	M T DEASON COMPANY INC	TRI40870BA	Y
300071	EF TAP VALVE 8" W/12X8 B-SADDL	8" PE TAP VALVE & 12X8 EF BRANCH SADDLE	M T DEASON COMPANY INC	KUB1280	Y
300075	8" EF POLYTAPP VALVE	ELECTRO TAP VALVE 8"	M T DEASON COMPANY INC	TRI1120-D	Y
300078	1-1/4" X 1" EF TAP TEE	EF 1 1/4" IPS X 1" CTS TAP TEE PE 2406 FUSED TO 1" CTS X 1" IPS PE 3408 REDUCER	CENTRAL PLASTICS	10009388	N
300097	ELL MDPE 90 DEGREE 1/2" IPS	ELL MDPE 90 DEGREE 1/2" IPS	M T DEASON COMPANY INC	TRI0715	Y
300098	1" X 1/2" IPS SERVICE HEAD ADA	ADAPTER SER-HEAD 1/2" IPS X 1" X 1"	HONEYWELL CORP	71173	Y
300099	1-1/4" ST WELD TAP TEE (VALVE	TEE VALVE 1 1/4" WELD	MUELLER	H-17650	Y
300101	PLUG 8" PIPE HARD STOPPER	PLUG 8" PIPE HARD STOPPER			
300102	2" X 1-1/4" ST WELD REDUCER, STD, GRD B	REDUCER 2" X 1 1/4" STEEL WELD			
300103	1 1/4" WELD-NECK FLANGE, FF, CL 150 GRD B, STD	FLANGE 1 1/4" FLAT FACE WELD NECK 17020447			
300117	THREAD-O-LET 4" X 3"	THREAD-O-LET 4" X 3"			
300118	COUPLING COMP 2 1/2" STL	COUPLING COMP 2 1/2" STL			
300119	3/4" ST WELD CAP, CL 150, GRD B, STD	CAP STEEL WELD 3/4"			

300120	1" ST WELD CAP, CL 150, GRD B, STD	CAP STEEL WELD 1"				
300121	2" ST WELD CAP, CL 150, GRD B, STD	CAP STEEL WELD 2"				
300127	12" ST REINFORCE SLEEVE W/ VEN	SLEEVE 12"STL REINFORCE W/VENT	DRESSER MFG	SUBMITTAL		Y
300128	SLEEVE PLASTIC PS-2	SLEEVE PLASTIC PS-2				
300129	SLEEVE PLASTIC PS-3	SLEEVE PLASTIC PS-3				
300130	SLEEVE PLASTIC PS-4	SLEEVE PLASTIC PS-4				
300131	SLEEVE PLASTIC PS-5	SLEEVE PLASTIC PS-5				
300132	SLEEVE PLASTIC PS-6	SLEEVE PLASTIC PS-6				
300201	EPOXY STEEL WELD JOINT COATING	EPOXY STEEL WELD JOINT COATING REPAIR; REPAIR CARTRIDGE	SPC	SP2888-RG 50ML REPAIR CARTRIDGE		Y
300501	3/4" IPS X 1/2" IPS MDPE SOCKE	REDUCER 3/4" IPS X 1/2" IPS	PERFORMANCE PIPE	1005370		Y
300502	65M HVTT REPLACEMENT CAP	CAP REPLACEMENT 65M HVTT	PERFORMANCE PIPE	1048177		Y
300503	65M TT REPLACEMENT CAP	CAP REPLACEMENT 65M TT	PERFORMANCE PIPE	1048201		Y
300527	ELL COMPANION 90 DEG 1"	ELL COMPANION 90 DEG 1"				
300528	2" X 1" ST CONCENTRIC WELD REDUCER, STD, GRD B	REDUCER WELD CONCENTRIC 2" X 1"				
300529	FLANGE BLIND FLAT FACE 3/4"	FLANGE BLIND FLAT FACE 3/4"				
300530	1-1/4" ST TEE WELD, STD, GRD B	TEE WELD STEEL 1 1/4"				
360033	2" X 15" REPAIR STAB COUPLING	COUPLING PLAS COMP REPR 2" IPS	HONEYWELL CORP	PC50341		Y
360044	1-1/4" REPAIR STAB COUPLING	COUPLING PLAS COMP REPR 1-1/4"	HONEYWELL CORP	PC50320100		Y
360134	4" ST SPHERICAL 3-WAY TEE	STEEL TEE 3-WAY SPHERICAL 4"X4" CLASS 150 SHORTSTOP FITTING WITH SHORTPLUG W/ GUIDE BARS. TD WILLIAMSON PART NUMBER 26-1535-0402-21	T D WILLIAMSON		26-1863-0415-00	Y
360136	6" ST SPHERICAL 3-WAY TEE	STEEL TEE 3-WAY SPHERICAL 6"X6" CLASS 150 SHORTSTOP FITTING WITH SHORTPLUG W/ GUIDE BARS. TD WILLIAMSON PART # 26-1535-0602-21	T D WILLIAMSON		26-1863-0615-00	Y
360138	8" ST SPHERICAL 3-WAY TEE	STEEL TEE 3-WAY SPHERICAL 8"X8" CLASS 150 SHORTSTOP FITTING WITH SHORTPLUG W/GUIDEBARS. TD WILLIAMSON PART # 26-1535-0802-21	T D WILLIAMSON		26-1863-0815-00	Y
360154	1/2" CTS PE BLIND END STUB	STUB BLIND-END PERMASERT 1/2"	HONEYWELL CORP	PC50015		Y
360165	1" PE BLIND END STUB	STUB BLIND-END PERMASERT 1"	HONEYWELL CORP	PC50612		Y
360198	1/2" IPS PE BLIND END CAP	CAP BLIND-END PERMASERT	HONEYWELL CORP	50716		Y
360231	6" ST PIPE, STD, GRD B, EPOXY COATED 14-16 MILS, DOUBLE RAND	PIPE EPOXY COATED 6" PIPE 6.625 IN.OD X 0.188 IN.WALL THICKNESS,API-5L-X42 ERW,DOUBLE RADOM LENGTH PLAIN ENDS BEVELED FOR WELDING,FUSION B ONDED EPOXY COATED 12 MIL MIN.14 MIL AVERAGE WITH SCOTHKOTE 206N FAST.				
360264	2" ST PIPE, STD, GRD B, EPOXY COATED 14-16 MILS, SINGLE RAND	PIPE EPOXY COATED 2" PIPE 2.375 IN.OD X 0.154 IN.WALL THICKNESS,API-5L-X21 ERW,UNIFORM LENGTH,PLAIN ENDS BEVELED FOR WELDING,FUSION B ONDED EPOXY COATED 12MIL MIN.14MIL AVERAGE WITH SCOTHKOTE 206N FAST.				
360275	8" ST PIPE, STD, GRD B, EPOXY COATED 14-16 MILS, DOUBLE RAND	PIPE EPOXY COATED 8" PIPE 8.6250 OD X 0.188 IN.WALL THICKNESS ,API-5L-X42 ERW,DOUBLE RANDOM LENGTH ,PLAIN ENDS BEVELED FOR WELDING,FUSION B ONDED EPOXY COATED 12 MIL MIN.14 MIL AVERAGE WITH SCOTHKOTE 206N FAST.				

360319	12" ST PIPE, STD, X-52, EPOXY COATED 14-16 MILS, DOUBLE RAND	PIPE EPOXY COATED 12" PIPE 12.750 OD X 0.250 IN. WALL THICKNES S,API-5L-X42 ERW,DOUBLE RANDOM LENGTH, PLAIN ENDS BEVELED FOR WELDING, FUSION BONDED EPOXY COATING 12 MIL, 14 MIL AVERAGE, WITH SCOTHKOTE 206N				
360330	1" ST PIPE, STD, GRD B, EPOXY COATED 14-16 MILS, DOUBLE RAND	PIPE EPOXY COATED 1" PIPE 1.315 ID X0.133IN.WALL THICKNESS AP I-5L X 42ERW 21FT.UNIFORM LENGTHS PLAIN ENDS BEVELED FOR WELDING FUSION BONDED EPOXY COATED 12MIL MIN.14 MIL AVERAGE WITH SCOTHKOTE 206N FAST.				
360354	PLUG BLACK 3/4"	PLUG BLACK 3/4" BLACK BANDED MALLEABLE IRON PIPE FITTING . AS PER AMERICAN STANDARDS: DIMENSIONS ASA-B16.3, THREADS ASA-B2.1, MATERIAL ASTM-A197.				
360374	1/2" IPS PE REPAIR STAB COUPLI	COUPLING PLAS COMP REPR 1/2"	HONEYWELL CORP	PC50740		Y
360385	4" MDPE X 4" ST FLANGE TRANSIT	ADAPTER 4 PLAS X 4 ST W/FLNG W/FLANGE ADAPTER (TRANSITION FITTING) FROM SCH 4 0 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	CENTRAL PLASTICS	650040430000		Y
360616	2" ANODELESS RAISED FACE FLANG	RISER STRAIGHT ANODELESS 2" WITH BYPASS SCH 40 STEEL PIPE RISER FOR NATURAL GAS USE IN ACCORDANCE ASTM A35, BY-PASS NIPPLE SHALL BE 2" NPT X 3" SCH 40 STEEL PIPE, ELECTROSTATICLY APPLIED GRAY 3 MIL TO 10 MIL THICH EPOXY COATED, MECH	HONEYWELL CORP	SUBMITTAL		Y
360627	1-1/4" ANODELESS RISER W/ BY-P	RISER METER ANODELESS 1-1/4" WITH BYPASS SCH 40 STEEL PIPE RISER FOR NATURAL GAS USE IN ACCORDANCE ASTM A35, BY-PASS NIPPLE SHALL BE 1" NPT X 3" SCH 40 STEEL PIPE, ELECTROSTATICLY APPLIED GRAY 3 MIL TO 10 MIL THICK EPOXY COATING, MEC	HONEYWELL CORP	79781		Y
360803	4" MDPE 600' COIL PIPE	PIPE PLASTIC 4 INCH IPS SDR 11.5 550 FT.COILS PIPE, 2406 POLYETHYLENE, 4-INCH IPS, SDR 11.5, 550 FT COILS, SPECIAL SPEC GS-3. PIPE SHOULD COME IN COILS NOT ON REELS.	PERFORMANCE PIPE	1088779		Y
360825	1/2" IPS - 400 STAB EFV	1/2" IPS - 400 STAB EXCESS FLOW VALVE	PERFECTION	50581		Y
360836	1/2" IPS - 800 STAB EFV	1/2" IPS - 800 STAB EXCESS FLOW VALVE	PERFECTION	51848		Y
360847	1/2" CTS - 400 STAB EFV	1/2" CTS - 400 STAB EXCESS FLOW VALVE	PERFECTION	51473		Y
360850	1" ST - 400 WELD EFV	1" STEEL - 400 WELD EXCESS FLOW VALVE	M T DEASON COMPANY INC			Y
360869	1" IPS - 1800 STAB EFV	1" IPS - 1800 STAB EXCESS FLOW VALVE	PERFECTION	51383		Y
360880	12" X 40' MDPE PIPE UNIMODAL	12" X 40' MDPE PIPE UNIMODAL	PERFORMANCE PIPE	1098389		Y
360882	EF TAP TEE 12" X 1/2" IPS	EF TAP TEE 12" X 1/2" IPS	POLY PIPE INDUSTRIES	10000043		N
360883	EF TAP TEE 8" X 1/2" IPS	EF TAP TEE 8" X 1/2" IPS	M T DEASON COMPANY INC	KUB0910-D-FYS		Y
360884	2" X 1" EF TAP TEE	EF TAP TEE 2" X 1" IPS	M T DEASON COMPANY INC	KUB0850-D-FYS		Y
			CENTRAL PLASTICS	10009398		N
			M T DEASON COMPANY INC	TRI0750		Y

360885	12" X 1" EF TAP TEE	EF TAP TEE 12" X 1" IPS	M T DEASON COMPANY INC	TRI0930	Y
360886	8" X 1" EF TAP TEE	EF TAP TEE 8" X 1" IPS	M T DEASON COMPANY INC	TRI0870	Y
360887	4" X 1" EF TAP TEE	EF TAP TEE 4" X 1" IPS	CENTRAL PLASTICS M T DEASON COMPANY INC	10009403 TRI0810	N Y
360888	EF REPAIR SLEEVE 1/2" X 5' IPS	EF REPAIR SLEEVE 1/2" X 5' IPS	M T DEASON COMPANY INC	TRI40010BA	Y
360889	EF REPAIR SLEEVE 1" X 5' IPS	EF REPAIR SLEEVE 1" X 5' IPS	M T DEASON COMPANY INC	TRI40100BA	Y
360890	EF REPAIR SLEEVE 1/2" X 5' CTS	EF REPAIR SLEEVE 1/2" X 5' CTS	M T DEASON COMPANY INC	TRI40005BA	Y
360891	12" X 2" MDPE HV TAP TEE	TEE TAPPING PLASTIC 12 X 2 W/1	PERFORMANCE PIPE	1047278	Y
360902	12" X 1" MDPE TAP TEE	TEE TAPPING PLASTIC 12 X 1 W/.	PERFORMANCE PIPE	1069824	Y
360913	TEE TAPPING MDPE 12" W/ 1-1/4"	TEE TAPPING PLASTIC 12 X 1 1/4	PERFORMANCE PIPE PLEXCO	MHVBT	Y N
360946	12" PE X 12" STEEL FLANGE FLAN	ADAPTER 12 PLASTIC X 12 STL. W	PERFORMANCE PIPE	1065934	Y
360957	12" MDPE X 12" ST WELDED TRANS	ADAPTER 12 PLASTIC X 12 STL.	HONEYWELL CORP	704715	Y
360968	12" PE BUTT FUSION CAP	CAP PLASTIC 12 IPS BUTT	PERFORMANCE PIPE	1050716	Y
360979	12" PE EF COUPLING	COUPLING ELECTROFUSION 12" IPS	CENTRAL PLASTICS M T DEASON COMPANY INC	5751058 TRI0195	Y N
360990	12" MDPE BUTT FUSION 45-DEG BE	ELL PLASTIC 45 12 IPS BUTT	CENTRAL PLASTICS PERFORMANCE PIPE	6910960 1015952	Y N
361001	12" MDPE BUTT FUSION 90-DEG BE	ELL PLASTIC 90 12 IPS BUTT	CENTRAL PLASTICS PERFORMANCE PIPE	6910958 1011645	N Y
361012	12" X 8" PE BUTT FUSION REDUCE	REDUCER PLASTIC 12 X 8 IPS BUT	CENTRAL PLASTICS PERFORMANCE PIPE	1064705	N Y
361023	12" MDPE BUTT FUSION TEE	TEE PLASTIC 12 IPS BUTT	CENTRAL PLASTICS PERFORMANCE PIPE	6910956 1011780	Y N
361265	2" PE REPAIR STAB COUPLING	COUPLING STAB REPAIR 2"	HONEYWELL CORP	PC50307	Y
361268	1" X 13" PE REPAIR STAB COUPLI	1" X 13" PE REPAIR STAB COUPLING	HONEYWELL CORP	PC50640	Y
361276	1" X 1/2" IPS PE STAB REDUCER	REDUCER STAB 1 X 1/2 IPS	HONEYWELL CORP	PC50606	Y
361386	1/2" IPS MDPE 400 FUSION EFV	1/2" IPS - 400 FUSION EXCESS FLOW VALVE	HONEYWELL CORP	51128	Y
361397	1/2" IPS PE PERMASERT STAB CO	COUPLING PLASTIC COMP 1/2 IPS	HONEYWELL CORP	PC50716	Y
361400	1/2" IPS MDPE 800 FUSION EFV	1/2" IPS - 800 FUSION EXCESS FLOW VALVE	HONEYWELL CORP	51128011	Y
361540	PLUG 4" PIPE HARD STOPPER	PLUG 4" PIPE HARD STOPPER			
361543	THREAD-O-LET 3/4"X3"	THREAD-O-LET 3/4 X 3"			
361639	PE REPLACEMENT CAP WITH GASKET	CAPS REPLACEMENT PLASTIC TAPPING TEE 65mm HVTT	PERFORMANCE PIPE	1048175	Y
361659	THREAD-O-LET 1/4"X4"	THREAD-O-LET 1/4" X 4"			
361683	THREAD-O-LET 2"X4"	THREAD-O-LET 2" X 4"			
361691	THREAD-O-LET 1/2"X4"	THREAD-O-LET 1/2" X 4"			
361709	THREAD-O-LET 1"X4"	THREAD-O-LET 1" X 4"			
361716	1-1/4" PE EF COUPLING	COUPLING ELECTROFUSION 1-1/4"	CENTRAL PLASTICS M T DEASON COMPANY INC	5760008 TRI0105	Y N
361727	2" PE EF COUPLING	COUPLING ELECTROFUSION 2" IPS	CENTRAL PLASTICS M T DEASON COMPANY INC	5760012 TRI0120	Y N
361758	TEE VALVE WELD 2" X 2"	TEE VALVE WELD 2	MUELLER	H-17650	Y
361761	2" ST REINFORCE SLEEVE W/ VENT	REPAIR SLEEVE 2" STEEL PIPE; SPLIT REINFORCING SLEEVE; WELD FULL CIRCLE; 2 2/8" OUTSIDE DIAMETER X 5/16" WALL THICKNESS X 23 14" OVERALL LENGTH	DRESSER MFG	0220-0001-630	Y

361892	EXCESS FLOW VALVE 1/2 CTS FUSION EFV800	EXCESS FLOW VALVE 1/2 CTS FUSI				
361903	RISER METER ANODELESS 3/4 X1/2 CTS	RISER METER ANODELESS 3/4 X1/2 CTS INLET PIGTAIL 1/2" CTS PLASTIC PE2306 SDR 9.3 MIN. WALL .090" MARLEX TR-418. OUTLET 3/4" ASTM A53 SCHEDULE 40 STEEL P PIPE COATED W/CORBOND OR EQUAL. THREADED MIPS. ANODELESS, GROUND LEVEL M				
361980	3/4" ANODELESS RISER TRACER WI	TRACER WIRE CLIP 3/4" ANODELESS RISER	GAS PRODUCTS, INC	TS34X6		Y
361993	3/4" IPS EFV 1800 CFH	3/4" IPS EXCESS FLOW VALVE PART# 51421 1800 CFH (ELSTER PERFECTION)	PERFECTION	51421		Y
362024	TEE VALVE 1"STEEL X 1/2" CTS PE	TEE VALVE 1"STEEL X 1/2" CTS P				
362046	1/2" CTS MDPE 400 FUSION EFV	1/2" CTS - 400 FUSION EXCESS FLOW VALVE	HONEYWELL CORP	51910202		Y
362057	1" MDPE 800 FUSION EFV	1" IPS - 800 FUSION EXCESS FLOW VALVE	HONEYWELL CORP	51948010		Y
362068	1" MDPE 1800 FUSION EFV	1" IPS - 1800 FUSION EXCESS FLOW VALVE	HONEYWELL CORP	51949		Y
362070	1-1/4" MDPE 1800 FUSION EFV	1 1/4" IPS - 1800 FUSION EXCESS FLOW VALVE STICK FLP1800 BSC 1	HONEYWELL CORP	51758024		Y
362076	1-1/4" MDPE 2600 FUSION EFV	1 1/4" IPS - 2600 FUSION EXCESS FLOW VALVE STICK FLP2600 BSC 1	HONEYWELL CORP	51758025		Y
362079	TEE STAB 1/2"CTS X 1/2"CTS	TEE STAB 1/2" CTS STAB	PERFECTION	PC50199		Y
362080	2" MDPE 2600 FUSION EFV	2" IPS - 2600 FUSION EXCESS FLOW VALVE STICK FLP2600 BSC 2IPS-SDR 11 PE4710/XMD	HONEYWELL CORP	51950104		Y
362101	1/2" CTS MDPE SOCKET FUSION CA	CAP 1/2" CTS FUSION	PERFORMANCE PIPE	1005157		Y
362112	1-1/4" ANODELESS RISER TRACER	TRACER WIRE CLIP 1-1/4" ANODELESS RISER	GAS PRODUCTS, INC	TS125X6		Y
362113	1 1/4" ANODELESS RISER	RISER METER ANODELESS 1 1/4", SCH 40 STEEL PIPE RISER FOR NATURAL GAS USE IN ACCORDANCE ASTM A35 ELECTROSTATICLY APPLIED GRAY 3 MIL TO 5 MIL THICK EPOXY COATING, MECHANICAL & POLYTHENE (PE2406) PER ASTM D2513-CAT & DOT192, 100% LEAK TEST TO 150 PSIG				
362114	GAS RISER REINFORCEMENT KIT 1"	GAS RISER REINFORCEMENT KIT 1", NON-LEAKING NATURAL GAS RISER WITH WALL LOSS UP TO 70%	CLOCK SPRING / NRI	TWR001		Y
362115	GAS RISER REINFORCEMENT KIT 2"	GAS RISER REINFORCEMENT KIT 2", NON-LEAKING NATURAL GAS RISER WITH WALL LOSS UP TO 70%	CLOCK SPRING / NRI	TWR002		Y
362124	2" ANODELESS RISER TRACER WIRE	2" ANODELESS RISER TRACER WIRE CLIP	GAS PRODUCTS, INC	TS2X6		Y
362150	4" FF FLG MTR RISER WITHOUT BYPASS 11.5	4" FF FLG MTR RISER WITHOUT BYPASS 11.5				
362151	4" FF FLG ANODELESS MTR RISER WITH 2" NPT BYPASS 11.5	4" FF FLG ANODELESS MTR RISER WITH 2" NPT BYPASS 11.5				
362277	10M TT REPLACEMENT CAP WITH GA	CAP REPLACEMENT 10m STD T/T	PERFORMANCE PIPE	1048201		Y
362299	3" ST ELL WELD STEEL, 90-DEG, STD, GRD B	ELL STEEL WELD 90 DEG 3"				
362310	1-1/4" COMPANION FLANGE, FF, GRD B	FLANGE COMPANION 1 1/2"				
362335	THREAD-O-LET 2"X2"	THREAD-O-LET 2" X 2"				
362376	6" CI BELL JOINT SLEEVE	SLEEVE BELL PACK 6"	DRESSER MFG	0126-0006-003		Y
362398	HDPE TEST CAP RECTANGULAR BASE	TEST CAP REPLACEMENT HIGH VOLUME	PERFORMANCE PIPE	1048242		Y
362409	MDPE TEST CAP RECTANGULAR BASE	TEST CAP REPLACEMENT REGULAR TAPPING TEE	PERFORMANCE PIPE	1048176		Y
362519	12" ST WELD CAP, CL 150, GRD B, STD	WELD CAP STEEL 12"				
362530	4" ST WELD CAP, CL 150, GRD B, STD	WELD CAP STEEL 4"				
362608	TEE VALVE TAPPING MPT X 1"WELD	TEE VALVE SCR/PE 1	CONTINENTAL INDUSTRIES	1420-11-0814		Y

362657	1" ST WELD TAP TEE (VALVE TEE)	TEE VALVE WELD 1	MUELLER	H-17650	Y
362681	1" ST COMPRESSION CAP	CAP COMP-LOCK 1"	DRESSER MFG	SUBMITTAL	Y
362682	REPLACEMENT CAP 81M STD TT	REPLACEMENT CAP 81M STD TT	PERFORMANCE	1073428	Y
362683	REPLACEMENT CAP 2" HVTT 65M KU	REPLACEMENT CAP 2" HVTT 65M KUB	PERFORMANCE	1104644	Y
362764	1" ST COMPRESSION COUPLING	COUPLING COMP STL 1"	DRESSER MFG	SUBMITTAL	Y
362814	PLUG BLACK 1"	PLUG BLACK 1" BLACK BANDED MALLEABLE IRON PIPE FITTING . AS PER AMERICAN STANDARDS: DIMENSIONS ASA-B16.3, THREADS ASA-B2.1, MATERIAL ASTM-A197.			
362959	EXPANSION PLUG 1/2" TYPE 0A WI	EXPANSION PLUG 1/2" TYPE 0A WHICH FITS INTO THE BOTTOM OF THE SERVICE TEE OR FITS INSIDE GAS PIPE AND IS QUICKLY EXPANDED BY TURNING THE WING NUT, WHICH SECURELY SHUTS OFF ALL GAS.	GOODMAN	TYPE 0A 1/2"	Y
362962	SLEEVE THERMOWELD #A200	THERMOWELD SLEEVE #A-200	THERMOWELD	#A-200	Y
362970	POWDER THERMOWELD #15P	THERMOWELD POWDER #15P	THERMOWELD	SIZE 15P	Y
363091	4" ST SPHERICAL 3-WAY TEE	TDW SPHERICAL 3-WAY TEE	T D	26-1863-0415-00	Y
363190	17-LB MAGNESIUM ANODE	17-LB HIGH POTENTIAL PREPACKAGED MAGNESIUM ANODE WITH 10FT #12 TW SOLID BLACK LEAD WIRE	WILLIAMSON GALVOTEC	GA-MG-17 HP	Y
363195	1-LB MAGNESIUM DRIVE-IN ANODE	MAGNESIUM 1# DRIVE IN ANODE PRO-MAG, H-1, STD MAG, WITH 5 FT OF #12 THNN, SOLID, BLACK AND SS CLAMP 1-3/4" AND SMALLER PIPE FWC# 12-12506	GALVOTEC	GA-MG-1.0DR	Y
363201	VALVE TEE 1 X 3/4", MUELLER NO	VALVE TEE 1 X 3/4", MUELLER NO-BLO; MIP THREADED INLET; FIP THREADED OUTLET; FORGED STEEL BODY--ASTM A105; MEETS DOT/CFR 49 PART 192; MAXIMUM WORKING PRESSURE 250 PSIG.	MUELLER	H17724	Y
363212	VALVE TEE 2" X 2" MUELLER NO	VALVE TEE 2" X 2" MUELLER NO BLO; MIP THREADED INLET; FIP THREADED OUTLET; FORGED STEEL BODY--ASTM A 105; MEETS DOT /CFR49 PART 192; MAXIMUM WORKING PRESSURE 250 PSIG	MUELLER	H17724	Y
363234	2" ST WELD TAP TEE (VALVE TEE)	VALVE TEE 2" X 2" WELD INLET; MUELLER NO-BLO;OUTLET PREPARED FOR BUTT WELD SAME SIZE AS OUTLET; FORGED STEEL BODY--ASTM A105; MEETS DOT /CFR49 PART 192; MAXIMUM WORKING PRESSURE 250 PSIG.	MUELLER	H-17650	Y
363245	3/4" MDPE X 3/4" ST THREADED T	TRANSITION FITTING 3/4" STEEL NPT X 1/2" IPS 2405 PLOYETHYLENE SDR9.3; MEETS REQUIREMENTS OF ASTM D-2513 CATEGORY 1 FITTING, ANSI B31.8, DOT /CFR49 PART 192.	HONEYWELL CORP	700401	Y
363251	1" MDPE X 1" ST WELD TRANSITIO	1" ST X MDPE WELD TRANSITION FITTING	CENTRAL PLASTICS	10003265	N
363256	2" MDPE X 2" ST THREADED TRANS	TRANSITION FITTING 2" STEEL NPT X 2" IPS 2406 POLYETHYLENE SDR 11; MEETS REQUIREMENTS OF ASTM D-2513 CATEGORY 1 FITTING, ANSI B31.8, DOT /CFR 49 PART 192.	HONEYWELL CORP	P/N 10003265 702602	Y
363289	WELD-O-LET 2" WITH 3" NIPPLE MALE OUTLET	WELD-O-LET 2" WITH 3" NIPPLE MALE OUTLET			
363408	1-1/4" MDPE SOCKET FUSION 90-D	ELL PLAS 1-1/4 IPS 90-DEG	CENTRAL PLASTICS	690121223000	N
363509	PIPE STEEL PRE-TESTED 16"X20'	PRE-TESTED 16" STEEL PIPE	PERFORMANCE	1005212	Y
363531	PIPE STEEL PRE-TESTED 8"X20'	PRE-TESTED 8" STEEL PIPE			
363542	PIPE STEEL PRE-TESTED 6"X20'	PRE-TESTED 6" STEEL PIPE			
363553	PIPE STEEL PRE-TESTED 4"X20'	PRE-TESTED 4" STEEL PIPE			

363564	PIPE STEEL PRE-TESTED 2"X20'	PRE-TESTED 2" STEEL PIPE; PIPE EPOXY COATED 2" PIPE 2.375 IN.OD X 0.218 IN.WALL THICKNESS,API-5L-X21 ERW,UNIFORM LENGTH,PLAIN ENDS BEVELED FOR WELDING,FUSION BONDED EPOXY COATED 14MIL MIN.16MIL AVERAGE WITH SCOTHKOTE 206N FAST.				
363575	PIPE STEEL PRE-TSTD 1-1/4"X20'	PRE-TESTED 1 1/4 STEEL PIPE				
363586	PIPE STEEL PRE-TESTED 1"X20'	PRE-TESTED 1" STEEL PIPE				
363598	REDUCER PIPE COMPN 1-1/4"X1"	REDUCER COMP 1-1/4" X 1"	DRESSER MFG	0090-0582-082	Y	
				90-0582-086	N	
363608	1/2" IPS X 1" ST MPT COMPRESSI	ADAPTER COMP. 1/2" IPS PLAS X 1" STL. MALE PIPE THREAD	CONTINENTAL INDUSTRIES	1242-00-0914-00	Y	
363619	7/8" SWAGELOK UNION	SWAGELOK UNION 7/8" CARBON STEEL	SWAGELOK	SS-1410-6	Y	
363630	7/8" SWAGELOK CAP	SWAGELOK CAP 7/8" STAINLESS STEEL	SWAGELOK	SS-1410-C	Y	
363770	1-1/4" ST COMPRESSION CAP	CAP COMP-LOCK 1-1/4"	DRESSER MFG	SUBMITTAL	Y	
363846	PLUG BLACK 1-1/4"	PLUG BLACK 1-1/4" BLACK BANDED MALLEABLE IRON PIPE FITTING . AS PER AMERICAN STANDARDS: DIMENSIONS ASA-B16.3, THREADS ASA-B2.1, MATERIAL ASTM-A197.				
364059	2" ST COMPRESSION CAP	CAP COMP-LOCK 2"	DRESSER MFG	SUBMITTAL	Y	
364174	PLUG BLACK 2"	PLUG BLACK 2" BLACK BANDED MALLEABLE IRON PIPE FITTING . AS PER AMERICAN STANDARDS: DIMENSIONS ASA-B16.3, THREADS ASA-B2. 1, MATERIAL ASTM-A197.				
364281	2" ST COMPRESSION COUPLING	COUPLING COMP STL 2"	DRESSER MFG	0090-005-082	Y	
				SUBMITTAL	N	
364679	2" ST WELD TAP TEE (PLUG TEE)	TEE PLUG WELD 2	MUELLER	H-17500	Y	
367110	8" BLIND FLANGE, FF, CL 150 GRD B	FLANGE BLIND FF 8" 150 POUND ASA BLIND FLANGE, FLAT FACED. SPEC. ASTM-A181, MATERIAL FORGED CARBON STEEL ASTM-A181, DIMENSION, ASA-B 16.6, FLANGES TO BE MARKED AS PER ASTM SPEC. MADE IN USA.				
370106	4" MDPE BUTT FUSION TEE	TEE PLAS 4 IPS BUTT	CENTRAL PLASTICS PERFORMANCE PIPE	10012423	N	
				1005278	Y	
370130	6" MDPE BUTT FUSION 45-DEG BEN	ELL PLAS 6 IPS 45-DEG	CENTRAL PLASTICS PERFORMANCE PIPE	10014452	N	
				1005287	Y	
370148	1" MDPE SOCKET FUSION 90-DEG B	ELL PLAS 1" IPS 90-DEG	CENTRAL PLASTICS PERFORMANCE PIPE	690010123000	Y	
				1005186	N	
370155	1" MDPE SOCKET FUSION CAP	CAP PLAS 1" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690012200000	N	
				1005184	Y	
370502	12" ST SHORTSTOPP 3-WAY TEE	TEE WMSON 3-WAY TYPE 2 12	T D WILLIAMSON	06-7222-0000-00	Y	
371757	6" ST SHORTSTOPP 3-WAY TEE	TEE WMSON 3-WAY TYPE 2 6	T D WILLIAMSON	06-7219-0000-00	Y	
371773	8" ST SHORTSTOPP 3-WAY TEE	TEE WMSON 3-WAY TYPE 2 8	T D WILLIAMSON	06-7220-0000-00	Y	
371856	3/4" MDPE COIL PIPE	TUBING PLASTIC 3/4 IPS	PERFORMANCE PIPE POLY PIPE INDUSTRIES	1002239	Y	
				10000023	N	
371914	8" ST WELD CAP, CL 150, GRD B, STD	8" CAP WELD SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPEC. AMERICAN MADE STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A				
372003	PLUG PIPE X-PANDER 3/4"	PLUG PIPE X-PANDER 3/4				
372029	PLUG PIPE X-PANDER 1"	PLUG PIPE X-PANDER 1				
372037	3/4" MDPE SOCKET FUSION CAP	CAP PLAS 3/4 IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690752200000	N	
				1005170	Y	

372045 372052	PLUG PIPE X-PANDER 1-1/4" 6" MDPE BUTT FUSION CAP	PLUG PIPE X-PANDER 1-1/4" CAP PLAS 6 IPS BUTT	CENTRAL PLASTICS PERFORMANCE PIPE	691042200000 1005285	N Y
372060 372078	PLUG PIPE X-PANDER 1-1/2" 3/4" MDPE SOCKET FUSION COUPLI	PLUG PIPE X-PANDER 1-1/2" COUPLING PLAS 3/4 IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	6900418 1005168	N Y
372086 372094	PLUG PIPE X-PANDER 2" 1" X 3/4" MDPE SOCKET FUSION R	PLUG PIPE X-PANDER 2" REDUCER PLAS 1"X 3/4 IPS SOCKET REDUCER, 2406 POLYETHYLENE, 1 X 3/4 INCH IPS, SOCKET SPECIAL SPEC GS-3, SDR-10 ON 1" SIDE, SD R-11 ON 3/4" SIDE	CENTRAL PLASTICS	690017521000	N
			PERFORMANCE PIPE	1005374	Y
372110	6" X 4" PE BUTT FUSION REDUCER	REDUCER PLAS 6 X 4 IPS BUTT REDUCER, 2406 POLYETHYLENE, 6 X 4 INCH IPS, BUTT SPECIAL SPEC GS-3, SDR-11.5 ON BOTH SIDE S	CENTRAL PLASTICS	691060421000	N
			PERFORMANCE PIPE	1005452	Y
372136	1" MDPE SOCKET FUSION TEE	TEE PLAS 1" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690010124000 1005187	N Y
372145	7/8" XT X 1/2" CTS SERVICE REP	SERVICE REPAIR COUPLING 7/8" O.D. X-TRUDE STEEL (INSULATED) X 1/2" CTS PLASTIC (SDR7:0.090 WALL THICKNESS WITH BUILT IN STIFFENER) CHICAGO FITTINGS CORPORATION PART NO. M789C43S090	CHICAGO FITTINGS CORP	M789C43S090	Y
372417	1" PE X 1" ST COMPRESSION COUP	COUPLING PLASTI-LOK 1" SDR	DRESSER MFG	0090-5104-636	Y
372433	1-1/4" PE X 1-1/4" ST COMPRESS	COUPLING PLASTI-LOK 1-1/4" SDR	DRESSER MFG	0090-5105-636	Y
372458	2" PE X 2" ST COMPRESSION COUP	COUPLING PLASTI-LOK 2" SDR	DRESSER MFG	0090-5110-636	Y
372516	3/4" ST COMPRESSION CAP	CAP COMP-LOCK 3/4"	DRESSER MFG	SUBMITTAL	Y
372680	INSERT 1/2" 0.90	INSERT 1/2" IPS .090	DRESSER MFG	2088-0305-009	Y
373878	1-1/4" X 1-1/4" MDPE TAP TEE	TEE TAPPING PLAS 1-1/4 X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 1 1/4 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON BOTH SIDES	PERFORMANCE PIPE	1118364	Y
373993	4" MDPE BUTT FUSION 90-DEG BEN	ELL PLAS 4 IPS 90-DEG BUTT	CENTRAL PLASTICS PERFORMANCE PIPE	10013936 1005275	N Y
374017	4" MDPE BUTT FUSION CAP	CAP PLAS 4 IPS BUTT	CENTRAL PLASTICS PERFORMANCE PIPE	691042200000 1005271	N Y
374108	1-1/4" PERMASERT STAB COUPLING	COUPLING PLAS COMP 1-1/4" IPS	HONEYWELL CORP	PC50035010	Y
374124	1" PERMASERT STAB COUPLING	COUPLING PLAS COMP 1" IPS POLY	HONEYWELL CORP	PC50601	Y
374140	1/2" IPS PERMASERT STAB COUPLI	COUPLING PLAS COMP 1/2" IPS	HONEYWELL CORP	PC50701	Y
374165	2" PERMASERT STAB COUPLING	COUPLING PLAS COMP 2" IPS POLY	HONEYWELL CORP	PC50314	Y
374298	COUPLING RUBBER 4"TARA X 4"PVC_3	COUPLING RUBR 4" TARA X4" PVC			
374314	COUPLING RUBBER 4"CI X 4"PVC_3	COUPLING RUBR 4" CI X 4" PVC			
374355	COUPLING RUBBER 6"TARA X 6"PVC_3	COUPLING RUBR 6" TARA X6" PVC			
374439	4" PE EF COUPLING	COUPLING ELECTROFUSION 4" IPS	CENTRAL PLASTICS M T DEASON COMPANY INC	5750044 TRI0140	Y N
374454	6" PE EF COUPLING	COUPLING ELECTROFUSION 6" IPS	CENTRAL PLASTICS M T DEASON COMPANY INC	5750045 TRI0160	Y N

374595	6" MDPE X 6" ST WELD TRANSITIO	ADAPTER 6 PLAS X 6 ST ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLENE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	CENTRAL PLASTICS	650060610000	N
			HONEYWELL CORP	704100	Y
374678	8" X 40' MDPE PIPE UNIMODAL	8" X 40' MDPE PIPE UNIMODAL	PERFORMANCE PIPE POLY PIPE INDUSTRIES	1071013	Y
			INDUSTRIES	10000086	N
374686	8" PE EF COUPLING	COUPLING ELECTROFUSION 8" IPS YELLOW OR BLACK	CENTRAL PLASTICS	5750078	Y
			M T DEASON COMPANY INC	TRI0180	N
374694	8" MDPE BUTT FUSION TEE	TEE PLAS 8 IPS BUTT	CENTRAL PLASTICS	6910476	N
			PERFORMANCE PIPE	1005316	Y
374710	8" X 6" MDPE BUTT FUSION REDUC	REDUCER PLAS 8 X 6 IPS BUTT REDUCER, 2406 POLYETHYLENE, 8 X 6 INCH IPS, BUTT SPECIAL SPEC GS-3, SDR-13.5 ON 8", SDR 1 1.5 ON 6"	CENTRAL PLASTICS	691080621000	N
			PERFORMANCE PIPE	1005462	Y
374736	8" MDPE BUTT FUSION 90-DEG BEN	ELL PLAS 8 IPS 90-DEG	CENTRAL PLASTICS	6910480	N
			PERFORMANCE PIPE	1005314	Y
374744	1/2" IPS X 1/2" CTS MDPE SOCKE	REDUCER PLAS 1/2-" IPS X1/2"	PERFORMANCE PIPE	1005325	Y
374751	8" MDPE BUTT FUSION 45-DEG BEN	ELL PLAS 8 IPS 45-DEG	PERFORMANCE PIPE	1005312	Y
374769	1/2" CTS MDPE SOCKET FUSION CO	COUPLING PLAS 1/2" CTS	PERFORMANCE PIPE	1005155	Y
374777	8" MDPE BUTT FUSION CAP	CAP PLAS 8 IPS BUTT	CENTRAL PLASTICS	691082200000	N
			PERFORMANCE PIPE	1005311	Y
374785	1/2" CTS MDPE SOCKET FUSION TE	TEE PLAS 1/2" CTS	PERFORMANCE PIPE	1005160	Y
374793	8" MDPE X 8" ST FLANGE TRANSIT	ADAPTER 8 PLAS X 8 ST W/FLNG W/FLANGE ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLENE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	CENTRAL PLASTICS	650080830000	Y
374819	8" MDPE X 8" ST WELD TRANSITIO	ADAPTER 8 PLAS X 8 ST ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLENE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	CENTRAL PLASTICS	650080800000	Y
374835	8" X 2" MDPE HV TAP TEE	TEE TAPPING PLAS 8 X 2 W/1.880 TAPPING TEE, 2406 POLYETHYLENE, 8 X 2 INCH IPS, W/1.880 CUTTER SPECIAL SPEC GS-3, SDR-13.5 ON 8" SIDE, SDR-11 ON 2" SIDE	CENTRAL PLASTICS	6936552	N
			PERFORMANCE PIPE	1047397	Y
374850	TEE TAPPING MDPE 8" W/ 1/2" TAP	TEE TAPPING PLAS 8 X 1/2 W/.500 TAPPING TEE, 2406 POLYETHYLENE, 8 X 1/2 INCH IPS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-13.5 ON 8" SIDE, SDR-9.3 ON 1/2" SIDE	CENTRAL PLASTICS		Y
			DURA LINE CORP		N
			PERFORMANCE PIPE	1049061	N

			POLY PIPE INDUSTRIES		N
374876	8" X 1" MDPE TAP TEE	TEE TAPPING PLAS 8 X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 8 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-13.5 ON 8" SIDE SDR-10 ON 1" SIDE	UPONOR CENTRAL PLASTICS	10005990	N
			PERFORMANCE PIPE	1118361	Y
374892	8" X 1-1/4" MDPE TAP TEE	TEE TAPPING PLAS 8 X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 8 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-13.5 ON 8" SIDE, SDR-11 ON 1 1/4" SIDE	PERFORMANCE PIPE	1118370	Y
374918	1/2" CTS PERMASERT STAB COUPLI	COUPLING PLAS COMP 1/2" CTS	HONEYWELL CORP	PC50100	Y
374934	1" X 1/2" CTS SERVICE HEAD ADA	ADAPTER SERV-HEAD 1/2" CTS X1"	HONEYWELL CORP	71166	Y
374975	3/4" X 1/2" CTS SERVICE HEAD A	ADAPTER SERV-HEAD 1/2" CTS X1"	HONEYWELL CORP	71170	Y
374983	1" BLIND FLANGE, FF, CL 150 GRD B	FLANGE BLIND FF 1"			
380097	ANODE MAGNESIUM 3-LB	ANODE MAGNESIUM 3 LB HIGH POTENTIAL	ALLIED CORROSION INDUSTRIES SOUTHERN CROSS CORPORATION	HP-O3-D3 GBS	Y
380100	MAGNESIUM DRIVE-IN ANODE	MAGNESIUM DRIVE-IN ANODE	FARWEST CORROSION CONTROL COMPANY	FWC # 01-12506.	Y
380139	9-LB MAGNESIUM ANODE	ANODE MAGNESIUM 9 LB HIGH POTENTIAL	GALVOTEC	GA-MG-9-HP	Y
380140	ELECTRODE PERMANENT CU/CUS04	M. C. Miller Co., Inc.	M. C. MILLER CO., INC.	14665	Y
380303	4" MDPE BUTT FUSION 45-DEG BEN	ELL PLAS 4 IPS 45-DEG	CENTRAL PLASTICS		Y
			PERFORMANCE PIPE	1005273	N
380311	4" X 2" MDPE HV TAP TEE	4" x 2" PERFORMANCE IPS HIGH VOLUME TAPPING TEE SOCKET FUSION OUTLET	CENTRAL PLASTICS	6936550	N
			PERFORMANCE PIPE	1005436	Y
380337	4" MDPE X 4" ST FLANGE TRANSIT	ADAPTER 4 PLAS X 4 ST ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	CENTRAL PLASTICS	6500562	Y
380352	4" X 2" MDPE BUTT FUSION REDUC	REDUCER PLAS 4 X 2" IPS BUTT REDUCER, 2406 POLYETHYLENE, 4 X 2 INCH IPS, SOCKET SPECIAL SPEC GS-3, SDR-11.5 ON THE 4", S DR-11 ON THE 2"	CENTRAL PLASTICS	6910025	N
			PERFORMANCE PIPE	1005433	Y
380808	6" X 40' MDPE PIPE UNIMODAL	6" X 40' MDPE PIPE UNIMODAL	PERFORMANCE PIPE	1002367	Y
			POLY PIPE INDUSTRIES	10000144	N
380816	6" MDPE X 6" ST FLANGE TRANSIT	ADAPTER 6 PLAS X 6 ST W/FLNG W/FLANGE ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	CENTRAL PLASTICS	650060630000	Y
380824	6" MDPE BUTT FUSION TEE	TEE PLAS 6 IPS BUTT	CENTRAL PLASTICS	691060624000	N
			PERFORMANCE PIPE	1005291	Y

380832	6" MDPE BUTT FUSION 90-DEG BEN	ELL PLAS 6 IPS 90-DEG	CENTRAL PLASTICS	10009792	N
			PERFORMANCE PIPE	1005289	Y
380840	6" X 2" MDPE HV TAP TEE	TEE TAPPING PLAS 6 X 2 W/.1.880 TAPPING TEE, 2406 POLYETHYLENE, 6 X 2 INCH IPS, W/1.880 CUTTER SPECIAL SPEC GS-3, SDR-11.5 ON 6" SIDE, SDR-11 ON 2" SIDE	CENTRAL PLASTICS	10001082	N
			PERFORMANCE PIPE	1047386	Y
380932	1" X 1/2" IPS MDPE SOCKET FUSI	SOCKET REDUCER, 2406 POLYETHYLENE, 1 X 1/2 INCH IPS, SOCKET SPECIAL SPEC GS-3, SDR-10 ON THE 1", SDR -9.3 ON THE 1/2"	CENTRAL PLASTICS	690015021000	N
			PERFORMANCE PIPE	1005371	Y
380949	2" X 1" MDPE TAP TEE	TEE TAPPING PLAS 2" X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 2 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11 ON 2" SIDE SDR-10 ON 1" SIDE	CENTRAL PLASTICS	6931252	N
			PERFORMANCE PIPE	1118357	Y
380956	4" X 1-1/4" MDPE TAP TEE	TEE TAPPING PLAS 4 X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 4 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 4" SIDE, SDR-11 ON 1 1/4" SIDE	CENTRAL PLASTICS	6936545	N
			PERFORMANCE PIPE	1118368	Y
380964	4" X 1" MDPE TAP TEE	TEE TAPPING PLAS 4 X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 4 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 4" SIDE, SDR-10 ON 1" SIDE	CENTRAL PLASTICS	10007223	N
			PERFORMANCE PIPE	1118359	Y
380980	2" X 1-1/4" MDPE TAP TEE	TEE TAPPING PLAS 2" X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 2 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11 ON BOTH SIDES	CENTRAL PLASTICS	6936543	N
			PERFORMANCE PIPE	1115366	Y
380998	4" X 40' MDPE PIPE UNIMODAL	4" X 40' MDPE PIPE UNIMODAL	PERFORMANCE PIPE	1002349	Y
			POLY PIPE INDUSTRIES	10000143	N
381152	1/2" IPS PERMASERT STAB TEE	TEE PLAS COMP 1/2" IPS	HONEYWELL CORP	PC50730100	Y
381160	2" MDPE 500' COIL PIPE UNIMODAL	2" MDPE 500' COIL PIPE UNIMODAL	PERFORMANCE PIPE	1002284	Y
			POLY PIPE INDUSTRIES	10000055	N
381175	2" x 20' MDPE PIPE UNIMODAL	PIPE MDPE 2" STICK 20 FT LENGTH UNIMODAL	PERFORMANCE PIPE	1002303	Y
381200	1-1/4" X 20' MDPE PIPE UNIMODAL	PIPE UNIMODAL MDPE 1 1/4" STICK 20 FT LENGTH	PERFORMANCE PIPE	1002272	Y
			POLY PIPE INDUSTRIES	10000055	N
381228	3" BLIND FLANGE, FF, CL 150 GRD B	FLANGE BLIND FF 3" 150 POUND ASA BLIND FLANGE, FLAT FACED. SPEC. ASTM-A181, MATERIAL FORGED CARBON STEEL ASTM-A181, DIMENSION, ASA-B16.5, FLANGES TO BE MARKED AS PER ASTM SPEC.			

381236	4" BLIND FLANGE, FF, CL 150 GRD B	FLANGE BLIND FF 4" 150 POUND ASA BLIND FLANGE, FLAT FACED. SPEC. ASTM-A181, MATERIAL FORGED CARBON STEEL ASTM-A181. DIMENSION, ASA-B 16.5, FLANGES TO BE MARKED AS PER ASTM SPEC.			
381244	6" BLIND FLANGE, FF, CL 150 GRD B	FLANGE BLIND FF 6" 150 POUND ASA BLIND FLANGE, FLAT FACED. SPEC. ASTM-A181M MATERIAL FORGED CARBON STEEL ASTM-A181, DIMENSION, ASA-B16.5, FLANGES TO BE MARKED AS PER ASTM SPEC.			
381251	2" BLIND FLANGE, RF, CL 150 GRD B	FLANGE BLIND RF 2" 150 POUND ASA BLIND FLANGE. FLAT FACED. SPEC. ASTM-A181, MATERIAL FORGED CARBON STEEL ASTM-A181, DIMENSION, ASA-B16.5, FLANGES TO BE MARKED AS PER ASTM SPEC.			
381491	1/2" CTS MDPE 500' COIL PIPE U	1/2" CTS MDPE 500' COIL PIPE UNIMODAL	PERFORMANCE PIPE INDUSTRIES	1107345	Y
381509	1" ST ELL WELD, 90-DEG, LR, STD, GRD B	ELL WELD 90 LR 1 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A			
381517	1" ST ELL WELD, 45-DEG, LR, STD, GRD B	ELL WELD 45 LR 1 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE . STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A			
381525	1" X 1" ST TEE WELD, STD, GRD B	TEE WELD 1 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A			
381533	1" WELD-NECK FLANGE, FF, CL 150 GRD B, STD	FLANGE WELD-NECK FF 1 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS ASTM - A181, AST.			
381558	1/2" IPS MDPE 500' COIL PIPE U	1/2" IPS MDPE 500' COIL PIPE UNIMODAL	PERFORMANCE PIPE INDUSTRIES	1107287	Y
381582	2" ST ELL WELD, 90-DEG, LR, STD, GRD B	ELL WELD 90 LR 2 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			
381608	2" X 2" ST TEE WELD, STD, GRD B	TEE WELD 2 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			
381624	2" WELD-NECK FLANGE, FF, CL 150 GRD B, STD	FLANGE WELD-NECK FF 2 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.			
381657	3" X 3" ST TEE WELD, STD, GRD B	TEE WELD 3 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			

381665	6" WELD-NECK FLANGE, FF, CL 150 GRD B, STD	FLANGE WELD-NECK FF 6 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.
381673	4" WELD-NECK FLANGE, FF, CL 150 GRD B, STD	FLANGE WELD-NECK FF 4 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.
381681	4" ST ELL WELD, 90-DEG, LR, STD, GRD B	ELL WELD 90 LR 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9 ,A MADE IN USA.
381699	4" ST ELL WELD, 45-DEG, LR, STD, GRD B	ELL WELD 45 LR 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPEC. ASA-B16.9, A MADE IN USA.
381707	4" X 4" ST TEE WELD, STD, GRD B	TEE WELD 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
381723	4" X 2" ST CONCENTRIC WELD REDUCER, STD, GRD B	REDUCER WELD CONC 4 X 2 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
381731	4" X 3" ST CONCENTRIC WELD REDUCER, STD, GRD B	REDUCER WELD CONC 4 X 3 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
381756	6" ST ELL WELD, 90-DEG, LR, STD, GRD B	ELL WELD 90 LR 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9,A MADE IN USA.
381764	6" ST ELL WELD, 45-DEG, LR, STD, GRD B	ELL WELD 45 LR 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9,A MADE IN USA.
381780	6" X 4" ST CONCENTRIC WELD REDUCER, STD, GRD B	REDUCER WELD CONC 6 X 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
381798	6" X 3" ST CONCENTRIC WELD REDUCER, STD, GRD B	REDUCER WELD CONC 6 X 3 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.

381814	8" ST ELL WELD, 90-DEG, LR, STD, GRD B	ELL WELD 90 LR 8 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9,A MADE IN USA.			
381822	8" ST ELL WELD, 45-DEG, LR, STD, GRD B	ELL WELD 45 LR 8 SA-B16/25. AST,-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9,A MADE IN USA.			
381830	8" X 8" ST TEE WELD, STD, GRD B	TEE WELD 8 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			
381848	8" X 6" ST CONCENTRIC WELD REDUCER, STD, GRD B	REDUCER WELD CONC 8 X 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			
381855	8" X 4" ST CONCENTRIC WELD REDUCER, STD, GRD B	REDUCER WELD CONC 8 X 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			
381889	8" WELD-NECK FLANGE, FF, CL 150 GRD B, STD	FLANGE WELD-NECK FF 8 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.			
381913	3" X 2" ST CONCENTRIC WELD REDUCER, STD, GRD B	REDUCER WELD CONC 3 X 2 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			
381947	6" X 6" ST TEE WELD, STD, GRD B	TEE WELD 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			
382499	3" ST COMPRESSION COUPLING	COUPLING COMP STL 3"	DRESSER MFG	0038-9187-202	Y
382549	4" ST COMPRESSION COUPLING	COUPLING COMP STL 4"	DRESSER MFG	0038-9036-202	Y
382598	1-1/4" X 1" MDPE SOCKET FUSION	REDUCER PLAS 1" 1/4 X 1" IPS SOCKET REDUCER, 2406 POLYETHYLENE, 1 1/4 X 1 INCH IPS, SOCKET SPECIAL SPEC GS-3, SDR-11 ON THE 1 1/4", SDR-10 ON THE 1"	CENTRAL PLASTICS	690120121000	N
			PERFORMANCE	1005378	Y
			PIPE		
382622	6" ST COMPRESSION COUPLING	COUPLING COMP STL 6"	DRESSER MFG	0038-9057-202	Y
382689	2" X 1-1/4" MDPE SOCKET FUSION	REDUCER PLAS 2" X 1-1/4 IPS	CENTRAL PLASTICS	690021221000	N
			PERFORMANCE	1005397	Y
			PIPE		
382690	2" X 1" MDPE SOCKET FUSION RED	REDUCER MDPE SOCKET 2"X1" IPS	CENTRAL PLASTICS	6900020	Y
382713	6" CI-STL INSULATING COUPLING	COUPLING COMP INS CI-STL 6"	DRESSER MFG	0032-9028-208	Y
382739	1-1/4" MDPE SOCKET FUSION TEE	TEE PLAS 1-1/4 IPS SOCKET	CENTRAL PLASTICS	690121224000	N
			PERFORMANCE	1005213	Y
			PIPE		
382796	8" ST COMPRESSION COUPLING	COUPLING COMP STL 8"	DRESSER MFG	0038-9073-202	Y

382846	1-1/4" COMPANION FLANGE, FF, GRD B	FLANGE COMPANION 1-1/4" 150 POUND ASA SCREWED FLANGES. FLAT FACE D SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL CARBON FORGED STEEL ASTM-A181. MADE IN USA.				
382861	2" COMPANION FLANGE, FF, GRD B	FLANGE COMPANION 2" 150 POUND ASA SCREWED FLANGES. FLAT FACE D. SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL CARBON FORGED STEEL ASTM-A181. MADE IN USA.				
382887	4" COMPANION FLANGE, FF,GRD B	FLANGE COMPANION 4" 150 POUND ASA SCREWED FLANGES. FLAT FACE D, SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL, CARBON FORGED STEEL ASTM-A181. MADE IN USA.				
382911	FLANGE COMPANION REDUCE FF 2"X	FLANGE COMPANION REDUCE FF 2"X 7-1/2" 150 POUND ASA SCREWED FLANGES. FLAT FACE D SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL, CARBON FORGED STEEL ASTM-A181 MADE IN USA.				
382929	FLANGE COMPANION 2" X 9"	FLANGE COMPANION REDUCE FF 2"X 9" 150 POUND ASA SCREWED FLANGES. FLAT FACE D, SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL. CARBON FORGED STEEL ASTM-A181. MADE IN USA.				
382945	1" COMPANION FLANGE,FF, GRD B	FLANGE COMPANION 1" 150 POUND ASA SCREWED FLANGES. FLAT FACE D, SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL CARBON FORGED STEEL ASTM-A181. MADE IN USA.				
382952	2" MDPE SOCKET FUSION 90-DEG B	ELL PLAS 2" IPS 90-DEG	CENTRAL PLASTICS PERFORMANCE PIPE	690020223000 1005236	N	Y
382960	1/2" IPS MDPE SOCKET FUSION TE	TEE PLAS 1/2" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690505024000 1005154	N	Y
382978	2" MDPE SOCKET FUSION TEE	TEE PLAS 2" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690020224000 1005238	N	Y
383646	2" MDPE SOCKET FUSION CAP	CAP PLAS 2" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690022200000 1005234	N	Y
383802	CAP MDPE SOCKET-FUSION 1/2"	CAP PLAS 1/2" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	1005152	N	Y
383810	2" MDPE SOCKET FUSION COUPLING	COUPLING PLAS 2" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690020220000 1005232	N	Y
383828	1/2" MDPE SOCKET FUSION COUPLI	COUPLING PLAS 1/2" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	6900507 1005150	N	Y
384008	PLUG MECHANICAL-JOINT 4"	PLUG M-J 4 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC., TO BE COATED OUTSIDE ONLY FOR GAS SERVICE. TO HAVE CORTEN BOLTS AND NEOPRENE GASKETS. 250 LBS. WOR	ALABAMA PIPE CO			Y
			AMERICAN CAST IRON PIPE CO			N
			CLOW CORP			N
			MCWANE CAST IRON PIPE CO			N
			U S PIPE & FOUNDRY CO			N

384016	6" CI MECHANICAL-JOINT PLUG	PLUG M-J 6 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC. TO BE COATED OUTSIDE ONLY FOR GAS SERVICE. TO HAVE CORTEN BOLTS AND NEOPRENE GASKETS. 250 LBS. WOR	ALABAMA PIPE CO		Y
			AMERICAN CAST IRON PIPE CO		N
			CLOW CORP		N
			MCWANE CAST IRON PIPE CO		N
			U S PIPE & FOUNDRY CO		N
384032	1-1/4" MDPE SOCKET FUSION COUP	COUPLING PLAS 1-1/4 IPS SOCKET	CENTRAL PLASTICS	690121220000	N
			PERFORMANCE PIPE	1005209	Y
384057	3/4" X 1/2" IPS ANODELESS RISE	RISER METER ANODELESS 3/4 X PE2306 SD 1/2 INLET PIGTAIL 1/2" IPS PLASTIC PE2306 SD R 9.3 MIN. WALL .090" MARLEX TR-418. OUTLET 3/4" ASTM A53 SCHEDULE 40 STEEL PIPE COATED W/CORBOND OR EQUAL. THREADED MIPS. ANODELESS, GROUND LEVEL M	CENTRAL PLASTICS	636-0018	N
			HONEYWELL CORP	79042	Y
384115	TEE TAPPING MDPE 2" W/ 1/2" TAP	TEE TAPPING PLAS 2" X 1/2" W/.500 TAPPING TEE, 2406 POLYETHYLENE, 2 X 1/2 INCH IPS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 2" SIDE, SDR-9.3 ON 1/2" SIDE	R W LYALL CENTRAL PLASTICS	TRACT060050A	N
			PERFORMANCE PIPE	1005068	Y
			POLY PIPE INDUSTRIES		N
384180	6" X 4" ST TEE WELD, STD, GRD B	TEE WELD 6 X 6 X 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.			
384461	CAP MECHANICAL-JOINT 4"	CAP M-J 4 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC., TO BE COATED OUTSIDE ONLY FOR GAS SERVICE. TO HAVE CORTEN BOLTS AND NEOPRENE GASKETS. 250 L	ALABAMA PIPE CO		N
			AMERICAN CAST IRON PIPE CO		N
			CLOW CORP		N
			MCWANE CAST IRON PIPE CO		N
			U S PIPE & FOUNDRY CO		Y
384479	6" CI MECHANICAL-JOINT CAP	CAP M-J 6 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC. TO BE COATED OUTSIDE ONLY FOR GAS SERVICE. TO HAVE CORTEN BOTLS AND NEOPRENE GASKETS. 250 LBS. WOR	ALABAMA PIPE CO		N
			AMERICAN CAST IRON PIPE CO		N
			CLOW CORP		N

			MCWANE CAST IRON PIPE CO		Y
			U S PIPE & FOUNDRY CO		N
384487	CAP MECHANICAL-JOINT 8"	CAP M-J 8 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC. TO BE COATED OUTSIDE ON LY FOR GAS SERVICE. TO HAVE CORTEN BOLTS & NEOPRENE GASKETS. 250 LBS. WORKI	ALABAMA PIPE CO		N
			AMERICAN CAST IRON PIPE CO		Y
			CLOW CORP MCWANE CAST IRON PIPE CO		N
			U S PIPE & FOUNDRY CO		N
384495	6" ST WELD CAP, CL 150, GRD B, STD	CAP WELD 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECS. ASA-B16.9, A MADE IN USA.			
384941	1/2" PE (COMPRESSION) X 1" ST	ADAPTER COMP 1/2" IPS PL X 1"	CONTINENTAL INDUSTRIES	1242-00-0814-00	Y
385013	1" MDPE SOCKET FUSION COUPLING	COUPLING PLAS 1" IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690010120000 1005782	N Y
385112	2" ST SHORTSTOPP WELD FITTING	SHORTSTOPP WMSON WELD 2	T D WILLIAMSON	06-0212-0000	Y
385146	6" ST SHORTSTOPP WELD FITTING	SHORTSTOPP WMSON WELD 6	T D WILLIAMSON	06-7214-0000	Y
385153	8" ST SHORTSTOPP WELD FITTING	SHORTSTOPP WMSON WELD 8	T D WILLIAMSON	06-7215-0000	Y
385559	4" ST SHORTSTOPP 3-WAY TEE	TEE WMSON 3-WAY TYPE 2 4	T D WILLIAMSON	06-7218-0000-00	Y
385583	2" ST SHORTSTOPP 3-WAY TEE	TEE WMSON 3-WAY TYPE 2 2	T D WILLIAMSON	26-0217-0000-00	Y
385617	3" WELD-NECK FLANGE, FF, CL 150 GRD B, STD	FLANGE WELD NECK FF 3 ASA- B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM- A181, AST. MADE IN USA.			
385658	8" X 12" INSULATING CASING SPA	INSULATOR CASING PL 8 X 12	PSI	MODEL PE	Y
385864	4" ST SHORTSTOPP WELD FITTING	SHORTSTOPP WMSON WELD 4	T D WILLIAMSON	06-7213-0000	Y
385948	BOX TERMINAL CATHODIC 4-WIRE	BOX CATHODIC TERMINAL 4 WIRE	HANDLEY IND.	T2-P-S-17	Y
385950	COUPON TEST STATION CS-3100	COUPON TEST STATION CS-3100			
386003	1-1/4" MDPE 500' COIL PIPE UNIMODAL	1-1/4" MDPE 500' COIL PIPE UNIMODAL	PERFORMANCE PIPE POLY PIPE INDUSTRIES	1002263	Y N
386011	1-1/4" MDPE SOCKET FUSION CAP	CAP PLAS 1-1/4 IPS SOCKET	CENTRAL PLASTICS PERFORMANCE PIPE	690122200000 1005211	N Y
386052	1-1/4" X 1" MDPE TAP TEE	TEE TAPPING PLAS 1-1/4 X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 1 1/4 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS- 3 WITH PROTECTIVE SLEEVE , SDR- 11 ON 1 1/4" SIDE, SDR-10 ON 1" SIDE	CENTRAL PLASTICS	10002876	N
			PERFORMANCE PIPE	1118355	Y
386060	1" MDPE 500' COIL PIPE UNIMODA	1" MDPE 500' COIL PIPE UNIMODAL	PERFORMANCE PIPE POLY PIPE INDUSTRIES	1107314 10000034	Y N

386789	6" X 1" MDPE TAP TEE	TEE TAPPING PLAS 6 X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 6 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 6" SIDE, SDR-10 ON 1" SIDE	CENTRAL PLASTICS	10005987	N
				PERFORMANCE 1118360	Y
386797	6" X 1-1/4" MDPE TAP TEE	TEE TAPPING PLAS 6 X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 6 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 6" SIDE, SDR-11 ON 1 1/4" SIDE	CENTRAL PLASTICS	6936546	N
				PERFORMANCE 1118369	Y
387003	3" CORRUGATE HDPE PIPE	3" CORRUGATE HDPE PIPE			
390502	2" WELD-NECK FLANGE, RF, CL 150, GRD B, STD	FLANGE WELD-NECK 2" CLASS 150, RAISED FACE, F-42 STD WALL CONFORMS TO ANSI B16, MADE IN USA			
390503	3" WELD-NECK FLANGE, RF, CL 150, GRD B, STD	FLANGE WELD-NECK 3" CLASS 150, RAISED FACE, F-42 STD WALL, CONFORMS TO ANSI B16, MADE IN USA			
390504	4" WELD-NECK FLANGE, RF, CL150, GRD B, STD	FLANGE WELD-NECK 4" CLASS 150RAISED FACE. F-42STD WALL, CONFORMS TO ANSI B16, MADE IN USA			
390506	6" WELD-NECK FLANGE, RF, CL 300, GRD B, STD	FLANGE WELD-NECK 6" CLASS 300, RAISED FACE, F-42 STD WALL, CONFORMS TO ANSI B16, MADE IN USA			
390508	8" WELD-NECK FLANGE, RF, CL 300, GRD B, STD	FLANGE WELD-NECK 8" CLASS 300 RAISED FACE, F-42 STD WALL, CONFORMS TO ANSI B16, MADE IN USA			

WIRE AND CABLE

300362	#12 CU-CLAD TRACER WIRE 2500'	#12 AWG REINFORCED TRACER WIRE, 2500' SPOOLS: DIRECT BURIAL #12 AWG SOLID (.0808" CONDUCTOR DIAMETER), 21% CONDUCTIVITY ANNEALED COPPER-CLAD HIGH CARBON STEEL HIGH STRENGTH TRACER WIRE,	COPPERHEAD INDUSTRIES, LLC	1230Y-HS-500	Y
362135	DIRECT BURY WIRE SPLICE KIT	DIRECT BURY WIRE SPLICE KIT ELECTRICALLY CONNECT AND MOISTURE SEAL INCLUDES POLYPROPYLENE TUBE WITH MOISTURE RESISTANT GREASE AND WIRE NUT. USE IN WET, DAMP, DIRECT BURY, AND SUBMERSIBLE LOCATIONS. 3M DBR/Y-6 600	SCOTCH 3M CO.	DBR/Y-6 600	Y
363069	#12 CU-CLAD TRACER WIRE 500'	#12 AWG REINFORCED TRACER WIRE, 500' SPOOLS: DIRECT BURIAL #12 AWG SOLID (.0808" CONDUCTOR DIAMETER), 21% CONDUCTIVITY ANNEALED COPPER-CLAD HIGH CARBON STEEL HIGH STRENGTH TRACER WIRE,	COPPERHEAD INDUSTRIES, LLC	#12	Y
			KRIS-TECH WIRE COMPANY		N
383448	#12 CU TRACER WIRE 500'	WIRE 12 SOLID CU (TRACER)	KRIS-TECH WIRE COMPANY	1201-PE30-YE-500	Y
383457	DIRECT BURY LUG YELLOW	DIRECT BURY LUG YELLOW;	DRY CONN	90120	Y
383459	AQUASEAL 10 FT ROLL	TRACER WIRE CONNECTORS AQUASEAL 10 FT ROLL; TO SEAL TRACER WIRE CONNECTIONS WHEN A SPLIT BOLT CONNECTOR IS USED			

HARDWARE

300122	NUT HEAVEY HEX 3/4" ZINC	NUT HEAVEY HEX 3/4" ZINC
300123	NUT HEAVEY HEX 1/2" ZINC	NUT HEAVEY HEX 1/2" ZINC
300124	NUT HEAVEY HEX 7/8" ZINC	NUT HEAVEY HEX 7/8" ZINC
300125	NUT HEAVEY HEX 5/8" ZINC	NUT HEAVEY HEX 5/8" ZINC

300516 361642	BOLT MACHINE 7/8" X 2 1/2" BOLT MACH HEX 5/8"X2-1/2"	BOLT MACHINE 7/8" X 2 1/2" BOLT MACH 5/8 X 2 1/2" HEX CARBON STEEL BOLTS, ASTM A-307 GRADE B. W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUT, ALSO ANSI 18.2.1 & ANSI 18.2.2 COURSE
361782	BOLT MACH HEX 5/8"X2-3/4"	BOLT MACH 5/8X 2-3/4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUT, ALSO ANSI 18.2.1 & ANSI 18.2.2 COURSE
361808	BOLT MACH HEX 1/2"X2-1/4"	BOLT MACH 1/2X 2-1/4 HEX W/NUT CARBON STEEL BOLTS, ASTM-A- 307 GRADE B, W/O HEAT TREATMENT OTHER, THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUT ALSO ANSI 18.2.1 & ANSI 18.2.2 COURSE TH
361816	BOLT MACH HEX 5/8"X2"	BOLT MACH 5/8X 2" HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUT, ALSO ANSI 18.2.1 & ANSI 18.2.2 COURSE
361824	BOLT MACH HEX 1/2"X1-3/4"	BOLT MACH 1/2X 1-3/4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUTS, ALSO ANSI 18.2.1 & ANSI 18.2.2 COURSE
361832	BOLT MACH HEX 5/8"X1-3/4"	BOLT MACH 5/8X 1-3/4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B. W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUT. ALSO ANSI 18.2.1 & ANSI 18.2.2 COAR
361840	BOLT MACH HEX 5/8"X2-1/4"	BOLT MACH 5/8 X 2 1/4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUT, ALSO ANSI 18.2.1 & ANSI 18.2.2 COURSE
361857	BOLT MACH HEX 5/8"X3"	BOLT MACH 5/8 X 3 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUT, ALSO ANSI 18.2.1 & ANSI 18.2.2 COARS
361865	BOLT MACH HEX 3/4"X2"	BOLT MACH 3/4X 2" HEX W/NUT CARBON STEEL BOLTS, ASTM-A- 307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS, WITH USA STANDARD HEAVY HEXAGONAL NUT ASLO ANSI 18.2.1 & ANSI 18.2.2 COURSE TH

361873	BOLT MACH HEX 3/4"X3"	BOLT MACH 3/4X 3 HEX W/NUT CARBON STEEL BOLTS, ASTM-A-307 GRADE B. W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S,WITH USA STANDARD HEAVY HEXAGONAL NUT ALSO ANSI 18.2.1 & 18.2.2 COARSE THREADS
361881	BOLT MACH HEX 3/4"X3-1/2"	BOLT MACH 3/4X 3-1/2" HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S, WITH USA STANDARD HEAVY HEXAGONAL NUT.ALSO ANSI 18.2.1 & ANSI 18.2.2 COURS
363100	1" Glas Mesh 1240 FRP 240 Roll-On Shield	1" Glas Mesh 1240 FRP 240 Roll-On Shield
363101	1 1/4" GLAS MESH 1.25240 FRP 240 ROLL-ON SHIELD	1 1/4" GLAS MESH 1.25240 FRP 240 ROLL-ON SHIELD
363102	2" GLAS MESH 2240 FRP 240 ROLL-ON SHIELD	2" GLAS MESH 2240 FRP 240 ROLL-ON SHIELD
363104	4" GLAS MESH 4240 FRP 240 ROLL-ON SHIELD	4" GLAS MESH 4240 FRP 240 ROLL-ON SHIELD
363106	6" GLAS MESH 6240 FRP 240 ROLL-ON SHIELD	6" GLAS MESH 6240 FRP 240 ROLL-ON SHIELD
363108	8" GLAS MESH 8240 FRP 240 ROLL-ON SHIELD	8" GLAS MESH 8240 FRP 240 ROLL-ON SHIELD
363112	12" GLAS MESH 12240 FRP 240 ROLL-ON SHIELD	12" GLAS MESH 12240 FRP 240 ROLL-ON SHIELD
371831	BOLT MACH HEX 3/4"X4"	BOLT MACH 3/4X 4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI 18.2.2 COURS
371898	BOLT MACH HEX 5/8"X3-1/2"	BOLT MACH 5/8X 3-1/2" HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEA DS, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI 18.2.2 COURS
373597	BOLT MACH HEX 7/8"X4"	BOLT MACH 7/8X 4 HEX W/NUT CARBON STEEL BOLTS,ASTM A-307 GRADE B, W /O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEA DS, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI 18.2.2 COURS
373613	BOLT MACH HEX 7/8"X5"	BOLT MACH 7/8X 5 HEX W/NUT CARBON STEEL BOLTS , ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI 18.2.2 COURS

TRANSFORMERS AND METERS MTS

363267	METER LOOP 2" LONG RADIUS	METER LOOPS 2" LONG RADIUS 34" X 8 1/2" X 8"	HONEYWELL CORP	35115	Y
363278	METER LOOP 2" SHORT RADIUS	METER LOOP 2" SHORT RADIUS 22 1/2" X 8 1/2" X 8"	HONEYWELL CORP	35114	Y

SADDLES AND CLAMPS

300106	CLAMP CI 4" X 30" LONG	CLAMP CI 4" X 30" LONG		033-01-025	Y
300107	6" ST X 20" - FULL CIRCLE CLAM	CLAMP STL 6" X 20"	DRESSER MFG	0360-0656-410	Y
300108	CLAMP CI 8" X 30" LONG	CLAMP CI 8" X 30" LONG			
300109	8" ST X 20" - FULL CIRCLE CLAM	CLAMP STL 8" X 20"	SMITH-BLAIR INC	225-10086320-000	Y
300110	8" ST X 30" - FULL CIRCLE CLA	CLAMP STL 8" X 30" LONG	SMITH-BLAIR INC	225-10086330-000	Y

300112	10" ST X 7" - FULL CIRCLE CLA	CLAMP STL 10"	SMITH-BLAIR INC	225-10107507- 000	Y
300113	CLAMP 10" D.I. 7 1/2" LONG	CLAMP 10" D.I. 7 1/2" LONG			
300114	12" ST X 30" - FULL CIRCLE CLA	CLAMP STL 12"	DRESSER MFG	SUBMITTAL	Y
300115	1-1/4" X 1" CLAMP AND GROUNDING ROD	CLAMP 1 1/4" X 1" BARE GRD ROD			
300116	1-1/4" X 6" - HANDI/REDI-CLAMP	CLAMP HANDI-BAND 1 1/4" X 6"	DRESSER MFG	0118-0307-009	Y
300504	CLAMP PIPE JOINT 1 1/4"	CLAMP PIPE JOINT 1 1/4"			
300505	SADDLE CLAMP 8" X 1 1/4" CI FOR GAS	SADDLE CLAMP 8" X 1 1/4" CI FOR GAS			
300506	SADDLE SERVICE CI 4" X 1 1/4" TAP	SADDLE SERVICE CI 4" X 1 1/4" TAP			
300507	SADDLE SERVICE STL 8" X 1 1/4" TAP FOR GAS	SADDLE SERVICE STL 8" X 1 1/4" TAP FOR GAS			
300508	SADDLE SERVICE STEEL 6" W 1 1/4" TAP FOR GAS	SADDLE SERVICE STEEL 6" W 1 1/4" TAP FOR GAS			
300509	SADDLE SERVICE STEEL 4" W 1 1/4" TAP FOR GAS	SADDLE SERVICE STEEL 4" W 1 1/4" TAP FOR GAS			
300510	SADDLE SERVICE STEEL 3" W 1" TAP FOR GAS	SADDLE SERVICE STEEL 3" W 1" TAP FOR GAS			
300511	SADDLE SERVICE STEEL 3" W 1 1/4" TAP FOR GAS	SADDLE SERVICE STEEL 3" W 1 1/4" TAP FOR GAS			
300512	SADDLE SERVICE STEEL 3" W 2" TAP FOR GAS	SADDLE SERVICE STEEL 3" W 2" TAP FOR GAS			
300513	SADDLE SERVICE STEEL 12" W 2" TAP FOR GAS	SADDLE SERVICE STEEL 12" W 2" TAP FOR GAS			
300514	SADDLE SERVICE STEEL 10" W 1 1/4" TAP FOR GAS	SADDLE SERVICE STEEL 10" W 1 1/4" TAP FOR GAS			
300515	SADDLE SERVICE STEEL 10" W 2" TAP FOR GAS	SADDLE SERVICE STEEL 10" W 2" TAP FOR GAS			
361551	6" CI X 20" - FULL CIRCLE CLAM	CLAMP FULL CIRCLE 6" X 20" STAINLESS STEEL 6.84 -7.24 CAST IRON PIPE , SINGLE BAND STAINLESS STEEL TYPE 304, LUGS: HIGH STRENGTH DUCTILE IRON ASTM A536, GASKET: NITRILE (BUNA N), BRIDGE PLATE: STAINLESS STEEL RECESSED FLUSH AND BONDED INTO GASKET,	DRESSER MFG	SUBMITTAL	N
			SMITH-BLAIR INC	225-10069020- 000	Y
361562	CLAMP FULL CIRCLE 8" X 20" STA	CLAMP FULL CIRCLE 8" X 20" STAINLESS STEEL 8.99-9.39 CAST IRON PIPE , SINGLE BAND STAINLESS STEEL TYPE 304, LUGS: HIGH STRENGTH DUCTILE IRON ASTM A536, GASKET: NITRILE (BUNA N), BRIDGE PLATE: STAINLESS STEEL RECESSED FLUSH AND BONDED INTO GASKET,	SMITH-BLAIR INC	2251009052000	Y
361573	CLAMP REPAIR 4" X 20" SS360 FO	CLAMP REPAIR 4" X 20" SS360 FOR CAST IRON	SMITH-BLAIR INC	225-10048020- 000	Y
362002	SERVICE SADDLE 2" ST X 1/2" CTS	SERVICE SADDLE 2" ST X 1/2" CT			
362035	SADDLE SERV 2"STL W/ 2"MDPE	SERVICE SADDLE 2" ST X 2" IPS			
362574	6" CI X 12" - FULL CIRCLE CLAM	CLAMP SS 360 FOR 6" CI (GAS) 12" LENGTH SYTLE 225 6.84-7.24	SMITH-BLAIR INC	225-10069012- 000	Y
362761	2" ST X 12" - FULL CIRCLE CLAM	REPAIR CLAMP FULL CIRCLE 2" X 12 1/2"	SMITH-BLAIR INC	225-10023812- 000	Y
364489	3/4" ST X 3" - HANDI/REDI-CLAM	CLAMP HANDI-BAND 3/4 X 3	DRESSER MFG	0118-0302-009	N
364497	1" ST X 3" - HANDI/REDI-CLAMP	CLAMP HANDI-BAND 1" X 3	SMITH-BLAIR INC	245-00010503- 000	Y
364505	1-1/4" ST X 3" - HANDI/REDI-CL	CLAMP HANDI-BAND 1-1/4 X 3	DRESSER MFG	0118-0304-009	N
364620	CLAMP PIPE-JOINT 2"STL	CLAMP PIPE JOINT 2" ST	SMITH-BLAIR INC	245-00016603- 000	Y
364760	SADDLE SERV 2"STL W/ 1"PE TAP	CLAMP PIPE JOINT 2" ST	SPRAGUE	CODE JCF 089860	Y
364778	SADDLE SERV 2"STL W/ 1-1/4MDPE	SADDLE SERV 2 ST X 1-1/4	DRESSER MFG	91-2001-001	Y
365346	4" ST X 12" - FULL CIRCLE CLAM	CLAMP 12" WIDE SS 360 4.50 OD	DRESSER MFG	91-1003-001	Y
365353	6" ST X 12" - FULL CIRCLE CLAM	CLAMP 12" WIDE SS 360 6.625 OD	DRESSER MFG	SUBMITTAL	N
365361	8" ST X 12" - FULL CIRCLE CLAM	CLAMP 12" WIDE SS 360 8.625 OD	SMITH-BLAIR INC	225-10045012- 000	Y
			SMITH-BLAIR INC	225-10066312- 000	Y
			SMITH-BLAIR INC	225-10086312- 000	Y

371872	SADDLE SERV 8"STL W/ 1"MDPE TP	SADDLE SERV 8 ST X 1"	DRESSER MFG	91-1127-001	Y
372284	12" ST X 12" - FULL CIRCLE CLA	CLAMP 12 WIDE SS 360 12.750 OD	SMITH-BLAIR INC	225-10127012- 000	Y
372318	12" ST X 7" - FULL CIRCLE CLAM	CLAMP SS 360 FOR 12ST	SMITH-BLAIR INC	225-10127007- 000	Y
380923	SADDLE SERV 1-1/4"STL W/ 1"PE	SADDLE SERV 1-1/4 ST X 1"	ROCKWELL	313-0001.9208- 00	N
			SMITH-BLAIR INC	313-00019209- 000	Y
382085	SADDLE SERV 4"STL W/ 1"MDPE TP	SADDLE SERV 4 ST X 1"	DRESSER MFG	0091-2005-001	Y
				91-2005-001	N
382127	SADDLE SERV 4"STL W/ 2"MDPE TP	SADDLE SERV 4 ST X 2	DRESSER MFG	91-1050-001	Y
382168	6" CI X 1" PE TAP TEE	SADDLE SERV 6 CI X 1"	DRESSER MFG	0091-1101-001	Y
382184	6" CI X 1-1/4" PE TAP TEE	SADDLE SERV 6 CI X 1-1/4	DRESSER MFG	0091-1102-001	Y
382200	6" CI X 2" PE TAP TEE	SADDLE SERV 6 CI X 2	DRESSER MFG	0091-1104-001	Y
383166	2" X 3" - HANDI/REDI-CLAMP	CLAMP HANDI-BAND 2" X 3	DRESSER MFG	0118-0310-009	Y
383174	2" X 6" - HANDI/REDI-CLAMP	CLAMP HANDI-BAND 2" X 6	DRESSER MFG	0118-0311-009	Y
383182	2" ST X 7" - FULL CIRCLE CLAMP	CLAMP SS 360 FOR 2" C/S	DRESSER MFG	SUBMITTAL	N
			SMITH-BLAIR INC	225-10023807- 000	Y
383190	4" ST X 7" - FULL CIRCLE CLAMP	CLAMP SS 360 FOR 4 ST	SMITH-BLAIR INC	225-10045007- 000	Y
383216	6" ST X 7" - FULL CIRCLE CLAMP	CLAMP SS 360 FOR 6 ST	SMITH-BLAIR INC	225-10066307- 000	Y
383224	6" CI X 7" - FULL CIRCLE CLAMP	CLAMP SS 360 FOR 6 CI	DRESSER MFG	SUBMITTAL	N
			SMITH-BLAIR INC	225-10069007- 000	Y
383745	3" ST X 7" - FULL CIRCLE CLAMP	CLAMP SS 360 FOR 3 ST	SMITH-BLAIR INC	225-10035007- 000	Y
383752	8" ST X 7" - FULL CIRCLE CLAMP	CLAMP SS 360 FOR 8 ST	DRESSER MFG		N
			SMITH-BLAIR INC	225-10086307- 000	Y
383760	3" X 3" - HANDI/REDI-CLAMP	CLAMP HANDI-BAND 3 X 3	DRESSER MFG		N
			SMITH-BLAIR INC	245-00035003- 000	Y
383778	4" X 3" - HANDI/REDI-CLAMP	CLAMP HANDI-BAND 4 X 3	DRESSER MFG	0118-0320-009	N
			SMITH-BLAIR INC	245-00045003- 000	Y
383786	6" X 3" - HANDI/REDI-CLAMP	CLAMP HANDI-BAND 6 X 3	DRESSER MFG		N
			SMITH-BLAIR INC	245-00066303- 000	Y
383794	8" X 3" - HANDI/REDI-CLAMP	CLAMP HANDI-BAND 8 X 3	DRESSER MFG		N
			SMITH-BLAIR INC	245-00086303- 000	Y

VALVES

300517	GASKET FLANGE 12" FIBER	GASKET FLANGE 12" FIBER			
300518	GASKET FLANGE 4" FIBER	GASKET FLANGE 4" FIBER			
300519	GASKET FLANGE 1" FIBER	GASKET FLANGE 1" FIBER			
300520	GASKET FLANGE 1 1/4" FIBER	GASKET FLANGE 1 1/4" FIBER			
300521	GASKET RING 12" FIBER	GASKET RING 12" FIBER			
300522	GASKET RING 8" FIBER	GASKET RING 8" FIBER			
300523	GASKET RING 6" FIBER	GASKET RING 6" FIBER			
300524	GASKET RING 4" FIBER	GASKET RING 4" FIBER			
300525	GASKET RING 1" FIBER	GASKET RING 1" FIBER			
300526	GASKET RING 2"	GASKET RING 2"			
360440	BOX VALVE MIDDLE-SECT CI #60-B	VALVE BOX MIDDLE NO 60-B	CAPITOL FOUNDRY OF VIRGINA INC		N
			OPELIKA FOUNDRY	60-B	N
			SIGMA CORPORATION	VB630	Y
			SIGMA/NAPPCO /RUSSELL		N
			TYLER		N
360451	BOX VALVE TOP-SECTION CI #54-B	BOX VALVE TOP NO.54-B	CAPITOL FOUNDRY OF VIRGINA INC		N
			OPELIKA FOUNDRY		N
			SIGMA/NAPPCO /RUSSELL		N
			TYLER	6855-10T	Y

360473	4" MDPE VALVE (FULL PORT)	VALVE POLYETHYLENE 4 FULL BORE POLYETHYLENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HE AD ADAPTOR, SDR 11, COLOR - ORANGE OR YELLOW, FULL OPEN PORT BORE VA	BROEN INC	PEB4 IMD80DR1114	N
360693	6" MDPE VALVE (FULL PORT)	VALVE POLYETHYLENE 6 FULL BORE POLYETHYLENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HE AD ADAPTER, SDR11, COLOR BLACK OR YELLOW, FULL OPEN PORT VALVE	KEROTEST BROEN INC	99044011 PEB6 IMD80DR1114	Y N
360855	1" ST FLANGE BALL VALVE, RAISE	1" ST FLANGE BALL VALVE, RAISED FACE, CLASS 150, STD PORT, FLOATING BALL	KEROTEST BROEN INC	99046011	Y N
360872	2" ST FLANGE BALL VALVE, RAISE	2" ST FLANGE BALL VALVE, RAISED FACE, CLASS 150, STD PORT, FLOATING BALL	KEROTEST KMZ M T DEASON COMPANY INC BROEN INC	2BMF285PLRPC B14S	N N Y Y
360873	3" ST FLANGE BALL VALVE, RAISE	3" ST FLANGE BALL VALVE, RAISED FACE, CLASS 150, STD PORT, FLOATING BALL	M T DEASON COMPANY INC BROEN INC	3BMF285PLRPC B14S	N Y
360874	4" ST FLANGE BALL VALVE, RAISE	4" ST FLANGE BALL VALVE, RAISED FACE, CLASS 150, STD PORT, FLOATING BALL	M T DEASON COMPANY INC BROEN INC	4BMF285PLRPC B14S	N Y
360876	6" ST FLANGE BALL VALVE, RAISE	6" ST FLANGE BALL VALVE, RAISED FACE, CLASS 150, STD PORT, FLOATING BALL	M T DEASON COMPANY INC BROEN INC	6BMF285PLRPC B14S	N Y
360878	8" ST FLANGE BALL VALVE, RAISE	VALVE FLANGE STEEL BALL 8" CLASS 300, RAISED FACE F X F , WELDED BODY, FULL PORT CONFORMS TO ANSI B16.34, NATURAL GAS, 8" GAS SQUARE OPERATING HEAD	M T DEASON COMPANY INC BROEN INC	SUBMITTAL	N
361034	8" MDPE VALVE (FULL PORT) W/ 2	VALVE POLYETHYLENE 8" FULL BORE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HE AD ADAPTER, SDR11, COLOR BLACK OR YELLOW, FULL OPEN PORT VALVE, MINIMUM PORT OPENING 6.6 "	KEROTEST KMZ M T DEASON COMPANY INC BROEN INC	PEB8 IMD80DR1114	N
361045	12" MDPE VALVE (FULL PORT) W/	VALVE POLYETHYLENE 12" FULL BORE WITH GEAR OPERATOR, MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HE AD ADAPTER, SDR11, COLOR BLACK OR YELLOW, FULL OPEN PORT VALVE, MINIMUM PORT SIZE 9.5"	KEROTEST KEROTEST	99048011 99169313 99169313	Y N Y
361592	GASKET INS 1-1/4"X1-1/4"CTS	GASKET INS 1-1/4 CTSX1-1/4 IPS	MUELLER	581953 H-11499	Y N

362167	3/4" METER VALVE	VALVE METER, Jomar 3/4" BRASS BALL VALVE; 175 PSIG WOG; LOCK WING; 3/4" FPT INLET X 3/4" FPT INSULATED UNION OUTLET	JOMAR INTERNATIONAL	175LWIN	Y
			RUB	S.8043 NPT DIELECTRIC	N
362178	1" METER VALVE	VALVE METER, 1" BRASS BALL VALVE; 175 PSIG WOG; LOCK WING; 1" FPT INLET X 1" FPT OUTLET	JOMAR INTERNATIONAL	175LWIN	Y
			RUB	S.8043 NPT DIELECTRIC	N
362189	1-1/4" METER VALVE	VALVE METER, 1 1/4" BRASS BALL VALVE; 175 PSIG WOG; LOCK WING; 1 1/4" FPT INLET X 1 1/4" INSULATED UNION OUTLET	JOMAR INTERNATIONAL	175LWIN	N
			RUB	S.8043 NPT DIELECTRIC	Y
362200	2" METER VALVE	VALVE METER, 2" BRASS BALL VALVE; 175 PSIG WOG; LOCK WOG; LOCK WING; 2" FPT INLET X 2" FPT OUTLET	JOMAR INTERNATIONAL	175LWIN	Y
			RUB	S.8043 NPT DIELECTRIC	N
362211	VALVE METER 1 1/4" BYPASS	VALVE METER, 1 1/4" BRASS BALL VALVE; 175 PSIG WOG; LOCK WING; 1 1/4" FPT INLET X 1 1/4" FPT OUTLET			
362552	LID GATE-BOX HEAVY-DROP "GAS"	LID GATE BOX HEAVY DROP "GAS"	EAST JORDAN IRON WORKS INC	68000045	Y
362996	SLEEVE INS FLANGE FLAT-FACE 6"	SLEEVE INSUL FLANGE 6 FF			
363002	4" CLASS 150 FLANGE INSULATING KIT	SLEEVE INSUL FLANGE 4 FF			
363028	2" CLASS 150 FLANGE INSULATING KIT	SLEEVE INSUL FLANGE 2 FF			
364406	1" CLASS 150 FLANGE NEOPRENE GASKET	GASKET FLANGE 1" 150# NEOPRENE			
364414	1-1/4" CLASS 150 FLANGE NEOPRENE GASKET	GASKET FLANGE 1-1/4" NEOPRENE			
364422	2" CLASS 150 FLANGE NEOPRENE GASKET	GASKET FLANGE 2" NEOPRENE			
364430	3" CLASS 150 FLANGE NEOPRENE GASKET	GASKET FLANGE 3" NEOPRENE			
364448	4" CLASS 150 FLANGE NEOPRENE GASKET	4" CLASS 150 FLANGE NEOPRENE GASKET			
364463	6" CLASS 150 FLANGE NEOPRENE GASKET	GASKET FLANGE 6" NEOPRENE			
364471	8" CLASS 150 FLANGE NEOPRENE GASKET	GASKET FLANGE 8" NEOPRENE			
367078	8" CLASS 150 FLANGE INSULATING KIT	SLEEVE INSUL FLANGE 8 FF			
371708	1" MDPE VALVE (FULL PORT)	VALVE POLYETHYLENE 1" POLYETHYLENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVES TO HAVE 2 INCH SQUARE HEAD ADAPTER, SDR 11, COLOR - ORANGE OR YELLOW	KEROTEST	99041111	Y
			R W LYALL	BV0070Y-TFNO-000	N
371724	1-1/4" MDPE VALVE (FULL PORT)	VALVE POLYETHYLENE 1-1/4" POLYETHYLENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVES TO HAVE 2 INCH SQUARE HEAD ADAPTER, SDR 10, COLOR - ORANGE OR YELLOW	BROEN INC	PEB5/4"IMD80D R1014	N
			KEROTEST	99041310	Y
371740	2" MDPE VALVE (FULL PORT)	VALVE POLYETHYLENE 2" POLYETHYLENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVES TO HAVE 2 INCH SQUARE HEAD ADAPTER, SDR 11, COLOR - YELLOW	BROEN INC	PEB2	N
			KEROTEST	99042011	Y
371815	12" CLASS 150 FLANGE NEOPRENE GASKET	GASKET FLANGE 12"			
371930	1" CLASS 150 FLANGE INSULATING KIT	SLEEVE INSUL FLANGE 1" FF			

371955	1-1/4" CLASS 150 FLANGE INSULATING KIT	SLEEVE INSUL FLANGE 1-1/4 FF			
381368	12" CLASS 150 FLANGE INSULATING KIT	SLEEVE INSUL FLANGE 12 FF			
382705	LID VALVE-BOX CI "GAS" W/ LOCK	BOX VALVE LID GAS W/LOCK	OPELIKA FOUNDRY SIGMA CORPORATION TYLER	4904-L VB2600 #6860 W/PENT. LOCK	N Y N
383398	LID VALVE-BOX CI "GAS"	BOX VALVE LID GAS	CAPITOL FOUNDRY OF VIRGINA INC OPELIKA FOUNDRY SIGMA CORPORATION SIGMA/NAPPCO /RUSSELL TYLER	4906-5 1/4 VB2600 #6860 W/1 1/2 SKIRT	N N Y N N
383455	VALVE FLANGE W/ LUB PLUG 1"	VALVE FLGD LUB PLUG 200# 1" 1" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	HOMESTEAD	612	N
383463	VALVE FLANGE W/ LUB PLUG 1-1/4"	VALVE FLGD LUB PLUG 200# 1.25" 1 1/4" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CL 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	NORDSTROM HOMESTEAD	143 612	Y N
383471	VALVE FLANGE W/ LUB PLUG 2"	VALVE FLGD LUB PLUG 200# 2" 2" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	MILLIKEN NORDSTROM HOMESTEAD	171M 143 612	N Y Y
383489	VALVE FLANGE W/ LUB PLUG 3"	VALVE FLGD LUB PLUG 200# 3" 3" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	MILLIKEN NORDSTROM HOMESTEAD	171M 143 612	N N N
383497	VALVE FLANGE W/ LUB PLUG 4"	VALVE FLGD LUB PLUG 200# 4" 4" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	MILLIKEN NORDSTROM HOMESTEAD	171M 143 612	N Y N
			MILLIKEN NORDSTROM OLSON TECHNOLOGIE S	171M 143 SYTLE 612	N N Y

383505	VALVE FLANGE W/ LUB PLUG 6"	VALVE FLGD LUB PLUG 200# 6" 6" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTOR AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	HOMESTEAD	612	Y
			MILLIKEN	171M	N
			NORDSTROM	143	N
383513	VALVE FLANGE W/ LUB PLUG 8"	VALVE FLGD LUB PLUG 200# 8" 8" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTOR AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	HOMESTEAD	612	N
			MILLIKEN	171M	N
			NORDSTROM	143	Y
386748	RISER PAVING CAST-IRON 3"	RISER PAVING 3"	ACHESON FOUNDRY	AVAR-30	N
			SIGMA CORPORATION	VB2603	Y
386755	RISER PAVING CAST-IRON 4"	RISER PAVING 4"	ACHESON FOUNDRY	AVAR-40	N
			SIGMA CORPORATION	6016B	Y

WATER HEATERS

310001	WATER HEATER TANKLESS GAS 9.0 GPM 180000 BTU CONDENSING INDR	WATER HEATER TANKLESS GAS 9.0 GPM 180000 BTU CONDENSING INDOOR, VENT PVC AC 120V, GAS SUPPLY 7 WC
310002	WATER HEATER TANKLESS GAS 6.6 GPM 130000 BTU CONDENSING INDR	WATER HEATER TANKLESS GAS 6.6 GPM 130000 BTU CONDENSING INDOOR, VENT PVC AC 120V, GAS SUPPLY 7WC
310003	WATER HEATER GAS 50 GALLON 110V POWER VENT PVC	WATER HEATER GAS 50 GALLON 110V POWER VENT PVC, MAINTENANCE FREE, PUSH BUTTON IGNITION

WASTE WATER

PIPE AND FITTINGS

800060	BEND PVC 4" 1/8 3034 SDR-35	BEND PVC 4" 1/8 3034 SDR-35	HARCO PLASTIC- TREND	G504	N Y
			VASSALLO		N
800090	BEND PVC 4" 1/16 3034 SDR-35	BEND PVC 4" 1/16 3034 SDR-35	HARCO PLASTIC- TREND	G1704	N N Y
			VASSALLO		N
800100	BEND PVC 4" 1/8 3034 SDR-35	BEND PVC 4" 1/8 3034 SDR-35	HARCO PLASTIC- TREND	G404	N N Y
			VASSALLO		N
800130	COUPLING PIPE 18"PVC TO18"PVC	COUPLING 18" PVC TO 18" PVC	FERNCO	1056-1818	N Y N
			INDIANA SEALS MANU		N
800140	COUPLING PIPE 15"PVC TO 15"CC	COUPLING 15" PVC TO 15" CONC	FERNCO	1006-1515	Y N N
			INDIANA SEALS MANU		N
800150	COUPLING PIPE 4" PVC TO 4" CON	COUPLING 4" PVC TO 4" CONC	FERNCO	1006-44	Y N N
			INDIANA SEALS MANU		N
800160	COUPLING PIPE 10"PVC TO 10"PVC	COUPLING 10" PVC TO 10" PVC	FERNCO	1056-1010	Y N N
			INDIANA SEALS MANU		N
800170	COUPLING PIPE 12"PVC TO 12"PVC	COUPLING 12" PVC TO 12" PVC	FERNCO	1056-1212	Y N N
			INDIANA SEALS MANU		N
800180	COUPLING PIPE 15"PVC TO 15"PVC	COUPLING 15" PVC TO 15" PVC	FERNCO	1056-1515	Y N N

800190	COUPLING PIPE 6"PVC TO 6"PVC	COUPLING 6" PVC TO 6" PVC	INDIANA SEALS MANU FERNCO	1056-66	Y N N
800195	COUPLING RUBBER 6"TARA X 6"PVC_8	COUPLING RUBBER 6"TARA X 6"PVC	INDIANA SEALS MANU		N N
800200	COUPLING PIPE 12"PVC TO 12"CC	COUPLING 12" PVC TO 12" CONC	FERNCO	1006-1212	Y N N
800210	COUPLING PIPE 18"PVC TO 18"CC	COUPLING 18 PVC TO 18 CONC	INDIANA SEALS MANU FERNCO	1006-1818	Y N N
800220	COUPLING PIPE 6"PVC TO 6"CC	COUPLING 6 PVC TO 6 CONC	INDIANA SEALS MANU FERNCO	1006-66	Y N N
800230	COUPLING PIPE 8"PVC TO 8"CC	COUPLING 8 PVC TO 8 CONC	INDIANA SEALS MANU FERNCO	1006-88	Y N N
800240	COUPLING PIPE 8"PVC TO 8"PVC	COUPLING 8 PVC TO 8 PVC	INDIANA SEALS MANU FERNCO	1056-88	Y N N
800250	DONUT RUBBER 6"CC TO 4"SW	DONUT CONN 6" PLAS - 4" SW	INDIANA SEALS MANU FERNCO	416-405	Y N N
800260	DONUT RUBBER 6"CC TO 6"PVC	DONUT CONN 6" PVC - 6"	INDIANA SEALS MANU FERNCO	626-601	Y N N
800270	DONUT RUBBER 4" FAST SADDLE	DONUT FOR 4" FAST SADDLE	INDIANA SEALS MANU FERNCO	TST-4	N Y N
800280	DONUT RUBBER 6"CC TO 4"PVC	DONUT 6" CONC TO 4" PVC BORE	INDIANA SEALS MANU FERNCO	416-401	Y N N
800320	GASKET-MATERIAL BUTYL-TITE	GASKET MATERIAL BUTYL TITE	INDIANA SEALS MANU		N
800330	BUSHING-INCREASER PVC 4"X6"	BUSHING INCREASER 6" X 4" PVC	HARCO		N
800440	PLUG CLEAN-OUT 6"	PLUG 6 CLEAN-OUT FITTING FOR PVC SEWER PIPE SHALL MEET TH E REQUIREMENT OF ASTM D-3034 SDR-35 PVC 3034 SDR-35 TO FIT OUTSIDE SPIGOT EN D SEWER PIPE	PLASTIC- TREND	G1166	Y N N
800460	PLUG PVC SDR-35 A-3034 8"	PLUG PVC 8" 3034 SDR-35	VASSALLO HARCO PLASTIC- TREND	G1168	N N Y
800500	WYE-TEE PVC SDR-26 8"X8X8"	TEE WYE PVC 8" X 8" X 8"	VASSALLO HARCO PLASTIC- TREND	2708W06GGT26	N N N
800560	TRANSITE WATER-STOP FERNCO 10"	TRANSITE WATER STOP 10" FERNCO	VASSALLO FERNCO	H1658 LDCMA	Y N Y
800570	TRANSITE WATER-STOP FERNCO 12"	TRANSITE WATER STOP 12" FERNCO	INDIANA SEALS MANU FERNCO	LDCMA	N N Y
800580	TRANSITE WATER-STOP FERNCO 15"	TRANSITE WATER STOP 15" FERNCO	INDIANA SEALS MANU FERNCO	LDCMA	N N Y
			INDIANA SEALS MANU		N N

800590	TRANSITE WATER-STOP FERNCO 18"	TRANSITE WATER STOP 18" FERNCO	FERNCO	LDCMA-19.90	Y
					N
			INDIANA SEALS MANU		N
800600	TRANSITE WATER-STOP FERNCO 4"	TRANSITE WATER STOP 4" FERNCO	FERNCO	CMA	Y
					N
			INDIANA SEALS MANU		N
800610	TRANSITE WATER-STOP FERNCO 6"	TRANSITE WATER STOP 6" FERNCO	FERNCO	CMA	Y
					N
			INDIANA SEALS MANU		N
800620	TRANSITE WATER-STOP FERNCO 8"	TRANSITE WATER STOP 8" FERNCO	FERNCO	CMA	Y
					N
			INDIANA SEALS MANU		N
800640	WYE PVC 8 X 8 X 6 ASTM	WYE PVC 8 X 8 X 6 ASTM	HARCO PLASTIC-TREND	G308-6	Y
					N
			VASSALLO FERNCO	1056-44	Y
800650	COUPLING PIPE 4"PVC TO 4"PVC	COUPLING 4 PVC TO 4 PVC			N
			INDIANA SEALS MANU		N
800658	COUPLING RUBBER 4"TARA X 4"PVC_8	COUPLING RUBBER 4"TARA X 4"PVC			N
800670	COUPLING PIPE 10"PVC TO 10"CC	COUPLING 10 PVC TO CONC	FERNCO	1006-1010	Y
					N
			INDIANA SEALS MANU		N
800680	PLUG PVC SDR-35 A-3034 4"	PLUG PVC 4 PVC 3034 SDR-35	HARCO PLASTIC-TREND	G1164	Y
					N
			VASSALLO AMERIPLAST INCORPORATE		N
800681	PIPE SEWER HDPE 1-1/4"	PIPE POLY SEWER 1 1/4 PIPE 3408 HIGH DENSITY POLY 1 1/4 IPS SDR 11 500' COIL MANU. IN COMPLIANCE D WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY			N
			PERFORMANCE 4100 SERIES PIPE RINKER MATERIALS		Y
					N
800682	PIPE SEWER HDPE 2"	PIPE POLY SEWER 2 PIPE 3408 HIGH DENSITY POLY 2 IPS SDR 11 500' COIL MANU. IN COMPLIANCE D WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY			N
			PERFORMANCE 4100 SERIES PIPE RINKER MATERIALS		Y
					N
800683	PIPE SEWER HDPE 3"	PIPE POLY SEWER 3 ER PIPE 3408 HIGH DENSITY POLY 3 IPS SDR 11 40' LENGTH MANU. IN COMPLIANCE D WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY			N
			PERFORMANCE 4100 SERIES PIPE RINKER MATERIALS		Y
					N

800684	PIPE SEWER HDPE 4"	PIPE POLY SEWER 4 PIPE 3408 HIGH DENSITY POLY 4 IPS SDR 11 40' LENGTH MANU. IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY	AMERIPLAST INCORPORATE D		N
			PERFORMANCE 4100 SERIES PIPE		Y
			RINKER MATERIALS		N
800685	PIPE SEWER HDPE 6"	PIPE POLY SEWER 6 ER PIPE 3408 HIGH DENSITY POLY 6 IPS SDR 11 40' LENGTH MANU. IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY	AMERIPLAST INCORPORATE D		N
			PERFORMANCE 4100 SERIES PIPE		Y
			RINKER MATERIALS		N
800687	VALVE HDPE FULL-BORE 2"	VALVE POLY 2 FULL BORE POLY VALVE BUTT FUSION OUTLETS MADE FROM PE-3408 MARLEX TR418 COMPOUND VALVE TO HAVE 2" SQUARE HEAD ADAPTOR SDR 11 COLOR BLACK FULL OPEN PORT	BROEN INC		N
			KEROTEST NORDSTROM	CAT-C	Y
800688	VALVE HDPE FULL-BORE 3"	VALVE POLY 3 FULL BORE ER POLY VALVE BUTT FUSION OUTLETS MADE FROM PE-3408 MARLEX TR418 COMPOUND VALVE TO HAVE 2" SQUARE HEAD ADAPTOR SDR 11 COLOR BLACK FULL OPEN PORT	BROEN INC		N
			NORDSTROM POLY VALVE	89111	Y
800689	VALVE HDPE FULL-BORE 4"	VALVE POLY 4 FULL BORE POLY VALVE BUTT FUSION OUTLETS MADE FROM PE-3408 MARLEX TR418 COMPOUND VALVE TO HAVE 2" SQUARE HEAD ADAPTOR SDR 11 COLOR BLACK FULL OPEN PORT	BROEN INC		N
			KEROTEST NORDSTROM	99054011	Y
800690	CAP HDPE BUTT-FUSION 1-1/4"	CAP POLY 1 1/4 BUTT	CENTRAL PLASTICS		N
			INDEPENDANT PIPE PRODUCTS		N
			PERFORMANCE IF SDR11 & PIPE WATER: 1007915		Y
800691	CAP HDPE BUTT-FUSION 2"	CAP POLY 2 BUTT	CENTRAL PLASTICS		N
			INDEPENDANT PIPE PRODUCTS		N
			PERFORMANCE IF SDR 11 & PIPE WATER: 1006420		Y
800692	CAP HDPE BUTT-FUSION 3"	CAP POLY 3 BUTT ER	CENTRAL PLASTICS		N
			INDEPENDANT PIPE PRODUCTS		N
			PERFORMANCE IF SDR11 & PIPE WATER: 1007930		Y
800693	CAP HDPE BUTT-FUSION 4"	CAP POLY 4 BUTT	CENTRAL PLASTICS		N

			INDEPENDANT PIPE PRODUCTS PERFORMANCE IF SDR11 & PIPE WATER: 1006428	N Y
800694	CAP HDPE SOCKET-FUSION 1-1/4"	CAP POLY 1 1/4 SOCKET	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE	N Y
800698	TEE TAPPING HDPE 2" W/ 1-1/4"	TEE TAP PLASTIC 2 X 1 1/4	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE 1117757	N N Y
800699	TEE TAPPING HDPE 3" W/ 1-1/4"	TEE TAP PLASTIC 3 X 1 1/4 ER	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE 1117758	N N Y
800705	TEE TAPPING HDPE 4" W/ 1-1/4"	TEE TAP PLASTIC 4 X 1 1/4	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE 1117759	N N Y
800706	TEE TAPPING HDPE 6" W/ 1-1/4"	TEE TAP PLASTIC 6 X 1 1/4	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE 1117760	N N Y
800708	REDUCER HDPE BUTT-FUSION 3"X2"	REDUCER PL 3 X 2 BUTT ER	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE 1007985	N N Y
800709	REDUCER HDPE BUTT-FUSION 4"X3"	REDUCER PL 4 X 3 BUTT ER	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE 1007992	N N Y
800711	REDUCER HDPE BUTT-FUSION 6"X4"	REDUCER PL 6 X 4 BUTT ER	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE 1006469	N N Y
800717	TEE HDPE BUTT-FUSION 2"X2"	TEE PL 2 BUTT	CENTRAL PLASTICS	N Y
			INDEPENDANT PIPE PRODUCTS PERFORMANCE	N N
800718	TEE HDPE BUTT-FUSION 3"X3"	TEE PL 3 BUTT ER	PIPE CENTRAL PLASTICS	N N

			INDEPENDANT PIPE PRODUCTS PERFORMANCE 1007933 PIPE		N Y
800719	TEE HDPE BUTT-FUSION 4"X4"	TEE PL 4 BUTT	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE 1006434 PIPE		N N N Y
800724	ELL HDPE BUTT 90-DEG 1-1/4"	ELL PL 1 1/4 90 DEG BUTT	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE IF SDR11 & PIPE WATER: 1007916		N N N Y
800725	ELL HDPE BUTT 90-DEG 2"	ELL PL 2 90 DEG BUTT	CENTRAL PLASTICS	6912133	N Y
800726	ELL HDPE BUTT 90-DEG 3"	ELL PL 3 90 DEG BUTT ER	INDEPENDANT PIPE PRODUCTS PERFORMANCE PIPE CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE IF SDR11 & PIPE WATER: 1007932		N N N N Y
800727	ELL HDPE BUTT 90-DEG 4" IPS	ELL PL 4 90 DEG BUTT	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE IF SDR11 & PIPE WATER: 1006432		N N N Y
800728	ELL HDPE BUTT 90-DEG 6"	ELL PL 6 90 DEG BUTT ER	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE IF SDR11 & PIPE WATER: 1006440		N N N Y
800729	FITTING TRANS SS-HDPE 1-1/4"	TRANSITION FITTING 1 1/4 POLY TO 1 1/4 STAINLESS TRANSITION FITTING FROM 1 1/4 IPS 3408 POLY SDR 11 TO 1 1/4 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6 INCHES	POLY CAM		N N
800731	FITTING TRANS 2"SS TO 2"HDPE	TRANSITION FITTING 2 POLY TO 2 STAINLESS TRANSITION FITTING FROM 2 IPS 3408 POLY SDR 11 TO 2 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6 INCHES	POLY CAM	SERIES 710	Y N
800732	FITTING TRANS 3"SS TO 3"HDPE	TRANSITION FITTING 3 POLY ER TO 3 STAINLESS TRANSITION FITTING FROM 3 IPS 3408 POLY SDR 11 TO 3 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6 INCHES	POLY CAM	SERIES 710	Y N
800737	LID VALVE-BOX CI "SEWER"	VALVE BOX LID SEWER	OPELIKA FOUNDRY	SERIES 710	Y N

			SIGMA CORPORATION TYLER FOUNDRY	VB2600	Y
800738	VALVE AIR-RELEASE/VACUUM 2"	2" AIR RELEASE/AIR VACUUM VALVE COMBINATION SEWER NON-METALLIC CORROSION RESISTANT OPERATING MECHANISM WORKING PRESSURE 3 TO 150 PSI CONICAL SHAPED REINFORCED NYLON BODY WITH CAM LOCK BACK FLUSH	A R I	D025	Y
800741	SADDLE TAPPING PVC 2" W/ 2" TAP	SADDLE TAPPING PVC 2 X 2 SELF TAPPING PLASTIC SADDLE FROM PVC 2" IPS MAINS WITH 2 IPS COMPRESSION OUTLET AND 1 1/2 COUPON RETAINING POUCH	CONTINENTAL INDUSTRIES	5161-17-2517-00	Y
800744	TRANSITION FITTING 1 POLY TO 1	TRANSITION FITTING 1 POLY TO 1 STAINLESS TRANSITION FITTING FROM 1 IPS 3408 POLY SDR 9 TO 1 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6 INCHES	POLY CAM		N
800745	TRANSITION FITTING 1" POLY X 3	TRANSITION FITTING 1 POLY TO 3/4 STAINLESS TRANSITION FITTING FROM 1 IPS 3408 POLY SDR 9 TO 3/4 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6 INCHES	POLY CAM	SERIES 710	Y N
800751	BOX SEWER WITH LID POLY CARSON	BOX SEWER WITH LID POLY CARSON 1015-12	CARSONITE	SERIES 710 1015-12	Y Y
800773	EPOXY KOP-COAT A-788	EPOXY KOP-COAT A-788 EPOXY POLYAMIDE, SOLVEN-FREE PATCHING COMPOUND USED FOR REPAIRING PITS, CRACKS AND VOIDS IN STEEL, CONCRETE, WOOD AND OTHER SURFACES HAS THE UNIQUE ABILITY TO BE MIXED, APPLIED AND CURED UNDERWATER.			
800775	EPOXY STEEL WELD JOINT COATING	EPOXY STEEL WELD JOINT COATING	SPC	SP2888-RG 1 LITER KIT	Y
800779	TEE HDPE SOCKET-FUSION 1" X 1"	TEE PL 1" SOCKET	CENTRAL PLASTICS INDEPENDANT PIPE PRODUCTS PERFORMANCE PIPE	1096416	N N Y
800786	COUPLING FERNCO 3" PVC TO 3" PVC	FERNCO COUPLING 3" PVC X PVC	FERNCO	1056-33	N Y
800790	TEE WYE PVC 8" X 8" X 6" SDR26	TEE WYE PVC 8" X 8" X 6"	PLASTIC-TREND	H158-6	N
800797	CLEANOUT BRASS 4"	CLEANOUT BRASS 4"	ROYAL	H1658-6 G158-6	N Y
800799	CLEANOUT BRASS 6"	CLEANOUT BRASS 6" Kenny Pipe #CHAR NH52S-00601 C/O WITH PLUG NH 6 X 5	HD SUPPLY	2706AC0CB	N
800800	SADDLE SEWER 8.00-14.40" X 6"	SADDLE SEWER 8-14.40 X 6 CB 6.66 UN. ROMAC SEWER SADDLE SHALL BE DUCTILE IRON CASTING TO MEET ASTM 536-80 WITH AN ADJUST-ABLE STAINLESS STEEL STRAP. THE GASKET SHALL HAVE AN INTERVAL STOP THAT PREVENTS THE LATERAL FROM PROTRUDING INTO T	ZURN INDUSTRIES INC WILKINS DIVISION ROMAC INDUSTRIES INC	Z-1400 SERIES CB-666-UN	Y
800801	COUPLING 8" PVC TO 8" CLAY FERNCO	COUPLING 8" PVC TO 8" CLAY FERNCO		STYLE CB	N
800802	COUPLING PIPE 8" PVC TO 6" PVC	COUPLING 8" PVC TO 6" PVC FERNCO	FERNCO	105-86	Y

800810	SADDLE SEWER 14.40-25.80X6"	SADDLE SEWER 14.40-25.80X6 CB 6.66 UN.ROMAC SEWER SADDLE SHALL BE DUCTILE IRON CASTING TO MEET ASTM 536-80 WITH AN ADJUST- ABLE STAINLESS STEEL STRAP. THE GASKET SHALL HAVE AN INTERVAL STOP THAT PREVENTS THE LATERAL FROM PROTRUDING INTO T	ROMAC INDUSTRIES INC	CB-6.66UNLS	Y
800813	CLEANOUT 2WAY W/ GSKTED HUB 6"	CLEAN OUT 2 WAY 6" GASKETED HUB X GASKETED HUB X GASKETED HUB SHALL BE MANUFACTURED IN ACCORDANCE WITH ASTM D 3034, ASTM F 1336, AND CSA B A822. GASKETS SHALL BE MANUFACTURED IN ACCORDANCE WITH ASTM F477 OR ASTM F913.	PLASTIC-TREND	STYLE CB G 1006	N N
800814	CLEANOUT LID FOR 2 WAY CLEANOU	CLEANOUT LID WITH DURACOATED CAST IRON BODY, WITH GAS AND WATERTIGHT ABS TAPERED THREAD PLUG, AND ROUND SCORIATED SECURED COVER AND FRAME	ZURN INDUSTRIES INC WILKINS DIVISION	G1006 Z-1402	Y Y
800820	COUPLING PIPE 6"PVC TO 4"PVC	COUPLING 6" PVC TO 4" PVC	FERNCO	Z-1402 6NLZVP 1056-64	N Y N N
800829	INSERTA-TEE 8" X 6" SDR26	INSERTA-TEE 8" X 6" SDR26 GASKETED BELL PIPE FITTING, BELL END ACCEPTS PIPE WITH SDR26, ASTM D 3034 OR EQUIVALENT O.D., SPIGOT END PVC SDR26, ASTM D 3034.	INDIANA SEALS MANU		
800830	PLUG CLEANOUT PVC 4"	PLUG PVC 4 CLEAN-OUT			
800840	WYE-TEE PVC 4"X4"X4" B.B.B.	WYE PVC 4 X 4 X 4 3034 SDR-35			
800850	BOOT MANHOLE PVC 12"X6"	MANHOLE BOOT 12X6 PVC	PRESS SEAL	PRESSBOOT 12- N 6	
800860	BOOT MANHOLE PVC 12"X8"	MANHOLE BOOT 12" X 8 PVC	PRESS SEAL	STYLE PSX PRESSBOOT 12- N 8	Y Y
800890	HOSE SEWER-CLEANER 1" X 800' ON WOODEN REEL	HOSE SEWER-CLEANER 1" X 800' ON WOODEN REEL		STYLE PSX	Y
800898	PIPE SEWER PVC SDR-26 4"	PIPE SEWER PVC 4 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT. SEALING RING SHALL MEET SPECIFICATION OF ASTM-477. GASKET			
800899	PIPE SEWER PVC SDR-26 6"	PIPE SEWER PVC 6 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.			
800900	PIPE SEWER PVC SDR-26 8"	PIPE SEWER PVC 8 INCH SDR26, 14' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.			
800901	PIPE SEWER PVC SDR-26 10"	PIPE SEWER PVC 10 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.			

800902	PIPE SEWER PVC SDR-26 12"	PIPE SEWER PVC 12 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.				
800903	WYE-TEE PVC 6"x6" W/ GASKET	WYE 6 INCH GASKETED SDR26	HARCO	501-0606	N	
			PLASTIC-TREND	H1656	Y	
800904	BEND 6 INCH 45 DEG. GASKETED S	BEND 6 INCH 45 DEG. GASKETED SDR26	HARCO	522-060	N	
			PLASTIC-TREND	H506	Y	
800905	BEND 6 INCH STREET 45 DEG. G &	BEND 6 INCH STREET 45 DEG. G & S SDR26	HARCO	523-060	N	
			PLASTIC-TREND	H406	Y	
800906	BEND 6 INCH 22 1/2 DEG. GASKET	BEND 6 INCH 22 1/2 DEG. GASKETED SDR26	HARCO	254-060	N	
			PLASTIC-TREND	H1706	Y	
800907	BEND 6 INCH STREET 22 1/2 DEG.	BEND 6 INCH STREET 22 1/2 DEG. G & S SDR26	HARCO	525-060	N	
			PLASTIC-TREND	H1716	Y	
800908	PLUG PVC SDR-26 6"	PLUG 6 INCH SDR26	HARCO	544.060	N	
			PLASTIC-TREND	H1166	Y	
800911	PIPE SEWER PVC SDR-26 15"	PIPE SEWER PVC 15 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.				
800912	PIPE DI 4 INCH PC350 CERAMIC E	PIPE DI 4 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND	MCWANE CAST IRON PIPE CO	4 INCH PROTECTO 401	N	
				TYTON JOINT	Y	
800913	PIPE DI 6 INCH PC350 CERAMIC E	PIPE DI 6 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND	MCWANE CAST IRON PIPE CO	6 INCH PROTECTO 401	N	
				TYTON JOINT	Y	
800914	PIPE DI 8 INCH PC350 CERAMIC E	PIPE DI 8 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND	MCWANE CAST IRON PIPE CO	8 INCH PROTECTO 401	N	
				TYTON JOINT	Y	
800915	PIPE DI 10 INCH PC350 CERAMIC	PIPE DI 10 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND	MCWANE CAST IRON PIPE CO	10 INCH PROTECTO 401	N	
				TYTON JOINT	Y	

800916	PIPE DI 12 INCH PC350 CERAMIC	PIPE DI 12 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND	MCWANE CAST IRON PIPE CO	12 INCH PROTECTO 401	N
800917	PIPE DI 16 INCH PC350 CERAMIC	PIPE DI 16 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND	MCWANE CAST IRON PIPE CO	16 INCH PROTECTO 401	N
800918	SADDLE-TEE PVC SDR-35 8"X6"	SADDLE TEE SEWER 8 X 6 SDR35 GPK #G218-6		TYTON JOINT	Y
800921	AIR RELEASE VALVE 3" (SEWER)	3" AIR RELEASE/AIR VACUUM VALVE COMBINATION SEWER NON-METALLIC CORROSION RESISTANT OPERATING MECHANISM WORKING PRESSURE 3 TO 150 PSI CONICAL SHAPED REINFORCED NYLON BODY WITH CAM LOCK BACK FLUSH	ARI	D-025	Y
801688	PIPE SEWER HDPE 8"	PIPE SEWER HDPE 8"; AWWA C906 OR ASTM F714; MEET/EXCEED REQ OF ASTM 3350 FOR PE 4710 MATERIAL. PRESSURE BASED ON HYDROSTATIC DESIGN STRESS OF 800PSI AT 73.4 DEG. WORKING PRESSURE 100PSI. MIN WALL THICKNESS CONFORM TO SDR 17. LIGHT INTERIOR.			
822046	RISER MANHOLE 26" X 3" SOLID	MANHOLE RISER 3			
840702	COUPLING 4"PVC - 6"CLAY FERNCO	COUPLING 4"PVC TO 6"CLAY FERNCO			
840710	COUPLING 6"PVC - 4"CLAY FERNCO	COUPLING 6"PVC TO 4"CLAY FERNCO			
840728	COUPLING 10"PVC-10"CLAY FERCO	COUPLING 10"PVC TO 10"CLAY FERCO			
840736	BOOT MANHOLE 12" X 15" PVC	BOOT MANHOLE 12" X 15" PVC			
840744	BOOT MANHOLE 1.8" X 4.8" KOR-N	BOOT MANHOLE 1.8" X 4.8" KOR-N			
840751	INSERTA-TEE 8" X 6"	INSERTA-TEE 8" X 6"			
840769	INSERTA-TEE 12" X 6"	INSERTA-TEE 12" X 6"			
840777	PLUG BRASS 3" CLEAN OUT	PLUG BRASS 3" CLEAN OUT			
840785	PLUG BRASS 4" CLEAN OUT	PLUG BRASS 4" CLEAN OUT			
840793	PLUG BRASS 5" CLEAN OUT	PLUG BRASS 5" CLEAN OUT			
840819	INSERTA-TEE 10" X 12"	INSERTA-TEE 10" X 12"			
840835	PIPE DI 14" PROTECTO 18' LONG	DIP 18 FT PIPE 14 IN PROTECTO			
840843	PIPE DI 24" PROTECTO 18' LONG	DIP 18 FT PIPE 24 IN PROTECTO			
840850	BEND DI 4" PROTECTO 22.5 DEG	DIP 22.5 BEND 4 IN PROTECTO			
840868	BEND DI 6" PROTECTO 22.5 DEG	DIP 22.5 BEND 6 IN PROTECTO			
840876	BEND DI 8" PROTECTO 22.5 DEG	DIP 22.5 BEND 8 IN PROTECTO			
840884	BEND DI 10" PROTECTO 22.5 DEG	DIP 22.5 BEND 10 IN PROTECTO			
840892	BEND DI 12" PROTECTO 22.5 DEG	DIP 22.5 BEND 12 IN PROTECTO			
840900	BEND DI 14" PROTECTO 22.5 DEG	DIP 22.5 BEND 14 IN PROTECTO			
840918	BEND DI 16" PROTECTO 22.5 DEG	DIP 22.5 BEND 16 IN PROTECTO			
840926	BEND DI 24" PROTECTO 22.5 DEG	DIP 22.5 BEND 24 IN PROTECTO			
840934	BEND DI 4" PROTECTO 45 DEG	DIP 45 BEND 4 IN PROTECTO			
840942	BEND DI 6" PROTECTO 45 DEG	DIP 45 BEND 6 IN PROTECTO			
840959	BEND DI 8" PROTECTO 45 DEG	DIP 45 BEND 8 IN PROTECTO			
840967	BEND DI 10" PROTECTO 45 DEG	DIP 45 BEND 10 IN PROTECTO			
840975	BEND DI 12" PROTECTO 45 DEG	DIP 45 BEND 12 IN PROTECTO			
840983	BEND DI 14" PROTECTO 45 DEG	DIP 45 BEND 14 IN PROTECTO			
840991	BEND DI 16" PROTECTO 45 DEG	DIP 45 BEND 16 IN PROTECTO			
841007	BEND DI 24" PROTECTO 45 DEG	DIP 45 BEND 24 IN PROTECTO			
841015	BEND DI 4" PROTECTO 90 DEG	DIP 90 BEND 4 IN PROTECTO			
841023	BEND DI 6" PROTECTO 90 DEG	DIP 90 BEND 6 IN PROTECTO			
841031	BEND DI 8" PROTECTO 90 DEG	DIP 90 BEND 8 IN PROTECTO			
841049	BEND DI 10" PROTECTO 90 DEG	DIP 90 BEND 10 IN PROTECTO			
841056	BEND DI 12" PROTECTO 90 DEG	DIP 90 BEND 12 IN PROTECTO			

841064	BEND DI 14" PROTECTO 90 DEG	DIP 90 BEND 14 IN PROTECTO			
841072	BEND DI 16" PROTECTO 90 DEG	DIP 90 BEND 16 IN PROTECTO			
841080	BEND DI 24" PROTECTO 90 DEG	DIP 90 BEND 24 IN PROTECTO			
841163	PIPE PVC 1 1/4" SCH 80 20'LONG	SCH. 8 20' PVC LONG PIPE 1 1/4"			
841171	PIPE PVC 1 1/2" SCH 80 20'LONG	SCH. 80 20' PVC LONG PIPE 1 1/2"			
841189	PIPE PVC 2" SCH 80 20' LONG	SCH. 80 20' PVC LONG PIPE 2"			
841197	PIPE PVC 2 1/2" SCH 80 20'LONG	SCH. 80 20' PVC LONG PIPE 2 1/2"			
841205	PIPE PVC 3" SCH 80 20' LONG	SCH. 80 20' PVC LONG PIPE 3"			
841213	PIPE PVC 4" SCH 80 20' LONG	SCH. 80 20' PVC LONG PIPE 4"			
841221	BEND PVC 1 1/4" SCH80 22.5 DEG	SCH. 80 PVC 22.5 DEGREE BEND 1 1/4"	SPEARS	816-012	Y
			MANUFACTURING COMPANY		
841239	BEND PVC 1 1/2" SCH80 22.5 DEG	SCH. 80 PVC 22.5 DEGREE BEND 1 1/2"	SPEARS	816-015	Y
			MANUFACTURING COMPANY		
841247	BEND PVC 2" SCH 80 22.5 DEG	SCH. 80 PVC 22.5 DEGREE BEND 2"	SPEARS	816-020	Y
			MANUFACTURING COMPANY		
841254	BEND PVC 2 1/2" SCH80 22.5 DEG	SCH. 80 22.5 DEGREE BEND 2 1/2"	SPEARS	816-025	Y
			MANUFACTURING COMPANY		
841262	BEND PVC 3" SCH 80 22.5 DEG	SCH.80 22.5 DEGREE BEND 3"	SPEARS	816-030	Y
			MANUFACTURING COMPANY		
841270	BEND PVC 4" SCH 80 22.5 DEG	SCH. 80 PVC 22.5 DEGREE BEND 4"	SPEARS	816-040	Y
			MANUFACTURING COMPANY		
841288	BEND PVC 1 1/4" SCH 80 45 DEG	SCH. 80 PVC 45 DEGREE BEND 1 1/4"	SPEARS	817-012	Y
			MANUFACTURING COMPANY		
841296	BEND PVC 1 1/2" SCH 80 45 DEG	SCH. 80 PVC 45 DEGREE BEND 1 1/2"	SPEARS	817-015	Y
			MANUFACTURING COMPANY		
841304	BEND PVC 2" SCH 80 45 DEG	SCH. 80 PVC 45 DEGREE BEND 2"	SPEARS	817-020	Y
			MANUFACTURING COMPANY		
841312	BEND PVC 2 1/2" SCH 80 45 DEG	SCH.80 PVC 45 DEGREE BEND 2 1/2"	SPEARS	817-025	Y
			MANUFACTURING COMPANY		
841320	BEND PVC 3" SCH 80 45 DEG	SCH. 80 PVC 45 DEGREE BEND 3"	SPEARS	817-030	Y
			MANUFACTURING COMPANY		
841338	BEND PVC 4" SCH 80 45 DEG	SCH. 80 PVC 45 DEGREE BEND 4"	SPEARS	817-040	Y
			MANUFACTURING COMPANY		
841346	BEND PVC 1 1/4" SCH 80 90 DEG	SCH. 80 PVC 90 DEGREE BEND 1 1/4"	SPEARS	806-012	Y
			MANUFACTURING COMPANY		
841353	BEND PVC 1 1/2" SCH 80 90 DEG	SCH. 80 PVC 90 DEGREE BEND 1 1/2"	SPEARS	806-015	Y
			MANUFACTURING COMPANY		
841361	BEND PVC 2" SCH 80 90 DEG	SCH.80 PVC 90 DEGREE BEND 2"	SPEARS	806-020	Y
			MANUFACTURING COMPANY		
841379	BEND PVC 2 1/2" SCH 80 90 DEG	SCH . 80 PVC 90 DEGREE 2 1/2"	SPEARS	806-025	Y
			MANUFACTURING COMPANY		
841387	BEND PVC 3" SCH 80 90 DEG	SCH. 80 PVC 90 DEGREE 3"	SPEARS	806-030	Y
			MANUFACTURING COMPANY		
841395	BEND PVC 4" SCH 80 90 DEG	SCH.80 PVC 90 DEGREE BEND 4"	SPEARS	806-40	Y
			MANUFACTURING COMPANY		
841403	BALL VALVE PVC 1 1/4" SCH 80	SCH. 80 PVC BALL VALVE 1 1/4"	SPEARS	2622-012	N
			MANUFACTURING COMPANY		
841411	BALL VALVE PVC 1 1/2" SCH 80	SCH. 80 PVC BALL VALVE 1 1/2"	SPEARS	3629-012	Y
			MANUFACTURING COMPANY	2622-015	N
841429	BALL VALVE PVC 2" SCH 80	SCH.80 PVC BALL VALVE 2"	SPEARS	3629-015	Y
			MANUFACTURING COMPANY	2622-020	N
841445	COUPLING PVC 1 1/4" SCH 80 LP	SCH. 80 LOW PRESSURE PVC COUPLING 1 1/4"	SPEARS	3629-020	Y
			MANUFACTURING COMPANY	829-012	Y
841452	COUPLING PVC 1 1/2" SCH 80 LP	SCH. 80 LOW PRESSURE PVC COUPLING 1 1/2"	SPEARS	829-015	Y
			MANUFACTURING COMPANY		

841460	COUPLING PVC 2" SCH 80 LP	SCH. 80 LOW PRESSURE PVC COUPLING 2"	SPEARS MANUFACTURING COMPANY	829-020	Y
841478	COUPLING PVC 2 1/2" SCH 80 LP	SCH.80 LOW PRESSURE PVC COUPLING 2 1/2"	SPEARS MANUFACTURING COMPANY	829-025	Y
841486	COUPLING PVC 3" SCH 80 LP	SCH. 80 LOW PRESSURE PVC COUPLING 3"	SPEARS MANUFACTURING COMPANY	829-030	Y
841494	COUPLING PVC 4" SCH 80 LP	COUPLING 4 PVC SCH 80 LOW	SPEARS MANUFACTURING COMPANY	829-040	Y
841502	GATE VALVE PVC 2 1/2" SCH80 LP	GATE VALVE 2 1/2 PVC SC 80 LOW			
841510	GATE VALVE PVC 3" SCH 80 LP	GATE VALVE 3 PVC SCH 80 LOW	SPEARS MANUFACTURING COMPANY	2012-030	Y
841528	GATE VALVE PVC 4" SCH 80 LP	GATE VALVE 4 PVC SCH 80 LOW	SPEARS MANUFACTURING COMPANY	2012-040	Y
841536	REDUCER PVC 1 1/2"X1 1/4" S80	REDUCER 1 1/2X1 1/4 PVC SCH 80	SPEARS MANUFACTURING COMPANY	829-212	Y
841544	REDUCER PVC 2" X 1 1/2" SCH80	REDUCER 2 X 1 1/2 PVC SCH 80	SPEARS MANUFACTURING COMPANY	829-251	Y
841551	REDUCER PVC 2 1/2" X 2" SCH80	REDUCER 2 1/2 X 2 PVC SCH 80	SPEARS MANUFACTURING COMPANY	829-292	Y
841569	REDUCER PVC 3" X 2 1/2" SCH80	REDUCER 3 X 2 1/2 PVC SCH 80	SPEARS MANUFACTURING COMPANY	829-339	Y
841577	REDUCER PVC 3" X 4" SCH80	REDUCER 3 X 4 PVC SCH 80	SPEARS MANUFACTURING COMPANY	829-422	Y
841585	TEE PVC 1 1/4" SCH 80	TEE FITTING 1 1/4 SCH 80 PVC	SPEARS MANUFACTURING COMPANY	801-012	Y
841593	TEE PVC 1 1/2" SCH 80	TEE FITTING 1 1/2 SCH 80 PVC	SPEARS MANUFACTURING COMPANY	801-015	Y
841601	TEE PVC 2" SCH 80	TEE FITTING 2 SCH 80 PVC	SPEARS MANUFACTURING COMPANY	801-020	Y
841619	TEE PVC 2 1/2" SCH 80	TEE FITTING 2 1/2 SCH 80 PVC	SPEARS MANUFACTURING COMPANY	801-025	Y
841627	TEE PVC 3" SCH 80	TEE FITTING 3 SCH 80 PVC	SPEARS MANUFACTURING COMPANY	801-030	Y
841635	TEE PVC 4" SCH 80	TEE FITTING 4 SCH 80 PVC	SPEARS MANUFACTURING COMPANY	801-040	Y
841643	GASKET 3" PVC - DI	PVC TO DIP GASKET 3 IN			
841650	GASKET 10" PVC - DI	PVC TO DIP GASKET 10 IN			
841668	GASKET 12" PVC - DI	PVC TO DIP GASKET 12 IN			
845271	TEE WYE 4" W/GASKET B.B.S.	WYE-TEE PVC 4"X4"X4" B.B.S.			
845297	REDUCER HDPE 6" X 4" BUTT IPS	REDUCER HDPE BUTT-FUSION 6"X4"IPS			
845305	ELL HDPE 6" 45 DEG BUTT	ELL HDPE BUTT 45-DEG 6"			
845313	ELL HDPE 4" 90 DEG BUTT	ELL HDPE BUTT 90-DEG 4"			
845321	ELL HDPE 4" 45 DEG BUTT	ELL HDPE BUTT 45-DEG 4"			
845339	SADDLE BRANCH 8" W/ 6" TAP	SADDLE BRANCH 8" W/ 6" TAP			
845347	SADDLE BRANCH 8" W/ 4" TAP	SADDLE BRANCH 8" W/ 4" TAP			
VALVES					
800023	HDPE MANHOLE INSERT DISH 23" OD	HDPE MANHOLE INSERT DISH 23" OD, 21" ID, 2" DEPTH WITH GASKET			
800026	HDPE MANHOLE INSERT DISH 26" OD	HDPE MANHOLE INSERT DISH 26" OD, 23 1/2" ID, 2" DEPTH WITH GASKET			
800030	RISER MANHOLE 26" X 2" SOLID	RISER MANHOLE 2"			
800040	RISER MANHOLE 26"X1 1/2" SOLID	RISER MANHOLE 1-1/2"			
800310	FRAME MANHOLE WITH HINGED LID	FRAME, MANHOLE, WATERTIGHT, ONE BOLT HINGED LID , CAST IRON. INSCRIBED "WASTE WATER". ** **	ACHESON FOUNDRY		N
			EAST JORDAN IRON WORKS INC	001040023L01	N
				MODEL 1033	Y

			JOHN BOUCHARD & SONS		N
			OPELIKA FOUNDRY		N
			SIGMA/NAPPCO /RUSSELL TYLER		N
800375	MANHOLE 26" WITH HINGED CAM LOCK LID	MANHOLE 26" WITH HINGED CAM LOCK LID			
800753	INFRA-RISER FLAT 1/4" 26" ID X 34" OD	INFRA-RISER FLAT 1/4" 26" I			
800754	INFRA-RISER FLAT 1/2" 26" ID X 34" OD	INFRA-RISER FLAT 1/2" 26" I			
800755	INFRA-RISER FLAT 1" 26" ID X 34" OD	INFRA-RISER FLAT 1" 26" ID			
800756	INFRA-RISER FLAT 2" 26" ID X 34" OD	INFRA-RISER FLAT 2" 26" ID			
800757	INFRA-RISER FLAT 3" 26" ID X 34" OD	INFRA-RISER FLAT 3" 26" ID			
800758	INFRA-RISER MH TAPER 1/2"X1"	INFRA-RISER TAPERED 1/2"--1"			
800759	INFRA-RISER MH TAPER 1"X1-1/2"	INFRA-RISER TAPERED 1"--1.5"			
800760	INFRA-RISER MH TAPER 1-1/2"X2"	INFRA-RISER TAPERED 1.5"--2"			
800762	INFRA-RISER FLAT 1.5" 26" ID X 34" OD	INFRA-RISER FLAT 1.5" 26" I			
800777	FRAME MANHOLE CI 1045Z LID MAN	FRAME MANHOLE 1045 ZPT STANDARD TRAFFIC BEARING MANHOLE FRAME MADE OF CAST IRON. FRAME EST. WEIGHT 165 LBS. 1045 ZPT 24" DIAMETER OPENING, 7" HEIGHT, 1 1/2" 26 1/4" DIAMETER LID	ACHESON FOUNDRY		N
			CAPITOL FOUNDRY OF VIRGINIA INC		N
			EAST JORDAN IRON WORKS INC	104509 1045ZPT	N
			JOHN BOUCHARD & SONS	1045Z	Y
			OPELIKA FOUNDRY		N
			SIGMA/NAPPCO /RUSSELL TYLER		N
			ACHESON FOUNDRY		N
			CAPITOL FOUNDRY OF VIRGINIA INC		N
			EAST JORDAN IRON WORKS INC	1040	Y
				1040 APT WASTEWATER	N
			JOHN BOUCHARD & SONS		N
			OPELIKA FOUNDRY		N
			SIGMA/NAPPCO /RUSSELL TYLER		N
			ACHESON FOUNDRY		N
800805	GRADE-RING CONCRETE 3"	GRADE RINGS 3" CONCRETE SHERMAN-DIXIE PART #KMHGR326			
800806	GRADE-RING CONCRETE 4"	GRADE RINGS 4" CONCRETE SHERMAN-DIXIE PART #KMHGR426			
800808	GRADE-RING CONCRETE 6"	GRADE RINGS 6" CONCRETE			
800853	FRAME MH 29"OPEN WATERTITE	FRAME MANHOLE WATERTIGHT, STANDARD WATERTIGHT MANHOLE FRMAE WITH INNER COVER, MADE OF CAST IRON ASTM 148 CL30B, FRAME EST. WEIGHT 400 LBS. SEE STANDARDS SECTION #02530.	JOHN BOUCHARD & SONS		Y

800854	LID WATERTIGHT 29" **WASTEWATE	LID MANHOLE 29" WATERTIGHT **WASTEWATER** STANDARD WATERTIGHT MANHOLE LID FOR V-2150-3 FRAME, KUB LOGO, LID SHALL HAVE TWO NON-PENETRATING PICKHOLES, EST WEIGHT 190 LBS, LID SHALL BE MADE OF CAST IRON ASTM A48 CL35B. SEE STANDARDS SECTION #02530.	U S PIPE & FOUNDRY CO JOHN BOUCHARD & SONS	654-AY-ORS	N
800855	FRAME MANHOLE 26 1/4" COVER OP	FRAME MANHOLE 1045 Z STANDARD TRAFFIC BEARING MANHOLE FRAME MADE OF CAST IRON. FRAME EST. WEIGHT 165 LBS. 1045 Z 24" DIAMETER OPENING, 7" HEIGHT, 1 1/2" 26 1/4" DIAMETER LID	U S PIPE & FOUNDRY CO EAST JORDAN IRON WORKS INC	654-AY-ORS 104511	N
800856	LID MANHOLE 26" "WASTEWATER"	LID MANHOLE 26" **WASTEWATER** , STANDARD MANHOLE LID FOR V-1045 Z FRAME, KUB LOGO, LID SHALL HAVE TWO NON-PENETRATING PICKHOLES, EST. WEIGHT 145 LBS, LID SHALL BE MADE OF CAST IRON ASTM 148 CL35B. SEE STANDARDS SECTION #02530.	JOHN BOUCHARD & SONS EAST JORDAN IRON WORKS INC	1152M 103917	Y
800857	LID MANHOLE 26" OPEN "WATER"	LID MANHOLE 26" **WATER** STANDARD MANHOLE LID FOR V-1047 Z FRAME, KUB LOGO, LID SHALL HAVE TWO NON-PENETRATING PICKHOLES, EST WEIGHT 145 LBS, LID SHALL BE MADE OF CAST IRON ASTM A48 CL35B. SEE STANDARDS SECTION #02530.	JOHN BOUCHARD & SONS EAST JORDAN IRON WORKS INC	1152M	Y
800922	RISER RING 1" FOR SIGMA CLEANO	RISER RING 1" FOR SIGMA CLEANOUTS	JOHN BOUCHARD & SONS SIGMA CORPORATION	1152M VB2601	Y
800923	CLEANOUT BOX SIGMA TRAFFIC RAT	CLEANOUT BOX SIGMA TRAFFIC RATED	SIGMA CORPORATION	VB373015 CO373S	N
800924	FLANGED AIR RELEASE VALVE A.R.	FLANGED AIR RELEASE VALVE A.R.I. 3" D-023 STAINLESS STEEL	A R I	VB-373S D-023	Y
800925	FLOATING ASSYMBLY D-023 PC FLO	FLOATING ASSYMBLY D-023 PC FLOAT NYLON DISC D-1123 REPLACEMENT PART	ARI		N
800926	SEWER VALVE 1" A.R.I. S-021	SEWER VALVE 1" A.R.I. S-021 AIR RELEASE VALVE	ARI	D-023 S-021	Y
840734	FRAME MANHOLE WITH 3 BOLT 26 L	FRAME MANHOLE WITH 3 BOLT 26 1/4" LID WATERTITE K U B WASTE WATER	ACHESON FOUNDRY		N
841106	VALVE CHECK 1 1/4" SCH 80	CHECK VALVE 1 1/4 SCH 80	EAST JORDAN IRON WORKS INC JOHN BOUCHARD & SONS OPELIKA FOUNDRY SIGMA/NAPPCO /RUSSELL TYLER SPEARS MANUFACTURING COMPANY	42339061W01 1152 4529-012 S1720-12	N

841114	VALVE CHECK 1 1/2" SCH 80	CHECK VALVE 1 1/2 SCH 80	SPEARS MANUFACTURING COMPANY	4529-015	Y
841122	VALVE CHECK 2" SCH 80	CHECK VALVE 2 SCH 80	SPEARS MANUFACTURING COMPANY	S1720-15 4529-020	N Y
841130	VALVE CHECK 2 1/2" SCH 80	CHECK VALVE 2 1/2 SCH 80	SPEARS MANUFACTURING COMPANY	S1720-20 4522-025	N Y
841148	VALVE CHECK 3" SCH 80	CHECK VALVE 3 SCH 80	SPEARS MANUFACTURING COMPANY	S1720-25 4522-030	N Y
841155	VALVE CHECK 4" SCH 80	SCH. 80 PVC CHECK VALVE 4"	SPEARS MANUFACTURING COMPANY	S1720-30 4522-040	N Y
845768	RISER MANHOLE 23" X 1" SS ADJ	RISER MAN-HOLE 23" X 1" ADJUSTABLE STAINLESS		S1720-40	N
846261	RISER MANHOLE 23"X1 1/4" SS AD	RISER MAN-HOLE 23" X 1 1/4" ADJUSTABLE STAINLESS			
846766	RISER MANHOLE 23"X1 1/2" SS ADJ	RISER MAN-HOLE 23" X 1 1/2" ADJUSTABLE STAINLESS			
847269	RISER MANHOLE 23" X 2" SS ADJ	RISER MAN-HOLE 23" X 2" ADJUSTABLE STAINLESS			
847764	RISER MANHOLE 23" X 3" SS ADJ	RISER MAN-HOLE 23" X 3" ADJUSTABLE STAINLESS			
849778	RISER MANHOLE 26" X 1" SS ADJ	RISER MANHOLE 26" X 1" ADJUSTABLE GALVANIZED STEEL			
849786	RISER MANHOLE 26"X1 1/4" SS ADJ	RISER MANHOLE 26" X 1 1/4" ADJUSTABLE GALVANIZED STEEL			
849794	RISER MANHOLE 26"X1 1/2" SS ADJ	RISER MANHOLE 26" X 1 1/2" ADJUSTABLE GALVANIZED STEEL			
849802	RISER MANHOLE 26" X 2" SS ADJ	RISER MANHOLE 26" X 2" ADJUSTABLE GALVANIZED STEEL			
849810	RISER MANHOLE 26" X 3" SS ADJ	RISER MANHOLE 26" X 3" ADJUSTABLE GALVANIZED STEEL			
849828	RISER MANHOLE 23" X 1" SOLID	RISER MANHOLE 23" X 1" SOLID STEEL			
849836	RISER MANHOLE 23"X1 1/4" SOLID	RISER MANHOLE 23" X 1 1/4" SOLID STEEL			
849844	RISER MANHOLE 23"X1 1/2" SOLID	RISER MANHOLE 23" X 1 1/2" SOLID STEEL			
849851	RISER MANHOLE 23" X 2" SOLID	RISER MANHOLE 23" X 2" SOLID STEEL			
849869	RISER MANHOLE 23" X 3" SOLID	RISER MANHOLE 23" X 3" SOLID STEEL			
849877	RISER MANHOLE 26" X 1" SOLID	RISER MANHOLE 26" X 1" SOLID STEEL			
849885	RISER MANHOLE 26"X1 1/4" SOLID	RISER MANHOLE 26" X 1 1/4" SOLID STEEL			
849902	PRECAST CONCRETE MANHOLE RISER 16"	PRECAST CONCRETE MANHOLE RISER 16" PER KUB STANDARDS SECTION 02530			
849904	PRECAST CONCRETE MANHOLE RISER CONE 2'	PRECAST CONCRETE MANHOLE RISER CONE 2' PER KUB STANDARDS 02530			
849906	PRECAST CONCRETE MANHOLE CONE 3'	PRECAST CONCRETE MANHOLE CONE 3' PER KUB STANDARDS 02530			
849908	PRECAST CONCRETE MANHOLE RISER 4'	PRECAST CONCRETE MANHOLE RISER 4' PER KUKB STANDARDS SECTION 02530			
849910	PRE-CAST CONCRETE MH FLAT TOP - 4 FT DIA - 8 IN	PRE-CAST CONCRETE MH ECCENTRIC CONE SECTION - 4 FT DIA - 8 IN			

WASTE WATER PLANT PARTS

838078	DYE TABLET #L-00295-16 RED	DYE {TRACER} TABLET L-00295-16 RED	COLE-PARMER INSTRUMENT CO GRAINGER, INC.	L-00295-16 8ACL4	N Y
838086	DYE TABLET #L-00295-17 GREEN	DYE {TRACER} TABLET L-00295-17	COLE-PARMER INSTRUMENT CO GRAINGER, INC.	L-00295-17 9ACZ5	N Y
880060	BELT BX67	BELT BX67			
880061	BELT 3VX560	BELT 3VX560			

880062	BELT 5VX670	BELT 5VX670
880063	BELT 5VX630	BELT 5VX630
880064	BELT 3L170	BELT 3L170
880065	BELT 3VX560	BELT 3VX560
880066	BELT 4L210	BELT 4L210
880067	BELT BX75	BELT BX75
880068	BELT 4L270	BELT 4L270
880069	BELT A40	BELT A40
880070	BELT BX75	BELT BX75
880071	BELT 4L210	BELT 4L210
880072	BELT BX66	BELT BX66
880073	BELT BX75	BELT BX75
881001	FILTER HF20008885	FILTER HF20008885
881002	FILTER RPLCMNT GD 0414	FILTER RPLCMNT GD 0414
881003	FILTER 175241	FILTER 175241
881004	FILTER 176206000	FILTER 176206000
881005	FILTER 20 x 20 x 2	FILTER 20 x 20 x 2
881006	FILTER 46194	FILTER 46194
881007	FILTER 29 x 35 x 1	FILTER 29 x 35 x 1
881008	FILTER 46 1/2 x 46 1/2 x 1	FILTER 46 1/2 x 46 1/2 x 1
881009	FILTER 23.5 x 13.875 x 1.625	FILTER 23.5 x 13.875 x 1.625
881010	FILTER 23.625 x 23.625 x 1.625	FILTER 23.625 x 23.625 x 1.625
881011	FILTER 34.75 x 42.625 x 1.625	FILTER 34.75 x 42.625 x 1.625
881012	FILTER 10 x 20 x 1	FILTER 10 x 20 x 1
881013	FILTER 110377-E100	FILTER 110377-E100
881014	FILTER 12 x 24 x 4	FILTER 12 x 24 x 4
881015	FILTER 14 x 22 x 1 Poly Pads	FILTER 14 x 22 x 1 Poly Pads
881016	FILTER 16 x 20 x 2	FILTER 16 x 20 x 2
881017	FILTER 16 x 24 x 2	FILTER 16 x 24 x 2
881018	FILTER 18 1/2 x 18 1/2 x 1	FILTER 18 1/2 x 18 1/2 x 1
881019	FILTER 18 x 18 x 1 (Use @ MBW also)	FILTER 18 x 18 x 1 (Use @ MBW also)
881020	FILTER 20 x 20 x 2	FILTER 20 x 20 x 2
881021	FILTER 24 x 24 x 4	FILTER 24 x 24 x 4
881022	FILTER 7 x 9 1/2 x 1/2	FILTER 7 x 9 1/2 x 1/2
881023	FILTER 941072 Fluid Filter	FILTER 941072 Fluid Filter
881024	FILTER BT839-10 Fluid Filter	FILTER BT839-10 Fluid Filter
881025	FILTER 12 x 12 x 1	FILTER 12 x 12 x 1
881026	FILTER 14 7/8 x 15 7/8 x 2 Poly Pads	FILTER 14 7/8 x 15 7/8 x 2 Poly Pads
881027	FILTER 14 x 14 x 1	FILTER 14 x 14 x 1
881028	FILTER 15 x 15 x 1	FILTER 15 x 15 x 1
881029	FILTER 20 x35 3/4 x 2	FILTER 20 x35 3/4 x 2
881030	FILTER 24 x 24 x 1	FILTER 24 x 24 x 1
881031	FILTER 10 x 30 x 1	FILTER 10 x 30 x 1
881032	FILTER 15 x 16 3/4 x 1 Poly Pads	FILTER 15 x 16 3/4 x 1 Poly Pads
881033	FILTER 16 1/4 x 18 x 1 Poly Pads	FILTER 16 1/4 x 18 x 1 Poly Pads
881034	FILTER 16 x 25 x 2	FILTER 16 x 25 x 2
881035	FILTER 16 x 30 x 2	FILTER 16 x 30 x 2
881036	FILTER 17 3/4 x 18 x1 Poly Pads	FILTER 17 3/4 x 18 x1 Poly Pads
881037	FILTER 17 3/4 x 26 x1 Poly Pads	FILTER 17 3/4 x 26 x1 Poly Pads
881038	FILTER 18 x 27 x 1 Poly Pads	FILTER 18 x 27 x 1 Poly Pads
881039	FILTER 20 x 30 x 2	FILTER 20 x 30 x 2
881040	FILTER 6x 23 x 1 Poly Pads	FILTER 6x 23 x 1 Poly Pads
881041	FILTER 8 x 9 x 1 Poly Pads	FILTER 8 x 9 x 1 Poly Pads
881042	FILTER 46641 x 2	FILTER 46641 x 2

TRANSFORMERS AND METERS

Precap Electric Metering Equip

900147	METER Z3F08 16S/CL200	METER Z3F08 16S/CL200 4W Y/D 120-480V W/D METER,ELECTRICITY,PROGRAMMA BLE ELECTRONIC W/DEMAND,CLASS 200,3PH,4W WYE AND DELTA,FORM 16S,AUTO ADJ 120-480V,30A TES T,SELF- CONTAINED,SOCKET 7 TERMINAL BASE, 6 DIGITAL DIRECT READ KWH X 1 & MA	ABB POWER T & D CO	N
			ELSTER	Y
			ELECTRICITY	
			GENERAL	724X300001 N
			ELECTRIC	EVX-4
			ITRON	34009 SV4SD N
			LANDIS & GYR	4EOB0000-0000 N AXS-4

900160	DO NOT USE - METER R2E08 2S	DO NOT USE - ELSTER S# ZDC3000082, A3TL, FORM 2S, 4 TERMINALS, 120-480V, CLS00, KW/KWH SINGLE-PHASE METER COMPLETE WITH LOAD PROFILE WITH 64K MEMORY AND METER BATTERY. PROGRAMMED TO DISPLAY AS MANY AS 64 DIFFERENT METER VALUES IN NORMAL MODE AN				
900161	DO NOT USE - METER R1H08 12S	DO NOT USE - ELSTER S# ZD530000082, A3TL, FORM 12S, 5 TERMINAL, 120-480V, CLS00 THREE- WIRE, NETWORK METER COMPLETE WITH LOAD PROFILE WITH 64K MEMORY AND METER BAT. PROGRAMMED TO DISPLAY AS MANY AS 64 DIFFERENT METER VALUES IN NORMAL MODE AND ALT				
900162	METER P2E08 2S/CL200	METER P2E08 2S/CL200 3W 1PH 240V NO DMD METER, ELECTRICITY, SOLID STATE, CLASS200, 1PH, 3W, FORM 2S, 240V, 30A TEST, SELF-CONTAINED, SOCKET 4 TERMINAL BASE, 5 DIGIT DIRECT READING KWH REGISTER X1, PRENUMBERED WITH KUB SERIAL NUMBERS				
900163	METER P1K08 2S/CL200	P1 K08 2S/CL200 3W 1PH FORM 2S 240V (FOR 120V SERIES AMPS) METER, ELECTRICITY, SOLID STATE, 1PH, 3W, FORM 2S, 240V, 30A TEST, SELF-CONTAINED, SOCKET 4 TERMINAL BASE, 5 DIGIT DIRECT READING KWH REGISTER X1, PRENUMBERED WITH KUB SERIAL NUMBERS				
900413	METER ELECTRIC 9S ELSTER A3RAL	METER ELECTRIC 9S ELSTER A3RAL W/ CELLULAR MODEM. STYLE # ZD3210WC0LG. 120-480V W/128K MEMORY. WIC 4G ANT CDMA VERIZON	HONEYWELL CORP	ZD3210WC0LG	Y	
901500	METER N2E10 2S/CL320 3W 1PH W/	METER, N2E10, 2S/CL320, 4- TERMINAL BASE, SOCKET-TYPE, 1- PHASE, 3-WIRE, 120 VOLTS, SOCKET-TYPE WITH DEMAND	ELSTER ELECTRICITY		Y	
901501	ADAPTER BOLTED FOR N2E10 METER	ADAPTER, METER, BOLTED-TYPE TO SOCKET-TYPE TO SOCKET- TYPE, FOR N2E21, CLASS-400, 1- PHASE, 3-WIRE, 120 VOLTS, 4- TERMAINAL BASE				
901503	METER N1(3)F10 16S/CL320 4W Y W/DMD	METER, N1(3)F10, 16S/CL320, 7- TERMINAL BASE, SOCKET-TYPE, 3- PHASE, 4-WIRE, 120-277 VOLTS, SOCKET-TYPE, WITH DEMAND				
901504	METER ADAPTER FOR 16S/CLASS 32	METER ADAPTER 16S/CL320 N1(3)F10, 3-PHASE, 4-WIRE, 120-277 VOLTS, 7-TERMINAL BASE	MARWELL	SP2387-K7	Y	
901505	METER N1H10 12S/CL320 3W D W/DMD	METER N1H10, 12S/CL320, 7- TERMINAL BASE, SOCKET-TYPE, 3- PHASE, 4-WIRE, 120 VOLTS, SOCKET-TYPE, WITH DEMAND				
901506	METER ADAPTER 12S/CL320 N1H21	METER ADAPTER 12S/CL320 N1H10, SOCKET TYPE 3-PHASE, 3-WIRE, 120 VOLTS, 7-TERMINAL BASE	MARWELL	2200-H	Y	
914521	SLEEVE DISCONNECT METER	SLEEVE METER DISCONNECT SLEEVE, METER DISCONNECT, BOOT FOR ELECTRICITY METER BLADE, 0.005 INCH THICK MYLAR FILM, END SEALED FOR STRONG CUT-TH ROUGH RESISTANCE, 3500 VOLT DIELECTRIC STRENGTH	ARI	TEST UPDATE	N	
948841	COVER CONNECTOR AIRSEAL	COVER CONNECTOR AIRSEAL	SEAL-RITE PLASTICS CHANCE A B CO KEARNEY	MYLAR-1000 M1930-2 104742-2	Y N Y	

			SPATZ PAINT INDUSTRIES, INC.	599	N
970010	CT PMT 600:5 NO FEET	CT PMT 600V 600:5 OW NO FEET, CURRENT, METERING, INDOOR, 600VOLT, 10KV BIL, 600:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.5 MINIMUM, MINIMUM RF = 3.0 @ 55C RISE/ 30C AMBIENT, 3.5 X 4.5INCH OVA	ABB POWER T & D CO	CMV 7524A75G04	Y
			DURHAM INDUSTRIES (ASTRA)	605GB	N
970015	PT/CT COMBO 70:1V 200:5A	PT/CT COMBO - KM-15 200:5 RF:3 0.15B0.5 70:1 750VA CEP insulator	GENERAL ELECTRIC ARTECHE	JAB-0 750X036206 KM-15 200:5 RF:3 0.15B0.5 70:1 750VA	N Y
970044	CT PMT 1500:5 W/FEET	CT PMT 600V 1500:5 W/FEET TRANSFORMER, CURRENT, METERING, INDOOR, 600VOLT, 10KV BIL, 1500:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.9 MINIMUM, MINIMUM RF = 2.0 @ 55C RISE/ 30C AMBIENT, 3.5 X 4.5INCH OVA	ABB POWER T & D CO	CMV 7524A75G08	N
			DURHAM INDUSTRIES (ASTRA)	609S	N
970050	PT/CT COMBO 70:1V 1000:5A	XFMR, INSTRUMENT, VOLTAGE & CURRENT IN ONE BODY, 15 KV, OUTDOOR FOR POLE-MOUNTING OR SUBSTATION USE, 110KV-BIL, 70:1 VOLTAGE RATIO WITH ACCURACY OF 0.15V, VOLTAGE FACTOR OF 1.5, 1000:5 CURRENT RATIO WITH ACCURACY OF 0.15B-1.8 RANGE FROM 10A TO 1500A, VOL	GENERAL ELECTRIC ARTECHE	JAB-0 750X036215 KM-17 1000:5 RF:3 0.15B0.5 70:1 750VA	N Y
972418	METER BAND	METER RING	BROOKS UTILITY PRODUCTS	109090	Y
973795 973805	METER LOCK BAND BARREL LOCK	RING SEALING METER LOCKING LOCK SEALING-RING. Dewalch barrel lock for rings, side and bottom locks	DEWALCH TECHNOLOGIE S	1809	Y
976421	CT POLEMT1500:5 W/ FEET	CT OUTD NW 600V 1500:5 LW W/ FT TRANSFORMER, CURRENT, METERING, OUTDOOR, 600VOLT, 10KV BIL, 1500:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.9 MINIMUM, MINIMUM RF = 3.0 @ 55C RISE/ 30C AMBIENT, 8INCH MINIMUM LAR	DURHAM INDUSTRIES (ASTRA)	ACL15-531F	Y
978906	PT POLEMT 480V 4:1	PT OUTD 480V 4:1 TRANSFORMER, VOLTAGE, METERING, OUTDOOR, 480VOLT, 10KV BIL, 4:1 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN S W-X-M MINIMUM, MINIMUM VA = 150 OR 200 @ 55C RISE/ 30C AMBIENT, W/ MOUNTING	GENERAL ELECTRIC ABB POWER T & D CO	JAB-0 750X036215 PPM 7526A04G04	N Y
980019	CT 600:5 OW W/ FT	TRANS CURR OUTD OHT 600V 600:5 OW W/ FT TRANSFORMER, CURRENT, METERING, OUTDOOR, 600VOLT, 10KV BIL, 600:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.5 MINIMUM, MINIMUM RF = 3.0 @ 55C RISE/ 30C AMBIENT, 3.5 X 4.5INCH OVA	ITRON ABB POWER T & D CO	T6R 92357-401 CMV 7524A73G04 WITH	N N
			DURHAM INDUSTRIES (ASTRA)	605-S	N
			GEC DURHAM INDUSTRIES	605S	Y

980035	CT 300:5 OW W/ FEET	TRANS CURR OUTD OHT 600V 300:5 OW W/ FT TRANSFORMER, CURRENT, METERING, OUTDOOR, 600VOLT, 10KV BIL, 300:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.2 MINIMUM, MINIMUM RF = 3.0 @ 55C RISE/ 30C AMBIENT, 3.5 X 4.5INCH OVA	DURHAM INDUSTRIES (ASTRA)	602S	Y
980101	METER ION S8650A	METER ION ELECTRIC S8650A Schneider Square D Del Number S8650AOCOE6S1C7A Infrared optical port, Ethernet (10 BaseT), RS 232/485 port, RS 485 port Verizon cell modem 4G	SCHNEIDER ELECTRIC	S8650AOCOE6S 1C7A	Y
980102	METER Z1(3)FX 9S/CL20 4W W/KYZ	METER, TYPE A3D, Z1(3)FX, 9S/CLASS-20, 3-PHASE, 4-WIRE, 120- 480 VOLTS, TA2.5, SOCKET-TYPE, 13-TERMINAL ELECTRONIC DEMAND TO DISPLAY KW/KWH, TO INCLUDE TWO (2) "KYZ" RELAYS BROUGHT OUT THROUGH METER BASE AS " PIGTAILS"	ELSTER ELECTRICITY	ZD3203D0000	Y
980290	METER Z1F08 16S/CL200 4W Y/D	METER Z1F08 16S/CL200 4W Y/D 120-480V W/D METER,ELECTRICITY,PROGRAMMA BLE ELECTRONIC W/DEMAND,CLASS 200,3PH,4W WYE AND DELTA,FORM 16S,AUTO ADJ 120-480V,30A TES T,SELF- CONTAINED,SOCKET 7 TERMINAL BASE, 6 DIGITAL DIRECT READ KWH X 1 & MA	ABB POWER T & D CO		N
			ELSTER ELECTRICITY GENERAL ELECTRIC ITRON LANDIS & GYR	724X300001 EVX-4 34009 SV4SD 4E0B0000-0000 AXS4	Y N N N
980332	METER Z1(3)FX 9S/CL20 4W	Z1(3)FX 9S/CL20 4W Y/D 120-480V W/DMD METER,ELECTRICITY,PROGRAMMA BLE ELECTRONIC W/DEMAND,CLASS 20,3PH,4WYE & DELTA,FORM 9S,AUTO ADJ 120- 480V,2.5ATEST,TRANSFORMER- RATED,SOCKET 13 TERMINAL BASE, 6 DIGITAL SECONDARY READING KWH X CTR &	ABB POWER T & D CO		N
			ELSTER ELECTRICITY GENERAL ELECTRIC ITRON LANDIS & GYR	725X450001 EVX-4 34005 SV4SD 4E000000-0000 AXS4	Y N N N
980365	DO NOT USE - METER Z1H08 CL200 3W NETWORK	DO NOT USE -Z1H08 CL200 3W NW FORM 12S 120V NO DMD METER,ELECTRICITY,ELECTROMECH ANICAL,CLAS S 200,3W NETWORK, FORM 12S,120V,30A TEST,SELF-CONTAINED,SOCKET 5 TERMINAL (5 TH @ 9 O'CLOCK)BASE,5 POINTER DIRECT READING KWH REGISTER X 1,PER KUB SPECIFI			
980431	METER Z(2,4)CX 5S/CL20 3W D	METER Z(2,4)CX 5S/CL20 3W DLT 120-480V W/D METER,ELECTRICITY,PROGRAMMA BLE ELECTRONIC W/DEMAND,CLASS 20,3PH,3W DELTA,FORM 5S,AUTO ADJ 120- 480V,2.5A TEST,TRANSFORM ER- RATED,SOCKET 8 TERMINAL BASE, 6 DIGITAL SECONDARY READING KWH X CTR &	ABB POWER T & D CO		N
			ELSTER ELECTRICITY GENERAL ELECTRIC ITRON	725X500001 EVX-3 34000 SV3SD	Y N N

			LANDIS & GYR	4E010000-0000 AXS4	N
980548	DO NOT USE - J2E08 CL200 3W 1	DO NOT USE - J2E08 CL200 3W 1PH FORM 2S 240V NO DMD METER,ELECTRICITY,ELECTROMECHANICAL,CLASS 200,1PH,3W,FORM 2S, 240V,30A TEST,SELF-CONTAINED,SOCKET 4 TERMINAL BASE,5 POINTER DIRECT READING KWH REGISTER X 1 PRENUMBERED W/K	ABB POWER T & D CO		N
			ELSTER ELECTRICITY GENERAL ELECTRIC ITRON	721X070215 I-70- S SIM. TO 96000 J5S	Y N N
			LANDIS & GYR	91040250-2169 MX	N
980688	METER R1(3)FX, 9S/CL20 4W Y/D	METER R1(3)FX 9S/CL20 4W Y/D 120- 480V REC VAR DMD TOU PF MTR,ELECTRICITY,PROG ELECTRONIC W/D MDS & P.F. &TOU &32K MIN.MASS MEMORY,2.5A TEST,TRANSF-RATED,SOCKET,6 DIGITAL SEC READING,TO INCLUDE TWO (2) "KYZ" RELAYS BROUGHT OUT THRU MTR BASE AS " PIGTAILS"	ABB POWER T & D CO		N
			ELSTER ELECTRICITY GENERAL ELECTRIC ITRON	744X900-004 KV 32556 SV4SR	Y N N
			LANDIS & GYR	4P000000-0000 RXRS4	N
980704	METER R1(2,4)CX CL20 3W D FM-5	R1(2,4)CX CL20 3W DLT FM 5S 120- 480V REC VAR DMD TOU PF 3 MTR,ELECTRICITY,PROG ELECTRONIC W/D MDS & P.F. & TOU & 32K MIN.MASS MEM, CLASS 20,3PH,3W DLT,FORM 5S,AUTO ADJ 120 -480V,2.5A TEST,TRANSF- RATED,SOCKET 8 TERMINAL BASE,6DIGITAL SEC READING KWH &	ABB POWER T & D CO		N
			ELSTER ELECTRICITY GENERAL ELECTRIC ITRON	744X500-004 KV 32663 SV3SR	Y N N
			LANDIS & GYR	4P010000-0000 RXRS4	N
980795	DO NOT USE - METER H1K08 CL200	DO NOT USE - H1K08 CL200 3W 1PH FORM 2S 240 V (FOR 120V SERIES AMPS) METER,ELECTRICITY,ELECTROMECHANICAL,CLASS 200,1PH,3W,FORM 2S,240V,30A TEST, SELF-CONTAINED,SOCKET 4 TERMINAL BASE,5 POINTER DIRECT READING KWH REGISTER X 1 PRENUMBERED W/KUB LIS	ABB POWER T & D CO	SIM. 5570C10G10 D5S	N
			ELSTER ELECTRICITY GENERAL ELECTRIC ITRON	721X070215 I-70- S	Y N N
			LANDIS & GYR	91040250-2169 MX	N
980805	METER R1(3)FX, 9S/CL20 4W Y/D FM W/KYZ	METER R1(3)FX 9S/CL20 4W Y/D FM W/KYZ			

980845	DO NOT USE - K1(3)F21 CL400	DO NOT USE - K1(3)F21 CL400 4W Y W/DM FM 16K 120-480V METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND,CLASS 400 MINIMUM,3PH,4W WYE,FORM 16K,AUTO ADJ 120-480V,50A TEST, SELF-CONTAINED,BOLT-IN 7 TERMINAL BASE, 6 DIGITAL DIRECT READING KWH X 1 & MAX.K	LANDIS & GYR	4E0G0000-0000 AXS4	Y
980894	DO NOT USE - K1(2,4)C21 CL400	DO NOT USE - K1(2,4)C21 CL400 3W D FM 27K 120-480V /D METER, ELECTRICITY, PROGRAMMABLE ELECTRO NIC W/DEMAND, CLASS 400 MINIMUM, 3PH, 3W DELTA, FORM 27K,AUTO ADJ 120-480V, 50 A TEST, SELF-CONTAINED,BOLT-IN 5 TERMINAL BASE,6DIGITAL DIRECT READING KW	LANDIS & GYR	4EOH0000-0000 AXS4	Y
980910	DO NOT USE - K2E21 CL400 3W 1	DO NOT USE - K2E21 CL400 3W 1PH W/ DMD FORM 2K 240V METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND, CLASS 400 MINIMUM, 1PH, 3W, FORM 2K,240V,50A TEST,SELF-CONTAINED ,BOLT-IN 4 TERMINAL BASE, 6 DIGITAL DIRECT READ KWHX1 AND MAX. KW REGISTERS,	LANDIS & GYR	65100600-DXMS	Y
980925	DO NOT USE - METER K1F21 CL400 4W WYE	DO NOT USE - K1F21 CL400 4W WYE			
980936	DO NOT USE K3F21 CL400 4W WYE	DO NOT USE - K3F21 CL400 4W WYE			
981017	METER Z2EX 4S/CL20 3W 1PH	METER Z2EX 4S/CL20 3W 1PH FORM 240V W/DMD METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND,CLASS 20,1PH,3W,FORM 4S,240V ,2.5A TEST,TRANSF-RATED,SOCKET 6 TERMINAL BASE, SEC READING KWHXCT RATIO & MAX. KW REGISTERS,PER KUB SPECIFICATION K99-7	ABB POWER T & D CO	PC220000 AID	N
			ELSTER ELECTRICITY GENERAL ELECTRIC	QC220000	Y
981076	9 Wire	OMNI CABLE A51209*1D #12/9C XLP-PVC N/S 600V TC METHOD 1-OPTION D COLOR CODE: BLACK, WHITE, GREEN, RED, BLUE, ORANGE, YELLOW, BROWN, RED WITH BLACK STRIPE. SPECIAL COLOR CODE IS MADE TO ORDER AND IS NON-CANCELABLE AND NON RETURNABLE.	OMNI CABLE CORP.	723X050009 EV-1 129C500	N Y
981080	METER CAN 13 TERMINAL	SOCKT-ENCL MTR3PH4W20A 13TRM BASE 10P SW SOCKET-ENCL, METER, 3PH 4W 20A XFMR-RATED 600V, 13 TERM FRM 9S BASE W/ INTERNAL WIRED JAWS & PREWIRED W/ #12AWG 19STR CU THHN TO 10P TEST SW W/ CONFIGURATION & COLORS PER KUB A-11299 REV.1-96 & BASE &	DURHAM INDUSTRIES (ASTRA)	RSTS13-2CTBA	N
			METER DEVICES THOMAS & BETTS KEARNEY AMERICAN CASTING	602-3040C13-351 TSS13-HPM-KUB W/ SW 18415-1 8001	Y N Y N
981124	AIRSEAL 8" X 8" X 1/8" _9	AIRSEAL 8" X 8" X 1/8" C-2010 Blue Clearseal Meter Seal \$296.00/M PW-6	AMERICAN CASTING		N
983343	Seal innertite blue		BROOKS UTILITY PRODUCTS INNER-TITE SEAL-RITE PLASTICS	PPS-1000	N

983350	SEAL METER WIRE BLUE	SEAL PADLOCK BLUE PLASTIC W/WIRE HASP SEAL, PADLOCK, ULTRA VIOLET INHIBITED CLEAR BODY W/BLUE INSERT. 0.047GALV WIRE HASP NOT SCORED, HEAT/COLD RESISTANT,HASP PUSH/LOCK INTO BODY, HEAT STAMPED W/ WHITE LOGO (K.U.B.) 100 PER BOX	STOFFEL SALES CORP AMERICAN CASTING	PW-6 8001	Y N
			BROOKS UTILITY PRODUCTS INNER-TITE SEAL-RITE PLASTICS	607100327 PPS-1000	N Y N
983392	SEAL METER DEMAND YELLOW	SEAL SPRING LOCK YELLOW PLAS SEAL, SPRING LOCK DEMAND METER RESET TAB, 1-PIECE, ULTRA VIOL INHIBITED YELLOW COLOR PLASTIC, HEAT/COLD RESISTANT, LOCKING BY ARROW INTO BARREL, (1-HAND CLOSING), HEAT STAMPED W/WHITE LOGO (K.U.B.)	AMERICAN CASTING	PW-6 7001	N Y
			E J BROOKS CO		N
983510	METER PAN	METER SOCKET BLANK COVER METER, SOCKET BLANK COVER - BLADED - MOLDED IN CLEAR LEXAN # 141 RESIN. MUST CONTAIN AN ULTRA-VIOLET INHIBITOR MODEL # 1-6002 EKSTROM	BROOKS UTILITY PRODUCTS	16002	Y
983699	PT 8400V 70:1	TRANS VOLT OUTD 8400V 70:1 ONE BUSH TRANSFORMER, VOLTAGE, METERING, OUTDOOR, 8400VOLT, 110KV BIL, 70:1, 60HZ, MINIMUM 0.15 ACCURACY @ ANSI BURDE NS W-X-M-Y MINIMUM & 0.3 @ Z, MINIMUM VA = 1500 @ 55C RISE/ 30C AMBIENT, H1 SI	GEC DURHAM INDUSTRIES		Y
983848	CT OUTD STA 15KV 1200:5	TRANS CURR OUTD STA 15KV 1200:5 WOUND TRANSFORMER, CURRENT, METERING, OUTDOOR, 15000VOLT, 110KV BIL, 1200:5A, 60HZ, MIN 0.15 ACC @ ANSI BURDEN B-0.1 TO 0.5 MIN & 0.3 ACC TO B-1.8, MIN RF = 1 @ 55C RISE/ 30C AMBIENT, WOUND-TYPE W/	GENERAL ELECTRIC GENERAL ELECTRIC	JVW-5A 765X032052 JKW-5A 755X053120	N Y
983855	PT INDOOR 8400V 70:1	TRANS VOLT INDR 8400V 70:1 TWOTERM TRANSFORMER, VOLTAGE, METERING, INDOOR, 8400VOLT, 110KV BIL, 70:1, 60HZ, MINIMUM 0.15 ACCURACY @ ANSI BURDE NS W-X-M-Y MINIMUM & 0.3 ACCURACY @ Z, MINIMUM VA = 2000 @ 55C RISE/ 30C AMBIEN	GEC DURHAM INDUSTRIES		Y
983863	CT INDR 15KV 750/1500:5	TRANS CURR INDR ENCL 15KV 750/1500:5 BAR SPARE FOR TRANSFORMER, CURRENT, METERING, INDOOR, 15000VOLT, 110KV BIL, 750/1500:5A, 60HZ, MIN 0.3 ACCURACY @ ANSI BURDEN B-0 .1 TO 1.0 MIN & 0.6/0.3 ACC TO B-2, MIN RF=2/1.33 @ 55C RISE/ 30C AMBIENT, BAR-T	GENERAL ELECTRIC GENERAL ELECTRIC	JVM-5A 765X023003 JCM-5 755X020010	N Y

983889	CT OUTD 15KV 300/600:5A	TRANS CURR OUTD STA 15KV 300/600:5A WOUN SPARE FOR TRANSFORMER, CURRENT, METERING, OUTDOOR, 15000VOLT, 110KV BIL, 300/600:5A, 60HZ, MIN 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.5 MIN / B-0.1 TO 2 MIN, MIN RF= 2/1.5 @ 55C RISE/ 30C AMBIENT, WOUND-TYP	GEC DURHAM INDUSTRIES		Y
984051	BRACKET METER CAN TO POLE	BRACKET METER SKT-ENCL TO POLE BRACKET, METER SOCKET- ENCLOSURE MOUNTING TO POLE, 4 IN.X 9 IN. ANGLED ALUMINUM BASE PLATE 1-1/4 IN.X 5/8 IN.KEYHOLED FOR CENTERING AND HANGING ON POLE, AND WELDED TO AN 11 IN.WIDE X 3/16 IN.T	GENERAL ELECTRIC CONNECTOR MFGR CO	JKW-5 755X050129 BAPMB	N Y
984069	CAN METER 8 TERMINAL	SOCKT-ENCL MTR3PH3W20A 8TRM BASE 7P SW SOCKET-ENCL, METER, 3PH 3W 20A XFMR-RATED 600V, 8 TERM FRM 5S BASE W/ INTERNAL WIRED JAWS & PREWIRED W/ #12AWG 19STR CU THHN TO 7P TEST SW W/ CONFIGURATION & COLORS PER KUB A-11310 REV.3-96 & BASE &	THOMAS & BETTS	TSS8-HPM-KUB W/ SW	Y
984077	CAN METER 6 TERMINAL	SOCKT-ENCL MTR1PH3W20A 6TRM BASE 7P SW SOCKET-ENCL, METER, 1PH 3W 20A XFMR-RATED 600V, 6 TERM FRM 4S BASE W/ INTERNAL WIRED JAWS & PREWIRED W/ #12AWG 19STR CU THHN TO 7P TEST SW W/ CONFIGURATION & COLORS PER KUB A-11294 REV.3-96 & BASE &	THOMAS & BETTS	TSS6-HPM-KUB W/ SW	Y
984127	CT INDR 15KV 300/600:5	TRANS CURR INDR ENCL 15KV 300/600:5 WOUN SPARE TRANSFORMER, CURRENT, METERING, INDOOR, 15000VOLT, 110KV BIL, 300/600:5A, 60HZ, MIN 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.5 MIN / B-0.1 TO 1.8 MIN, MIN RF= 2/1.5 @ 55C RISE/ 30C AMBIENT, WOUND-TYP	GEC DURHAM INDUSTRIES		Y
985926	SOCKET METER POLYPHASE	SOCKT-ENCL MTR POLYPHASE A TO S ADAPTER BASE EKSTROM POLYPHASE A TO S ADAPTER 2100 SERIES N-G2 CT RATED FORM #6S 9S 10S THHN TO 7P TEST SW W/ CONFIGURATION & COLORS PER KUB A-11294 REV.3-96 & BASE &	GENERAL ELECTRIC MARWELL	JKM-5 755X042044 2200-N	N Y
987005	DECAL WARNING HAZARDOUS VOLTAGE	DECAL WARNING LABEL, HAZARDOUS VOLTAGE			
987468	DEVICE METER-MOUNTING	DEVICE METER-MOUNTING			
987591	METER ADAPTER 12S/CLASS 200 A- BASE	METER ADAPTER 12S/CLASS 200 A- BASE	EKSTROM SUB OF EJ BROOKS	A-BASE PHD NETWORK/3W	Y
987880	VT PACK HARNESS WIRING 8/C 6 FT	HARNESS WIRING FOR VT-PACK, 6- FOOT LENGTH PER EACH OF 8 CONDUCTORS, PRIMARY CONDUCTORS COLOR CODES SHALL BE BROWN & YELLOW & ORANGE, SECONDARY CONDUCTORS COLOR CODES SHALL BE RED & BLUE & BLACK, GROUND CONDUCTORS SHALL BE WHITE & WHITE			
988516	METER LOCK BOTTOM INSTALLATION	METER LOCK BOTTOM INSTALLATION PROLOCK "B", BOTTOM MOUNTING PROLOCK. CASE HARDENED CARBON STEEL LATCH SYSTEM. MOUNTS TO THE BOTTOM OF A METER SOCKET. HARDENED CARBON STEEL HOUSING TO MOUNT ON THE OUTSIDE OF THE BO	DEWALCH TECHNOLOGIE S	2344	Y

988565	METER LOCK SIDE INSTALLATION P	METER LOCK SIDE INSTALLATION PROLOCK "C", PUNCHLESS-STYLE ENCLOSURE LOCK. NO DRILLING NECESSARY. CASE-HARDENED CARBON STEEL LATCH SYSTEM. MOUNTS TO THE SIDE OF A METER SOCKET. HARDENED CARBON STEEL HOUSING TO MOUNT ON THE OUTSIDE OF THE BOX.	DEWALCH TECHNOLOGIE S	2222	Y
--------	--------------------------------	---	-----------------------	------	---

Precap Gas Loop Meters

900140	PREFAB METER SET 3/4 X 3/4 WITH 1A	PREFAB METER SET 3/4 X 3/4 WITH 1A AEC PART NUMBER FG5022-3 (LYALL). PREFABRICATED METER SET 3/4 X 3/4 WITH 1A INSULATED CONNECTION- INLET ONLY ASSEMBLY-NO VALVE			
900148	LOOP METER GAS 2M & 3M	LOOP METER 2M & 3M			
900149	LOOP MTR AL425 3A & 4A	LOOP MTR AL425 Meter Loop 3A & 4A 180 Degree Knoxville 1 1/4 X 18 1/2 X 6	CENTRAL PLASTICS		Y
900150	LOOP METER GAS5M & 7M	LOOP METER 5M & 7M			
900151	LOOP MTR 8C & 11C FG3954-1	LOOP METER 8C & 11C AEC P/N FG3954-1			
900152	LOOP METER GAS 3/4"	LOOP METER 3/4" THREADED; FG3990-8; Lyall			
900350	LOOP METER 3/4" W/METER SPUD	LOOP METER 3/4" W/METER SPUD			
900351	LOOP METER GAS 425 PAINTED	LOOP METER 3A & 4A, 1 1/4" API 5L, SCH40 PIPE, 3 1/4" RADIUS, THREADED, 180 DEGREE 1 1/4" X 18 1/2" X 6 1/8" CENTER TO END; 1" X 2 1/2" WELDED NIPPLE PER STANDARD DRAWING; ZINC CHROMATE POWDER COATING PER ASTM B-633 WITH GREY POWDER COAT FINISH AFTER			
900352	DONT USE LOOP METER GAS 8C & 11C PAINTED	DONT USE LOOP MTR 8C & 11C; 1 1/4" API 5L, SCH40 PIPE, 3 1/4" RADIUS, THREADED; 180 DEG, 1 1/4" X 23 1/2" X 6 1/8" CENTER TO END; 1" X 2 1/2" WELDED NIPPLE PER STD DRAWING; ZINC CHROMATE PWDR COATING PER ASTM B-633 WITH GREY POWDER FINSH			

Precap Residential Gas Meters

900001	METER DIAPHRAGM GAS 250	AC-250 GAS METER, 5# MAOP METER, WITH CONNECTIONS INCLUDED	AMERICAN REGULATORS	AC-250	Y
			EQUIMETER	R-275	N
			SCHLUMBERGE	250	N
			R		
900049	REGULATOR SERVICE 1-1/4" 1/4 L	1813CM 1 1/4" X 1 1/4" GAS REGULATOR, THREADED, 7" WC, 1/4" ORIFICE, (5.5-8-5, YELLOW) 1/4"	AMERICAN REGULATORS	1813C	Y
900050	REGULATOR SERVICE 1"	1813C, 1" X 1" GAS REGULATOR, THREADED, 7" WC, 1/4" ORIFICE, (5.5-8.5, YELLOW)	AMERICAN REGULATORS	1813-C	Y
			EQUIMETER	143-80	N
			FISHER	102	N
			REGULATORS		
			SCHLUMBERGE		N
			R		
900053	REGULATOR SERVICE 3/4"	1813C, 3/4" X 3/4" GAS REGULATOR, THREADED, 7" WC, 3/16", (5.5-8.5, YELLOW)	AMERICAN REGULATORS	1813-C	Y
			EQUIMETER		N
			FISHER	102	N
			REGULATORS		
			SCHLUMBERGE	B-39-11-R	N
			R		
900077	METER CONNECTION SET 1" GMI (1) INS. (1) NON-INS	METER CONNECTION SET 1" GMI (1) INS. (1) NON-INS FOR AL425 GAS METER. QTY (1) P/N - 21737P082 METER NUT QTY (1) P/N - 28978G092 30LT SWIVEL, QTY (1) P/N - 59061P005 WASHER 1.25"			

900317	METER ERT GAS 250	METER ERT GAS 250, 5# WP, METER. SPRAUGE 1A CONNECTION SET	AMERICAN REGULATORS	AC-250 WITH ERT	Y
			EQUIMETER	R-275 WITH ERT	N
			SCHLUMBERGE R	250 WITH ERT	N
900401	METER CONNECTION SET 1A X 10LT FOR AC250 GAS METER	METER CONNECTION SET 1A X 10LT. SWIVEL #1 SPG P/N 13147PO01, NOT P/N 46390PO02, WASHER P/N 57838G013			
960001	CROSS BI 1/8"	CROSS BI 1/8"			
960002	CROSS BI 1/4"	CROSS BI 1/4"			
960003	CROSS BI 3/8"	CROSS BI 3/8"			
960004	CROSS BI 1/2"	CROSS BI 1/2"			
960005	CROSS BI 3/4"	CROSS BI 3/4"			
960006	CROSS BI 1"	CROSS BI 1"			
960007	ELL BI 45-DEG 1/8"	ELL BI 45-DEG 1/8"			
960009	ELL BI 90-DEG 1/8"	ELL BI 90-DEG 1/8"			
960010	ELL BI 45-DEG STREET 1/8"	ELL BI 45-DEG STREET 1/8"			
960011	ELL BI 90-DEG STREET 1/8"	ELL BI 90-DEG STREET 1/8"			
960012	ELL BI 90-DEG REDUCER 1/4"X1/8	ELL BI 90-DEG REDUCER 1/4"X1/8			
960013	ELL BI 45-DEG STREET 1/4"	ELL BI 45-DEG STREET 1/4"			
960014	ELL BI 90-DEG STREET 1/4"	ELL BI 90-DEG STREET 1/4"			
960015	ELL BI 90-DEG REDUCER 3/8"X1/4	ELL BI 90-DEG REDUCER 3/8"X1/4			
960016	ELL BI 90-DEG STREET 3/8"	ELL BI 90-DEG STREET 3/8"			
960017	ELL BI 90-DEG REDUCER 1/2"X1/4	ELL BI 90-DEG REDUCER 1/2"X1/4			
960018	ELL BI 90-DEG REDUCER 3/4"X1/4	ELL BI 90-DEG REDUCER 3/4"X1/4			
960019	ELL BI 90-DEG REDUCER 3/4"X3/8	ELL BI 90-DEG REDUCER 3/4"X3/8			
960020	ELL BI 90-DEG REDUCER 1"X3/8"	ELL BI 90-DEG REDUCER 1"X3/8"			
960021	ELL BI 90-DEG REDUCER 1"X1/2"	ELL BI 90-DEG REDUCER 1"X1/2"			
960034	TEE BI 1/8"X1/8"	TEE BI 1/8"X1/8"			
960035	TEE BI REDUCER 1/4"X1/8"	TEE BI REDUCER 1/4"X1/8"			
960036	TEE BI 1/4"X1/4"	TEE BI 1/4"X1/4"			
960037	TEE BI REDUCER 3/8"X1/4"	TEE BI REDUCER 3/8"X1/4"			
960038	TEE BI REDUCER 1/2"X1/4"	TEE BI REDUCER 1/2"X1/4"			
960039	TEE BI REDUCER 1/2"X3/8"	TEE BI REDUCER 1/2"X3/8"			
960040	TEE BI STREET 1/2"X1/2"	TEE BI STREET 1/2"X1/2"			
960041	TEE BI REDUCER 3/4"X1/4"X3/4"	TEE BI REDUCER 3/4"X1/4"X3/4"			
960042	TEE BI REDUCER 3/4"X3/8"X3/8"	TEE BI REDUCER 3/4"X3/8"X3/8"			
960043	TEE BI REDUCER 3/4"X3/8"X3/4"	TEE BI REDUCER 3/4"X3/8"X3/4"			
960044	TEE BI REDUCER 3/4"X1/4"	TEE BI REDUCER 3/4"X1/4"			
960045	TEE BI REDUCER 1"X1/2"	TEE BI REDUCER 1"X1/2"			
960047	TEE BI 1-1/2"X1-1/2"	TEE BI 1-1/2"X1-1/2"			
960051	UNION BI 1/8"	UNION BI 1/8"			
960052	UNION BI 1/4"	UNION BI 1/4"			
960053	UNION BI 3/8"	UNION BI 3/8"			
960056	UNION BI INSUL 3"	UNION BI INSUL 3"			
960057	REDUCER BI 3/8"X1/8"	REDUCER BI 3/8"X1/8"			
960058	REDUCER BI 1/2"X1/8"	REDUCER BI 1/2"X1/8"			
960059	REDUCER BI 3/4"X1/8"	REDUCER BI 3/4"X1/8"			
960176	NIPPLE SWAGE GLV 1"X3/4"	NIPPLE SWAGE GLV 1"X3/4"			
960212	NIPPLE SWAGE GLV 1-1/4"X3/4"	NIPPLE SWAGE GLV 1-1/4"X3/4"			
960226	NIPPLE SWAGE GLV 1-1/4"X1"	NIPPLE SWAGE GLV 1-1/4"X1"			
960230	FLANGE FLOOR 1/2"	FLANGE FLOOR 1/2"			
960339	TEE BI REDUCER 3/4"X1/2"	TEE BI REDUCER 3/4"X1/2"			
960341	NIPPLE BI 1/2"X5"	NIPPLE BI 1/2"X5"			
960342	NIPPLE BI 1/2"X6"	NIPPLE BI 1/2"X6"			
960343	NIPPLE BI 1/2"X7"	NIPPLE BI 1/2"X7"			
960344	NIPPLE BI 1/2"X8"	NIPPLE BI 1/2"X8"			
960345	NIPPLE BI 1/2"X9"	NIPPLE BI 1/2"X9"			
960346	NIPPLE BI 1/2"X10"	NIPPLE BI 1/2"X10"			
960347	CAP BI 3/4"_9	CAP BI 3/4"			
960348	NIPPLE BI 1/2"X11"	NIPPLE BI 1/2"X11"			
960349	NIPPLE BI 1/2"X12"	NIPPLE BI 1/2"X12"			
960350	NIPPLE BI 1/2"X14"	NIPPLE BI 1/2"X14"			
960351	NIPPLE BI 1/2"X18"	NIPPLE BI 1/2"X18"			
960354	PLUG BI 3/4"	PLUG BI 3/4"			
960412	REDUCER BELL BI 1/2"X1/4"	REDUCER BELL BI 1/2"X1/4"			
960438	UNION BI 1/2"	UNION BI 1/2"			
960446	FLANGE FLOOR 3/4"	FLANGE FLOOR 3/4"			
960453	FLANGE FLOOR 1"	FLANGE FLOOR 1"			
960487	NIPPLE BI 1/8" X CLOSE	NIPPLE BI 1/8" X CLOSE			
960488	NIPPLE BI 1/8"X2"	NIPPLE BI 1/8"X2"			
960489	NIPPLE BI 1/8"X3"	NIPPLE BI 1/8"X3"			
960490	NIPPLE BI 1/8"X4"	NIPPLE BI 1/8"X4"			
960491	NIPPLE BI 1/8"X5"	NIPPLE BI 1/8"X5"			
960492	NIPPLE BI 1/8"X6"	NIPPLE BI 1/8"X6"			
960493	NIPPLE BI 1/8"X7"	NIPPLE BI 1/8"X7"			
960494	NIPPLE BI 1/8"X8"	NIPPLE BI 1/8"X8"			
960495	NIPPLE BI 1/8"X9"	NIPPLE BI 1/8"X9"			
960496	NIPPLE BI 1/8"X10"	NIPPLE BI 1/8"X10"			

960497	NIPPLE BI 1/8"X11"	NIPPLE BI 1/8"X11"
960498	NIPPLE BI 1/8"X12"	NIPPLE BI 1/8"X12"
960503	PLUG BI 1/8"	PLUG BI 1/8"
960628	TEE BI 3/4"X3/4"	TEE BI 3/4"X3/4"
960644	COUPLING BI 3/4"	COUPLING BI 3/4"
960651	REDUCER BELL BI 3/4"X1/4"	REDUCER BELL BI 3/4"X1/4"
960669	REDUCER BELL BI 3/4"X3/8"	REDUCER BELL BI 3/4"X3/8"
960677	REDUCER BELL BI 3/4"X1/2"	REDUCER BELL BI 3/4"X1/2"
960727	ELL BI 90-DEG REDUCER 1/2"X3/8	ELL BI 90-DEG REDUCER 1/2"X3/8
960735	REDUCER BELL BI 1/2"X3/8"	REDUCER BELL BI 1/2"X3/8"
960750	REDUCER BELL BI 3/8"X1/4"	REDUCER BELL BI 3/8"X1/4"
960776	REDUCER BELL BI 1/4"X1/8"	REDUCER BELL BI 1/4"X1/8"
960826	ELL BI 90-DEG STREET 3/4" _9	ELL BI 90-DEG STREET 3/4"
960834	ELL BI 90-DEG 3/4" _9	ELL BI 90-DEG 3/4"
960867	ELL BI 90-DEG REDUCER 3/4"X1/2	ELL BI 90-DEG REDUCER 3/4"X1/2
960883	TEE BI 1/2"X1/2"	TEE BI 1/2"X1/2"
960891	ELL BI 90-DEG 1/2"	ELL BI 90-DEG 1/2"
960909	ELL BI 45-DEG 1/2"	ELL BI 45-DEG 1/2"
960917	ELL BI 90-DEG STREET 1/2"	ELL BI 90-DEG STREET 1/2"
960925	ELL BI 90-DEG 3/8"	ELL BI 90-DEG 3/8"
960974	ELL BI 90-DEG 1/4"	ELL BI 90-DEG 1/4"
960990	ELL BI 45-DEG 1/4"	ELL BI 45-DEG 1/4"
961022	ELL BI 45-DEG 3/4"	ELL BI 45-DEG 3/4"
961113	PLUG BI 1/2"	PLUG BI 1/2"
961121	CAP BI 1/2"	CAP BI 1/2"
961147	COUPLING BI 1/2"	COUPLING BI 1/2"
961154	PLUG BI 3/8"	PLUG BI 3/8"
961170	COUPLING BI 3/8"	COUPLING BI 3/8"
961196	PLUG BI 1/4"	PLUG BI 1/4"
961204	CAP BI 1/4"	CAP BI 1/4"
961287	UNION BI 3/4"	UNION BI 3/4"
961337	NIPPLE BI 1/2" X CLOSE	NIPPLE BI 1/2" X CLOSE
961338	NIPPLE BI 1/2"X2"	NIPPLE BI 1/2"X2"
961339	NIPPLE BI 1/2"X3"	NIPPLE BI 1/2"X3"
961340	NIPPLE BI 1/2"X4"	NIPPLE BI 1/2"X4"
961410	NIPPLE BI 1/4" X CLOSE	NIPPLE BI 1/4" X CLOSE
961411	NIPPLE BI 1/4"X2"	NIPPLE BI 1/4"X2"
961412	NIPPLE BI 1/4"X3"	NIPPLE BI 1/4"X3"
961413	NIPPLE BI 1/4"X4"	NIPPLE BI 1/4"X4"
961414	NIPPLE BI 1/4"X5"	NIPPLE BI 1/4"X5"
961415	NIPPLE BI 1/4"X6"	NIPPLE BI 1/4"X6"
961416	NIPPLE BI 1/4"X7"	NIPPLE BI 1/4"X7"
961417	NIPPLE BI 1/4"X8"	NIPPLE BI 1/4"X8"
961418	NIPPLE BI 1/4"X9"	NIPPLE BI 1/4"X9"
961419	NIPPLE BI 1/4"X10"	NIPPLE BI 1/4"X10"
961420	NIPPLE BI 1/4"X11"	NIPPLE BI 1/4"X11"
961421	NIPPLE BI 1/4"X12"	NIPPLE BI 1/4"X12"
961493	NIPPLE BI 3/4" X CLOSE _9	NIPPLE BI 3/4" X CLOSE
961494	NIPPLE BI 3/4"X2" _9	NIPPLE BI 3/4"X2"
961495	NIPPLE BI 3/4"X3" _9	NIPPLE BI 3/4"X3"
961496	NIPPLE BI 3/4"X4" _9	NIPPLE BI 3/4"X4"
961497	NIPPLE BI 3/4"X5" _9	NIPPLE BI 3/4"X5"
961498	NIPPLE BI 3/4"X6" _9	NIPPLE BI 3/4"X6"
961499	NIPPLE BI 3/4"X7" _9	NIPPLE BI 3/4"X7"
961500	NIPPLE BI 3/4"X8" _9	NIPPLE BI 3/4"X8"
961501	NIPPLE BI 3/4"X9" _9	NIPPLE BI 3/4"X9"
961502	NIPPLE BI 3/4"X10" _9	NIPPLE BI 3/4"X10"
961503	NIPPLE BI 3/4"X11"	NIPPLE BI 3/4"X11"
961504	NIPPLE BI 3/4"X12"	NIPPLE BI 3/4"X12"
961505	NIPPLE BI 3/4"X14"	NIPPLE BI 3/4"X14"
961506	NIPPLE BI 3/4"X18"	NIPPLE BI 3/4"X18"
961576	NIPPLE BI 3/8" X CLOSE	NIPPLE BI 3/8" X CLOSE
961577	NIPPLE BI 3/8"X2"	NIPPLE BI 3/8"X2"
961578	NIPPLE BI 3/8"X3"	NIPPLE BI 3/8"X3"
961579	NIPPLE BI 3/8"X4"	NIPPLE BI 3/8"X4"
961580	NIPPLE BI 3/8"X5"	NIPPLE BI 3/8"X5"
961581	NIPPLE BI 3/8"X6"	NIPPLE BI 3/8"X6"
961582	NIPPLE BI 3/8"X7"	NIPPLE BI 3/8"X7"
961583	NIPPLE BI 3/8"X8"	NIPPLE BI 3/8"X8"
961585	NIPPLE BI 3/8"X9"	NIPPLE BI 3/8"X9"
961586	NIPPLE BI 3/8"X10"	NIPPLE BI 3/8"X10"
961587	NIPPLE BI 3/8"X11"	NIPPLE BI 3/8"X11"
961588	NIPPLE BI 3/8"X12"	NIPPLE BI 3/8"X12"
962715	REDUCER BELL BI 1"X3/8"	REDUCER BELL BI 1"X3/8"
962723	REDUCER BELL BI 1"X1/2"	REDUCER BELL BI 1"X1/2"
962731	REDUCER BELL BI 1"X3/4" _9	REDUCER BELL BI 1"X3/4"
962780	TEE BI STREET 1"X1"	TEE BI STREET 1"X1"
962806	TEE BI REDUCER 1"X3/4"	TEE BI REDUCER 1"X3/4"
962814	PLUG BI 1"	PLUG BI 1"
962822	CAP BI 1"	CAP BI 1"
962823	1" MUSHROOM CAP, ZINC PLATED	1" MUSHROOM CAP, ZINC PLATED
		BECKETT 14022 Y
		BECKETT P/N 14022

962830	ELL BI 90-DEG 1" _9	ELL BI 90-DEG 1"			
962848	ELL BI 90-DEG STREET 1" _9	ELL BI 90-DEG STREET 1"			
962855	ELL BI 45-DEG 1"	ELL BI 45-DEG 1"			
962871	UNION BI 1" _9	UNION BI 1"			
962897	COUPLING BI 1" _9	COUPLING BI 1"			
962905	NIPPLE BI 1" X CLOSE_9	NIPPLE BI 1" X CLOSE			
962906	NIPPLE BI 1"X2" _9	NIPPLE BI 1"X2"			
962907	NIPPLE BI 1"X3" _9	NIPPLE BI 1"X3"			
962908	NIPPLE BI 1"X4" _9	NIPPLE BI 1"X4"			
962909	NIPPLE BI 1"X5" _9	NIPPLE BI 1"X5"			
962910	NIPPLE BI 1"X6" _9	NIPPLE BI 1"X6"			
962911	NIPPLE BI 1"X7"	NIPPLE BI 1"X7"			
962912	NIPPLE BI 1"X8"	NIPPLE BI 1"X8"			
962913	NIPPLE BI 1"X9"	NIPPLE BI 1"X9"			
962914	NIPPLE BI 1"X10"	NIPPLE BI 1"X10"			
962915	NIPPLE BI 1"X11"	NIPPLE BI 1"X11"			
962916	NIPPLE BI 1"X12"	NIPPLE BI 1"X12"			
962917	NIPPLE BI 1"X13"	NIPPLE BI 1"X13"			
962918	NIPPLE BI 1"X14"	NIPPLE BI 1"X14"			
962919	NIPPLE BI 1"X16"	NIPPLE BI 1"X16"			
962920	NIPPLE BI 1"X18"	NIPPLE BI 1"X18"			
962921	NIPPLE BI 1"X20"	NIPPLE BI 1"X20"			
962922	NIPPLE BI 1"X21"	NIPPLE BI 1"X21"			
962923	NIPPLE BI 1"X22"	NIPPLE BI 1"X22"			
962924	NIPPLE BI 1"X23"	NIPPLE BI 1"X23"			
963150	TEE BI REDUCER 1-1/2"X1-1/4"	TEE BI REDUCER 1-1/2"X1-1/4"			
963184	COUPLING BI 1-1/2"	COUPLING BI 1-1/2"			
963192	UNION BI 1-1/2"	UNION BI 1-1/2"			
972771	CAP BI 1/8"	CAP BI 1/8"			
972797	CAP BI 3/8"	CAP BI 3/8"			
972813	COUPLING BI 1/8"	COUPLING BI 1/8"			
972839	COUPLING BI 1/4"	COUPLING BI 1/4"			
981004	PIPE BI T&C 1/4"X21'	PIPE BI T&C 1/4"X21'			
981012	PIPE BI T&C 3/8"X21'	PIPE BI T&C 3/8"X21'			
981046	PIPE BI T&C 1/2"X21'	PIPE BI T&C 1/2"X21'			
981053	PIPE BI T&C 3/4"X21'	PIPE BI T&C 3/4"X21'			
981061	PIPE BI T&C 1"X21'	PIPE BI T&C 1"X21'			
985947	METER LOCKSEAL - HEAD	METER LOCKSEAL - HEAD	HIGHFIELD MFG	93280156	Y
985954	METER LOCKSEAL - REPLACEMENT S	METER LOCKSEAL - REPLACEMENT SEAL	HIGHFIELD MFG	93210130	Y
985959	METER LOCKSEAL - STUD	METER LOCKSEAL - STUD	HIGHFIELD MFG	93210140	Y
985961	METER LOCKSEAL - SEAL PRESS	METER LOCKSEAL - SEAL PRESS			
985967	METER LOCKSEAL - KEY	HIGHFIELD METER LOCKSEAL - KEY	HIGHFIELD MFG	93280139	Y
Precap Commercial Gas Meters					
900002	METER DIAPHRAGM GAS 425	AL-425 GAS METER, 10# MAOP, WITH CONNECTIONS INCLUDED			
900005	METER ROOTS ROTARY GAS 8C	METER ROOTS ROTARY 8C			
900006	METER ROOTS ROTARY GAS 11C	METER ROOTS ROTARY 11C			
900007	METER ROOTS ROTARY GAS 2M	METER ROOTS ROTARY 2M			
900008	METER ROOTS ROTARY GAS 3M	METER ROOTS ROTARY 3M			
900009	METER ROOTS ROTARY GAS 5M	METER ROOTS ROTARY 5M			
900010	METER ROOTS ROTARY GAS 7M	METER ROOTS ROTARY 7M			
900011	METER ROOTS ROTARY GAS 11M	METER ROOTS ROTARY 11M	DRESSER MFG	11M-B3	Y
900012	METER ROOTS ROTARY GAS 16M	METER ROOTS ROTARY 16M			
900013	METER ROOTS ROTARY GAS 23M 4"	METER ROOTS ROTARY GAS 23M 232 4" FLANGED CONNECTIONS - P/N 056578-011			
900015	METER SENSUS TURBINE GAS T18-125	METER SENSUS TURBINE T18-125			
900016	METER SENSUS TURBINE GAS T35-125	METER SENSUS TURBINE GAS T35-125			
900017	METER SENSUS TURBINE GAS T60-125	METER SENSUS TURBINE T60-125			
900060	STRAINER FLANGE 2"	STRAINER (FLANGED) GAS 2"	KECKLY	21FFYCI GA	N N
900061	STRAINER SCREW 2"	STRAINER (SCREWED)	MUELLER KECKLY	B	Y N Y
900080	Merc EC350 2XTrans 0-60-030	Mercury EC350 2XTrans 0-60-030. EC350-CBB-0000L000-D-BA1110-C9- MQ,MW-200			
900081	Mercury EC350 0-30 1XTrans	Mercury EC350 0-30 1XTrans. EC350 - BOB - 0000L000-D-BA1110-C9- MQ,MW-200			
900100	STRAINER FLANGE 3"	STRAINER (FLANGED) 3"	KECKLY MUELLER	GA	N Y

900199	METER ROOTS ROTARY GAS 38M	38M DRESSER ROOTS METER. SERIES B3 38M DRESSER ROOTS METER, COUNTER WITH INSTRUMENT DRIVE VERSION. P/N 055227-022 38M 175 SERIES B3.	DRESSER MFG	055227-022 38M175	Y
900316 900340	VALVE GAS-SECURITY 3" METER ROOTS ROTARY GAS 23M 6"	VALVE GAS-SECURITY 3" METER ROOTS ROTARY GAS 23M 175 SERIES B3 DRESSER METER, 6" FLANGED CONNECTIONS - P/N 055225-011	DRESSER MFG	055225-011	Y
900345	MI Wireless Power Supply	MI Wireless Power Supply. MIWI000- C00-00000-00000-00000-000000- 0000000-00AA-000000-B8A0COM- 00000-00000-B020000-00000-000-00- 0000-A-00-00			
960022	ELL BLK 90 DEG REDU 1 1/4 X 3/8	ELL BLK 90 DEG REDU 1 1/4 X 3/8			
960023	ELL BLK 90 DEG REDU 1 1/4 X 1/2	ELL BLK 90 DEG REDU 1 1/4 X 1/2			
960024	ELL BLK 90 DEG REDU 1 1/2 X 1/2	ELL BLK 90 DEG REDU 1 1/2 X 1/2			
960025	ELL BLK 90 DEG REDU 1 1/2 X 3/4	ELL BLK 90 DEG REDU 1 1/2 X 3/4			
960026	ELL BI 90-DEG REDUCER 1-1/2"X1	ELL BI 90-DEG REDUCER 1-1/2"X1			
960027	ELL BI 90-DEG REDUCER 2"X1/2"	ELL BI 90-DEG REDUCER 2"X1/2"			
960028	ELL BI 90-DEG REDUCER 2"X3/4"	ELL BI 90-DEG REDUCER 2"X3/4"			
960029	ELL BI 90-DEG STREET 2-1/2"	ELL BI 90-DEG STREET 2-1/2"			
960030	ELL BI 45-DEG 2-1/2"	ELL BI 45-DEG 2-1/2"			
960031	ELL BI 90-DEG 2-1/2"	ELL BI 90-DEG 2-1/2"			
960032	ELL BI 90-DEG STREET 3"	ELL BI 90-DEG STREET 3"			
960033	ELL BI 45-DEG 3"	ELL BI 45-DEG 3"			
960046	TEE BLK REDU 1 1/4 X 1 1/4 X 1/2	TEE BLK REDU 1 1/4 X 1 1/4 X 1/2			
960048	TEE BI REDUCER 2"X1-1/2"	TEE BI REDUCER 2"X1-1/2"			
960049	TEE BI 2-1/2"X2-1/2"	TEE BI 2-1/2"X2-1/2"			
960050	TEE BI 3"X3"	TEE BI 3"X3"			
960054	UNION BI INSUL 2"	UNION BI INSUL 2"			
960055	UNION BI INSUL 2-1/2"	UNION BI INSUL 2-1/2"			
960060	REDUCER BI 1-1/4"X1/2"	REDUCER BI 1-1/4"X1/2"			
960061	REDUCER BI 1-1/2"X3/8"	REDUCER BI 1-1/2"X3/8"			
960062	REDUCER BI 1-1/2"X1/2"	REDUCER BI 1-1/2"X1/2"			
960063	REDUCER BI 1-1/2"X3/4"	REDUCER BI 1-1/2"X3/4"			
960064	COUPLING BI 2-1/2"	COUPLING BI 2-1/2"			
960065	COUPLING BI 3"	COUPLING BI 3"			
960066	COUPLING BI 4"	COUPLING BI 4"			
960067	CAP BI 2-1/2"	CAP BI 2-1/2"			
960068	CAP BI 4"	CAP BI 4"			
960355	2" X 6" SCH 80 BLACK NIPPLE	2" X 6" SCH 80 BLACK NIPPLE			
960366	2" X 9" SCH 80 BLACK NIPPLE	2" X 9" SCH 80 BLACK NIPPLE			
960367	3" x 12" SCHEDULE 40 BLACK IRON NIPPLE	3" x 12" SCHEDULE 40 BLACK IRON NIPPLE			
960377	1 1/4" X 6" SCH 80 BLACK NIPPLE	1 1/4" X 6" SCH 80 BLACK NIPPLE			
960388	3" X 6" SCH 80 BLACK NIPPLE	3" X 6" SCH 80 BLACK NIPPLE			
961171	STRAINER GAS 1 1/4" X 1 1/4" S	STRAINER GAS 1 1/4" X 1 1/4" SCREW CONNECTION	MUELLER		Y
962863	ELL BI REDUCER 1"X3/4"_9	ELL BI REDUCER 1"X3/4"			
963101	ELL BI 90-D REDU 1-1/2"X1-1/4"	ELL BI 90-D REDU 1-1/2"X1-1/4"			
963218	REDUCER BI 1-1/2"X1"	REDUCER BI 1-1/2"X1"			
963226	REDUCER BELL BLK 1-1/2" X 1-1/4	REDUCER BELL BLK 1-1/2" X 1-1/4			
963267	ELL BI 90-DEG 1-1/2"	ELL BI 90-DEG 1-1/2"			
963283	ELL BI 90-DEG STREET 1-1/2"	ELL BI 90-DEG STREET 1-1/2"			
963333	PLUG BI 1-1/2"	PLUG BI 1-1/2"			
963341	CAP BI 1-1/2"	CAP BI 1-1/2"			
963358	NIPPLE BI 1-1/2" X CLOSE	NIPPLE BI 1-1/2" X CLOSE			
963359	NIPPLE BI 1-1/2"X2"	NIPPLE BI 1-1/2"X2"			
963360	NIPPLE BI 1-1/2"X3"	NIPPLE BI 1-1/2"X3"			
963361	NIPPLE BI 1-1/2"X4"	NIPPLE BI 1-1/2"X4"			
963362	NIPPLE BI 1-1/2"X5"	NIPPLE BI 1-1/2"X5"			
963363	NIPPLE BI 1-1/2"X6"	NIPPLE BI 1-1/2"X6"			
963364	NIPPLE BI 1-1/2"X7"	NIPPLE BI 1-1/2"X7"			
963365	NIPPLE BI 1-1/2"X8"	NIPPLE BI 1-1/2"X8"			
963367	NIPPLE BI 1-1/2"X9"	NIPPLE BI 1-1/2"X9"			
963368	NIPPLE BI 1-1/2"X10"	NIPPLE BI 1-1/2"X10"			
963369	NIPPLE BI 1-1/2"X11"	NIPPLE BI 1-1/2"X11"			
963370	NIPPLE BI 1-1/2"X12"	NIPPLE BI 1-1/2"X12"			
963371	NIPPLE BI 1-1/2"X13"	NIPPLE BI 1-1/2"X13"			
963372	NIPPLE BI 1-1/2"X14"	NIPPLE BI 1-1/2"X14"			
963373	NIPPLE BI 1-1/2"X16"	NIPPLE BI 1-1/2"X16"			
963374	NIPPLE BI 1-1/2X18"	NIPPLE BI 1-1/2X18"			
963375	NIPPLE BI 1-1/2"X24"	NIPPLE BI 1-1/2"X24"			
963376	NIPPLE BI 1-1/2"X30"	NIPPLE BI 1-1/2"X30"			
963572	UNION BI 1-1/4"	UNION BI 1-1/4"			
963648	TEE BI REDUCER 1-1/4"X3/4"	TEE BI REDUCER 1-1/4"X3/4"			
963655	TEE BI REDUCER 1-1/4"X1"	TEE BI REDUCER 1-1/4"X1"			
963671	REDUCER BELL BI 1-1/4"X3/4"	REDUCER BELL BI 1-1/4"X3/4"			
963689	REDUCER BELL BI 1-1/4"X1"	REDUCER BELL BI 1-1/4"X1"			

963713	TEE BI 1-1/4"X1-1/4"	TEE BI 1-1/4"X1-1/4"
963721	TEE BI STREET 1-1/4"X1-1/4"	TEE BI STREET 1-1/4"X1-1/4"
963754	ELL BI 90-DEG REDU 1-1/4"X3/4"_9	ELL BI 90-DEG REDU 1-1/4"X3/4"
963762	ELL BI 90-DEG REDU 1-1/4"X1"	ELL BI 90-DEG REDU 1-1/4"X1"
963838	CAP BI 1-1/4"	CAP BI 1-1/4"
963846	PLUG BI 1-1/4"	PLUG BI 1-1/4"
963853	COUPLING BI 1-1/4"	COUPLING BI 1-1/4"
963861	ELL BI 45-DEG 1-1/4"	ELL BI 45-DEG 1-1/4"
963879	ELL BI 90-DEG STREET 1-1/4"	ELL BI 90-DEG STREET 1-1/4"
963887	ELL BI 90-DEG 1-1/4"	ELL BI 90-DEG 1-1/4"
963895	NIPPLE BI 1-1/4" X CLOSE	NIPPLE BI 1-1/4" X CLOSE
963896	NIPPLE BI 1-1/4"X2"_9	NIPPLE BI 1-1/4"X2"
963897	NIPPLE BI 1-1/4"X3"_9	NIPPLE BI 1-1/4"X3"
963898	NIPPLE BI 1-1/4"X4"_9	NIPPLE BI 1-1/4"X4"
963899	NIPPLE BI 1-1/4"X5"	NIPPLE BI 1-1/4"X5"
963900	NIPPLE BI 1-1/4"X6"_9	NIPPLE BI 1-1/4"X6"
963901	NIPPLE BI 1-1/4"X7"	NIPPLE BI 1-1/4"X7"
963902	NIPPLE BI 1-1/4"X8"	NIPPLE BI 1-1/4"X8"
963903	NIPPLE BI 1-1/4"X9"	NIPPLE BI 1-1/4"X9"
963904	NIPPLE BI 1-1/4"X10"	NIPPLE BI 1-1/4"X10"
963905	NIPPLE BI 1-1/4"X11"	NIPPLE BI 1-1/4"X11"
963906	NIPPLE BI 1-1/4"X12"_9	NIPPLE BI 1-1/4"X12"
963907	NIPPLE BI 1-1/4"X13"	NIPPLE BI 1-1/4"X13"
963908	NIPPLE BI 1-1/4"X14"	NIPPLE BI 1-1/4"X14"
963909	NIPPLE BI 1-1/4"X16"	NIPPLE BI 1-1/4"X16"
963910	NIPPLE BI 1-1/4"X18"	NIPPLE BI 1-1/4"X18"
963911	NIPPLE BI 1-1/4"X24"	NIPPLE BI 1-1/4"X24"
963912	NIPPLE BI 1-1/4"X30"	NIPPLE BI 1-1/4"X30"
964067	REDUCER BELL BI 2"X3/4"	REDUCER BELL BI 2"X3/4"
964075	REDUCER BELL BI 2"X1"	REDUCER BELL BI 2"X1"
964083	REDUCER BELL BI 2"X1-1/4"	REDUCER BELL BI 2"X1-1/4"
964091	REDUCER BELL BI 2"X1-1/2"	REDUCER BELL BI 2"X1-1/2"
964109	COUPLING BI 2"	COUPLING BI 2"
964117	TEE BI REDUCER 2"X3/4"	TEE BI REDUCER 2"X3/4"
964125	TEE BI REDUCER 2"X1"	TEE BI REDUCER 2"X1"
964133	TEE BI REDUCER 2"X1-1/4"	TEE BI REDUCER 2"X1-1/4"
964141	TEE BI STREET 2"X2"	TEE BI STREET 2"X2"
964158	TEE BI 2"X2"	TEE BI 2"X2"
964166	CAP BI 2"	CAP BI 2"
964173	CAP BI 3"	CAP BI 3"
964174	PLUG BI 3"	PLUG BI 3"
964182	ELL BI REDUCER 2"X1"	ELL BI REDUCER 2"X1"
964190	ELL BI REDUCER 2"X1-1/4"	ELL BI REDUCER 2"X1-1/4"
964208	ELL BI REDUCER 2"X1-1/2"	ELL BI REDUCER 2"X1-1/2"
964216	UNION BI 2"	UNION BI 2"
964229	ELL BI 90-DEG REDUCER 3"X2"	ELL BI 90-DEG REDUCER 3"X2"
964239	ELL BLACK 3" 90	ELL BLACK 3" 90
964307	ELL BI 90-DEG 2"	ELL BI 90-DEG 2"
964315	ELL BI 90-DEG STREET 2"	ELL BI 90-DEG STREET 2"
964323	ELL BI 45-DEG 2"	ELL BI 45-DEG 2"
964349	NIPPLE BI 2" X CLOSE	NIPPLE BI 2" X CLOSE
964350	NIPPLE BI 2"X3"	NIPPLE BI 2"X3"
964351	NIPPLE BI 2"X4"	NIPPLE BI 2"X4"
964352	NIPPLE BI 2"X5"	NIPPLE BI 2"X5"
964353	NIPPLE BI 2"X6"	NIPPLE BI 2"X6"
964354	NIPPLE BI 2"X7"	NIPPLE BI 2"X7"
964355	NIPPLE BI 2"X8"	NIPPLE BI 2"X8"
964356	NIPPLE BI 2"X9"	NIPPLE BI 2"X9"
964357	NIPPLE BI 2"X10"	NIPPLE BI 2"X10"
964358	NIPPLE BI 2"X11"	NIPPLE BI 2"X11"
964359	NIPPLE BI 2"X12"	NIPPLE BI 2"X12"
964360	NIPPLE BI 2"X13"	NIPPLE BI 2"X13"
964361	NIPPLE BI 2"X14"	NIPPLE BI 2"X14"
964362	NIPPLE BI 2"X16"	NIPPLE BI 2"X16"
964363	NIPPLE BI 2"X18"	NIPPLE BI 2"X18"
964364	NIPPLE BI 2"X20"	NIPPLE BI 2"X20"
964365	NIPPLE BI 2"X24"	NIPPLE BI 2"X24"
964366	NIPPLE BI 2"X30"	NIPPLE BI 2"X30"
964703	COCK METER 175LB-WOG 2"	COCK METER 175LB-WOG 2" BALL VALVE CONSTRUCTION
964877	REDUCER BELL BI 4"X2"	REDUCER BELL BI 4"X2"
964950	PLUG BI 4"	PLUG BI 4"
964976	NIPPLE BI 4"X4"	NIPPLE BI 4"X4"
964977	NIPPLE BI 4"X6"	NIPPLE BI 4"X6"
965114	PLUG BI 2"	PLUG BI 2"
965148	REDUCER BELL BI 3"X2-1/2"	REDUCER BELL BI 3"X2-1/2"
965159	REDUCER BELL BLK 2-1/2" X 1-1/2"	REDUCER BELL BLK 2-1/2" X 1-1/2"
965163	REDUCER BELL BI 2-1/2"X2"	REDUCER BELL BI 2-1/2"X2"
965189	REDUCER BELL BI 3"X2"	REDUCER BELL BI 3"X2"
965191	UNION BLACK 3"	UNION BLACK 3"
965254	PLUG BI 2-1/2"	PLUG BI 2-1/2"

965338	NIPPLE BI 3"X4"	NIPPLE BI 3"X4"			
965339	NIPPLE BI 3"X6"	NIPPLE BI 3"X6"			
965340	NIPPLE BI 3"X9"	NIPPLE BI 3"X9"			
965341	NIPPLE BI 3"X12"	NIPPLE BI 3"X12"			
965395	NIPPLE BI 2-1/2"X4"	NIPPLE BI 2-1/2"X4"			
965396	NIPPLE BI 2-1/2"X6"	NIPPLE BI 2-1/2"X6"			
965397	NIPPLE BI 2-1/2"X12"	NIPPLE BI 2-1/2"X12"			
981079	PIPE BI T&C 1-1/4"X21'	PIPE BI T&C 1-1/4"X21'			
981083	PIPE BI T&C 1-1/2"X21'	PIPE BI T&C 1-1/2"X21'			
981090	PIPE BLACK WELD 2" SCHEDULE 80	2" SCHEDULE 80 BLACK PIPE WITH WELD ENDS, NO THREADS, 21 FT LENGTH			
981091	PIPE BLACK IRON 4" SCHEDULE 40 WITH WELD ENDS	PIPE BLACK IRON 4" SCHEDULE 40 WITH WELD ENDS			
981092	PIPE BI T&C 2"X21'	PIPE BI T&C 2"X21'			
981095	PIPE BLACK WELD 1 1/2" SCHEDULE 80	1 1/2" SCHEDULE 80 BLACK PIPE WITH WELD ENDS, NO THREADS, 21 FT LENGTH			
Precap Gas Regulators/Reliefs					
900025	REGULATOR #2 SERVICE 1-1/4"	1813C, 1 1/4" X 1 1/4" GAS REGULATOR, THREADED, 2 LB PSI, 1/4" ORIFICE, (42" - 2 LB PSI, RED-RED)			
900026	REGULATOR #2 SERVICE 1"	1813C, 1" X 1" GAS REGULATOR, THREADED, 2 LB PSI, 1/4" ORIFICE, (42" - 2 LB PSI, RED-RED)	AMERICAN REGULATORS	1813C 1"	Y
			FISHER REGULATORS	102	N
900027	REGULATOR #2 SERVICE 3/4"	1813C, 3/4" X 3/4" GAS REGULATOR, THREADED, 2PSI, 3/16" ORIFICE, (42" - 2 PSI, RED-RED)	AMERICAN REGULATORS	1813C 3/4"	Y
			FISHER REGULATORS	102	N
900028	REGULATOR FIELD SCREW 1" 627	REGULATOR FIELD 1 (SCREWED) FISHER 627 FISHER P/N is FS627R-186	FISHER REGULATORS	046-2 INTERNAL RELIEF	Y
900030	REGULATOR INDUSTRIAL 1 1/4 (SC	REGULATOR INDUSTRIAL 1 1/4 (SC	AMERICAN REGULATORS	3000	Y
900042	REGULATOR PILOT OPERATED 2 (FL	REGULATOR PILOT OPERATED 2 (FL	FISHER REGULATORS	1098-EGR-6353	Y
900043	REGULATOR PILOT-OPERATED 3"	REGULATOR PILOT OPERATED 3	FISHER REGULATORS	1098-EGR-6353	Y
900044	REGULATOR PILOT OPERATED 3 (FL	REGULATOR PILOT OPERATED 3 (FL			
900045	REGULATOR PILOT-OPERATED 4"	REGULATOR PILOT OPERATED 4	FISHER REGULATORS	1098-EGR-6353	Y
900046	REGULATOR PILOT OPERATED 4 (FL	REGULATOR PILOT OPERATED 4 (FL	FISHER REGULATORS	1098-EGR-6353	Y
900047	REGULATOR PILOT OPERATED 6 (FL	REGULATOR PILOT OPERATED 6 (FL	FISHER REGULATORS	1098-EGR-6353	Y
900051	REGULATOR SERVICE FLANGE 2" B3	REGULATOR SERVICE 2 FLANGED CONNECTIONS ITRON B34-R 2" BODY	SCHLUMBERGE R	B-34-R	Y
900052	REGULATOR SERVICE SCREW 2"	REGULATOR SERVICE 2 (SCREWED)	SCHLUMBERGE R	B-34-R	Y
900054	REGULATOR SERVICE PILOT 2 (FLA	REGULATOR SERVICE PILOT 2 FLANGED CL34-2, 2" BODY, SET AT 2 PSI	SCHLUMBERGE R	CL-34-2	Y
900055	REGULATOR SERVICE PILOT 2 (SCR	REGULATOR SERVICE PILOT 2 (SCR	SCHLUMBERGE R	CL-34-2	Y
900062	VALVE AXIAL-FLOW FLANGE 2"	2" AFV, 2" AXIAL FLOW VALVE, 300#, 100%, H-7 SLEEVE WITH CONTROL LOOP	AMERICAN REGULATORS	AFV-300 SERIES 2" AFV	Y
900063	VALVE AXIAL-FLOW FLANGE 3"	3" AFV, 3" AXIAL FLOW VALVE, 300#, 100%, H-7 SLEEVE	AMERICAN REGULATORS	AFV-300 SERIES 3" AFV	Y
900064	VALVE AXIAL-FLOW FLANGE 4"	4" AFV, 4" AXIAL FLOW VALVE, 300#, 100%, H-7 SLEEVE	AMERICAN REGULATORS	4" AFV 300 SERIES	Y
900065	VALVE AXIAL-FLOW FLANGE 6"	6" AFV, 6" AXIAL FLOW VALVE, 300#, 100%, H-7 SLEEVE	AMERICAN REGULATORS	6" AFV 300 SERIES	Y
900066	VALVE RELIEF 1 (POP TYPE) 60 L	VALVE RELIEF 1 (POP TYPE) 60 L	FISHER REGULATORS	H203-60	Y
900068	DO NOT USE VALVE PRESS-RELIEF	VALVE RELIEF 1 (SPRING-LOADED) 289L	FISHER REGULATORS	289L	Y
900069	VALVE RELIEF (PILOT-OPERATED)	VALVE RELIEF 2 (PILOT-OPERATED) 289P for 2" 2-10 PSIG SPRING (BLACK)	FISHER REGULATORS	289P-6355	Y
900071	VALVE PRESS-RELIEF SAFETY 2"	VALVE RELIEF 2 (SAFETY)	EQUIMETER	CF 250-S	Y
900072	VALVE PRESS-RELIEF 289H SPRING	VALVE RELIEF 2 (SPRING-LOADED) 289H 0.5-2.25 PSIG SPRING (GRAY)	FISHER REGULATORS	289H	Y
900073	VALVE PRESS-RELIEF SAFETY 3"	VALVE RELIEF 3 (SAFETY)	EQUIMETER	250-S	Y
900074	VALVE PRESS-RELIEF SAFETY 4"	VALVE RELIEF 4 (SAFETY)			

900083	VALVE RELIEF 289H41 1"	VALVE RELIEF 1 (289H-41) 1-4.5 PSIG SPRING (PINK)			
900315	VALVE GAS-SECURITY 2"	2 INCH GAS SECURITY VALVE TYPE FRANCEL SLAM-SHUT DEVICE DESIGNED TO TOTALLY AND RAPIDLY CUT THE FLOW OF GAS WHEN INLET OR OUTLET PRESSURE IN THE SYSTEM EITHER EXCEEDS OR DROPS BELOW SET POINTS	FISHER REGULATORS	FSOSE- 2WF1/1BMF	Y
900403	VALVE FULL PORT BALL 1"	1" FULL PORT LOCKING BALL VALVE BRASS BODY BRASS BODY APOLLO PART #: 77C-105-27	APOLLO VALVES	77C-105-27	Y
900404	VALVE FULL PORT BALL 2"	2" FULL PORT LOCKING BALL VALVE BRASS BODY APOLLO P/N: 77C-108-27	APOLLO VALVES	77C-108-27	Y
900405	VALVE RELIEF 289P 1"	RELIEF VALVE 289P 1" 10-18 PSIG SPRING (GREEN)			
900406	REGULATOR ITRON CL38 WITH #2 PILOT	REGULATOR ITRON CL38 WITH #2 PILOT, 2" BODY FLANGED CONNECTIONS, SET AT 2 PSIG			
900407	FLOWMAX 2" REG LFRX FM-1	FLOWMAX 2" REG LFRX FM-1 FM-1- X WITH LFRX P/N 132-053-01 FP-57 PILOT			
900408	FLOWMAX 3" REG LFRX FM-4	FLOWMAX 3" REG LFRX FM-4; FM-4- 100-X, LFRX P/N 133-053-01 FP-57 PILOT			
900409	FLWSAFE 2"x3" RELIEF F70PR	FLWSAFE 2"x3" RELIEF F70PR P/N - P70HP-02RF1-03RF1-CS-AL-BB-T 15 PSIG			
900410	FLWSAFE 3"x4" RELIEF F70PR	FLWSAFE 3"x4" RELIEF F70PR P/N - P70HP-03RF1-04RF1-CS-AL-BB-T 20 PSIG			
900411	FLWSAFE 4"x6" RELIEF VALVE F70LP	FLWSAFE 4"x6" RELIEF VALVE F70LP P/N - P70LP-04RF1-06RF1-CS- AL-BB 20 PSIG			
900412	FLWSAFE 6"x8" RELIEF VALVE F70PR	FLWSAFE 6"x8" RELIEF VALVE F70PR P/N - P70HP-06RF1-08RF1- CS-AL-BB-T 30 PSIG			
901600	2" SLAM SHUT DEVICE (FLANGE)	2" SLAM SHUT DEVICE (FLANGE), CAST IRON, CL125 RATING, FF FLANGE END CONNECTION, ORANGE/DARK GREEN SPRING J10009-016. 5 - 8 PSI. P/N - PUE0C5A0A1	ELSTER ELECTRICITY		Y
901601	3" SLAM SHUT DEVICE (FLANGE)	3" SLAM SHUT DEVICE (FLANGE), CAST IRON, CL125 RATING, FF FLANGE END CONNECTION, 9.97" W.C.-33.2" W.C. SPRING RANGE, 6 PSIG	FISHER REGULATORS		N
901602	2" REGULATOR DROP-IN TOP-LOAD	MOONEY-2" REGULATOR DROP-IN TOP-LOAD (FLANGELESS), 150CL, TYPE 20 BRASS PILOT, TYPE 24 STAINLESS STEEL RESTRICTOR, ANSI 150 LBS. DROP-IN CONNECTIONS, SET PRESSURE RANGE 5 PSIG-90 PSIG, 283,000 LBS. CFH AT 150 LBS. INLET AND 60 LBS. OUTLET, 1480 LBS. MAX			
901603	3" REGULATOR DROP-IN TOP-LOAD	MOONEY- 3" REGULATOR DROP-IN TOP-LOAD (FLANGELESS) 150 CL, TYPE 20 BRASS PILOT, TYE 24 STAINLESS STEEL RESTRICTOR, ANSI 150 LBS. DROP-IN CONNECTIONS, SET PRESSURE RANGE 5 PSIG-90 PSIG, 283,000 LBS. CRH AT 150 LBS. INLET AND 60 LBS. OUTLET,			

901604	2" PILOT REGULATOR - TOP-LOAD	MOONEY- 2" REGULATOR PILOT OPERATED (FLANGE), ANSI 150 LBS. RAISED FACE CONNECTION, TOP ENTRY, 1500 PSIG ALUMINUM PILOT FLITER (MOUNTED), 1480 LBS. MAX INLET PRESSURE, ALL FITTINGS AND TUBING STAINLESS, 287,426 CFH AT 150 LBS. INLET AND 60 LBS.		
901605	3" PILOT REGULATOR- TOP-LOAD	MOONEY- 3" 150CL 100% Capacity FlowMax Regulator with the LFRX Kit p/n 133-053-01 installed p/n FM-4-100-X w/ Mooney Series 20 Brass Pilot with 3-12 psig Spring range, p/n FP-57 w/ a Type 30AD Pilot Filter w/ SST Tubing and Fittings		
901606	4" REGULATOR DROP-IN TOP-LOAD	MOONEY-4" REGULATOR DROP-IN TOP-LOAD (FLANGELESS) 150 CL, TYPE 20 BRASS PILOT, TYPE 24 STAINLESS STEEL RESTRICTOR, ANSI 150 LBS. DROP-IN CONNECTIONS, SET PRESSURE RANGE 5 PSIG-90 PSIG, 887,000 LBS. CFH AT 150 LBS.		
960075	SS 3/8" TUBE X 1/4" MPT 45 DEGREE	STAINLESS STEEL COMPRESSION FITTING 3/8" TUBING X 1/4" MALE PIPE THREAD 45 DEGREE		
960685	SS 3/8" X 3/8" X 3/8" TUBE TEE	STAINLESS STEEL COMPRESSION FITTING 3/8" X 3/8" X 3/8" TUBING TEE		
962772	TEE BI 1"X1"	TEE BI 1"X1"		
964338	SS 3/8" TUBE X 1/4" MPT 90 DEGREE	STAINLESS STEEL COMPRESSION FITTING 3/8" TUBING X 1/4" MALE PIPE THREAD 90 DEGREE ELL FITTING		
972847	SS 3/8" X 3/8" TUBING COUPLING	STAINLESS STEEL COMPRESSION FITTING 3/8" TUBING X 3/8" TUBING		
972855	SS MINI BALL VALVE 3/8 TUBE X 1/4 MPT	CHROME PLATED BRASS MINI BALL VALVE 3/8" TUBING X 1/4" MALE PIPE THREAD		
981103	SS 3/8" TUBE X 1/4" MPT COUPLING	SS 3/8" TUBE X 1/4" MPT COUPLINGSTAINLESS STEEL COMPRESSION FITTING 3/8" X 1/4" MALE PIPE THREAD COUPLING		
981104	SS 1/2" TUBE X 1/2" MALE 90 ELL SS316	STAINLESS STEEL 1/2" TUBE X 1/2" MALE 90 ELL SS316		
981105	SS 1/2" TUBE X 1/2" TUBE UNION	STAINLESS STEEL 1/2" TUBE X 1/2" TUBE UNION		
981106	SS 1/2" TUBE X 1/2" MALE ADAPTER 316SS	SS STAINLESS STEEL 1/2" TUBE X 1/2" MALE ADAPTER 316SS		
981107	SS 1/2" TUBE X 1/2" TUBE 90 ELL	STAINLESS STEEL 1/2" TUBE X 1/2" TUBE 90 ELL		
981111	SS 3/8" TUBING	STAINLESS STEEL TUBING 3/8" X 20' STICK		
Precap Transformers & Equip				
900084	TRN PM 25KVA 13200GRDY/7620-480/240V	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,25KVA,13200GRDY/7620-480/240 VOLTS,WITHOUT HV TAPS, COMPARTMENTAL- TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT		
900085	TRN PM 50KVA 13200GRDY/7620-480/240V	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,50KVA,13200GRDY/7620-480/ 240V,WITHOUT HV TAPS,COMPARTMENTAL- TYPE,LOOP FEED, FUSED PRIMARY,DEAD FRONT BUSHING WELLS FOR USE W/2		
900265	TRANSFORMER, NETWORK 500 KVA 2	TRANSFORMER, NETWORK 500 KVA 2	CARTE	Y
900266	TRANSFORMER, NETWORK 750 KVA 2	TRANSFORMER, NETWORK 750 KVA 2	CARTE	Y

900300	TRN PM 75KVA 13200DELTA-208Y/120V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 75KVA, 13200DELTA-208Y/120V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP FEED
900301	TRN PM 150KVA 13200DELTA-208Y/120V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 150KVA, 13200DELTA-208Y/120V W/HV TAPS ABOVE @ 12860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP
900302	TRN PM 300KVA 13200DELTA-208Y/120V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 300KVA, 13200DELTA-208Y/120V W/HV TAPS ABOVE @ 13860 & 13530 AND & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP
900304	TRN PM 750KVA 13200DELTA-208Y/120V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 750KVA, 13200DELTA-208Y/120V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP FE
900305	TRN PM 1000KVA 13200DELTA-208Y/120V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 1000KVA, 13200DELTA-208Y/120V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP
900306	TRN PM 75KVA 13200DELTA-480Y/277V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 75KVA, 13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP FEE
900307	TRN PM 150KVA 13200DELTA-480Y/277V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 150KVA, 13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP FE
900308	TRN PM 300KVA 13200DELTA-480Y/277V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 300KVA, 13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP FEE
900309	TRN PM 500KVA 13200DELTA-480Y/277V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 500KVA, 13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP FE

900311	TRN PM 1000KVA 13200DELTA-480Y/277V	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 1000KVA, 13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOOP F				
900313	TRANSFORMER NETWORK 500KVA 208Y/120V SHORT	TRANSFORMER NETWORK 500KVA 208 SHORT				
918295	TRN VOLTAGE OUTDOOR 288V 2.4:1	TRANS VOLT OUTD 288V 2.4:1 TRANSFORMER, VOLTAGE, METERING, OUTDOOR, 288VOLT, 10KV BIL, 2.4:1, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDENS W-X-M MINIMUM, VA= 300 @ 55C RISE / 30C AMBIENT, W/ MOUNTING FEET.	ABB POWER T & D CO	PPW 7526A04G02		Y
			ANDOVER GENERAL ELECTRIC	9708-8009 760X034004		N
			ITRON			N
983525	TRANS CURR OUTD STA 15KV 1500/	TRANS CURR OUTD STA 15KV 1500/3000:5 BAR SPARE FOR TRANSFORMER, CURRENT, METERING, OUTDOOR, 15000VOLT, 110KV BIL, 1500/3000:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 2.0 MINIMUM, MINIMUM RF = 2/ 1.33 @ 55C RISE/ 30C AMBIENT,	GENERAL ELECTRIC	JCW-5 755X030012		Y
987872	VT PACK 2.4:1	VOLTAGE TRANSFORMER PACK 2.4:1 THREE-PHASE VOLTAGE TRANSFORMER (VT) PACK, 2.4:1 (288:120V) RATIO FOR 480Y/277V SERVICE METERING APPLICATIONS WITH TRANSFORMER-RATED METER				
998002	TRN OH 15KVA 13200 GRDY/7620-1	TRANSFORMER, DISTRIBUTION, SINGLE-PHASE, MINERAL-OIL-IMMERSED, OVERHEAD TYPE, 60HZ, SELF-COOLED, 15KVA, 13200GRDY/7620-120/ 240V, WITHOUT HV TAPS, WITH SINGLE COVER MOUNTED HV BUSHING & TANK WALL MOUNTED LV BUSHINGS, SHALL BE	COOPER POWER SYSTEMS			N
			ERMCO C/O UTILITY SALES			N
			GENERAL ELECTRIC			N
			HOWARD INDUSTRIES			N
			C/O YODER-BR			
			KUHLMAN			N
			PPI			Y
998010	TRN OH 25KVA 13200 GRDY/7620-1	TRANSFORMER, DISTRIBUTION, SINGLE-PHASE, MINERAL-OIL-IMMERSED, OVERHEAD TYPE, 60HZ, SELF-COOLED, 25KVA, 13200V, WITHOUT HV TAPS, AND WITH SINGLE COVER MOUNTED HV BUSHING & TANK WALL MOUNTED LV BUSHINGS, SHALL BE AS PER KUB EZ LIFT EYEBOLT	ABB POWER T & D CO			N
			COOPER POWER SYSTEMS			N
			ERMCO C/O UTILITY SALES			N
			GENERAL ELECTRIC			N
			HOWARD INDUSTRIES			N
			C/O YODER-BR			
			KUHLMAN			N
			PPI			Y

998028	TRN OH 15KVA 7620/13200Y 120/2	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ,SELF-COOLED,15KVA,7620/13200Y-120/240V,WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR KUHLMAN PPI	N N N N N N Y N
998036	TRN OH 25KVA 7620/13200Y 120/2	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ,SELF-COOLED,25KVA,7620/13200Y-120/240V, WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR KUHLMAN PPI	N N N N N N Y N
998044	TRN OH 37-1/2KVA 7620/13200Y 1	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ,SELF-COOLED,37-1/2 KVA,7620/13200Y-120/ 240V,W/OUT HV TAPS,& W/TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR KUHLMAN PPI	N N N N N N Y N
998051	TRN OH 50KVA 7620/13200Y 120/2	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ,SELF-COOLED,50KVA,7620/13200Y-120/240V WITHOUT HV TAPS & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES GENERAL ELECTRIC	N N N

			HOWARD INDUSTRIES	N
			C/O YODER-BR	
			KUHLMAN	N
			PPI	Y
998069	TRN OH 75KVA 7620/13200Y 120/2	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ,SELF-COOLED,75KVA,7620/13200Y-120/240V, WITHOUT HV TAPS,AND WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER	N
			POWER	
			SYSTEMS	
			ERMCO C/O	N
			UTILITY SALES	
			GENERAL	N
			ELECTRIC	
			HOWARD	N
			INDUSTRIES	
			C/O YODER-BR	
			KUHLMAN	N
			PPI	Y
998077	TRN OH 100KVA 7620/13200Y 120/	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ,SELF-COOLED,100KVA,7620/13200Y-120/240V,WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MO	ABB POWER T & D CO	N
			COOPER	N
			POWER	
			SYSTEMS	
			ERMCO C/O	N
			UTILITY SALES	
			GENERAL	N
			ELECTRIC	
			HOWARD	N
			INDUSTRIES	
			C/O YODER-BR	
			KUHLMAN	N
			PPI	Y
998085	TRN OH 167KVA 7620/13200Y 120/	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE, SELF-COOLED,167KVA,7620/13200Y-120/240 V BOLTS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHINGS	ABB POWER T & D CO	N
			COOPER	N
			POWER	
			SYSTEMS	
			ERMCO C/O	N
			UTILITY SALES	
			GENERAL	N
			ELECTRIC	
			HOWARD	N
			INDUSTRIES	
			C/O YODER-BR	
			KUHLMAN	N
			PPI	Y
998101	TRN OH 25KVA 14400/24940Y 120/	TRN OH 25KVA 14400/24940Y 120/ EZ LIFT EYEBOLT	PPI	Y
998127	TRN OH 50KVA 14400/24940Y 120/	TRN OH 50KVA 14400/24940Y 120/ EZ LIFT EYEBOLT	PPI	Y

998168	TRN OH 15KVA 14400/24940Y-277V	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,15KVA,14400/24940Y-277V,WITH HV TAPS BELOW AT 13800,13200,12870, & 12540V,& WITH 2 COVER MOUNTED HV BUSHINGS AND TANK WALL MOUNTED L EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
			PPI	Y
998176	TRN OH 25KVA 14400/24940Y-277V	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,25KVA,14400/24940Y-277V,W/HV TAPS BELOW @ 13800,13200,12870,&12540V & W/TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHING EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
			PPI	Y
998184	TRN OH 50KVA 14400/24940Y-277V	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,50KVA,14400/24940Y-277V,WITH HV TAPS BELOW @ 13800,13200,12870,& HV TAPS BELOW @ 13800,13200,12870,& 12540V,& W/TWO COVER MOUNTED HV EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
			PPI	Y
998192	TRN OH 75KVA 14400/24940Y-277V	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,75KVA,14400/24940Y-277V,WITH HV TAPS BELOW @ 13800,13200,12870, & 12540 VOLTS,& WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNT EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
			PPI	Y

			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
998200	TRN OH 100KVA 14400/24940Y 277	TRANSFORMER,DISTRIBUTION,SIN GLE-PHASE, MINERAL-OIL- IMMERSED,OVERHEAD TYPE,60HZ, SELF- COOLED,100KVA,14400/24940Y-277 VOLT ,WITH HV TAPS BELOW @ 13800,13200, 12870,& 12540V, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL M	ABB POWER T & D CO	N Y N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
998218	TRN OH 167KVA 14400/24940Y 277	TRANSFORMER,DISTRIBUTION,SIN GLE-PHASE, MINERAL-OIL- IMMERSED,OVERHEAD TYPE, 60HZ,SELF- COOLED,167KVA,14400/24940Y- 277V,WITH HV TAPS BELOW @ 13800,13200, 12870,& 12540 VOLTS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL M	ABB POWER T & D CO	N Y N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
998234	TRN OH 25KVA 14400/24940Y 240/480V	TRN OH 25KVA 14400/24940Y 240/ EZ LIFT EYEBOLT	PPI	N Y
998242	TRN OH 50KVA 14400/24940Y 240/	TRN OH 50KVA 14400/24940Y 240/ EZ LIFT EYEBOLT	PPI	Y
998325	TRN PM 25KVA 13200GRDY/7620-24	TRANSFORMER,DISTRIBUTION,SIN GLE-PHASE, MINERAL-OIL- IMMERSED,PAD-MOUNTED,60HZ, SELF- COOLED,25KVA,13200GRDY/7620- 240/120 VOLTS,WITHOUT HV TAPS,COMPARTMENTAL- TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT, AND W/BUSHING WELLS F	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR	Y
			KUHLMAN	N

998341	TRN PM 50KVA 13200GRDY/7620-24	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,50KVA,13200GRDY/7620-240/ 120V,WITHOUT HV TAPS,COMPARTMENTAL-TYPE,LOOP FEED, FUSED PRIMARY,DEAD FRONT BUSHING WELLS FOR USE W/2	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR KUHLMAN	N
998358	TRN PM 75KVA 13200GRDY/7620-24	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, NERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,75KVA,13200GRDY/7620-240/ 120V,WITHOUT HV TAPS,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT, & W/BUSHING WELLS FOR USE	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR KUHLMAN	N
998366	TRN PM 100KVA 13200GRDY/7620-2	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ. SELF-COOLED,100KVA,13200GRDY/7620-240/ 120V,WITHOUT HV TAPS,COMPARTMENTAL TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT BUSHING WELLS FOR USE W/2	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR KUHLMAN	N
998374	TRN PM 167KVA 13200GRDY/7620-2	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,167KVA,13200GRDY/7620-240/ 120V,WITHOUT HV TAPS,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT, & W/BUSHING WELLS FOR U	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES GENERAL ELECTRIC	N

			HOWARD INDUSTRIES C/O YODER-BR	Y
998400	TRN PM 45KVA 13200Y/7620-208Y/	TRANSFORMER, PAD-MOUNTED, DISTRIBUTION TYPE, RATED: 45 KVA, 13200Y/7620 95 kV BIL DEADFRONT-LOOP FED-FUSED PRIMARY VOLTAGE WITHOUT TAPS, 208Y/120 30 kV BIL SECONDARY VOLTAGE, 3-PHASE, 60 Hz PER KUB SPEC K99-288 R18 DATED 10-13-2008.	KUHLMAN HOWARD INDUSTRIES C/O YODER-BR	N Y
998408	TRN PM 75KVA 13200Y/7620-208Y/	TRANSFORMER, DISTRIBUTION, THREE-PHASE, MINERAL-OIL IMMERSED, PAD-MOUNTED, 60HZ, SELF-COOLED, 75 KVA, 13200Y/7620-208Y/120 VOLTS, W/OUT HV TAPS, COMPARTMENTAL- TYPE, LOOP FEED, FUSED PRIMARY, DEAD FRONT, AND W/BUSHING WELLS	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES C/O YODER-BR	Y
998424	TRN PM 150KVA 13200Y/7620-208Y	TRANSFORMER, DISTRIBUTION, THREE-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED, 60HZ, SELF-COOLED, 150KVA, 13200Y/7620-208Y/120V WITHOUT HV TAPS, COMPARTMENTAL-TYPE, LOOP FEED, FUSED PRIMARY, DEAD FRONT, W/ BUSHING WELLS FOR USE W/200	PAUWELS ABB POWER T & D CO	N N
			COOPER POWER SYSTEMS	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES C/O YODER-BR	Y
998440	TRN PM 300KVA 13200Y/7620-208Y	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL -OIL-IMMERSED, PAD MOUNTED, 60HZ, SELF-COOLED, 300KVA, 13200Y/7620-208Y-120V, W/ OUT HV TAPS, COMPARTMENTAL-TYPE, LOOP FEED, FUSED PRIMARY, DEAD FRONT, & W/BUSHING WELLS FOR USE W/2	PAUWELS ABB POWER T & D CO	N N
			COOPER POWER SYSTEMS	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES C/O YODER-BR	Y
998457	TRN PM 500KVA 13200Y/7620-208Y	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL -OIL-IMMERSED, PAD-MOUNTED, 60HZ, SELF-COOLED, 500KVA, 13200Y/7620-208Y/120V, W/HV TAPS ABOVE @ 13860 & 13530 AND BELOW @ 12870 & 12540 V, COMPARTMENTAL-T LOOP FEED, FUSED PRIMARY, D	PAUWELS ABB POWER T & D CO	N N

			COOPER POWER SYSTEMS	N
			GENERAL ELECTRIC HOWARD INDUSTRIES	N Y
998465	TRN PM 750KVA 13200Y/7620-208Y	TRANSFORMER,DISTRIBUTION,3- PHASE,MINERAL -OIL- IMMERSED,PAD- MOUNTED,60HZ,SELF- COOLED,750KVA,13200Y/7620- 208Y/120V, W/HV TAPS ABOVE @ 13860 & 13530 AND BELOW @ 12870 & 12540 V,COMPARTMENTAL-TY LOOP FEED, FUSED PRIMARY, D	C/O YODER-BR PAUWELS ABB POWER T & D CO	N N
			COOPER POWER SYSTEMS	N
			GENERAL ELECTRIC HOWARD INDUSTRIES	N Y
998473	TRN PM 1000KVA 13200Y/7620-208	TRANSFORMER,DISTRIBUTION,3- PHASE,MINERAL -OIL- IMMERSED,PAD- MOUNTED,60HZ,SELF- COOLED,1000KVA,13200Y/7620- 208Y/120V, W/HV TAPS ABOVE @ 13860 & 13530 AND BELOW @ 12870 & 12540 V, COMPARTMENTAL-T LOOP FEED, FUSED PRIMARY,	C/O YODER-BR PAUWELS ABB POWER T & D CO	N N
			COOPER POWER SYSTEMS	N
			GENERAL ELECTRIC HOWARD INDUSTRIES	N Y
998475	TRN PM 75KVA 13200Y/7620-480Y/	TRANSFORMER, PAD-MOUNTED, DISTRIBUTION TYPE, RATED: 75 kVA, 13200Y/7620 95 kV BIL DEADFRONT-LOOP FED-FUSED PRIMARY VOLTAGE WITH TAPS, 480Y277 30 kV BIL SECONDARY VOLTAGE, 3-PHASE, 60 Hz PER KUB SPEC K99-288 R18 DATED 10-13- 2008.	C/O YODER-BR PAUWELS HOWARD INDUSTRIES C/O YODER-BR	N Y
998481	TRN PM 150KVA 13200Y/7620-480Y	TRANSFORMER,DISTRIBUTION,3- PHASE,MINERAL -OIL- IMMERSED,PAD- MOUNTED,60HZ,SELF- COOLED,150KVA,13200Y/7620- 480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V,COMPARTMENTAL- TYPE,LOOP FEED,FUSED PRIMARY,DEAD	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			GENERAL ELECTRIC HOWARD INDUSTRIES	N Y
			C/O YODER-BR PAUWELS	N

998507	TRN PM 300KVA 13200Y/7620-480Y	TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF-COOLED,300KVA,13200Y/7620-480Y/277V,W/HV TAPS ABOVE @ 13860 & 13530,& BELOW @ 12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR PAUWELS	N
998515	TRN PM 500KVA 13200Y/7620-480Y	TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF-COOLED,500KVA,13200Y/7620-480Y/277V,W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR PAUWELS	N
998523	TRN PM 750KVA 13200Y/7620-480Y	TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF-COOLED,750KVA,13200Y/7620-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V, COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR PAUWELS	N
998531	TRN PM 1000KVA 13200Y/7620-480	TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF-COOLED,1000KVA,13200Y/7620-480Y/277V W/ HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DE	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS GENERAL ELECTRIC HOWARD INDUSTRIES C/O YODER-BR PAUWELS	N

998549	TRN PM 1500KVA 13200DELTA-480Y	TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF-COOLED,1500KVA,13200DELTA-480Y/277V,W/HV TAPS @ 13860,13530,12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,W/OUT FUSED PRIMARY,DEAD FRONT & W/B	ABB POWER T & D CO	N
			CARTE	N
			COOPER	N
			POWER	
			SYSTEMS	
			GENERAL	N
			ELECTRIC	
			HOWARD	Y
			INDUSTRIES	
			C/O YODER-BR	
			PAUWELS	N
998556	TRN PM 2000KVA 13200DELTA-480Y	TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF-COOLED,2000KVA,13200DELTA-480Y/277V WITH HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V,COMPART-TYPE,LOOP FEED, W/OUT FUSED PRIMARY,DE	ABB POWER T & D CO	N
			CARTE	N
			COOPER	N
			POWER	
			SYSTEMS	
			GENERAL	N
			ELECTRIC	
			HOWARD	Y
			INDUSTRIES	
			C/O YODER-BR	
			PAUWELS	N
998564	TRN PM 2500KVA 13200DELTA-480Y	TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF-COOLED,2500KVA,13200DELTA-480Y/277V,W/HV TAPS @ 13860,13530,12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,W/OUT FUSED PRIMARY,DEAD FRONT,& W/B	ABB POWER T & D CO	N
			CARTE	N
			COOPER	N
			POWER	
			SYSTEMS	
			GENERAL	N
			ELECTRIC	
			HOWARD	Y
			INDUSTRIES	
			C/O YODER-BR	
			PAUWELS	N
998572	TRN PM 3000KVA 13200DELTA-480Y	TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF-COOLED,3000KVA,13200DELTA-480Y/277V,W/HV TAPS @ 13860,13530,12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,W/OUT FUSED PRIMARY,DEAD FRONT,& W/B	ABB POWER T & D CO	N
			CARTE	N
			COOPER	N
			POWER	
			SYSTEMS	
			GENERAL	N
			ELECTRIC	
			HOWARD	Y
			INDUSTRIES	
			C/O YODER-BR	
			PAUWELS	N

998671	TRN OH ST LT 15KVA 7620/13200Y	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,15KVA,7620/13200Y-240/480V, WITHOUT HV TAPS & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHINGS, SHALL BE EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
			PPI	Y
998689	TRN OH ST LT 25KVA 7620/13200Y	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,25KVA,7620/13200Y-240/480V, WITHOUT HV TAPS & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHINGS, SHALL BE EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
			PPI	Y
998697	TRN OH ST LT 37-1/2K 7620/13200Y	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,37-1/2KVA,7620/13200Y-240/ 480 VOLTS,WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHINGS EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N
			ERMCO C/O UTILITY SALES	N
			GENERAL ELECTRIC	N
			HOWARD INDUSTRIES	N
			C/O YODER-BR KUHLMAN	N
			PPI	Y
998705	TRN OH ST LT 50KVA 7620/13200Y	TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,50KVA,7620/13200Y-240/480V, WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS, & TANK WALL MOUNTED BUSHINGS,SHALL BE AS. EZ LIFT EYEBOLT	ABB POWER T & D CO	N
			COOPER POWER SYSTEMS	N

			ERMCO C/O		N
			UTILITY SALES		
			GENERAL		N
			ELECTRIC		
			HOWARD		N
			INDUSTRIES		
			C/O YODER-BR		
			KUHLMAN		N
			PPI		Y
998794	TRN OH 15KVA 13200 GRDY/7620-1	TRN OH 15KVA 13200 GRDY/7620-1	PPI		Y
		EZ LIFT EYEBOLT			
998805	TRN OH 25KVA 13200GRDY/7620 12	TRN OH 25KVA 13200GRDY/7620 12	PPI		Y
		EZ LIFT EYEBOLT			
998816	TRN OH 37-1/2KVA 7620/13200Y 1	TRN OH 37-1/2KVA 7620/13200Y 1	PPI		Y
		EZ LIFT EYEBOLT			
998827	TRN OH 50KVA 7620/13200Y 120V	TRN OH 50KVA 7620/13200Y 120V	PPI		Y
		EZ LIFT EYEBOLT			
998838	TRN OH 75KVA 7620/13200Y 120V	TRN OH 75KVA 7620/13200Y 120V	PPI		Y
		EZ LIFT EYEBOLT			
998849	TRN OH 100KVA 7620/13200Y 120V	TRN OH 100KVA 7620/13200Y 120V	PPI		Y
Precap Water Meter Equipment					
900018	METER WATER 5/8"	NEPTUNE METER WATER 5/8" NUTATING DISC	NEPTUNE TECHNOLOGIE S	ED2A31R8F1S0 69	Y
900019	DO NOT USE - METER WATER 1"	NEPTUNE METER WATER 1" NUTATING DISC	NEPTUNE TECHNOLOGIE S	ED2F11R8F1S0 69	Y
900020	DO NOT USE - METER WATER 1-1/2	METER WATER 1 1/2	NEPTUNE TECHNOLOGIE S	ED2H11R8F2S0 69	Y
900021	DO NOT USE - METER WATER 2"	METER WATER 2	NEPTUNE TECHNOLOGIE S	ED2J11R8F2S06 9	Y
900022	METER COMPOUND TRU-FLO 3" W/ T	METER WATER COMPOUND 3" TRU/FLO W/T-10 P-CODER SA PIT C/F W/O EC3BRPHF21S1346	NEPTUNE TECHNOLOGIE S	EC3BR7F8S134 6	N
				EC3BRPHF21S1 346	Y
900023	METER COMPOUND TRU-FLO 4" W/ T	METER WATER COMPOUND 4" TRU/FLO W/T-10 P-CODER SA PIT C/F W/O EC3CRPHF21S1346	NEPTUNE TECHNOLOGIE S	EC3CR7F8S134 6	N
				EC3CRPHF21S1 346	Y
900024	METER WATER 6" COMPOUND W/ T10	METER WATER COMPOUND 6" TRU/FLO W/T-10 P-CODER SA PIT C/F W/O EC3DRPHF21S1346	NEPTUNE TECHNOLOGIE S	EC3DR7F8S134 6	N
				EC3DRPHF21S1 346	Y
900075	METER WATER 6"x8" TRU/FLOW COM	METER WATER COMPOUND 6"x8" TRU/FLO W/T10 P-CODER SA PIT C/F W/O EC3ERPHF21S069	NEPTUNE TECHNOLOGIE S	EC3ER6F8S069	N
				EC3ERPHF21S0 69	Y
900076	METER 10" SS Protectus Fire Service	METER WATER 10 EP7F1R7F8S1346 FIRELINE			
900086	DO NOT USE WTR 6" HP PROTECTUS	DON NOT USE 6" HP PROTECTUS PROREAD	NEPTUNE TECHNOLOGIE S	EP4D1R6F8S06 9	Y
900087	STRAINER WATER 3"	STRAINER WATER 3" COMPLETE BRONZE .53107-000	NEPTUNE TECHNOLOGIE S	53107-000	Y
900088	STRAINER WATER 4"	STRAINER WATER 4" COMPLETE BRONZE	NEPTUNE TECHNOLOGIE S	53107-100	Y
900089	STRAINER WATER 6"	STRAINER WATER 6" COMPLETE BRONZE	NEPTUNE TECHNOLOGIE S	52000-201	Y
900090	STRAINER WATER 8"	STRAINER WATER 8" BRONZE	NEPTUNE TECHNOLOGIE S	52000-304	Y
900099	METER 10" WATER PROTECTUS FL	METER 10" HP PROT FLANGE SST P- CODER SA PIT C/F W/O EP7F1RPHF21S1346	NEPTUNE TECHNOLOGIE S	EP7F1RPHF21S 1346	Y
900138	METER 6" HP PROTECTUS FIRE SER	METER 6" HP PROT FLANGE SST P- CODER SA PIT C/F W/O EP7D1RPHF21S1346	NEPTUNE TECHNOLOGIE S	EP7D1R7F8S13 46	N

900139	METER 8" HP PROTECTUS FIRE SE	METER 8" HP PROT FLANGE SST P-CODER SA PIT C/F W/O EP7E1RPHF21S1346	NEPTUNE TECHNOLOGIES	EP7D1RPHF21S 1346 EP7E1R7F8S13 46	Y N
900146	DO NOT USE FIRE-SERVICE PROREA	DO NOT USE METER PROTECTUS FIRE SERVICE 8" P/R WITH 2" BYPASS METER STAINLESS STEEL	NEPTUNE TECHNOLOGIES	EP7E1RPHF21S 1346 EP4E1R6F8S06 9	Y Y
900155	METER FIRE-SERVICE 2"	METER FIRE SERVICE 2"	NEPTUNE TECHNOLOGIES	ET2BR8F1S069	Y
900250	METER WATER 5/8" W/ T10 P/R	METER 5/8 T-10 P/R	NEPTUNE TECHNOLOGIES	ED2A31R6F8S0 69	Y
900251	METER WATER 1" W/ T10 PROREAD	METER 1" T-10 P/R	NEPTUNE TECHNOLOGIES	ED2F11R6F8S0 69	Y
900252	METER WATER 1-1/2" T10 P/R pot	METER WATER 1 1/2" T-10 OVAL P-CODER SA PIT C/F W/O ED2H11RPHF21S069	NEPTUNE TECHNOLOGIES	ED2H11R6F8S0 69	N
900253	METER WATER 2" T10 PROREAD pot	METER WATER 2" T-10 OVAL P-CODER SA PIT C/F W/O ED2J11RPHF21S069	NEPTUNE TECHNOLOGIES	ED2H11R7F8S1 285 ED2H11RPHF21 S069 ED2J11R6F8S06 9	N Y N
900254	METER WATER 3" HP TURB PROREAD	METER WATER 3" HP TURBINE P-CODER SA PIT C/F W/O ET4BRPHF21S069	NEPTUNE TECHNOLOGIES	ED2J11R7F8S12 85 ED2J11RPHF21 S069 ET4BR6F8S069	Y Y N
900255	METER WATER 4" HP TURB PROREAD	METER WATER 4" HP TURBINE P-CODER SA PIT C/F W/O ET4CRPHF21S069	NEPTUNE TECHNOLOGIES	ET4BRPHF21S0 69 ET4CR6F8S069	Y N
900256	METER WATER 6" HP TURB PROREAD	METER WATER 6" HP TURBINE P-CODER SA PIT C/F W/O ET4DRPHF21S069	NEPTUNE TECHNOLOGIES	ET4CRPHF21S0 69 ET4DR6F8S069	Y N
900257	TRU/FLO 6" UPGRADE FOR P/R	6" T/F UPGRADE TO P/R	NEPTUNE TECHNOLOGIES	ET4DRPHF21S0 69 6" T/F UME P/R	Y Y
900258	TRU/FLO 4" UPGRADE FOR P/R	4" T/F UPGRADE TO P/R	NEPTUNE TECHNOLOGIES	4" T/F UME P/R	Y
900402	METER 4" PROTECTUS FIRE SERVIC	METER 4" HP PROT FLANGE SST P-CODER SA PIT C/F W/O EP7C1RPHF21S1346	NEPTUNE TECHNOLOGIES	EP7C1R7F8S13 46	N
901100	METER WATER SECONDARY 5/8"	METER WATER SECONDARY 5/8" - 1/8 GPM @95%, ACCURACY RANGE + OR - 1.5%, 1/2-20GPM, CUSTOMER OWNED 5/8" METER EQUIPPED WITH NUTATING DISK AND LAVENDAR REGISTER LID.	NEPTUNE TECHNOLOGIES	EP7C1RPHF21S 1346	Y