SECTION 02080
MATERIAL

This section contains KUB's entire material stock list with the approved vendor(s) for each item. Items without an approved vendor need to be cleared with a KUB inspector before being used. The format of the listings is as follows:

Example:

GROUPING KUB STOCK # NAME OF ITEM
DESCRIPTION OF ITEM
EXTENDED DESCRIPTION OF ITEM (OPTIONAL)
APPROVED VENDOR VENDOR STOCK #

Click on the hyperlinks below to navigate through the document to the beginning of each grouping.

Electric Material Water_Material Gas_Material

Appliance_Material Waste_Water_Material PS_09

Electric Material

100015	COVERALLS DISPOSABLE LARGE	
	COVERALLS DISPOSABLE LARGE	
	VALLEN SAFETY	VL3240L
100016	COVERALLS DISPOSABLE X-LARGE	
	COVERALLS DISPOSABLE X-L	
	VALLEN SAFETY	VL3240XL
100032	COVERALLS DISPOSABLE XX-LARGE	
	COVERALLS DISPOSABLE XX-L	
	VALLEN SAFETY	VL3240XXL
100040	SOCKET WEATHERPROOF	
	SOCKET WEATHERPROOF	
	EAGLE MFG	124
	GENERAL ELECTRIC	5661-3
	LEVITON	124-D
	SLATER MANUFACTURING	201
100041	COVERALLS DISPOSABLE MEDIUM	
	COVERALLS DISPOSABLE MEDIUM	
100107	BKT CORNER HINGE UNISTRUT 4-H	
	FITTING CONN HINGE 4HOLE	
	B-LINE	
	KIN LINE (E E RULE)	351-4
	UNISTRUT CORP.	P1354
100149	BKT CORNER 90-DEG UNISTRUT 3-H	
	FITTING CONN ANGLE 90DEG 3HOLE	
	B-LINE	B-232
	KIN LINE (E E RULE)	717
	UNISTRUT CORP.	P1346
100164	CAP END FOR UNISTRUT CHANNEL	
	FITTING CAP END FOR CHANNEL	
	B-LINE	B-206
	KIN LINE (E E RULE)	683-3512
	UNISTRUT CORP.	P3280
100180	NUT W/ SPRING UNISTRUT 1/2" 13	
	FITTING NUT 1/2-13 W/SPRING	
	B-LINE	N-225
	KIN LINE (E E RULE)	672-1/2
	UNISTRUT CORP.	P1010
100206	CAP SCREW UNISTRUT 1/2" X 1"	
	FITTING CAP SCREW 1/2X1	
	B-LINE	N/A

	KIN LINE (E E RULE)	N/A
	UNISTRUT CORP.	HHCS050094-1/2X15/16
100222	RELAY 60A 1 POLE NO RCOCMR-KB	
	RELAY 60A 1 POLE NO RCOCMR-KB	
	SOUTHBEND CONTROL CO.	MR-KD SPEC 6559
100313	FILE MILL FLAT 10"	
	FILE FLAT MILL 10"	
	NICHOLSON	3665
	SIMONDS	71-14750
100339	FILE MILL FLAT 12"	
	FILE FLAT MILL 12"	
	NICHOLSON	8737
	SIMONDS	73-149600

100404	BKT CORNER 90-DEG UNISTRUT 2-H	
	FITTING CONN ANGLE 90DEG 2HOLE	
	B-LINE	B-101
	KIN LINE (E E RULE)	712
	UNISTRUT CORP.	P1068
100420	BKT CORNER U UNISTRUT 5-HOLE	
	FITTING CONN U 5HOLE	
	B-LINE	B-107
	KIN LINE (E E RULE)	755-4
	UNISTRUT CORP.	P1047
100446	BKT CORNER Z UNISTRUT 3-HOLE	
	FITTING CONN Z 3HOLE	
	B-LINE	B-105
	KIN LINE (E E RULE)	775-41
	UNISTRUT CORP.	P1045
100461	BKT STRAIGHT UNISTRUT 3-HOLE	
	FITTING CONN STRAIGHT 3HOLE	
	B-LINE	B-557
	KIN LINE (E E RULE)	613
	UNISTRUT CORP.	P1925
100503	RELAY 60A 1-POLE N/C RCOCMRR-K	
	RELAY 60A 1 POLE NC RCOCMRR-KB	
	SOUTHBEND CONTROL CO.	MRR-KB SPEC 6566
100529	RELAY 30A 1 POLE NO RCOCMR-XK	
	RELAY 30A 1 POLE NO RCOCMR-XK	
	SOUTHBEND CONTROL CO.	MR-XK SPEC 6237
100561	BIT WOOD BORING 3/4"" SPEED B	
	BIT WOOD BORING 3/4" SPEED BO	
	IRWIN INDUSTRIAL TOOLS	88812
100572	BIT WOOD BORING 1"" SPEED BOR	
	BIT WOOD BORING 1" SPEED BORE	
	IRWIN INDUSTRIAL TOOLS	88816
100583	BIT WOOD BORING 1-1/4"" SPEED	
	BIT WOOD BORING 1-1/4" SPEED	
	IRWIN INDUSTRIAL TOOLS	88820
100586	FILE CROSSCUT 8"	
	FILE CROSSCUT 8"	
	NICHOLSON	2435
	SIMONDS	73-512000
100594	FILE CROSSCUT 10"	
	FILE CROSSCUT 10"	
	NICHOLSON	2465
	SIMONDS	73-512500
100595	BIT WOOD BORING 1-1/2"" SPEED	
	BIT WOOD BORING 1-1/2" SPEED	
	IRWIN INDUSTRIAL TOOLS	88824
100602	FILE CHAINSAW 8" X 1/4"	

	FILE CHAINSAW 8" X 1/4"	
	ATLAS SALES	CSF 1/4
	NICHOLSON	1964
100610	FILE HANDSAW SLIM-TAPERED 6"	
	FILE HANDSAW 6" SLIM TAPERED	
	NICHOLSON	14665
	SIMONDS	73-537000
100628	LOCK W/2 KEYS GEN PURP 620KD	
	LOCK W/2 KEYS GEN PURP 620KD	
100636	BLADE HACKSAW STEEL	
	BLADE HACKSAW STEEL	
	NICHOLSON	63027
	STARRETT	1218 RED OR BLUE
	VERMONT AMERICAN	925-12" X 18T MOLY
100649	INSULATOR DEADEND 25-35KV POLY	
	INSULATOR DEADEND 25-35KV POLY	
	CHANCE A B CO	401025-0215
	HUBBELL	4010250215
	K-LINE INSULATORS LIMITED	KL-35
	MACLEAN POWER SYSTEMS	DS28M
	OHIO BRASS CO.	401025-0215
	SALISBURY, W H & CO	
	SEDIVER	ADI-7/0DT-11-70-35
100743	BKT CORNER 90-DEG UNISTRUT 4-H	
	UNISTRUT CORNER BRACKET	
	B-LINE	B-844
	KIN LINE (E E RULE)	724
	UNISTRUT CORP.	P2434
100768	GLOVES WORK INNER-LINER	
	GLOVE INNER LINER	
	BOSS	1JC1201
	KNOXVILLE GLOVE CO.	L 792
	VALLEN SAFETY	7700
	WELLS-LAMONT	Y 5014-L
100784	RELAY 30A 1 POLE NC RCOCMRR-T	
	RELAY 30A 1 POLE NC RCOCMRR-T	
	SOUTHBEND CONTROL CO.	MRR-T
100842	BLOCK TEST 6-POLE PK-TYPE	
	TEST BLOCK 6POLE TYPE PK	
	GENERAL ELECTRIC	6422120-G4
100875	FILE CHAINSAW 8" X 7/32"	
	FILE CHAINSAW 8" x 7/32"	
	ATLAS SALES	CSF 7/32
	NICHOLSON	1876
	SIMONDS	73-740610
100909	BATTERY ALKALINE 1.5V D-CELL	
	BATTERY ALKA D CELL 1.5V	

	BRIGHT STAR	N/A
	BURGESS	N/A
	DURACELL	PROCELL-PC1300
	EVEREADY	EN95
	RAY-O-VAC	
101063	RELAY 60A 2-POLE N/O RCOCMR-UB	
	RELAY 60A 2 POLE NO RCOCMR-UB	
	SOUTHBEND CONTROL CO.	MR-UD SPEC 6342
101121	BLOCK TET 4-POLE PK-TYPE	
	TEST BLOCK 4POLE TYPE PK GE	
	GENERAL ELECTRIC	6422120-G1
101188	TAPE ELEC 8.5MIL 3/4" X 66'	
	TAPE ELECT 3/4" X 66' 8.5MIL	
	BISHOP TAPE CO.	85
	PLYMOUTH RUBBER CO.	4243
	SCOTCH 3M CO.	33
	UNITED TAPE	UT-60
101204	OIL PENETRATING AEROSOL CAN	
	OIL PENETRATING AEROSOL CAN	
	CENCO INC	RUST FREE
	CHEMOLA	SUPER PENETRANT
	KEARNEY	19229-1
	MANTEK	
	OXFORD CHEMICALS, INC.	PENEDROL
	PERMATEX	81252
101220	CLAMP CABLE UNISTRUT 3"	
	FITTING CABLE CLAMP 3"	
	B-LINE	B-4081
	KIN LINE (E E RULE)	695-3
	POWERSTRUT	
	UNISTRUT CORP.	U467B
101246	CLAMP CABLE UNISTRUT 3-1/2"	
	FITTING CABLE CLAMP 3-1/2"	
	B-LINE	B-4085
	KIN LINE (E E RULE)	695-3-1/2
	POWERSTRUT	PS723-3 1/2"EG
	UNISTRUT CORP.	
101428	BKT UNISTRUT	
	FITTING BRACKET	
	B-LINE	B-194
	KIN LINE (E E RULE)	329-41
	UNISTRUT CORP.	P1075
101469	CLAMP CABLE UNISTRUT 1-1/8"	
	FITTING CABLE CLAMP 1-1/8"	
	B-LINE	B-4066
	KIN LINE (E E RULE)	695-1-1/8
	POWERSTRUT	
	UNISTRUT CORP.	U463C
101501	CLAMP CABLE UNISTRUT 2-1/2"	
	FITTING CABLE CLAMP 2-1/2"	
	B-LINE	B-4077

	KIN LINE (E E RULE)	695-2-1/2
	POWERSTRUT	
	UNISTRUT CORP.	P1791B/P1120E
101709	CLAMP CABLE UNISTRUT 2-1/8"	
	FITTING CABLE CLAMP 2-1/8"	
	B-LINE	B-4074
	KIN LINE (E E RULE)	695-2-1/8
	POWERSTRUT	
	UNISTRUT CORP.	U465C
101741	CLAMP CABLE UNISTRUT 1-5/8"	
	FITTING CABLE CLAMP 1-5/8"	
	B-LINE	
	KIN LINE (E E RULE)	695-1-5/8
	POWERSTRUT	PS723-1 5/8"EG
	UNISTRUT CORP.	U464C
101782	IRONS PULL-IN LM DU2Z	
	IRONS PULL-IN LM DU2Z	
	COOPER POWER SYSTEMS	DU2T2
101824	SUPPORT CABLE SGL SP 1-3/4"	
	SUPPORT CABLE SG SP 1-3/4"	
	DELTA STAR	350013
102004	FUSEHOLDER 30 AMP 250V 1 POLE	
	FUSEHOLDER 30 AMP 250V 1 POLE	
	BUSSMAN	BM6031SQ
	SQUARE D	FB121-1
102020	LENS MINALITE RED RECT	
	LENS MINALITE RED RECT	
	WESTINGHOUSE	N/A
102046	LENS MINALITE GREEN RECT	
	LENS MINALITE GREEN RECT	
	WESTINGHOUSE	N/A
102087	FUSEHOLDER 30A 250V 2-POLE	
	FUSEHOLDER 30 AMP 250V 2 POLE	
	BUSSMAN	H25030-2SR
	GENERAL ELECTRIC	8421-3
	GOULD SHAWMUT	20317
	MARATHON SPECIAL PRODUCTS	
102160	RESISTOR MINALITE 250V	
	RESISTOR MINALITE 250V	
	WESTINGHOUSE	1589187
102202	BLOCK TERM 12CIR CONTROL SWBD	
	BLOCK TERM 12CIR CONTROL SWBD	
	BUCHANAN (AMERACE CORP.)	2B112
	GENERAL ELECTRIC	EB25A12W
102244	BRACKET 8-12CKT 1616016	
	BRACKET 8-12CIR 1616016	
	WESTINGHOUSE	1616016

102327 BLOCK TERM 12CKT CTRL SWBD
BLOCK TERM 6CIR W/WASHER

GENERAL ELECTRIC	EB25A06B

102343 CONN COMP TERM 2CU
CONN COMP TERM CU 2AWG 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL , 2 HOLE FLAT, NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 2 AWG COPPER CONDUCTOR.

BURNDY	YA2C-2N
HOMAC	HDL2-NTN

102368 CONN COMP TERM 300CU
CONN COMP TERM CU 300MCM 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL , 2 HOLE FLAT, NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 300 MCM COPPER CONDUCTOR.

ANDERSON ELECTRIC	VHCL-300-12BN
CONNECTOR MFGR CO	CCBL300-50
HOMAC	L300N
SCOTCH 3M CO.	31153
UTILCO	CRA-300L2

102384 CONN COMP TERM 500CU
CONN COMP TERM CU 500MCM 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL , 2 HOLE FLAT W/ NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 500 MCM COPPER CONDUCTOR.

ANDERSON ELECTRIC	VHCL-500-12BN
BLACKBURN	LCN 500
CONNECTOR MFGR CO	
HOMAC	L500N
SCOTCH 3M CO.	31166
TELEDYNE PENN UNION	BBLU-050D
UTILCO	CRA-500L2

102400 CONN COMP TERM CU 1000MCM 2HOL
CONN COMP TERM CU 1000MCM 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL , 2 HOLE FLAT, NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 1000 MCM COPPER CABLE.

ANDERSON ELECTRIC	HCL-100BN
BLACKBURN	LCN 1000
CONNECTOR MFGR CO	CCBL-1000-50
HOMAC	
SCOTCH 3M CO.	31178
UTILCO	CRA-1000L2

102426 CONN COMP TERM 6CU
CONN COMP TERM CU 6AWG

ANDERSON ELECTRIC	VHCS-6-516
BURNDY	YA6C-L
HOMAC	L6-516

102442 CONN COMP TERM 9CU
CONN COMP TERM CU 9AWG

BURNDY	YAV9C-36BOX

102467	SPLICE LOOP 4/0AA	
	SPLICE LOOP AA 4/0AWG	
	BURNDY	YCS28A
102483	SPLICE TENSION AUTO 4/0AA	
	SPLICE TENSION AUTO AA 4/0AWG	
	FARGO	GL-409A
	RELIABLE ELECTRIC	AL55407
102509	SPLICE REDUCING 4/0AA-2/0CU	
	SPLICE REDUCING AL-CU 4/0 -/0	
	BURNDY	YCR28RG6
102608	CONN COMP TERM STACK 250CU	
	CONN COMP TERM STACK CU 250MCM 2HOLE CONNECTOR, COPPER, COMPRESSION, STACKING TERMINAL, 250 MCM 2 HOLE, NEMA-SPACED TINNED, FOR INDOOR OR OUTDOOR USE FOR TERMINATING CONDUCTORS ON TOP OF NEMA-SPACED TWO HOLE FLAT COMPRESSION	
	ANDERSON ELECTRIC	CSL-250 BN
	HOMAC	SL 250-N
102624	CONN COMP TERM 2/0CU	
	CONN COMP TERM CU 2/0AWG 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL , 2 HOLE FLAT, NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 2/0 AWG COPPER CONDUCTOR.	
	ANDERSON ELECTRIC	CHL-2/0-BN
	BLACKBURN	LCN 20
	CONNECTOR MFGR CO	
	HOMAC	L2/ON
102640	CONN COMP TERM 4/0CU	
	CONN COMP TERM CU 4/0AWG 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL 2 HOLE FLAT, NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 4/0 AWG COPPER CONDUCTOR.	
	ANDERSON ELECTRIC	
	CONNECTOR MFGR CO	CCBL4/0-50
	HOMAC	L4/ON
	SCOTCH 3M CO.	31145
	UTILCO	CRB-4/0L2
102723	CONN COMP TERM 14CU	
	CONN COMP TERM CU 14AWG	
	BURNDY	YAV14-L36BOX
102764	SPLICE LOOP 397AA	
	SPLICE LOOP AA 397MCM	
	BURNDY	YCS311A
102889	CONN COMP TERM STACK 500CU	
	CONN COMP TERM STACK CU 500MCM 2HOLE CONNECTOR, COPPER, COMPRESSION, STACKING TERMINAL,500 MCM 2 HOLE, NEMA-SPACED, TINNED, FOR INDOOR OR OUTDOOR USE FOR TERMINATING CONDUCTORS ON TOP OF NEMA-SPACED TWO HOLE FLAT COMPRESSION	
	ANDERSON ELECTRIC	CSL-500 BN
	HOMAC	SL 500-N
102905	CONN COMP TERM 250CU	
	CONN COMP TERM CU 250MCM 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION,	

TERMINAL , 2 HOLE FLAT, NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 250 MCM COPPER CONDUCTOR.

ANDERSON ELECTRIC	CHL-250-BN
BLACKBURN	
CONNECTOR MFGR CO	CCBL250-50
HOMAC	L250N
SCOTCH 3M CO.	31149
UTILCO	CRA-250L2

102921 WIRE TIE NYLON 1/8" X 5-1/4"

WIRE TIE NYLON 1/8 X 5-1/4 SELF LOCK WIRE TIE, NYLON, ONE PIECE, SELF-LOCKING , BLACK WEATHER RESISTANT COLOR, ARE TO CONTAIN NO METALLIC COMPONENTS. MINI MUM OF 1/8" WIDE SUITABLE FOR A BUNDLE DIAMETER OF 3/16" MINIMUM AND 1-1/4" MAX

PANDUIT CORP	PLT-2-S-Q
SCOTCH 3M CO.	O6202
TYTON CORP.(COMM SUPPLY-IRBY)	T50R-0C

102947 WRAP CABLE HT STABILIZED 1/4"

CABLE WRAP HT STABILIZED 1/4

AMP SPECIAL INDUSTRIES	500015-1
PANDUIT CORP	T25N

103085 SPLICE REDUCING AL-CU 397 TO

SPLICE REDUCING AL-CU 397 TO

BURNDY	YCR32RG5

103184 CLAMP GROUND ROD 5/8"

CLAMP GROUND ROD 5/8" CLAMP, GROUND ROD, 5/8 IN HEAVY DUTY BRONZE OR COPPER ALLOY, WITH HEX HEAD BOLT. WIRE RANGE 8 SOL THRU 1/0 ST R. UL LISTED FOR DIRECT BURIAL

ANDERSON ELECTRIC	
APACHE GROUNDING CORP	GRH58
BLACKBURN	JAB 58H
GALVAN INDUSTRIES	JAB58H
GREAVES	G-580

103200 CONN COMP TERM CU 1000MCM 4HOL

CONN COMP TERM CU 1000MCM 4HOL

ANDERSON ELECTRIC	N/A
BURNDY	YA44-4N
DOSSERT CORP.	
SCOTCH 3M CO.	N/A

103242 CONN 2-BOLT TN CU&AL 350-250 &

CONN 2 BOLT TN 350-250 &

ANDERSON ELECTRIC	KR-4-TP
BLACKBURN	
BURNDY	KVSU31
KEARNEY	16371-3

103267 CONN 2-BOLT TN CU&AL 500-400 &

CONN 2 BOLT TN 500-400 &

ANDERSON ELECTRIC	KR-5-TP
BLACKBURN	
BURNDY	KVSU34
KEARNEY	16372-3

103283 CLAMP HOTLINE STIRRUP

CLAMP HOTLINE STIRRUP

	ANDERSON ELECTRIC	AHLS-024019-E-TB
103309	SPLICE REDUCING AL-CU 795 TO 2 SPLICE REDUCING AL-CU 795 TO 2	
	BURNDY	YCR391AG1
103341	SPLICE REDUCING AL-CU 795 TO 5 SPLICE REDUCING AL-CU 795 TO 5	
	BURNDY	YCR391A34CA
103481	CLAMP STRAIN BOLTED 2AA CLAMP STRAIN BOLTED AA 2AWG	
	AMERICAN CONNECTOR ENGINEERING	SDA-52
	ANDERSON ELECTRIC	ADS-48-N
	C & R PRODUCTS	
	CONTINENTAL ELECTRIC	SGA-47N
103549	CLAMP HOTLINE 4/0AA-TO-CU CLAMP HOTLINE 4/0AA-CU CLAMP, HOT LINE, ALUMINUM TO COPPER 4/0A A-CU. THE CLAMP SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR RANGE. RUN 1.0IN TO 0.45IN, TAP 0.610IN TO 0.152IN.	
	ANDERSON ELECTRIC	AH-7-GP
	CHANCE A B CO	S1540AC
	FARGO	GH-102AC
	IDEAL MACHINE & TOOL CO.	
103580	CLAMP HOTLINE 795AA-TO-CU CLAMP HOTLINE 795AA-CU CLAMP, HOT LINE, ALUMINUM TO COPPER 795A A-CU. THE CLAMP SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR RANGE. RUN 1.795IN TO 0.980IN TAP 0.610IN TO 0.152IN.	
	FARGO	GH-103AC
103606	CLAMP STRAIN BOLTED 397AA CLAMP STRAIN BOLTED AA 397MCM	
	AMERICAN CONNECTOR ENGINEERING	
	ANDERSON ELECTRIC	ADS-88-N
	C & R PRODUCTS	CRDE-30-180
	CONTINENTAL ELECTRIC	SGA-88N
103820	CLAMP SUSP 4/0AA-1/0AR CLAMP SUSPEN 4/0AWG AA 1/0AR	
	AMERICAN CONNECTOR ENGINEERING	ALS-86-S
	ANDERSON ELECTRIC	HAS-85-S
	CONTINENTAL ELECTRIC	SC-85-S
103945	CLOSURE CABLE-SPLICE 25-50PR CLOSURE CBL SPLICE 25-50PR (25PR BRCH) CLOSURE, COMMUNICATION CABLE SPLICE, 25- 50 PAIR, TO PROVIDE ACCESS TO AERIAL CABLE FOR STRAIGHT AND BRANCH SPLICES, A CCOMMODATE UP TO FOUR 6 PAIR TERMINAL BLOCKS, ADAPTABLE FOR BRANCH NOZZLE KITS	
	RELIANCE ELECTRIC	100-MB
103952	BUSHING CONDUIT 2" MALE BUSHING CONDUIT 2" MALE	
	ADALET	PEM-8
	O.Z./GEDNEY	BB 200
103960	BUSHING CONDUIT 2" FEMALE BUSHING CONDUIT 2" FEMALE	

	ADALET	PE-8
	APPLETON	BBU200H
	O.Z./GEDNEY	A200
103994	SPLICE TENSION COMP 1590AA	
	SPLICE TENSION COMP AA 1590MCM	
	ARLINGTON INDUSTRIES	RGD200

104042	CLAMP LASHING	
	CLAMP LASHING	
	GENERAL MACHINE PRODUCTS	7886
	GRAYBAR	26-09010
104059	BLOCK TERM FOR 26PR CABLE	
	BLOCK TERM	
	RELIANCE ELECTRIC	RPT25ALS
104133	JUMPER TERM AA TBLR 1590MCM 15	
	JUMPER TERM AA TBLR 1590MCM 15	
104166	CLAMP SUSPENSION 1590AA	
	CLAMP SUSPEN 1590 MCM AA	
	ANDERSON ELECTRIC	HAS-227-S
	BETHEA	ASC-10-S
104232	ADAPTER CND PVC 1" FEMALE	
	ADAPTER CONDUIT PVC 1" FEM	
	CANTEX CO	5140045
	CARLON	E942F
	PICOMA INDUSTRIES	ME942F
104240	COUPLING CND PVC 1" SLIP-JOINT	
	COUPLING COND PVC 1"	
	CANTEX CO	6141625
	CARLON	E940F
	PICOMA INDUSTRIES	ME942F
104265	BUSHING CONDUIT 1" MALE	
	BUSHING CONDUIT 1" MALE	
	ADALET	PEM-4
	ARLINGTON INDUSTRIES	N/A
104315	SPLICE TENSION COMP AR 266MCM	
	SPLICE TENSION COMP AR 266MCM	
104323	SPLICE TENSION COMP AR 266MCM	
	SPLICE TENSION COMP AR 266MCM	
104372	CONN COMP TERM 1/0AL	
	CONN COMP TERM AL 1/0AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOO R USE ON 1/0 ALUMINUM CONDUCTOR.	
	ANDERSON ELECTRIC	AHL-1/0 BN
	BLACKBURN	AL6
	HOMAC	AL 1/0-N
	MAC PRODUCTS	
	UTILCO	2UCL-1/0
104414	ASSY TEST RECEPT 60A 2W 3PH	
	TEST RECPT ASSM 60A 600V 2W3P	
	COOPER LIGHTING	AREA 6383
104471	TAP TEE COMP 397AA 2-HOLE PAD	
	TAP TEE COMP AA 397 2 HOL PAD	
	BURNDY	YTA33R-2N

104497 JUMPER TERM COMP 397AA
JUMPER TERM AA COMP 397MCM

BURNDY	YCA33R-2N
HOMAC	SAM400N

104521 JUMPER TERM AR TBLR 397MCM
JUMPER TERM AR TBLR 397MCM

104562 CONN COMP TERM AL 800MCM
CONN COMP TERM AL 800MCM

ANDERSON ELECTRIC	AHL800BN
BURNDY	YA40AY-2N
HOMAC	AL800N

104588 CONN STUD 1-1/8"" 4 HOLE FLAT
CONN STUD 1-1/8" 4 HOLE FLAT TINNED CONNECTOR, SPADE TYPE STUD FOR ASA, TBI BUSHINGS, FOR 1 1/8 INCH DIAMETER STUD WITH 12 THREADS PER INCH. PAD TO BE DRIL LED FOR 4-1/2 INCH BOLTS AND TO BE TIN PLATED ON BOTH FACES.

ANDERSON ELECTRIC	TYPE HDSF
SEFCOR	TYPE SNFT
SOUTHERN STATES INC	TYPE SF

104596 CONN STUD 1-1/2"" 4 HOLE FLAT
CONN STUD 1-1/2" 4 HOLE FLAT TINNED CONNECTOR, SPADE TYPE STUD FOR ASA, TBI BUSHINGS, FOR 1 1/2 INCH DIAMETER STUD WITH 12 THREADS PER INCH. PAD TO BE DRIL LED FOR 4-1/2 INCH BOLTS AND TO BE TIN PLATED ON BOTH FACES.

ANDERSON ELECTRIC	TYPE HDSF-14-1-D-1/2
SEFCOR	TYPE SNFT
SOUTHERN STATES INC	TYPE SF

104687 CONN COMP TERM 2/0AL
CONN COMP TERM AL 2/0AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOO R USE ON 2/0 ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	AHL-2/0 BN
BLACKBURN	AL8
HOMAC	
MAC PRODUCTS	MLB2/0-8N
UTILCO	2UCL-2/0

104695 CONN COMP TERM 3/0AL
CONN COMP TERM AL 3/0AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN CENTER, FOR INDOOR OR OUTDOOR USE ON 3/0 AWG ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	
HOMAC	AL 3/0-N
MAC PRODUCTS	MLB3/0-8N
UTILCO	2UCL-3/0

104703 CONN COMP TERM 4/0AL
CONN COMP TERM AL 4/0AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/l6 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOO R USE ON 4/0 AWG ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	AHL-4/0 BN
BLACKBURN	AL12
HOMAC	AL 4/0-N

MAC PRODUCTS	MLB4/0-8N
UTILCO	

104711 CONN COMP TERM STACK 4/0AL
CONN COMP TERM STACK AL 4/0AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 4/0 AWG ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	ATL-4/0 BN
HOMAC	ASL 4/0N

104729 CONN COMP TERM STACK 250AL
CONN COMP TERM STACK AL 250MCM 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 250 MCM ALUMINUM CABLE.

ANDERSON ELECTRIC	ATL-250 BN
HOMAC	ASL 250N

104737 CONN COMP TERM STACK 350AL
CONN COMP TERM STACK AL 350MCM 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 350 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	ATL-350 BN
HOMAC	ASL 350N

104745 CONN COMP TERM STACK 400AL
CONN COMP TERM STACK AL 400MCM 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 400 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	ATL-400 BN
HOMAC	ASL 400NTN

104752 CONN COMP TERM STACK 500AL
CONN COMP TERM STACK AL 500MCM 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 500 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	ATL-500 BN
HOMAC	ASL 500N

104836 CONN COMP TERM 250AL
CONN COMP TERM AL 250MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/l6 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOO R USE ON 250 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	AHL-250 BN
MAC PRODUCTS	
PENN-UNION	FSLA-025-D
UTILCO	2UCL-250

104844 CONN COMP TERM 350AL
CONN COMP TERM AL 350MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN CENTER, FOR INDOOR OR OUTDOOR USE ON 350 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	AHL-350 BN
BLACKBURN	AL18
HOMAC	AL 350-N
MAC PRODUCTS	MLB350-8N
UTILCO	

104851 CONN COMP TERM 400AL
CONN COMP TERM AL 400MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR

OUTDOO R USE ON 400 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	AHL-400 BN
BLACKBURN	AL20
HOMAC	AL 400-N
MAC PRODUCTS	

104976 JUMPER TERM COMP 4/0AA
JUMPER TERM AA COMP 4/0AWG

BLACKBURN	AL-12
BURNDY	YCA28R-2N
HOMAC	SA4/ON

104984 BEND CONDUIT PVC 1"" 90 D STD
BEND CONDUIT PVC 1" 90 D STD R

CANTEX CO	5133825
CARLON	UA9AF
PICOMA INDUSTRIES	MUA9AF
QUEEN CITY PLASTICS	2401017

104992 CONN COMP TERM 500AL
CONN COMP TERM AL 500MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/l6 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOO R USE ON 500 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	
BLACKBURN	AL24
HOMAC	AL 500-N
MAC PRODUCTS	MLB500-9N
UTILCO	2UCL-500

105007 CONN COMP TERM 750AL
CONN COMP TERM AL 750MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOO R USE ON 750 MCM AL COMPRESSED CONDUCTOR.

ANDERSON ELECTRIC	AHL-750 BN
BLACKBURN	AL44
HOMAC	
MAC PRODUCTS	MLB750-9N
UTILCO	2UCL-750

105148 SPLICE TENSION AUTO 6CU
SPLICE TENSION AUTO CU 6AWG

FARGO	GL-111
RELIABLE ELECTRIC	61

105163 SPLICE TENSION AUTO 4CU
SPLICE TENSION AUTO CU 4AWG

FARGO	GL-112
RELIABLE ELECTRIC	41

105189 SPLICE TENSION AUTO 2CU
SPLICE TENSION AUTO CU 2AWG

FARGO	GL-115
RELIABLE ELECTRIC	27

105205 SPLICE TENSION AUTO 1/0CU
SPLICE TENSION AUTO CU 1/0AWG

FARGO	GL-117
RELIABLE ELECTRIC	107

105221 SPLICE TENSION AUTO 2/0CU
SPLICE TENSION AUTO CU 2/0AWG

	FARGO	GL-118
	RELIABLE ELECTRIC	207
105247	LAMP SWITCHBOARD MINALITE 24V	
	LAMP MINALITE 24V SWBD	
	WESTINGHOUSE	1124156
105288	SPLICE TENSION AUTO 6CUWELD	
	SPLICE TENSION AUTO CW 6A AWG	
	FARGO	GL-113
	MACLEAN POWER SYSTEMS	#47
105304	ADAPTER REDUCING CU 4/0AWG TO1	
	ADAPTER REDUCING CU 4/0AWG TO1	
	BURNDY	Y2825R
105320	CONN COMP TERM 10CU	
	CONN COMP TERM CU 10AWG	
	BURNDY	YAV10-L36BOX
105346	LENS MINALITE WHITE RECT	
	LENS MINALITE WHITE RECT	
	WESTINGHOUSE	N/A
105429	ADAPTER REDUCING CU 4/0AWG TO	
	ADAPTER REDUCING CU 4/0AWG TO	
	ANDERSON ELECTRIC	CR-4/0-3/0
	BURNDY	Y2827R
105445	ADAPTER REDUCING CU 500MCM TO	
	ADAPTER REDUCING CU 500MCM TO	
	BURNDY	Y3431R
105486	LENS MINALITE BLUE RECT	
	LENS MINALITE BLUE RECT	
	WESTINGHOUSE	N/A

105528	ADAPTER REDUCING CU 500MCM TO ADAPTER REDUCING CU 500MCM TO	
	BURNDY	Y3432R
105585	CONN SPLIT TIN CU 2AWG CONN SPLIT TIN CU 2AWG	
	MAC PRODUCTS	MSS 2
	NATIONAL ELECTRIC	337
	RUSGREEN	T-7
105601	CONN SPLIT TIN CU 2/0AWG CONN SPLIT TIN CU 2/0AWG	
	MAC PRODUCTS	MSS 2/0
	NATIONAL ELECTRIC	340
	RUSGREEN	T-10
105627	CONN SPLIT TIN CU 4/0AWG CONN SPLIT TIN CU 4/0AWG	
	MAC PRODUCTS	MSS 4/0
	NATIONAL ELECTRIC	342
	RUSGREEN	T-12
105643	CONN SPLIT-TIN 250CU CONN SPLIT TIN CU 250MCM	
	MAC PRODUCTS	MSS 250
	NATIONAL ELECTRIC	344
	RUSGREEN	T-13
105668	CONN SPLIT-TIN 300CU CONN SPLIT TIN CU 300MCM	
	MAC PRODUCTS	MSS 300
	NATIONAL ELECTRIC	345
	RUSGREEN	T-14
105684	CONN SPLIT-TIN 350CU CONN SPLIT TIN CU 350MCM	
	MAC PRODUCTS	MSS 350
	NATIONAL ELECTRIC	346
	RUSGREEN	T-15
105700	CONN SPLIT-TIN 400CU CONN SPLIT TIN CU 400MCM	
	MAC PRODUCTS	MSS 400
	NATIONAL ELECTRIC	347
	RUSGREEN	T-16
105742	CONN SPLIT-TIN 500CU CONN SPLIT TIN CU 500MCM	
	MAC PRODUCTS	MSS 500
	NATIONAL ELECTRIC	349
	RUSGREEN	T-18
105767	CONN SPLIT-TIN 550CU CONN SPLIT TIN CU 550MCM	
	MAC PRODUCTS	MSS 550
	NATIONAL ELECTRIC	350
	RUSGREEN	T-19
105783	CONN SPLIT TIN CU 750MCM CONN SPLIT TIN CU 750MCM	
	MAC PRODUCTS	MSS 750

	NATIONAL ELECTRIC	354
	RUSGREEN	T-23
109249	CLEANER UTILITY	
	CLEANER UTILITY	
	CLAIRE (BUTLER PAPER)	C-031
	ELLISON SANITARY SUPPLY	
	INDUSTRIAL PAPER & PKG.	MATTERHORN
	KEL SAN	UTILITY CLEANER
113027	CONTROL PE LIGHTING 120V STD	
	CONTROL PHOTOELECTRIC SHORTING CAP SHORTING CAP, STANDARD THREE PRONG TWIST LOCK PLUG, GREY IN COLOR, FOR OUTDOOR USE IN STREET LIGHTING LUMINAIRE S TO MAINTAIN CIRCUIT CONTINUITY WHEN A PHOTOCONTROL IS NOT IN USE.	
	AREA LIGHTING RESEARCH	SC10
	FISHER PIERCE	S1038-1
	GENERAL ELECTRIC	
	RIPLEY	6005
113563	RECEPTACLE PE CONTROL POLE-MTG	
	RECEPTACLE PHOTO CTRL POLE MTD	
	AMERICAN ELECTRIC	PBC
	FISHER PIERCE	S476-71
	RIPLEY	5925
113985	GOGGLES SAFETY	
	GOGGLES SAFETY GOGGLES SAFETY - ENCON, MODEL # 5-59 DAR K LENS STANDARD PACKAGING - 10 UNITS PER CASE STOCKING REQUIREMENT - 10 UNITS	
113993	BATTERY ALKALINE 1.5V C-CELL	
	BATTERY ALKA C CELL 1.5V	
	BRIGHT STAR	N/A
	BURGESS	N/A
	DURACELL	PROCELL-PC1400
	EVEREADY	EN93
	RAY-O-VAC	
114660	FLAG RED	
	FLAG RED	
	MCR	F1824SD
	SALECO	19036
	SERVICE & MATERIALS	PMF2436
115261	KIT FIRST-AID VEHICLE	
	KIT, FIRST AID FOR VEHICLES FULLY STOCKED STANDARD PACKAGING SEE ADDITIONAL SPECS >>>	
	NORTH MED SUPPLY	013111-45
115271	KIT FIRST AID WORKPLACE FULLY	
	KIT FIRST AID WORKPLACE FULLY STOCKED SEE ADDITIONAL SPECS >	
	NORTH MED SUPPLY	013110-4536
116432	BIT DRILL 3/8"	
	BIT DRILL 3/8"	
116440	BIT DRILL 23/64"	
	BIT DRILL 23/64"	

116952	BIT DRILL 1/64" BIT DRILL 1/64"
116960	BIT DRILL 1/32" BIT DRILL 1/32"
116994	BIT DRILL 15/32" BIT DRILL 15/32"
117000	BIT DRILL 31/64" BIT DRILL 31/64"
117034	BIT DRILL 3/32" BIT DRILL 3/32"
117042	BIT DRILL 7/64" BIT DRILL 7/64"
117059	BIT DRILL 1/8" BIT DRILL 1/8"
117067	BIT DRILL 9/64" BIT DRILL 9/64"
117075	BIT DRILL 5/32" BIT DRILL 5/32"
117083	BIT DRILL 11/64" BIT DRILL 11/64"
117091	BIT DRILL 3/16" BIT DRILL 3/16"
117109	BIT DRILL 13/64" BIT DRILL 13/64"
117117	BIT DRILL 7/32" BIT DRILL 7/32"
117125	BIT DRILL 15/64" BIT DRILL 15/64"

117133	BIT DRILL 1/4" BIT DRILL 1/4"
117141	BIT DRILL 17/64" BIT DRILL 17/64"
117158	BIT DRILL 9/32" BIT DRILL 9/32"
117166	BIT DRILL 19/64" BIT DRILL 19/64"
117174	BIT DRILL 5/16" BIT DRILL 5/16"
117182	BIT DRILL 21/64" BIT DRILL 21/64"
117190	BIT DRILL 11/32" BIT DRILL 11/32"
117208	BIT DRILL 25/64" BIT DRILL 25/64"
117216	BIT DRILL 13/32" BIT DRILL 13/32"
117224	BIT DRILL 27/64" BIT DRILL 27/64"
117232	BIT DRILL 7/16" BIT DRILL 7/16"
117240	BIT DRILL 1/2" BIT DRILL 1/2"
120006	BOLT BRONZE 3/8"" X 1-1/2"" 20 BOLT BRONZE 3/8" X 1-1/2" 207 BOLT, 3/8 IN X 1-1/2 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 F IT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI

120014 BOLT BRONZE 3/8"" X 2-1/2"" 20
BOLT BRONZE 3/8" X 2-1/2" 207 BOLT, 3/8 IN X 2-1/2 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 F IT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI

120055 BOLT BRZ 1/4" X 1" 207
BOLT BRONZE 1/4" X 1" 207 BOLT, 1/4 IN X 1 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 FIT, COPPE R ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI

120063 BOLT BRONZE 1/4"" X 2-1/2"" 20
BOLT BRONZE 1/4" X 2-1/2" 207 BOLT, 1/4 IN X 2 1/2 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 F IT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI

120089 BOLT BRZ 3/8" X 2" 207
BOLT BRONZE 3/8" X 2" 207 BOLT, 3/8 IN X 2 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 F IT, COPPER ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI

120113 NUT BRONZE 1/4"
NUT BRONZE 1/4" NUT, TO FIT BOLT SIZE 1/4 IN, SILICON BRONZE, REGULAR, SEMI-FINISHED HEXAGON, AMERICAN NATIONAL COARSE SERIES THREADS WITH A CLASS #2 FIT, SHALL CONFORM TO ANSI B18.2-1960.

120139 NUT BRONZE 3/8"
NUT BRONZE 3/8"

120170 WASHER LOCK BRONZE 1/4"
WASHER LOCK BRONZE 1/4"

120196 WASHER LOCK BRONZE 3/8"
WASHER LOCK BRONZE 3/8"

120220 WASHER FLAT BRONZE 1/4"
WASHER FLAT BRONZE 1/4"

120246 WASHER FLAT BRONZE 3/8"
WASHER FLAT BRONZE 3/8"

120287 BOLT BRZ 3/8" X 1" 207
BOLT BRONZE 3/8" X 1" 207 BOLT, 3/8 IN X 1 IN, SILICON BRONZE, HEX HEADED, THREADS - AMERICAN NATIONAL COARSE SERIES WITH A CLASS #2 FIT, COPPE R ALLOY NO. 651, CONFORMING TO THE REQUIREMENTS OF ASTM B98 AND ANSI

120923 BATTERY ALKALINE 1.5V AAA-CELL
BATTERY ALKA AAA CELL 1.5V

DURACELL	PROCELL-PC2400
EVEREADY	EN92
RAY-O-VAC	AL-AAA

121004 BOLT MACH 1/2" X 6" SQ
BOLT MACH 1/2" X 6" SQ

CHANCE A B CO	8706
COOPER POWER SYSTEMS	DF2B6
FLORIDA WIRE & CABLE CO	
HUGHES BROS	B 56

	JOSLYN MFG & SUPPLY CO.	J8706	
	UTILITIES SERVICE CO.	5167	

121145 SOCKET-EYE
SOCKET-EYE SOCKET EYE, DUCTILE IRON, HEAT TREATED, HOT DIP GALVANIZED, WITH COTTER PIN, FOR USE IN CONNECTING CONDUCTOR CLAMPING DEVICES TO BALL AND SOCKET INSULATORS.

AMERICAN CONNECTOR ENGINEERING	SE-04	
ANDERSON ELECTRIC		
CONTINENTAL ELECTRIC	SE-4	
FLAGG	33000-1/2	

121160 BOLT MACH 3/4X 8"" SQ
BOLT MACH 3/4X 8" SQ

CHANCE A B CO	8908	
COOPER POWER SYSTEMS		
FLORIDA WIRE & CABLE CO	FW 8908	0
HUGHES BROS	B 78	
JOSLYN MFG & SUPPLY CO.	J8908	
STEEL CITY	N/A	
UTILITIES SERVICE CO.	5192	

121178 BOLT MACH 3/4" X 10" SQ
BOLT MACH 3/4 X 10" SQ

CHANCE A B CO	8910	
COOPER POWER SYSTEMS		
FLORIDA WIRE & CABLE CO	FW 8910	0
HUGHES BROS	B 710	
JOSLYN MFG & SUPPLY CO.	J8910	
STEEL CITY	N/A	
UTILITIES SERVICE CO.	5193	

121244	BOLT MACH 3/4" X 12" SQ		
	BOLT MACH 3/4 X 12" SQ		
	CHANCE A B CO	8912	
	COOPER POWER SYSTEMS	DF4B12	
	FLORIDA WIRE & CABLE CO	FW 8912	0
	HUGHES BROS		
	JOSLYN MFG & SUPPLY CO.	J8912	
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5194	
121251	BOLT MACH 3/4" X 14" SQ		
	BOLT MACH 3/4 X 14" SQ		
	CHANCE A B CO	8914	
	COOPER POWER SYSTEMS	DF4B14	
	FLORIDA WIRE & CABLE CO		
	HUGHES BROS	B 714	
	JOSLYN MFG & SUPPLY CO.	J8914	
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5195	
121269	BOLT OVAL-EYE 3/4" X 10"		
	BOLT OVAL EYE 3/4" X 10"		
	CHANCE A B CO	29980	
	COOPER POWER SYSTEMS	DF3E10	
	FLORIDA WIRE & CABLE CO	FW 9510	
	HUGHES BROS	2724.7106	
	JOSLYN MFG & SUPPLY CO.		
	UTILITIES SERVICE CO.	24747	
121277	BOLT OVAL-EYE 3/4" X 12"		
	BOLT OVAL EYE 3/4" X 12"		
	CHANCE A B CO	29982	
	COOPER POWER SYSTEMS	DF3E12	
	FLORIDA WIRE & CABLE CO		
	HUGHES BROS	2724.7126	
	JOSLYN MFG & SUPPLY CO.	J9512	
	UTILITIES SERVICE CO.	24748	
121327	BOLT MACH 3/4" X 16" SQ		
	BOLT MACH 3/4 X 16" SQ		
	CHANCE A B CO	8916	
	COOPER POWER SYSTEMS	DF4B16	
	FLORIDA WIRE & CABLE CO	FW 8916	0
	HUGHES BROS	B 716	
	JOSLYN MFG & SUPPLY CO.	J8916	
	UTILITIES SERVICE CO.	5196	
121335	BOLT MACH 3/4" X 18" SQ		
	BOLT MACH 3/4 X 18" SQ		
	CHANCE A B CO	8918	
	COOPER POWER SYSTEMS	DF4B18	
	FLORIDA WIRE & CABLE CO	FW 8918	0
	HUGHES BROS		
	JOSLYN MFG & SUPPLY CO.	J8918	
	UTILITIES SERVICE CO.	5197	
121343	BOLT OVAL-EYE 3/4" X 14"		
	BOLT OVAL EYE 3/4" X 14"		
	CHANCE A B CO	29984	
	COOPER POWER SYSTEMS	DF3E14	

FLORIDA WIRE & CABLE CO	FW 9514
HUGHES BROS	2724.7146
JOSLYN MFG & SUPPLY CO.	J9514
UTILITIES SERVICE CO.	24749

121350	BOLT OVAL-EYE 3/4" X 16"		
	BOLT OVAL EYE 3/4" X 16"		
	CHANCE A B CO	29986	
	COOPER POWER SYSTEMS		
	FLORIDA WIRE & CABLE CO	FW 9516	
	HUGHES BROS	2724.7166	
	JOSLYN MFG & SUPPLY CO.	J9516	
	UTILITIES SERVICE CO.	24750	
121400	BOLT MACH 3/4" X 20" SQ		
	BOLT MACH 3/4 X 20" SQ		
	CHANCE A B CO	8920	
	COOPER POWER SYSTEMS	DF4B20	
	FLORIDA WIRE & CABLE CO	FW 8920	0
	HUGHES BROS	B 720	
	JOSLYN MFG & SUPPLY CO.		
	UTILITIES SERVICE CO.	5198	
121418	BOLT MACH 3/4" X 22" SQ		
	BOLT MACH 3/4 X 22" SQ		
	CHANCE A B CO	8922	
	COOPER POWER SYSTEMS	DF4B22	
	FLORIDA WIRE & CABLE CO	FW 8922	0
	HUGHES BROS	B 722	
	JOSLYN MFG & SUPPLY CO.		
	UTILITIES SERVICE CO.	5199	
121426	BOLT OVAL-EYE 3/4" X 18"		
	BOLT OVAL EYE 3/4" X 18"		
	CHANCE A B CO	29988	
	COOPER POWER SYSTEMS	DF3E18	
	FLORIDA WIRE & CABLE CO	FW 9518	
	HUGHES BROS	2724.7186	
	JOSLYN MFG & SUPPLY CO.	J9518	
	UTILITIES SERVICE CO.	24751	
121483	BOLT MACH 3/4" X 24" SQ		
	BOLT MACH 3/4 X 24" SQ		
	CHANCE A B CO	8924	
	COOPER POWER SYSTEMS	DF4B24	
	FLORIDA WIRE & CABLE CO	FW 8924	
	HUGHES BROS	B 724	
	JOSLYN MFG & SUPPLY CO.	J8924	
	UTILITIES SERVICE CO.	5200	
121491	BOLT MACH 3/4" X 26" SQ		
	BOLT MACH 3/4 X 26" SQ		
	CHANCE A B CO	8926	
	COOPER POWER SYSTEMS	DF4B26	
	FLORIDA WIRE & CABLE CO	FW 8926	
	HUGHES BROS		
	JOSLYN MFG & SUPPLY CO.	J8926	
	UTILITIES SERVICE CO.	5201	
121590	WASHER ROUND 1-3/8"" 9/16"" HO		
	WASHER ROUND 1-3/8" 9/16" HOL		
	CHANCE A B CO	6803	
	COOPER POWER SYSTEMS	DF1W2	
	FLORIDA WIRE & CABLE CO	FW 1086	

	HUGHES BROS	RW1 1/2-50
	JOSLYN MFG & SUPPLY CO.	
	UTILITIES SERVICE CO.	5478
121657	NUT OVAL-EYE 3/4"	
	NUT OVAL EYE 3/4"	
	AMERICAN CONNECTOR ENGINEERING	EN-6
	CONTINENTAL ELECTRIC	EN-6
	COOPER POWER SYSTEMS	DG2E4
	FLORIDA WIRE & CABLE CO	FW 1093
	JOSLYN MFG & SUPPLY CO.	
	UTILITIES SERVICE CO.	451
121681	BALL CLEVIS FOR ANSI CL52-3	
	BALL CLEVIS FOR ANSI CL52-3 BALL CLEVIS, FORGED STEEL, HOT DIP GALVANIZED, WITH STEEL CLEVIS PIN AND STAINLESS STEEL COTTER KEY, FOR USE IN CONNECTING ANSI CLASS 52-3 BALL & SOCKET INSULATORS TO POLE HARDWARE	
	AMERICAN CONNECTOR ENGINEERING	BC-55
	ANDERSON ELECTRIC	
	CONTINENTAL ELECTRIC	BC-30-5
	FLAGG	13200
121699	CLEVIS THIMBLE-EYE	
	CLEVIS-THIMBLE EYE	
	CONTINENTAL ELECTRIC	CT-88
	FLAGG	PA-271
	JOSLYN MFG & SUPPLY CO.	J585
	LAPP INSULATOR CO	304056
121715	SPLICE REDUCING 1/0AR-2CU	
	SPLICE REDUCING AR-CU 1/0 TO	
	BURNDY	YCR25R2CCA
121731	SOCKET-CLEVIS	
	SOCKET-CLEVIS	
	ANDERSON ELECTRIC	SC-30
	BETHEA	SC-55
	FLAGG	33301
121749	CLEVIS-EYE 90-DEG	
	CLEVIS-EYE 90-DEG	
	ANDERSON ELECTRIC	CE-025-04
121764	CLAMP HOTLINE STIRRUP 397AA	
	CLAMP HOTLINE STIRRUP 397AA	
	ANDERSON ELECTRIC	AHLS-397021-E-TB
121798	CLEVIS-EYE HOTLINE EXT-LINK	
	CLEVIS-EYE, 10 INCH EXTENSION LINK, DUCTILE IRON BODY, STEEL CLEVIS PIN, HOT DIP GALVANIZED, FOR HOT LINE USE. CLEVI S END SHALL HAVE A MINIMUM OPENING OF 13/16" INCH WIDTH AND 1-1/2 INCH DEPTH W	
	ANDERSON ELECTRIC	HCE-100-05
	LAPP INSULATOR CO	75689
121814	WASHER SQUARE 3"" CURVED 13/16	
	WASHER SQUARE 3" CURVED 13/16"	
	CHANCE A B CO	6822.5
	COOPER POWER SYSTEMS	DF4W5

	FLORIDA WIRE & CABLE CO	FW 6823
	HUGHES BROS	SCW3-70
	JOSLYN MFG & SUPPLY CO.	J-6823
	UTILITIES SERVICE CO.	C3400
121822	WASHER SQUARE 2-1/4" 13/16" HO	
	WASHER SQUARE 2-1/4" 13/16"	
	CHANCE A B CO	6814
	COOPER POWER SYSTEMS	DF2W5
	FLORIDA WIRE & CABLE CO	FW 1076
	HUGHES BROS	
	JOSLYN MFG & SUPPLY CO.	J-1076
	UTILITIES SERVICE CO.	5485
121830	JUMPER TERM AA COMP 795MCM 4 H	
	JUMPER TERM AA COMP 795MCM 4 H	
	BURNDY	YCAK391A-4N
	HOMAC	SAL800-4N
121970	CLAMP SUSP 3/8" STL OGW	
	CLAMP SUSPEN 3/8" ST OGW CLAMP, SUSPENSION, GALVANZIED, FOR USE WITH 3/8 INCH STEEL OVERHEAD GROUND WIRE. U-BOLTS AND CLEVIS PINS SHALL BE OF	
	AMERICAN CONNECTOR ENGINEERING	
	ANDERSON ELECTRIC	MS-46-N
	CONTINENTAL ELECTRIC	FSC-46
	LAPP INSULATOR CO	9300
121988	CLAMP STRAIN BOLTED 2/0CU OGW	
	CLAMP STRAIN BOLTED CU 2/0 OGW	
	AMERICAN CONNECTOR ENGINEERING	FSD-64
	ANDERSON ELECTRIC	BSD-55-N
	BETHEA	FQD-582
121996	SPLICE TENSION COMP AR 795MCM	
	SPLICE TENSION COMP AR 795MCM	
122077	BALL Y-CLEVIS FOR ANSI CL52-3	
	BALL Y-CLEVIS FOR ANSI CL52-3 BALL Y-CLEVIS, FORGED STEEL HOT DIP GALVANIZED WITH STEEL CLEVIS PIN AND STAINLESS STEEL COTTER KEY, FOR USE IN ATTACHING ANSI CLASS 52-3 BALL AND SOCKET INSULATORS DIRECTLY TO TOWERS	
	AMERICAN CONNECTOR ENGINEERING	BYC-56
	ANDERSON ELECTRIC	YBC-30
	BETHEA	
	CONTINENTAL ELECTRIC	YCB-30-5
	FLAGG	13202
122234	SPLICE TENSION AUTO 1/0AR	
	SPLICE TENSION AUTO AR 1/0AWG	
	BLACKBURN	ATS1020
	FARGO	GL-406A
	RELIABLE ELECTRIC	7653
122333	SPLICE LOOP 1/0AR	
	SPLICE LOOP AR 1/0AWG	
	BURNDY	YCS25R

122358	SLEEVE REPAIR AA 795MCM SLEEVE REPAIR AA 795MCM	
122432	SPLICE TENSION COMP AA 795MCM SPLICE TENSION COMP AA 795MCM BURNDY	YDS391AT
122457	TAP TEE COMP 795AA 4-HOLE PAD TAP TEE COMP AA 795 4 HOL PAD BURNDY	YNTA 43R
122481	DEADEND-BODY 795AA DBL-TONGUE DEADEND BODY 795AA DOU TONGUE BURNDY	YTW 391AD
122507	SPLICE LOOP 795AA SPLICE LOOP AA 795MCM BURNDY	YCS391A
122556	SPLICE REDUCING 795AA-397AA SPLICE REDUCING AL-AL 795 TO BURNDY	YCR391A32CA

122572	FTG-EYE END 795MCM AA DE BODY	
	FTG-EYE END 795MCM AA DE BODY	
	BURNDY	YTW 431AE
122622	YOKE BUNDLING VERT 12" 795AA	
	YOKE BUNDLIN VERT 12" 795AA	
	ANDERSON ELECTRIC	YPW-15-204-12
	BETHEA	BY-192-12
122804	CLAMP SUSPENSION 397AA	
	CLAMP SUSPEN 397 MCM AA	
	AMERICAN CONNECTOR ENGINEERING	ALS-119-S
	ANDERSON ELECTRIC	
	BETHEA	LS-3-S
	CONTINENTAL ELECTRIC	SC-119-S
122820	INSERT BUSHING 3PH 200A LD/BRK	
	INSERT BUSHING 200A LDBRK	
	BLACKBURN	JLB2B10
	CHARDON ELECTRICAL COMPONENTS	N/A
	COOPER POWER SYSTEMS	LBI215
	ELASTIMOLD	
122879	BUSHING STANDOFF INSUL 200A	
	BUSHING, STANDOFF, INSULATED, 15KV, 200 AMPERE, FOR USE WITH A PARKING STAND TO ENABLE AN ENERGIZED CABLE TO BE REMOV ED FROM AN EQUIPMENT BUSHING AND PARKED ON THE BUSHING STANDOFF EITHER TEMPORARI	
	CHARDON ELECTRICAL COMPONENTS	9U07ACF100
	COOPER POWER SYSTEMS	ISB215
	ELASTIMOLD	161SOP
122887	FEED-THRU PORTABLE 200A LD/BRK	
	FEED THRU PORT LOADBREAK 200A LOADBREAK FEED-THROUGH, PORTABLE, 8.3/14.4 KV, LOA DBREAK, 200 AMPERE, FOR USE WITH PARKING STAND TO ENABLE A SINGLE-PHASE C IRCUIT TO BE CONTINUED THROUGH A PIECE OF EQUIPMENT WITHOUT ENERGIZING THE PIEC	
	BLACKBURN	JFT2B
	CHARDON ELECTRICAL COMPONENTS	9U07AKF200
	COOPER POWER SYSTEMS	LPF215H
	ELASTIMOLD	
	ELASTIMOLD	164FT
122911	CAP PROTECTIVE INSUL 200A	
	CAP PROTECTIVE INSUL 200A BUSHING 15KV CAP, PROTECTIVE, INSULATING, 15KV, 200A, FOR USE ON LOADBREAK BUSHING INSERTS WHEN ELBOW CONNECTORS ARE REMOVED EITHER TEMPORARILY OR PERMANENTLY. MUST HAVE PROVISIONS FOR "HOT STICK" OPERATION.	
	CHARDON ELECTRICAL COMPONENTS	9U01AEW400
	COOPER POWER SYSTEMS	2603711A12M
	ELASTIMOLD	160DRG
122952	TAPE U/G WARNING 6"" X 1000'	
	TAPE U/G WARNING 6" X 1000'||""||' RED 347 TAPE, UNDERGROUND, WARNING, 6 INCHES WID E ON 1000'||""||' ROLLS, RED EXTRA STRETCH POLYETHYLENE, MARKED DANGER DANGER, KNOX VILLE UTILITIES BOARD, CAUTION HIGH VOLTAGE LINE BURIED BELOW IN 3 BLACK LIN	
	REEF IND. INC.	EXTRA STRETCH #540

	THOR ENTERPRISES	ELASTEC
122960	WIRE CABLE LASHING .045" SS	
	WIRE CABLE LASHING .045" S/S	
	INDIANA STEEL & WIRE CO	45CR1200
	MARYLAND SPECIALTY WIRE	45430
122978	TAPE INSUL 1-1/2"" X 15' B-SE	
	TAPE INSUL 1-1/2" X 15' B-SEAL	
	BISHOP TAPE CO.	B-SEAL
122986	TAPE INSUL 2"" X 15' DOU RUBB	
	TAPE INSUL 2" X 15'||""||' DOU RUBBER TAPE, INSULATING, 2" X 15 FT ROLL, SELF-VULCANIZING HIGH-VOLTAGE DOUBLE RUBBER, FOR USE IN WET CONDITIONS FOR SEALING CO MMUNICATION CABLE SPLICES.	
	PLYMOUTH RUBBER CO.	2013(DR)TL-192
123000	CLAMP MESSGR SUSP LARGE ANGLE	
	CLAMP MESSGR SUSP LARGE ANGLE	
	CHANCE A B CO	7902-R
	COOPER POWER SYSTEMS	
	JOSLYN MFG & SUPPLY CO.	J7902
	UTILITIES SERVICE CO.	4968
123034	DEVICE GROUNDING FOR 2AWG	
	DEVICE GROUNDING FOR 2AWG	
	BLACKBURN	20CAFAB
	COOPER POWER SYSTEMS	2625133B04M
	ELASTIMOLD	20MAFAB
123059	LUG AERIAL 500 MCM CU	
	LUG AERIAL 500 MCM CU	
	JOSLYN MFG & SUPPLY CO.	80-111
123091	CLAMP MESSGR HANGER SUSP UNIVE	
	CLAMP MESSGR HANGER SUSP UNIVE	
	CHANCE A B CO	7911
	COOPER POWER SYSTEMS	DJ1H2
123133	DEVICE GROUNDING FOR 500MCM TS	
	DEVICE GROUNDING FOR 500MCM TS	
	BLACKBURN	302CAHJ
	COOPER POWER SYSTEMS	2625133B13M
	ELASTIMOLD	30MAHJ
123166	SPLICE ST 15KV CU T SH 500MCM-	
	SPLICE ST 15KV CU T SH 500MCM- 500MCM ERM SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, S UBMERSIBLE, FOR SPLICING 500 MCM CU CONDUCTOR, 175 MIL XLP INSULATED, TAPE S HIELD TYPE CABLE TO 500 MCM CU CONDUCTOR, 175 MIL XLP INSULATED, TAPE S	
	BLACKBURN	S65BHJS
	COOPER POWER SYSTEMS	2604904B07M
	ELASTIMOLD	
	GENERAL ELECTRIC	9U06CKS900
123208	HOUSING CONNECTOR ELBOW 600AMP	
	HOUSING CONNECTOR ELBOW 600AMP 15KV WITH VOLTAGE TEST POINT HOUSING, CONNECTOR, ELBOW, 600 AMPERE, 1 5KV, SUBMERSIBLE, DEADBREAK, DEADFRONT, FOR USE WITH OTHER 600 AMPERE 15KV COMPONENTS TO MAKE SEPARABLE CABLE CONNECTIONS.	
	CHARDON ELECTRICAL	

	COMPONENTS	
	COOPER POWER SYSTEMS	2637195B01M
	COOPER POWER SYSTEMS	DT625
	ELASTIMOLD	K655BLR
	SCOTCH 3M CO.	5815-E

123216 PLUG CONNECTING 15KV 600A
PLUG CONNECTING 600 AMP 15KV W/O STUD PLUG, CONNECTING, COPPER W/O STUD, 600 A MPERE, 15KV, DEADBREAK WITH A TAPPED HOLE ON EACH END FOR THE INSTALLATION OF A 5/8 IN. TINNED COPPER STUD. ALL CONDUCTIVE INTERFACES SHALL BE TINNED CO

CHARDON ELECTRICAL COMPONENTS	9U67ACP
COOPER POWER SYSTEMS	
COOPER POWER SYSTEMS	DCP625C
ELASTIMOLD	K675CP

123224 PLUG INSULATING BASIC 600A
PLUG INSULATING BASIC 600A 15KV W/O STUD PLUG, INSULATING, BASIC, 600 AMPERE, 15K V, DEADFRONT, DEADBREAK, W/CAP, NO STUD FOR USE WITH A 600 AMPERE ELBOW CON NECTOR HOUSING TO INSULATE ONE END OF THE HOUSING WHILE THAT END IS NOT BEI

CHARDON ELECTRICAL COMPONENTS	9U67ABIP
COOPER POWER SYSTEMS	
COOPER POWER SYSTEMS	DIP625C
ELASTIMOLD	K675BIP

123232 ADAPTER CABLE 500CU/COMP
ADAPTER CABLE 5KV 500

CHARDON ELECTRICAL COMPONENTS	9U60CAK
COOPER POWER SYSTEMS	2637196BO6M
ELASTIMOLD	655CA-HK

123299 WELL TAP REDUCING 600A-200A
WELL TAP REDUCING 600-200A W/O STUD WELL, TAP, REDUCING, 600 AMPERE BUSHING WITH TINNED COPPER INTERFACE TO 200 AMPERE BUSHING WELL W/O STUD, FOR USE WITH 600 AMPERE HOUSINGS TO PERMIT A 200 AMPERE TAP BY USING A 200 AMPERE LOA

CHARDON ELECTRICAL COMPONENTS	9U67ARTW
ELASTIMOLD	675RTW

123307 BLADE SOLID 300AMP LDBRK SO/ST
BLADE SOLID 300AMP LDBRK SO/ST

SOUTHERN STATES INC	SB7015300T

123331 CONN COMP TERM 300AL
CONN COMP TERM AL 300MCM 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN HOLES 1 3/4 IN ON CENTER, FOR INDOOR OR OUTDOO R USE ON 300 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	AHL-300 BN
BLACKBURN	AL16
HOMAC	AL 300-N
MAC PRODUCTS	

123349 CONN COMP TERM 750CU
CONN COMP TERM CU 750MCM 2HOLE FLAT CONNECTOR, COPPER, COMPRESSION, TERMINAL , 2 HOLE FLAT, NEMA SPACING, TINNED, FOR INDOOR OR OUTDOOR USE ON 750 MCM COP PER CONDUCTOR.

ANDERSON ELECTRIC	
BLACKBURN	54879NT
CONNECTOR MFGR CO	CCBL750-50
HOMAC	L750N
SCOTCH 3M CO.	31172
UTILCO	CRA-750L2

123364 BOLT MACH 3/4 X 3"" HEX
BOLT MACH 3/4 X 3" HEX

HUGHES BROS	B 73
STEEL CITY	N/A

123372 CONN 2-BOLT TN CU&AL 1000-750&
CONN 2 BOLT TN 1000-750 &

ANDERSON ELECTRIC	KR-7-TP
BLACKBURN	
BURNDY	KVSU44
KEARNEY	16374-3

123414 SPLICE STR 15KV 1/0AL-1/0AL UD
SPLICE ST 15KV AL URD 1/0 TO 1/0 SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, SUBMERSIBLE. FOR 1/0 COMPRESSED AL URD CABLES WITH 175 OR 220 MIL EPR INSULATION AND CONCENTRIC NEUTRAL.

COOPER POWER SYSTEMS	2637858B06M
ELASTIMOLD	15PCJ1G1240
SCOTCH 3M CO.	5411-CI-1/0

123430 FILE CHAINSAW 8" X 5/32"
FILE CHAINSAW 8" x 5/32"

ATLAS SALES	CSF 5/32
NICHOLSON	1609
SIMONDS	73-740210

123455 CLAMP MID-SPAN 4-4/0AA
CLAMP MID-SPAN 4 TO 4/0AA CLAMP MID-SPAN FOR 4AA to 4/0AA. THE CONNECTOR SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR NAME. FOR USE ON NEUTRAL OR TRIPLEX/QUADRAPLEX SECONDARIES.

ANDERSON ELECTRIC	MSE-4-16981
BLACKBURN	MS4
FARGO	GM-104A

123456 WATER BOTTLED ""H2O TO GO"" 24
WATER BOTTLED "H2O TO GO" 24 EA PER CASE BOTTLED WATER - H2O TO GO "TO BE REQUESTED BY EACH IN CASE LOT QTY SUCH AS 2 CASES REQUEST 48 EACH" **NO BROKEN CASES TO BE ISSUED** NAME OF AGENCY REQUESTING BOTTLES:_____ .

KUB MFG	N/A

123505 ADAPTER CABLE 5KV 350
ADAPTER CABLE 5KV 350

CHARDON ELECTRICAL COMPONENTS	9U60CAJ
COOPER POWER SYSTEMS	2637196B03M
ELASTIMOLD	655CA-J

123513 CONN COMP CU-TOP 350 MCM CMPT
CONN COMP CU-TOP 350 MCM CMPT 600A 15KV CONNECTOR, COMPRESSION, 600

AMPERE, 15KV , 15/16 IN. THREADED COPPERTOP. FOR USE WITH 350MCM ALUMINUM OR COPPER C OMPACT CONDUCTOR.

COOPER POWER SYSTEMS	2638290B13M
ELASTIMOLD	5501290

123521 DEVICE GROUNDING FOR 350MCM
DEVICE GROUNDING FOR 350MCM

BLACKBURN	302CAHA
COOPER POWER SYSTEMS	2625133B11M
ELASTIMOLD	30MAHA

123547 CONN COMP CU-TOP 500CU/COMP
CONN COMP CU-TOP 500MCM COMP 600A CONNECTOR, COMPRESSION, 600 AMPERE, 15/1 6 IN. THREADED COPPERTOP FOR USE WITH 500MCM ALUMNIUM OR COPPER COMPRESSE D STRANDED CONDUCTOR.

COOPER POWER SYSTEMS	2638290B08M
ELASTIMOLD	5501330

123554 PAINT GRAY FOR SWITCHBOARD
PAINT GRAY SWITCHBOARD

SIEMENS-ALLIS CORP.	18-168-000-001
SPRAYON	326
WESTINGHOUSE	86lA806H01

123562 SPLICE STR 15KV 750AL-750AL UD
SPLICE ST 15KV AL URD 750 TO 750 SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, S UBMERSIBLE, FOR SPLICING 750 MCM COMPRESSED AL CONDUCTOR, 175 MIL EPR INS ULATION WITH CONCENTRIC NEUTRAL TO 750 MCM COMPRESSED AL CONDUCTOR, 175 MIL

BLACKBURN	S65BJABW
CHARDON ELECTRICAL COMPONENTS	
COOPER POWER SYSTEMS	2604904B09M
ELASTIMOLD	650S-L0380-L0380
SCOTCH 3M CO.	5408-CI-750

123570	SHUNT CU BRAID TINNED 12 CONN SHUNT CU BRAID TINNED 12 CONN SHUNT, COPPER BRAID, W/ A 3 1/4 IN TINNED COPPER FERRULE AT EACH END. BRAID IS TO BE 12 INCHES IN LENGTH, HAVE 415 AMPE RE CURRENT CARRYING CAPACITY AND IS TO BE COMPOSED OF FINE TINNED COPPER WIRE S	
	BURNDY	BG12N
123620	LUG AERIAL 750MCM AL LUG AERIAL 750MCM AL	
	G & W ELECTRIC CO.	554l 73
123679	TIE LASHED CABLE 7-11" TIE LASHED CABLE 7-11"	
	GRAYBAR	L-891
	PANDUIT CORP	PRT2EH-QO
	RICHCO PLASTIC	CST-1
123695	U-BOLT ALUM FOR 1"" PIPE U-BOLT ALUM FOR 1" PIPE	
123703	CLAMP MESSGR CORNER DDE ATTACH CLAMP MESSGR CORNER DDE ATTACH	
	CONTINENTAL ELECTRIC	DD-55
	FLAGG	P294
123745	MODULE JUNCTION 3WAY 15KV 600A JUNCTION MODULE 3-WAY 200A LOADBREAK JUNCTION MODULE, LOADBREAK, 200 AMPERE, 8.3/14.4KV RATED, BRACKET MOUNTED, WITH 3 CONNECTION POINTS. FOR USE WITH SEPARABLE ELBOW CONNECTORS.	
	BLACKBURN	JJ2B1034H
	CHARDON ELECTRICAL COMPONENTS	9U07AGD320
	COOPER POWER SYSTEMS	LJ215C4B
	ELASTIMOLD	
	ELASTIMOLD	164J3
123752	TAG CABLE ID BRASS 2" DIA TAG CABLE ID BRASS 2" DIA	
	NATIONAL BAND & TAG COMPANY	N/A
	W.H. BRADY CO.	23211
123802	FUSE 10A 600V TYPES-KTK & KLK FUSE 10A 600V TYPES KTK & KLK	
	BUSSMAN	KTK 10
	LITTLEFUSE INC	KLK 10
123810	CLAMP STRAIN BOLTED AA 1590MCM CLAMP STRAIN BOLTED AA 1590MCM	
	ANDERSON ELECTRIC	ADE-155-N
	CONTINENTAL ELECTRIC	ADQH-155N
123828	SPLICE LOOP AA 1590MCM ER SPLICE LOOP AA 1590MCM ER	
123836	JUMPER TERM AA TBLR 1590MCM ST JUMPER TERM AA TBLR 1590MCM STR ER JUMPER TERMINAL, ALL ALUMINUM COMPRESSION, FOR 1590 MCM AA 61 STRAND (COREOPSIS) WIRE, 4 HOLE NEMA	

LUGS, INHIBITER FILLED.

ALCOA ALUMINIO SA	5638-156
BURNDY	YNA54R-T

123844 FUSEHOLDER 30A 600V HEB-AY
FUSEHOLDER 30A 600V HEB-AY TYPE FUSEHOLDER, 30 AMPERE, 600 VOLTS, IN LIN E, FULLY WATERTIGHT. FUSEHOLDER SHALL ACCEPT A BUSSMAN TYPE KTK (13/32" X 1 1/ 2") FUSE

BUSSMAN	HEB-AY
LITTLEFUSE INC	LEB-AY

123893 RESPIRATOR DISPOSABLE
RESPIRATOR DISPOSABLE MUST BE NIOSH/MS HA APPROVED STANDARD PACKAGING - 80 UNITS PER CASE STOCKING REQUIREMENT - 80 UNITS

SCOTCH 3M CO.	8210

123901 BATTERY LANTERN 6V
BATTERY LANTERN 6V

BRIGHT STAR	466
BURGESS	600
DURACELL	N/A
EVEREADY	EV90
RAY-O-VAC	GP6V

123919 COMPOUND DUCT-SEALING
COMPOUND SEALING DUCT NON-TOXIC COMPOUND,SEALING,DUCT,NON-SHRINKING,WATE R RESISTANT,NON-CORROSIVE, NON-STAINING,NON-TOXIC,AND SHALL BE COMPATIBLE WITH ALL TYPES OF DUCT TO INCLUDE PVC,PE,GI,AND FIBER.COMP

POWER-TEL PRODUCTS	DUCTSEAL ORANGE
TOPAZ	965
UNITED TECHNOLOGIES-AUTOMOTIVE	578-2

123943 BRUSH PAINT 1"" NYLON
BRUSH PAINT 1" NYLON

CORONA CO INC	SERIES #9055
WOOSTER BRUSH COMPANY	Q3118-1

123950 BRUSH PAINT 2"" NYLON
BRUSH PAINT 2" NYLON

CORONA CO INC	SERIES #9055
WOOSTER BRUSH COMPANY	Q3118-2

123968 BRUSH PAINT 4"" NYLON
BRUSH PAINT 4" NYLON

CORONA CO INC	SERIES #9055
WOOSTER BRUSH COMPANY	Q3118-4

123984 ADAPTER CABLE 5KV 750 1CMPT
ADAPTER CABLE 5KV 750 1CMPT

CHARDON ELECTRICAL COMPONENTS	9U60CAL
COOPER POWER SYSTEMS	2637196BO8M
ELASTIMOLD	655CA-L

123992 LUBRICANT CORROSION
LUBRICANT CORROSION PREVENTIVE LUBRICANT, CORROSION PREVENTIVE, AEROSOL , NONTOXIC, FOR USE IN LUBRICATING METALLIC MECHANISMS, TOOLS, ELECTRO-MECHANICAL EQUIPMENT, ETC. ALSO CAN BE USED AS A MOISTURE DISPLACING AGENT WHEN

CARE LABORATORIES INC.	MOTION UR-70
CRC	
MANTEK	ELECTRA SEAL
PERMATEX	MAINTAIN
SELIG	MASTER MECHANIC

124016 TRANSDUCER CURRENT
TRANSDUCER CURRENT ELECTRICAL

ROCHESTER INSTRUMENT SYSTEMS	CCC-1B-C5-E0-X3-F60-
SCIENTIFIC COLUMBUS, INC.	CT-510A3
TRANSDATA INC	10CS503

124024 TRANSDUCER VOLTAGE 1PH 0-3MA
TRANSDUCER VOLTAGE 1-PH 0-3MA

ROCHESTER INSTRUMENT SYSTEMS	N/A
SCIENTIFIC COLUMBUS, INC.	VT-110A3
TRANSDATA INC	10PS103

124032 DEVICE GROUNDING FOR 4/0AWG
DEVICE GROUNDING FOR 4/0AWG

BLACKBURN	302CAGB
COOPER POWER SYSTEMS	2625133B09M
ELASTIMOLD	30MAGB

124057 CLEANER H-V CABLE SPLICE
CLEANER H/V CABLE SPLICES & TERM CLEANER-DEGREASER, AEROSOL, NONTOXIC, FOR USE IN CLEANING 15KV EPR INSULATED CABLE PRIOR TO INSTALLING SPLICES AND EL BOW TERMINATORS. BID PRICE SHALL BE PER ONE OUNCE NET WEIGHT.

CRC	LECTRA CLEAN 2018
OXFORD CHEMICALS, INC.	DG-66
QUELCOR, INC.	QUEL CLEAN
SPEED SYSTEMS	

124065 BOLT STAINLESS 1/2" X 2"
BOLT STAINLESS 1/2" X 2" BOLT, 1/2 IN DIAMETER X 2 IN, HEX HEAD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO

124073 BOLT STAINLESS 1/2" X 2-1/4"
BOLT STAINLESS 1/2X 2-1/4" BOLT, 1/2 IN DIAMETER X 2 1/4 IN, HEX HE AD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593,ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO

124081 BOLT STAINLESS 1/2" X 2-1/2"
BOLT STAINLESS 1/2X 2-1/2" BOLT, 1/2 IN DIAMETER X 2 1/2 IN, HEX HE AD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO

124099 NUT STAINLESS 1/2"
NUT STAINLESS 1/2" NUT, 9/16 INCH, 13NC WITH CLASS 2B FIT, NON-MAGNETIC, ANSI 304 STAINLESS STEEL, IN ACCORDANCE WITH ANSI B18.2.2 LATEST REVISION.

124115 WASHER FLAT STAINLESS 1/2"
WASHER FLAT STAINLESS 1/2"

124123 BOLT STAINLESS 1/2" X 1-1/2"
BOLT STAINLESS 1/2" X 1-1/2" BOLT, 1/2 IN DIAMETER X 1 1/2 IN, HEX HE AD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO

124156 CONN TERM 2"" 4 HOLE STR TINNE
CONN TERM 2" 4 HOLE STR TINNED

ANDERSON ELECTRIC	STF4-20D

	BURNDY	NA-HC
	SOUTHERN STATES INC	UA
124230	HEATER STRIP 120V 60HZ 100W	
	HEATER STRIP 120V 100W 60HZ	
	GENERAL ELECTRIC	SD 1001
124255	SIGN DANGER H V INSIDE KEEPOUT	
	SIGN DANGER H V INSIDE KEEPOUT 687 SIGN, DANGER, HIGH VOLTAGE INSIDE-WILL SHOCK, BURN OR CAUSE DEATH-KEEP OUT, 10 INCHES HIGH X 22 INCHES WIDE, WITH PICTOGRAM. FIBERGLASS, NOT LESS THAN 0.10 INCHES THICK.	
	ALMETEK INDUSTRIES, INC.	N/A
124263	TAP TEE COMP 1590AA 4-HOLE PAD	
	TAP TEE COMP AA 1590 4 HOL PAD	
124271	LOTION HAND 8 OZ BOTTLE	
	LOTION HAND 8 OZ BOTTLE	
	GOJO	815012
	MEDI-KAY LABORATORIES	MEDI-CREME 8 OZ
124305	CLAMP POST-INS 795AA 69KV	
	CLAMP POST INS 795AA 69KV CLAMP, POST INSULATOR, 795 AA, FOR USE O N 69KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS, WITH LINE GUARD . ALUMINUM BODY AND KEEPER.	
	ANDERSON ELECTRIC	TSC-200-ARIV
	BETHEA	ACTS-200-SL-1
	CONTINENTAL ELECTRIC	LPS-200
124313	CLAMP POST INS 397AA 69KV	
	CLAMP POST INS 397AA 69KV CLAMP, POST INSULATOR, 397AA, FOR USE ON 69KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS, WITH LINE GUARD . ALUMINUM BODY AND KEEPER	
	ANDERSON ELECTRIC	TSC-150-ARIV
	BETHEA	ACTS-150-SL-1
	CONTINENTAL ELECTRIC	
	LAPP INSULATOR CO	47114
124321	SWITCH AUXILIARY 10-STAGE	
	SWITCH AUXILIARY 10 STAGE	
	ELECTROSWITCH	3572A75G01
	WESTINGHOUSE	N/A
124354	SPLICEPLATE STRAIGHT RIGID	
	SPLICEPLATE STRAIGHT RIGID	
	MP/HUSKEY CORP.	ASP-B
124362	SPLICEPLATE STRAIGHT EXPANSION	
	SPLICEPLATE STRAIGHT EXPANSION	
	MP/HUSKEY CORP.	ASP-B-EX
124420	BOLT STUD 7/8-7/8 X2"" 2"" LIN	
	BOLT STUD 7/8-7/8 X2" 2" LINE	
	ANDERSON ELECTRIC	87583-2000
	LAPP INSULATOR CO	10361

124487 FUSEHOLDER 30A 600V HEB-AA
FUSEHOLDER 30A 600V HEB-AA TYPE FUSEHOLDER, 30 AMPERE, 600 VOLTS, IN LIN E, FULLY WATERTIGHT. FUSEHOLDER SHALL ACCEPT A BUSSMAN TYPE KTK (13/32" X 1 1/ 2") FUSE

BUSSMAN	HEB-AA
LITTLEFUSE INC	LEB-AA

124495 FUSE 30A 600V TYPE-KTK
FUSE 30A 600V TYPE KTK

BUSSMAN	KTK 30

124602 CONN ELBOW 3 PHASE LD BRK 2
CONN ELBOW 3 PHASE LD BRK 2 200A CONNECTOR, ELBOW, 8.3/14.4KV, 200A., 3 PHASE, LOADBREAK, FOR #2 AWG. STRANDED COPPER CABLE WITH COPPER TAPE S HEILD, 175 MIL INSULATION. ELBOW KIT SHALL HAVE LONG BARREL "COPPER

CHARDON ELECTRICAL COMPONENTS	9U01ABD623
COOPER POWER SYSTEMS	LE215A04
ELASTIMOLD	165LR-A-5220

124610 CONN EL ASSY 165A3R-GB-270 4/0
CONN EL ASSY 165A3R-GB-270 4/0

ELASTIMOLD	167A3RH270

124677 CONN FLEX 2" SPS AL TO 4-HOLE
CONN FLEXIBLE 2" SPS

BURNDY	XA18A-4NG2
SEFCOR	AFXT-58-4A
SOUTHERN STATES INC	JDAL-27-4

124750 CONN CABLE 19-19CU 3-WIRE BUTT
CONN CABLE 19-19CU 3-WIRE BUTT

SCOTCH 3M CO.	UR

124768 ADAPTER CABLE 5KV 4/0
ADAPTER CABLE 5KV 4/0

CHARDON ELECTRICAL COMPONENTS	9U60CAH
COOPER POWER SYSTEMS	2637196B01M
ELASTIMOLD	655CA-H

124792 CONN COMP CU-TOP 4/0 AWG COMP
CONN COMP CU-TOP 4/0 AWG COMP 600A 15KV CONNECTOR, COMPRESSION, 600 AMPERE, 15KV , 15/16 IN. THREADED COPPERTOP. FOR USE WITH 4/0AWG ALUMINUM OR COPPER C OMPRESSED CONDUCTOR.

COOPER POWER SYSTEMS	2638292B04M
ELASTIMOLD	5501270

124826 BRACKET FBGL STEEL XARM CO MTG
BRACKET FGLS STL XARM MTG CO BKT BRACKET, FIBERGLASS, FOR CUTOUT ATTACHME NT TO STEEL ARM, 11/16 IN. HOLE IN END FITTINGS 12 INCHES ON CENTER, 1-1/2 IN. ROD DIAMETER

CONTINENTAL ELECTRIC	CEA-1791
FLAGG	7500-012
HUGHES BROS	CF914-15

124867 GRIP CABLE FOR 2" CND 1-1/0AWG
GRIP CABLE 2" COND 1-1/0AWG CABLE GRIP, CABLE, FOR USE ON 2" RISER CONDUIT WITH SINGLE CABLE FROM 1.25 to 1.49 INCH DIAMETER FOR USE WITH #1/0

ALUMINUM 15KV URD CONC. NEUTRAL CABLE.

BRYANT	
HARVEY HUBBELL INC.	022-11-013
LEWIS MFG CO.	LR-2-1.12
SLATER/FLEXCO	C2-FC125

124875 GRIP CABLE FOR 4" CND 3-1/0AWG

GRIP CABLE 4" COND 3-1/0AWG CABLE GRIP, CABLE, FOR USE ON 4" RISER CONDUIT WITH CABLE BUNDLE FROM 2.00 TO 2.49 INCHES IN DIA., FOR USE WITH 3-#2AWG COP PER TAPE SHIELD OR 3-#1/0 AWG 15KV ALUMINUM CABLES WITH CONCENTRIC

BRYANT	N/A
HARVEY HUBBELL INC.	
LEWIS MFG CO.	LR-4-1.62
SLATER/FLEXCO	C4-FC200

124909 TAPE FLAGGING ORANGE GLO

TAPE FLAGGING ORANGE GLO

124925 MARKER OH-LINE 9" ORANGE

LINE MARKER 9" DIA ORANGE FOR 1/0ACSR LINE MARKER, 9 INCH DIAMETER, INTERNATIONAL ORANGE PERMANENTLY COLORED GEL COAT , FIBERGLASS REINFORCED POLYESTER RESIN, COMPLETE WITH STAINLESS STEEL NUTS, BOLTS, LOCK WASHERS AND FLAT WASHERS.

P R INDUSTRIES	MODEL 9

124958 MODULE TRAN VERT L-U 200A TAP1

MOD TRANS VERT L-U 200A TAP 1-SLEEVE ER

MODULE,TRANSITION,VERTICLE,15KV,600A,PIL C CABLE TO URD CABLE WITH 200A BUSHING WELLS. UNIT SHALL BE SUPPLIED WITH ONE 12 INCH COPPER WIPING SLEEVE AND THREE SOLDER LUGS WITH

HOTSPLICER CORP	CTM-15K-VERT

124966 MODULE TRAN HORZ L-U 200A TAP1

MOD TRANS HOR L-U 200A TAP 1-12" SLEEVE ER

MODULE,TRANSITION,HORIZONTAL,3PH.,15KV,6 00A,PILC CABLE TO URD CABLE WITH 200A BUSHING WELLS . UNIT SHALL BE SUPPLIED WITH ONE 12 INCH COPPER WIPING SLEEVE AND THREE SOLDER LUGS WITH 1/4 IN

HOTSPLICER CORP	CTM-15K

124974 MODULE TRAN HORZ L-U 600A TAP1
MOD TRANS HOR L-U 600A TAP 1-SLEEVE ER
MODULE,TRANSITION,HORIZ.,15KV,600A,PILC CABLE TO URD CABLE W/3 600A BUSHINGS ON ONE END AND 12 INCH COPPER WIPING SLEEVE ON OTHER END. UNIT
HOTSPLICER CORP CTM-11K

124982 MODULE TRAN HORZ L-L 200A TAP2
MOD TRANS HOR L-L 200A TAP 2-SLEEVES ER
MODULE,TRANSITION,HORIZONTAL,3PH.,15KV,6 00A,PILC CABLE TO PILC CABLE WITH 200A BUSHING TAP IN CENTER. UNIT SHALL BE SUPPLIED WITH TWO 12 INCH COPPER WIPING SLEEVES AND SIX SOLDE
HOTSPLICER CORP CTM-10K

124990 MODULE TRAN HORZ L-L 600A TAP2
MOD TRANS HOR L-L 600A TAP 2-SLEEVES ER
MODULE,TRANSITION,HORIZONTAL,3PH.,15KV,6 00A,PILC CABLE TO PILC CABLE WITH 600A BUSHING TAP IN CENTER. UNIT SHALL BE SUPPLIED WITH TWO 12 INCH COPPER WIPING SLEEVES AND SIX SOLDE
HOTSPLICER CORP CTM-9K

132498 CONN TEE 3/4"" BR TO 500MCM CU
CONN TEE 3/4" BR TO 500MCM CU
ANDERSON ELECTRIC TTC8M-06050
BURNDY NTR1434
DOWSER N/A

134783 REPELLANT DOG HALT
REPELLANT DOG HALT STANDARD PACKAGING - 12 UNITS PER CASE STOCKING REQUIREMENT - 24 UNITS
A R I 61101
NORTH MED SUPPLY 11-38-85

135145 GLASSES SAFETY CLEAR LENS
GLASSES SAFETY CLEAR LENS, BLUE/BLACK FRAME COMPACT, ULTRA-LIGHTWEIGHT FRAME FOR EXTENDED WEAR SEI CERTIFIED-ANSIZ87.1-2003 (HIGH IMPACT)
VERATTI 08204804

135152 STRAP CHIN
STRAP CHIN CHIN STRAP STANDARD PACKAGING - 1 UNIT STOCKING REQUIREMENT - 5 UNITS
BULLARD ES42

135194 BAND SWEAT
BAND SWEAT BAND SWEAT STANDARD PACKAGING - 10 UNITS PER PACK STOCKING REQUIREMENT - 10 UNITS
BULLARD TT2
FITRITE 90-G

135210 SUSPENSION HARD-HAT
SUSPENSIONS, HARD HAT STANDARD PACKAGING - 1 UNIT STOCKING REQUIREMENT - 45 UNITS
BULLARD RS6RC

135228 SPRAY WASP/HORNET KILLER
SPRAY WASP HORNET KILLER
AMERICAN ELECTRIC HOLUB 15-700
AMREP INC MISTY WASP & HORNET
ARI 61011
ARI BEE BOPPER BEE KILL
CAROLL CHEMICAL C-896
CHASE PRODUCTS CO SPRAY PAK WASP KILL
ENFORCER PRODUCTS INC.

	KEL SAN	NETCARE KILLER NO13
	SPRAYON	857

135269 PROTECTOR HEARING
PROTECTOR HEARING PROTECTOR HEARING STANDARD PACKAGING - 1 UNIT PER PACKAGE TOTAL STOCKING REQUIREMENT FOR HEARING P ROTECTOR - 10 UNITS

CLARK CORP.	E-310
VALLEN SAFETY	2201
WILSON (SAFETY PRODUCTS)	365

135277 GLOVES WORK LONG-CUFF LARGE
GLOVE WORK LONG CUFF

KNOXVILLE GLOVE CO.	1749 OR 6939I
WELLS-LAMONT	Y3015L

135517 HAT HARD WHITE CAP STYLE
HAT HARD WHITE CAP STYLE HAT, HARD, CAP STYLE, WHITE W/RATCHET SUSPENSION STANDARD PACKAGING - 1 UNIT STOCKING REQUIREMENT - 25 UNITS

BULLARD	3000 R ESRTSL

135525 HAT HARD WHITE
HAT HARD WHITE HAT, HARD, WHITE STANDARD PACKAGING - 1 UNIT STOCKING REQUIREMENT - 5 UNITS

BULLARD	303R (ESRTSL)

135558 GLOVES WORK BROWN-JERSEY
GLOVE WORK BROWN JERSEY

CAROLINA GLOVE	STYLE 998
KNOXVILLE GLOVE CO.	264
MEMPHIS GLOVE	7900
VALLEN SAFETY	BJ9KW
WELLS-LAMONT	2149

140004 CABLE 15KV EPR CU 1000 UD JKT
CABLE 15KV EPR CU 1000 UD JKT CABLE, 15KV, 220 MIL EPR INSULATION, 100 0 MCM, 61 STR COMPRESSED CONCENTRIC CU CONDUCTOR, URD TYPE, JACKETED, STRAND FILLED W/ ONE-THIRD CU CONCENTRIC NEUTRAL.

BICC	N/A
HENDRIX	N/A
KERITE	N/A
OKONITE	N/A
PIRELLI CABLE CORP.	
SOUTHWIRE	N/A

140020 CONN COMP TERM 1/0CU
CONN COMP TERM CU 1/0AWG

ANDERSON ELECTRIC	CHL-1/0-BN
BLACKBURN	LCN 10
CONNECTOR MFGR CO	
HOMAC	L1/0N

140046 INSULATOR HORZ POST 35KV
INSULATOR HORZ POST 35KV CL-TOP NR INSULATOR, HORIZONTAL LINE POST, CLAMP TOP, FOR 35KV APPLICATION, 2800 LB. CANTILEVER STRENGTH, GRAY GLAZE, ALUMINUM CLAMP-TOP YOKE, WITHOUT SHORT STUD BOLT

LAPP INSULATOR CO	4635-70
NEWELL PORCELAIN CO	48623

140079 BRACKET HORZ POST 2" INS
BRACKET HORZ POST 2" INS 15-35 KV BRACKET, HORIZONTAL POST INSULATOR, 2 IN POLE CLEARANCE, FOR USE WITH 2800 POUND CANTILEVER RATED INSULATOR, G ALVANIZED.

	BETHEA	HB-6
	CONTINENTAL ELECTRIC	H1B-62-5
	FLAGG	P535

140111 INSULATOR HORZ LINE POST 15KV
INSULATOR HORZ LINE POST 15KV CL-TOP INSULATOR, HORIZONTAL LINE POST, CLAMP TOP, FOR 15KV APPLICATION, 2800 LB. CANTILEVER STRENGTH, GRAY GLAZE, ALUMINUM CLAMP-TOP YOKE, WITHOUT SHORT STUD BOLT

LAPP INSULATOR CO	4625-70
NEWELL PORCELAIN CO	48661
VICTOR INSULATORS	62253

140129 BOLT STUD 3/4"-3/4" X 2" LINE
BOLT STUD 3/4-3/4 X2" LINE

LAPP INSULATOR CO	301614

140178 SUPPORT CABLE JUMBO GLV 2"
SUPPORT CABLE GLV 2 JUMBO

B. S. BARNARD CORP.	2420J2

140194 CHANNEL 1-5/8"" SQ X 20'
CHANNEL 1-5/8" SQ X 20'

AMERICAN ELECTRIC	A-1200-P
B-LINE	B-22-1 7/8H
KIN LINE (E E RULE)	
UNISTRUT CORP.	P1000-HS

140210 SPLICE ST 15KV AL URD 3/0 TO 3
SPLICE ST 15KV AL URD 3/0 TO 3/0 SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, S UBMERSIBLE, FOR SPLICING 3/0 ALUMINUM CONDUCTOR XLP INSULATED URD TYPE CABLE WITH CONCENTRIC NEUTRAL TO 3/0 ALUMINUM CONDUCTOR, XLP INSULATED, URD TYPE CABLE

COOPER POWER SYSTEMS	
ELASTIMOLD	15PCJ1G1260
GENERAL ELECTRIC	9U06AFJ100
SCOTCH 3M CO.	5412-CI-3/0

140251 INDICATOR FAULT 1PH 800A FOR R
INDICATOR FAULT 1PH 800A FOR RISER POLE INDICATOR, FAULT, 1PH,800A,REMOTE INDICATOR, AUTO RESET W/INRUSH RESTRAINT. FOR USE ON URD TYPE 15KV CABLE IN MANHOLES AND ON RISER POLES.INDICATOR SHALL RESET AUTOMATICALL

COOPER POWER SYSTEMS	8137865B02M
EDISON CONTROL	1000600D800A3.0
FISHER PIERCE	1514SB-8Z3.0-6S-L

140293 LUMINAIRE HP 400W W/PEC MTV SQ
LUMINAIRE HP 400W W/PEC MTV SQ DEC LUMINAIRE 400 WATT HIGH PRESSURE SODIUM VAPOR SHOE BOX DESIGN, 120/208/ 240/277 MULTIVOLT BALLAST, RECEPTACLE FOR PHOTOELECTRIC CONTROL, BLACK IN COLOR, TYPE III

AMERICAN ELECTRIC	153-OH143-AJE-BLACK
COOPER LIGHTING	RCL40SCW3D4-0A1066
GENERAL ELECTRIC	
HOLOPHANE	SMST400HPMTBKCL-R-PBBK

140319 POLE STEEL 30' SQ W/ 7' ARM ST
POLE STEEL 30' SQ W/ 7' ARM ST LT POLE 30 FT NOM HEIGHT SQUARE TAPERED STEEL WITH BAKED ENAMEL OR ELECTROSTATIC AIR DRY BLACK FINISH, 15IN SQUARE (14.5I N BC) BASE PLATE, 3IN X 5IN MIN SIZE HANDHOLE W/COVER, GND LUG

ARCHITECTURAL AREA LIGHTING	
COOPER LIGHTING	N/A

	UNION METAL MANUFACTURING CO.	70974-Y603
	VALMONT	N/A
140384	CONN COMP PREINS 4/0AA M-PLEX CONN COMP PREINS 4/0AA MULT	
	BLACKBURN	IKL69
	HOMAC	X1N4040
140434	BOLT MACH 5/8" X 2" HEX BOLT MACH 5/8 X 2"	
	HUGHES BROS	B 62
	UTILITIES SERVICE CO.	4866
140442	CAPACITOR 200KVAR 7960V CAPACITOR 200KVAR 7960V CAPACITOR 200 KVAR, 7960 VOLT, SINGLE PHASE, 95KV BIL, SINGLE BUSHING, ALL FILM DIELECTRIC, INSULATING CAPS, DISCHA RGE RESISTOR, STAINLESS STEEL CASE, BIODEGRADABLE FLUID. CAPACITOR SHALL ME	
	ABB POWER T & D CO	AEE2000796A0
	COOPER POWER SYSTEMS	CEP140B8
	GENERAL ELECTRIC	58L128RC
140459	CONN ELBOW 3 PHASE LD BRK 1/0 CONN ELBOW 3 PHASE LD BRK 1/0 200A W/ VOLTAGE TEST POINT CONNECTOR, ELBOW, 8.3/14.4 KV, 200A, 3 PHASE, LOADBREAK, FOR 1/0 COMPRESSED AL URD CABLE WITH 175 OR 220 MIL EPR INS ULATION AND CONCENTRIC NEUTRAL. ELBOW KIT SHALL HAVE A LONG BARREL "COPPER T	
	CHARDON ELECTRICAL COMPONENTS	9U01ABD635
	COOPER POWER SYSTEMS	LE215B06
	ELASTIMOLD	165LR-B-5240

140467 CONN ELBOW 3 PHASE LD BRK 3/0

CONN ELBOW 3 PHASE LD BRK 3/0 200A WITH VOLTAGE TEST POINT CONNECTOR, ELBOW, 8.3/14.4 KV, 200A, 3 PHASE LOADBREAK FOR 3/0 ALUMINUM URD-TYPE CABLE WITH .175" EPR INSULATION AND CONCENTRIC NEUTRAL. ELBOW KIT SHALL HAVE LONG BARREL "COPPER TOP"

CHARDON ELECTRICAL COMPONENTS	9U01ABD647
COOPER POWER SYSTEMS	LE215B08
ELASTIMOLD	165LR-B-5260

140475 COVER TRN BOX-PAD FBGL

COVER TRANS BOX-PAD F/GLASS 37X43 COVER, FIBERGLASS, FOR USE WITH HIGHLINE PRODUCT'S FIBERGLASS TRANSFORMER BOX-PAD CATALOG NO. HL-45. THE COVER DI MENSIONS ARE 37 IN X 43 IN AND SHALL BE FURNISHED WITH 4

CDR SYSTEMS CORPORATION	BC30-3843-01
HIGHLINE PRODUCTS CORP.	HL-45-LPE
NORDIC	GSC-37-43

140491 CROSSARM STEEL 66KV SINGLE

CROSSARM STEEL 66KV SINGLE

HUGHES BROS	4000A4.5A33G
T & D STEEL STRUCTURES	MSAG45

140509 FRAME & COVER CI ROUND 38"

FRAME AND COVER ROUND 38" MANHOLE FRAME, ROUND,38" COVER,CAST IRON PER ASTM FOR STREET TRAFFIC. MACHINED MATING SURFACES. COVER MARKED"KUB POWER" W/2" LETTERS AND 8-1" HOLES LOCATED ON 13"RAD FROM CENTER. FRAME SHALL NOT B

ACHESON FOUNDRY	A-2036-61
J. R. HOE & SONS	
MCKINLEY FOUNDRY	B-38M W/BG38M
NEENAH FOUNDRY	R-1792-JL

140517 ARRESTER 10KV M/O GAPLESS RISE

ARRESTER 10KV M/O GAPLESS RISER POLE ARRESTER,SURGE,10KV,ZINC OXIDE,GAPLESS,FOR RISER POLE APPLICATIONS.W/PLASTIC OR SYNTHETIC RUBBER BIRD GUARD FOR LINE LEAD TERMINAL, AND A GROUND LEAD DISCONNECT. ARRESTER BODY MAY BE EITHER PORC

COOPER POWER SYSTEMS	AZR501B10R
GENERAL ELECTRIC	
JOSLYN MFG & SUPPLY CO.	8131C0010J002
OHIO BRASS CO.	218609-7314 PVR

140566 BOX-PAD TRN FBGL 50"X56"X32"D

BOX/PAD FIBERGLASS 32X56X50 HVY DTY BOX/PAD, 32 X 56 X 50 FIBERGLASS, FOR USE AS A BASE (PAD) FOR SINGLE PHASE PADMOUNTED TRANSFORMERS FROM 25KVA THROU GH 167KVA. BOX/PAD SHALL BE EQUIPPED WITH A MIN OF 4 THREADED INSERTS (1 CENT

ALLIED FIBERGLASS IND.	AG-4532
CDR SYSTEMS CORPORATION	EFBT-374332-2632-400
CONCAST	FC 38-43-32
ELECTRI-GLASS INC.	
HIGHLINE PRODUCTS CORP.	HL-45 OR HL-48
NEWBASIS	API 45-32
NORDIC	GS 37-43-32A

140574 BOX-PAD SW FBGL 72"X75"X36"D

BOX/PAD FIBERGLASS 75X72X36 HVY DTY BOX/PAD, FIBERGLASS, 75 X 72 X 36 FOR USE AS A BASE (PAD) FOR PADMOUNTED SWITCHGEAR AND JUNCTION CABINETS.THE TOP OPENING SHALL BE 67IN X 57IN

ELECTRIMOLD INC	EFBS-737536-5767-400
NORDIC	GS-75-72-36

	STRONGWELL	PB74766267B36

140608 SPLICE ST 15KV AL URD 3/0 TO 4
SPLICE ST 15KV AL URD 3/0 TO 4/0 SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, S UBMERSIBLE, FOR SPLICING 3/0 ALUMINUM CONDUCTOR EPR INSULATED URD TYPE CABLE WITH CONCENTRIC NEUTRAL TO 4/0 ALUMINUM CONDUCTOR, EPR INSULATED, URD TYPE CABLE

GENERAL ELECTRIC	9U06AFJ111KG

140616 GRIP CABLE FOR 5" CND 3-750MCM
GRIP CABLE 5" COND 3-750MCM CABLE GRIP, CABLE, FOR USE ON 5" RISER CONDUIT WITH CABLE BUNDLE FROM 3.50 TO 3.99 INCHES IN DIAMETER FOR USE WITH 3-750 MC M ALUMINUM 15KV URD CABLES WITH CONCENTRIC NEUTRALS.

BRYANT	CC350-R5
HARVEY HUBBELL INC.	022-11-063
LEWIS MFG CO.	LR-5-3.50
SLATER/FLEXCO	

140632 WELL BUSHING 13KV AIR 9-1/4""
WELL BUSHING 13KV AIR 9-1/4" CH WELL, BUSHING, 13KV, 9\ INCH SHANK, FOR USE IN TOTALLY ENCLOSED, AIR INSULATED DEVICES RATED 13,200Y/7620 VOLTS (GROUND ED WYE SYSTEM). WELL TO BE FURNISHED COMPLETE WITH CLAMPING

ELASTIMOLD	K1601PC-T1

140939 SPLICE ST 15KV AL T SH 350MCM-
SPLICE ST 15KV AL T SH 350MCM- 350MCM ERM SPLICE, STRAIGHT, 15KV,MOLDED RUBBER, SU BMERSIBLE, FOR SPLICING 350 MCM COMPACT AL CONDUCTOR, 175 MIL XLP INSULATED, TAP E SHIELD CABLE TO 350 MCM COMPACT AL CONDUCTOR, 175 MIL XLP INSULATED, TAP

BLACKBURN	S65BHAP
COOPER POWER SYSTEMS	
ELASTIMOLD	650S-J0290-J0290
GENERAL ELECTRIC	9U06CHM200

140954 SPLICE ST 15KV CU T SH 4/0AWG-
SPLICE ST 15KV CU T SH 4/0AWG- 4/0AWG ERM SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, S UBMERSIBLE, FOR SPLICING 4/0 AWG CU CONDUCTOR, 175 MIL XLP INSULATED, TAPE S HIELD TYPE CABLE TO 4/0 AWG CU CONDUCTOR, 175 MIL XLP INSULATED, TAPE S

COOPER POWER SYSTEMS	2637858B18M
ELASTIMOLD	15PCJ1H2270
GENERAL ELECTRIC	9U06AGK200

140962 BLADE SOLID 15KV 300A STD
BLADE SOLID 15KV 300A STD

CHANCE A B CO	T710233T
S & C ELECTRIC CO	89622R9
SOUTHERN STATES INC	SB66B27322T

140988 CONN COMP TERM STACK 1/0AL
CONN COMP TERM STACK AL 1/0AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/l6 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 1/0 AWG ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	ATL-1/0 BN
HOMAC	ASL-1/0N

141036 SPACER BASE FOR 4" PVC 6" OC
SPACER BASE FOR 4" PVC 6" ON CTR SPACER, BASE, PLASTIC, INTERLOCKING, (HORIZONTAL AND VERTICAL), SINGLE, FOR USE WITH 4 INCH TYPE "EB" PVC CONDUIT INSTALLED WITH 6 INCH SPACING BETWEEN CENTERS

CANTEX CO	5335968
CARLON	
PICOMA INDUSTRIES	MS288NH
QUEEN CITY PLASTICS	8024158
UNDERGROUND PRODUCTS	N/A

141044 SPACER INTER FOR 4" PVC 6" OC

SPACER INTR FOR 4" PVC 6" ON CTR SPACER, INTERMEDIATE, PLASTIC, INTERLOCK ING (HORIZONTAL AND VERTICAL), SINGLE, FOR USE WITH 4IN TYPE "EB" PVC CONDUIT I NSTALLED WITH 6IN SPACING BETWEEN CENTERS

CANTEX CO	5336021
CARLON	S289NH
PICOMA INDUSTRIES	MS289NH
QUEEN CITY PLASTICS	8034158
UNDERGROUND PRODUCTS	N/A

141085 CEMENT SOLVENT FOR PVC CONDUIT

CEMENT SOLVENT FOR PVC CONDUIT QUART CEMENT, SOLVENT, HEAVY DUTY, INDUSTRIAL GRADE FOR USE WITH PVC CONDUIT TYPES "EB", "DB", SCHEDULE 40, AND SCHEDULE 80 IN HOT OR COLD WEATHER. QUART CAN SIZE WITH APPLICATOR

CARLON	VC9982
OATEY LEAD CO.	31008
UNITED ELCHEM	UNIWELD

141093 CONDUIT PVC 2" SCH-80

CONDUIT PVC 2" SCH 80 CONDUIT, PVC, 2 INCH, SCHEDULE 80 WITH INTEGRAL COUPLING FOR USE ON RISER POLES , ROAD CROSSINGS, ETC. WITH CONDUCTORS RATED TO 90 DEG. C. SUPPLIED IN 10 FT LENGTHS.

CANTEX CO	
CARLON	49411
GEORGIA PIPE COMPANY	9308
LCP NATIONAL PLASTICS	4582010
QUEEN CITY PLASTICS	1182031

141101 CONDUIT PVC 4" SCH-80

CONDUIT PVC 4" SCH 80 CONDUIT, PVC, 4 INCH, SCHEDULE 80 WITH INTEGRAL COUPLING FOR USE ON RISER POLES , ROAD CROSSINGS, ETC. WITH CONDUCTORS RATED TO 90 DEG C. SUPPLIED IN 10 FT LENGTHS.

CANTEX CO	A53EA12
CARLON	49415
GEORGIA PIPE COMPANY	9316
LCP NATIONAL PLASTICS	458400410
QUEEN CITY PLASTICS	1184031

141119 CONDUIT PVC 2" SCH-40

CONDUIT PVC 2" SCH 40 FOR RISERS CONDUIT, PVC, 2 INCH, SCHEDULE 40 WITH INTEGRAL COUPLING, FOR USE ON RISER POLES, ROAD CROSSINGS, ETC. WITH CONDUCTORS RATED TO 90 DEG. C. SUPPLIED IN 10 FT LENGTHS.

CANTEX CO	A52CA12
CARLON	49011
CERTAINEED CORP	27522
GEORGIA PIPE COMPANY	8108
LCP NATIONAL PLASTICS	333702510
QUEEN CITY PLASTICS	1102031

141127 CONDUIT PVC 4" SCH-40

CONDUIT PVC 4" SCH 40 CONDUIT, PVC, 4 INCH, SCHEDULE 40 WITH INTEGRAL COUPLING FOR USE ON RISER POLES , ROAD CROSSINGS, ETC. WITH CONDUCTORS RATED TO 90 DEG. C. SUPPLIED IN 10 FT LENGTHS.

CANTEX CO	A52EA12
CARLON	49015
GEORGIA PIPE COMPANY	8116
LCP NATIONAL PLASTICS	333704010
QUEEN CITY PLASTICS	1104031

141192 ADAPTER CND PVC 2" FEMALE

ADAPTER CONDUIT PVC 2" FEM SCH 40 ADAPTER, CONDUIT, PVC, 2 INCH, FEMALE, FOR COUPLING SCHED. 40 PVC DUCT TO METALLIC TYPE DUCT. ADAPTER GLUES TO THE E PVC CONDUIT AND HAS FEMALE THREADS TO ALLOW THE METALLIC CONDUIT TO SCREW INTO

CANTEX CO	5140048
CARLON	
CERTAINEED CORP	59635
PICOMA INDUSTRIES	ME942J
R & G SLOANE CO.	N/A
SEDCO	50720

141200 ADAPTER CONDUIT PVC 4"" FEM

ADAPTER CONDUIT PVC 4" FEM TYPE EB ADAPTER, CONDUIT, PVC, 4 INCH, FEMALE, FOR COUPLING SCHEDULE 40 PVC DUCT TO METALLIC TYPE DUCT. ADAPTER GLUES TO THE E PVC CONDUIT AND HAS FEMALE THREADS TO ALLOW THE METALLIC CONDUIT TO SCREW INTO

CANTEX CO	5140052
CARLON	
CERTAINEED CORP	59639
PICOMA INDUSTRIES	780-040
R & G SLOANE CO.	N/A
SEDCO	50740

141218 COUPLING CND PVC 2 SCH-80

COUPLING COND PVC 2" SCH 80 COUPLING, CONDUIT, PVC, 2 INCH, FOR USE WITH PVC CEMENT IN JOINING TWO SECTIONS OF PVC SCHEDULE 80 (OR 40) CONDUIT. COU PLING SHALL CONFORM TO NEMA STANDARD TC-3, LATEST REVISION, FOR PVC

CANTEX CO	6141628
CARLON	
CERTAINEED CORP	59606
KRALOY/MULTI FITTINGS CORP	CP20
PICOMA INDUSTRIES	ME940J
R & G SLOANE CO.	N/A
SEDCO	50120

141226 COUPLING CND PVC 4" SCH-80

COUPLING COND PVC 4" SCH 80 COUPLING, CONDUIT, PVC, 4 INCH, FOR USE WITH PVC CEMENT IN JOINING TWO SECTIONS OF PVC SCHEDULE 80 (OR 40) CONDUIT. COU PLING SHALL CONFORM TO NEMA STANDARDS TC-3, LATEST REVISION, FOR PVC

CANTEX CO	6141632
CARLON	E940N
CERTAINEED CORP	59610

KRALOY/MULTI FITTINGS CORP	CP40
PICOMA INDUSTRIES	ME940N
R & G SLOANE CO.	N/A
SEDCO	50140

141234 POLE WOOD 60' CLASS 3 DISTR

POLE WOOD 60' CLASS 3 DISTR 209 CONS POLE, 60 FT CLASS 3 PRESSURE TREATED SOUTHERN YELLOW PINE, PENTA OR CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.

BALDWIN POLE AND PILING CO	N/A
BROWN WOOD PRESERVING CO.,INC.	N/A
HUXFORD POLE & TIMBER	N/A
INTERNATIONAL PAPER CO	
KOPPERS CO., INC.	N/A
LANGDALE CO.	N/A
MID GULF INDUSTRIES	N/A
STALLWORTH TIMBER CO.	N/A
THOMASSON LUMBER CO.	N/A
TRI STATE POLE & PILING INC.	N/A

141267 BRAID SHUNT TINNED-CU 24 GND

SHUNT CU BRAID TINNED 24 GRND SHUNT, COPPER BRAID, WITH A 2 INCH TINNED COPPER FERRULE AT EACH END. BRAID IS TO BE 24 INCHES IN LENGTH, HAVE 600 AMPE RE CURRENT CARRYING CAPACITY AND IS TO BE COMPOSED OF FINE TINNED COPPER WIRE S

ANDERSON ELECTRIC	N/A
BURNDY	N/A
DOSSERT CORP.	
FRANKEL CONNECTOR CO	N/A

141283 CABLE ST LT 4AWG AL 600V 1C US

CABLE ST LT 4AWG AL 600V 1C USE B CABLE #4 ALUMINUM, SEVEN STRAND, SINGLE CONDUCTOR, 600 VOLT 90C CROSSLINKED POLYETHYLENE. COLOR BLACK CODE WORD MER CER.

ALCAN	621
BICC	N/A
ROME CABLE CORP	7005

141291 CABLE ST LT 4AWG AL 600V 1C US

CABLE ST LT 4AWG AL 600V 1C US

ALCAN	621
BICC	N/A
ROME CABLE CORP	7005

141333 ROD ANCHOR 1""X7' PWR SCREW-ST

ROD ANCHOR 1"X7' PWR SCREW-STD

CHANCE A B CO	12334P
COOPER POWER SYSTEMS	DA21M4
DIXIE ELECTRICAL MFG CO	
JOSLYN MFG & SUPPLY CO.	J12255R

141341 ROD ANCHOR 3/4"" X 7' PWR SCRE

ROD ANCHOR 3/4" X 7' PWR SCREW

CHANCE A B CO	12632P
COOPER POWER SYSTEMS	DA21M3
DIXIE ELECTRICAL MFG CO	D-75
JOSLYN MFG & SUPPLY CO.	

141358	SPLICE TENSION AUTO 397AA	
	SPLICE TENSION AUTO AA 397MCM	
	FARGO	GL-411
	RELIABLE ELECTRIC	AL5536.4
141416	ROD ANCHOR 42" EXTENSION	
	ROD ANCHOR 42" EXTENSION	
	CHANCE A B CO	
	COOPER POWER SYSTEMS	DA6P8
	DIXIE ELECTRICAL MFG CO	D-1003 1/2-C
	JOSLYN MFG & SUPPLY CO.	J12251
141457	EYENUT ANCH ROD 1" TRIPLE-EYE	
	EYENUT ANCHOR ROD 1" TRIP EYE	
	CHANCE A B CO	12585
	COOPER POWER SYSTEMS	
	DIXIE ELECTRICAL MFG CO	D-6567
	JOSLYN MFG & SUPPLY CO.	J12585
141473	CROSSARM FGLS DEADEND 5'	
	CROSSARM FGLS DEADEND 5' STANDARD CROSSARM, FURNISHED COMPLETE WITH CAST IRON (PER ASTM A-153) CENTER MOUNTING BRACKET TO HAVE 12IN VERTICAL SPACING FOR 3/4IN BOLTS. CROSSARM MEMBER IS 4IN X 6IN TUBE (WITH HIGH-DENSITY FOAM FILLER) WITH UV PROTECTIVE	
	LEWTEX TECH MFG INC	LHD-508-P
	MACLEAN POWER SYSTEMS	PY05SD017-2E-SM
141481	CONN COMP UNINS 2AA MULTIPLEX	
	CONN COMP UNINS 2AA MULTIPLEX	
	BLACKBURN	TR 64
	BURNDY	YSS2R
	HOMAC	SNG 22
	KEARNEY	30010
141499	CONN COMP UNINS 4AA MULTIPLEX	
	CONN COMP UNINS 4AA MULTIPLEX	
	BLACKBURN	TR 63
	BURNDY	YSS4R
	HOMAC	
	KEARNEY	30011
141507	ARRESTER STA 161KV ZNO	
	ARRESTER STATION 161KV ZNO ARRESTER, LIGHTNING, FOR USE ON 161KV POWER SYSTEM, DUTY CYCLE RATING OF 132KV, 106KV MCOV, METAL OXIDE, GAPLESS, STATION CLASS AS PER ANSI STANDARD C62.11 LATEST REVISION. PORCELAIN TO BE	
	ABB POWER T & D CO	Q132XA106A
	COOPER POWER SYSTEMS	
	GENERAL ELECTRIC	9L11XTA132
	OHIO BRASS CO.	314106-3001
141515	ARRESTER INTER 69KV	
	ARRESTER INTERMEDIATE 69KV ZNO ARRESTER, LIGHTNING, FOR NOMINAL 69KV SYSTEM, ZINC OXIDE, GAPLESS, INTERMEDIATE CLASS, MAX. LINE-TO-LINE VOLTAGE 72.5KV, AS PER ANSI STANDARD C62.11. DUTY CYCLE 54KV W/ MCO	
	ABB POWER T & D CO	R054XA042A
	COOPER POWER SYSTEMS	
	GENERAL ELECTRIC	9L12PGA054
	OHIO BRASS CO.	300042-3001
141523	MODULE JUNCTION 4WAY 15KV 600A	
	JUNCTION MODULE 4-WAY 200A LOADBREAK JUNCTION MODULE, LOADBREAK, 200	

AMPERE, 8.3/14.4KV RATED, BRACKET MOUNTED, WITH 4 CONNECTION POINTS. FOR USE WITH SEPARABLE ELBOW CONNECTORS.

BLACKBURN	JJ2B1044H
CHARDON ELECTRICAL COMPONENTS	9U07AGD420
COOPER POWER SYSTEMS	
ELASTIMOLD	164J4BX

141531 INSERT FEED-THRU 200A LD/BRK
INSERT FEED THRU 200A

CHARDON ELECTRICAL COMPONENTS	9U04AEB001
COOPER POWER SYSTEMS	2637869C01M
ELASTIMOLD	1602A3R

141549 ADAPTER BOX-PAD FBGL
ADAPTER BOX-PAD FGLAS 32X 13.25 ADAPTER, FOR HL-45 FIBERGLASS BOX-PAD, FOR REDUCING THE BOX-PAD OPENING TO ENABLE A SMALL PAD-MOUNTED TRANSFORMER (e.g. 25 KVA) TO BE MOUNTED IN THE NORMAL MANNER.

PEN-CELL PLASTIC INC.	PA-1

141556 CAPACITOR 100KVAR 7960V
CAPACITOR 100KVAR 7960V CAPACITOR 100 KVAR, 7960 VOLT, SINGLE PHASE, 95KV BIL, SINGLE BUSHING, ALL FILM DIELECTRIC, INSULATING CAPS, DISCHA RGE RESISTOR, STAINLESS STEEL CASE, BIODEGRADABLE FLUID. CAPACITOR SHALL ME

ABB POWER T & D CO	1HV5100A13
COOPER POWER SYSTEMS	CEP131B8
GENERAL ELECTRIC	54L228WC51

141598 CLAMP POST INS 1590AA 69KV
CLAMP POST INS 1590AA 69KV CLAMP, POST INSULATOR, 1590 AA, FOR USE ON 69KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS, WITH LINE GUARD . ALUMINUM BODY AND KEEPER

BETHEA	ACTS-230-SL-1
LAPP INSULATOR CO	98212

141606 FUSE 15KV 30A H
FUSE 15KV 30A H

CHANCE A B CO	M30HA23

141630 POLE WOOD 45' CLASS 4 DISTR
POLE WOOD 45' CLASS 4 DISTR 209 CONS POLE, 45 FT CLASS 4 PRESSURE TREATED SOUTHERN YELLOW PINE, PENTA OR CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.

BALDWIN POLE AND PILING CO	N/A
BROWN WOOD PRESERVING CO.,INC.	N/A
HUXFORD POLE & TIMBER	N/A
INTERNATIONAL PAPER CO	N/A
KOPPERS CO., INC.	N/A
LANGDALE CO.	N/A
MID GULF INDUSTRIES	N/A
STALLWORTH TIMBER CO.	N/A
THOMASSON LUMBER CO.	N/A
TRI STATE POLE & PILING INC.	

141648 LAMP INDICATOR 2 PIN
LAMP INDICATOR 2 PIN PROTECTOR 160V LAMP, INDICATOR, CLEAR, 160V, 2 PIN CONT ACT BASE, FOR INDICATION OF CONDITION OF NETWORK PROTECTOR I.E., OPEN OR CLOSE D.

G E SUPPLY COMPANY	6172 139 P2
WESTINGHOUSE	139A/T7DC 23148-0

141655 LAMP INDICATOR 1 PIN
LAMP INDICATOR 1 PIN PROTECTOR 160V LAMP, INDICATOR, CLEAR, 160V, 1 PIN CONT ACT BASE, FOR INDICATION OF CONDITION OF NETWORK PROTECTOR I.E., OPEN OR CLOSE D.

G E SUPPLY COMPANY	6172 139 P1
WESTINGHOUSE	139A/T7SC 23149-8

141689 POLE STEEL 40' SQ/W 10' ARM
POLE STEEL 40' SQ/W 10' ARM ST LT ER POLE 40 FT NOM HEIGHT SQUARE TAPERED STEEL, 15 IN BC BASE PLATE, 3 IN X 5 IN MIN SIZE HANDHOLE W/COVER, GND LUG ATTAC HED TO HANDHOLE FRAME AND A 10FT SQUARE TAPERED STEEL STREET LIGHT BRACKET ARM

COOPER LIGHTING	
MOLDCAST	N/A
STERNER	N/A
UNION METAL MANUFACTURING CO.	N/A

141697 POLE STEEL 40' SQ/W 7' ARM
POLE STEEL 40' SQ/W 7' ARM

141721 SWITCH 69KV STA V-TYPE 600A
SWITCH STA V-TYPE 69 KV 600A 3P CENTER BREAK WITH QUICK BREAK ATTACHMENT PER KUB SPECIFICATIONS F02-416 AND E03-160, AS WELL AS, KUB DRAWINGS OR SKETCHES IN THE INVITATION TO BID.

ABB POWER T & D CO	DRV-72-600
SOUTHERN STATES INC	
TURNER ELECTRIC CO.	TCV2
U S C O POWER EQUIP. CORP.	AGCH4V-06906

141739 SWITCH 69KV STA V-TYPE 2000A
SWITCH STA V-TYPE 69 KV 2000A 3P CENTER BREAK FULLY ASSEMBLED WITH 69 KV 5" BC TYPE TR278 INSULATORS PER KUB SPECIFICATIONS F02-416 AND E03-160, AS WELL AS, KUB DRAWINGS OR SKETCHES IN THE INVITATION TO BID.

ABB POWER T & D CO	DRV-72-2000
SOUTHERN STATES INC	EC-1V-692000
U S C O POWER EQUIP. CORP.	AGCH5V-06920-5

141788 TUBING HEAT SHRINK BLACK 3""X5
TUBING HEAT SHRINK BLACK 3"X5' TUBING, HEAT SHRINK, BLACK, HEAVY WALL, 3 IN DIA. X 5 FT MIN. LENGTH. NO SEALER. FOR USE WITH #1/0 AWG AND #3 /0 AWG EPDM-TYPE, 15KV, URD CABLE SPLICES TO PROTECT THE CONCENTRIC NEUTRA

RAYCHEM	WCSM-90/3015U
SIGMAFORM INC.	BSTS-30

141796 SPACER BASE FOR 2" PVC 4" OC
SPACER BASE FOR 2" PVC SPACER, BASE, PLASTIC, INTERLOCKING BOTH HORIZONTAL AND VERTICAL, SINGLE, FOR USE WITH 2 INCH TYPE "EB" PVC CONDUI T INSTALLED WITH A NOMINAL DUCT SEPARATION OF 1.5" AND SHALL BE COMPATIB

CANTEX CO	5335961
CARLON	S288JH
CERTAINEED CORP	59502

PICOMA INDUSTRIES UNDERGROUND PRODUCTS	MS288JH

141804 SPACER INTER FOR 2" PVC 4" OC
SPACER INTR FOR 2" PVC SPACER, INTERMEDIATE, PLASTIC, INTERLOCK ING BOTH HORIZONTAL AND VERTICAL, SINGLE, FOR USE WITH 2 INCH TYPE "EB" PV C CONDUIT INSTALLED WITH A NOMINAL DUCT SEPARATION OF 1.5" AND SHALL BE

CANTEX CO	5336000
CARLON	S289JH
PICOMA INDUSTRIES	
QUEEN CITY PLASTICS	8022158
UNDERGROUND PRODUCTS	N/A

141820 SPLICE ST 15KV URD NO 2 CU TO
SPLICE ST 15KV URD NO 2 CU TO 1/0 AL ERM SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, S UBMERSIBLE, FOR SPLICING NO. 2 AWG COPPER 175 MIL XLP INSULATED, URD TYPE C ABLE WITH CONCENTRIC NEUTRAL TO NO. 1/0 AWG ALUMINUM

GENERAL ELECTRIC	9U06ACC111FE

141960 FUSE 15KV 2-ELEM WEAK-LINK 5A
FUSE 15KV 5A DEWL

KEARNEY	124080-5

141978 FUSE 15KV 2-ELEM WEAK-LINK 6A
FUSE 15KV 6A DEWL

KEARNEY	124080-6

141986 FUSE 15KV 2-ELEM WEAK-LINK 8A
FUSE 15KV 8A DEWL

KEARNEY	124080-8

141994 FUSE 15KV 2-ELEM WEAK-LINK 12A
FUSE 15KV 12A DEWL

KEARNEY	124080-12

142000 FUSE 15KV 2-ELEM WEAK-LINK 15A
FUSE 15KV 15A DEWL

KEARNEY	124080-15

142018 FUSE 15KV 2-ELEM WEAK-LINK 25A
FUSE 15KV 25A DEWL

KEARNEY	124080-25

142026 FUSE 15KV 2-ELEM WEAK-LINK 30A
FUSE 15KV 30A DEWL

KEARNEY	124080-30

142034 FUSE 15KV 2-ELEM WEAK-LINK 35A
FUSE 15KV 35A DEWL

KEARNEY	124080-35

142067 CONN 1-BOLT PG AL 1/0-8&1/0-8
CONN 1 BOLT PG 1/0-8 & 1/0-8 AL OR CU CONNECTOR, ONE BOLT ALUMINUM PARALLEL GR OOVE, 1/0AR-8 AND 1/0-8CU, WITH HEX HEAD GALVANIZED STEEL BOLT, LOCKWASHER, AND NUT, FILLED WITH OXIDE INHIBITING COMPOUND AND INDIVIDUALLY PACKAGED. THE

ANDERSON ELECTRIC	LC-51-C-XB
BLACKBURN	PAA59-3
FARGO	GA-620L
PENN-UNION	

142075 BEND CONDUIT PVC 2"" 90-D 18R

BEND CONDUIT PVC 2" 90-D 18R SCH 40 BEND, CONDUIT, PVC, SCHEDULE 40, 90 DEGREE, 2 INCH, 18 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT USE WITH SCHEDULE 40 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6, LATEST REVISION.

CANTEX CO	5133844
CARLON	UA9CJ
CERTAINEED CORP	59704
P P S	
PICOMA INDUSTRIES	MUA9CJ
R & G SLOANE CO.	N/A
SEDCO	79120

142083 BEND CONDUIT PVC 2"" 90-D 24R

BEND CONDUIT PVC 2" 90-D 24R SCH 40 BEND, CONDUIT, PVC, SCHEDULE 40, 90 DEGREE, 2 INCH, 24 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT, USE WITH SCHEDULE 40 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6 LATEST REVISION.

CANTEX CO	5133836
CARLON	UA9DJ
CERTAINEED CORP	59711
P P S	N/A
PICOMA INDUSTRIES	
R & G SLOANE CO.	N/A
SEDCO	N/A

142091 BEND CND PVC-40 4" 90-DEG 24R

BEND CONDUIT PVC 4" 90-D 24R SCH 40 BEND, CONDUIT, PVC, SCHEDULE 40, 90 DEGREE, 4 INCH, 24 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT USE WITH SCHEDULE 40 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6, LATEST REVISION.

CANTEX CO	5133822
CARLON	UA9DN
CERTAINEED CORP	59715
P P S	N/A
PICOMA INDUSTRIES	MUA9DN
R & G SLOANE CO.	N/A
SEDCO	79240

142109 BEND CND PVC-40 4" 90-DEG 36R

BEND CONDUIT PVC 4" 90-D 36R SCH 40 BEND, CONDUIT, PVC, SCHEDULE 40, 90 DEGREE, 4 INCH, 36 INCH RADIUS, FOR DIRECT BURIAL OR CONCRET ENCASEMENT USE WITH SC HEDULE 40 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6, LATEST REVISION.

CANTEX CO	5133821
CARLON	UA9FN
CERTAINEED CORP	59734
P P S	N/A
PICOMA INDUSTRIES	MUA9FN
R & G SLOANE CO.	N/A
SEDCO	N/A

142117 POLE STEEL 30' W/TAPERED

POLE STEEL 30' W/TAPERED ARMS SQ ER POLE 30FT NOM. HEIGHT SQUARE TAPERED STEEL WITH BAKED ENAMEL OR ELECTROSTATIC AIR DRY BLACK FINISH, 14.5IN BOLT CIRCLE BASE PLATE, 3IN X 5IN MIN. SIZE HANDHOLE W/COVER, GND LUG ATTACHED TO HA

ARCHITECTURAL AREA LIGHTING	N/A
COOPER LIGHTING	

	UNION METAL MANUFACTURING CO.	70974-Y604
	VALMONT	N/A
142174	SPLICE TENSION AUTO 795AA SPLICE TENSION AUTO AA 795MCM	
	FARGO	GL-1385A
	RELIABLE ELECTRIC	AL55795

142216	CLAMP POST INS 795AA 69KV ANGL	
	CLAMP POST INS 795AA 69KV ANGLE CLAMP, POST INSULATOR, ANGLE 795AA FOR USE ON 69KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS. ALUMINUM BODY AND KEEPER, GALVANIZED STEEL HARDWARE.	
	BETHEA	ACP-150-SL-1
	LAPP INSULATOR CO	80484
142224	REPELLANT INSECT SPRAY	
	REPELLANT INSECT SPRAY STANDARD PACKAGING - 48 UNITS PER CASE STOCKING REQUIREMENT - 48 UNITS	
	JOHNSON & SONS INC.	OFF - ARESOL CAN
	TEC LAB	DEET2A
142232	LUBRICANT CABLE PULLING 1 GL	
	LUBRICANT CABLE PULLING 1 GL PAIL LUBRICANT,CABLE,GREASELESS,FOR PULLING C ABLE INTO CONDUIT. WHEN DRY THE LUBRICANT LEAVES A NON-STICKY POWDER TO AID IN PULLING CABLE OUT OF CONDUIT, ONE GALLON CONTAINERS	
	P-T TECHNOLOGIES INC.	TLHD01
	POLYWATER CORP	J-128
142240	CLEANER POISON IVY/OAK	
	CLEANER POISON OAK-N-IVY	
	TEC LAB	TECNU 4 OZ
142257	TESTER VOLT SQUARE ""D"" **N.	
	TESTER VOLT SQUARE "D" **N.S.	
	SQUARE D	6610 VT-1
142265	HOIST 1500-25 LUG-ALL **N.S.	
	HOIST 1500-25 LUG-ALL **N.S.	
	LUG-ALL	1500-25
142273	HOIST 3000-30 LUG-ALL **N.S.	
	HOIST 3000-30 LUG-ALL **N.S.	
	LUG-ALL	3000-30
142279	ARM AL WOOD POLE MTG BKT-5-G	
	ARM AL WOOD POLE MTG BKT-5-G	
	HOLOPHANE	BKT-5-G
142281	NUMBERS 3" AL 0-9	
	NUMBERS 3" ALUM 0 THRU 9	
	PREMAX PRODUCTS	UAR03
142299	LETTERS 3" AL A-Z	
	LETTERS 3" ALUM-A THRU Z	
	PREMAX PRODUCTS	UAR03
142307	HOIST LITTLE-MULE W/ YE HANDLE	
	HOIST LITTLE MULE **N.S.**	
	YALE	344DA LITTLE MULE
142323	HOIST ATG 1-1/2 TON COFFIN **	
	HOIST ATG 1-1/2 TON COFFIN **	
	COFFING HOISTS	ATG
142380	STRAPPING STAINLESS STEEL 1/2"	
	STRAPPING STAINLESS STEEL 1/2"	

	BAND-IT	C-204
142398	BUCKLE STAINLESS 1/2"" BUCKLE STAINLESS 1/2" BAND-IT	C-254
142406	STRAPPING STAINLESS STEEL 3/4" STRAPPING STAINLESS STEEL 3/4" BAND-IT	C-206

142414	BUCKLE STAINLESS 3/4"" BUCKLE STAINLESS 3/4"	
	BAND-IT	C-256
142422	TOOL BANDIT TOOL BANDIT	
	BAND-IT	#C-001
142448	TAPE MEASURE 50' FBGL TAPE MEAS 50' F/GLS	
	KLEIN	946-50
142455	DIGGER POST-HOLE 8' POST HOLE DIGGER 8'	
	SEYMOUR OF SYCAMORE, INC	PD96
142471	NAIL GLV 3D NAIL GLV 3D	
	PREMAX PRODUCTS	N/A
142497	MAP-BOOK KNOVILLE & KNOX CO MAP BOOK KNOXVILLE AND KNOX CNTY KNOXVILLE AND KNOX COUNTY MAP BOOK, LATEST EDITION *** JSP MAP STORE ***	
142513	RATCHET CUTTER 8690 FH ACSR * RATCHET CUTTER 8690 FH ACSR *	
	GREENLEE TEXTRON	757
	PORTER, H. K., CO.	8690-FH
142539	SLEEVE FULL TEN COMP CU 750MCM SLEEVE FULL TEN COMP CU 750MCM	
	BURNDY	YCS39
142570	SPLICE TENSION AUTO 4-6CU SPLICE TENSION AUTO CU 4-6AWG	
	FARGO	GL-150
	RELIABLE ELECTRIC	4161
142588	LUMINAIRE HP 100W W/PEC 120V O LUMINAIRE HP 100W W/PEC 120V OPENBOTTOM LUMINAIRE, 100 WATT HIGH PRESSURE SODIUM VAPOR WITH OPEN BOTTOM ACRYLIC OPTICAL ASSEMBLY, RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE V DISTRIBUTION PATTERN, 120 VOLT OPERATION AND WITH SLIPFITTER F	
	AMERICAN ELECTRIC	11-10SRN120R5BA
	COOPER LIGHTING	RMA10SR255
	GENERAL ELECTRIC	SAM10S1N21NV5ALNT
142620	CABLE 600V TRIPLEX 2AA CLAM CABLE 2AA TRIPLEX XLP CLAM CABLE # 2AA AWG SELF-SUPPORTING ALL ALUM . TRIPLEX SERVICE DROP CABLE, CODE WORD CLAM PE (BLK). INSUL. THICK. 45 M ILS. ASTM B230, B231, & ICEA S-66-524. COIL LENGTH SHALL BE: 500 FT. COIL DIM.	
	ACPC	N/A
	ALCAN	
	GENERAL	N/A
	NEXANS	N/A
	SOUTHWIRE	N/A
142646	CABLE 600V DUPLEX 6AA COLLIE CABLE 6AA DUPLEX XLP COLLIE CABLE # 6AA AWG SELF-SUPPORTING ALL ALUM . DUPLEX SERVICE DROP CABLE, CODE WORD COLLIE PE (BLK). INSUL. THICK. 45	

MILS. ASTM B230, B231 & ICEA S-66-524. COIL LENGTH SHALL BE: 500 FT. COIL DIM S

ACPC	N/A
ALCAN	N/A
GENERAL	
NEXANS	N/A
SOUTHWIRE	N/A

142653 CABLE 600V QX 1/0AA CRIOLLO
CABLE 1/0AA QUADRUPLEX XLP CABLE # 1/0AA AWG SELF-SUPPORTING ALL AL UM. QUADRUPLEX SERVICE DROP CABLE, CODE WORD CRIOLLO XLP OR PE (BLK). INSUL. THI CK. 60 MILS. ASTM B230,B231, & ICEA S-66-524. LENGTH:STANDARD PACKAGING.

ACPC	N/A
ALCAN	N/A
GENERAL	N/A
NEXANS	N/A
SOUTHWIRE	

142661 CABLE 600V TRIPLEX 1/0AA MUREX
CABLE 1/0AA TRIPLEX XLP MUREX CABLE # 1/0AA AWG SELF-SUPPORTING ALL AL UM. TRIPLEX SERVICE DROP CABLE, CODE WORD MUREX PE (BLK). INSUL. THICK . 60 MILS. ASTM B230,B231, & S-66-524. COIL LENGTH:500 FT. COIL DIM.

ACPC	N/A
ALCAN	
GENERAL	N/A
NEXANS	N/A
SOUTHWIRE	N/A

142679 CABLE 600V QX 4/0AA OLDENBERG
CABLE 4/0AA QUADRUPLEX XLP CABLE #4/0AA AWG SELF-SUPPORTING ALL ALUM. QUADRUPLEX SERVICE DROP CABLE, CODE WORD OLDENBURG-XLP(BLK) INSUL. THICKNESS 60 MILS. ASTM B230,B231, & ICEA S-66-524 LENGTH:STANDARD PACKAGING. CA

ACPC	N/A
ALCAN	N/A
GENERAL	N/A
NEXANS	
SOUTHWIRE	N/A

142687 CABLE 600V TX 4/0AA PORTUNUS
CABLE 4/0AA TRIPLEX XLP CABLE #4/0AA AWG SELF-SUPPORTING ALL ALUM. TRIPLEX SERVICE DROP CABLE, CODE WORD PORTUNUS-XLP(BLK) INSUL THICKNESS 60 MILS ASTM B230,B231, & ICEA S-66-5 LENGTH: STANDARD PACKAGING. CABLE & REEL

ACPC	N/A
ALCAN	
GENERAL	N/A
NEXANS	N/A
SOUTHWIRE	N/A

142695 TOWEL TERI-WIPES POP-UP
TOWEL TERI WIPES

KIMBERLY CLARK	34790
TUFCO TECHNOLOGIES	ECC4P150-6

142703 COUPLING BREAKAWAY FOR 1" CND
COUPLING BRKAWAY FOR 1"

PRECISION FORM INC	200-1
TRANSPO-SAFETY, INC.	201-H

142711 INSULATOR STATION POST 161KV
INSULATOR STATION POST 161KV 5" BC 160 INSULATOR, 161KV WET-PROCESS PORCELAIN O R TOUGHENED GLASS, APPARATUS, STATION POST TYPE, TECHNICAL REFERENCE NUMBER 29 1 WITH 5 IN DIAMETER BOLT CIRCLE MOUNTING. POLYMER IS NOT ACCEPTABLE.

LAPP INSULATOR CO	51161
LOCKE INSULATORS	PS-07510
NEWELL PORCELAIN CO	47803
SEDIVER	

142760	RELAY 10A 1-P DT 120V COIL PIN	
	RELAY 10A 1PDT 120V COIL PIN	
	CORNELL-DUBLIER	CDR301CPHEN115B
	MAGNECRAFT	W88ACPX-4

142802	CONN COMP PREINS 6AA MULTIPLEX	
	CONN COMP PREINS 6AA MULT	
	BURNDY	ES4W4W
	HOMAC	UBB66
	KEARNEY	58-BLBL
142810	CONN COMP UNINS 6AA MULTIPLEX	
	CONN COMP UNINS 6AA MULTIPLEX	
	BLACKBURN	TR 61
	BURNDY	YSS6RG2
	HOMAC	SNG 66
	KEARNEY	30008
142828	DEADEND SLACK-SPAN 1/0AR	
	DEAD END SLACK SPAN 1/0 ACSR	
	DULMISON	SSDE-0925
	FARGO	F61-0365
	PREFORMED LINE PRODUCTS	SSDE-9126
142836	ADAPTER CABLE 3/0CU/COMP	
	ADAPTER CABLE 5KV 3/0	
	CHARDON ELECTRICAL COMPONENTS	
	COOPER POWER SYSTEMS	2637196B15M
	COOPER POWER SYSTEMS	CAG25C
	ELASTIMOLD	655CA-G
142844	CONN COMP CU-TOP 3/0CU/COMP	
	CONN COMP CU-TOP 3/0 AWG COMP 600A 15KV CONNECTOR, COMPRESSION, 600 AMPERE, 15KV , 15/16 IN. THREADED COPPERTOP, FOR USE WITH 3/0AWG ALUMINUM OR COPPER C OMPRESSED CONDUCTOR.	
	COOPER POWER SYSTEMS	2638290B03M
	ELASTIMOLD	5501260
142851	SPLICE URD NO 2 CU 220MIL TO	
	SPLICE URD NO 2 CU 220MIL TO 1/0 576 ERM SPLICE, STRAIGHT, 15KV, MOLDED RUBBER SU BMERSIBLE, FOR SPLICING NO. 2 AWG COPPER CONDUCTOR 220MIL XLP INSULATED, U RD TYPE CABLE W/CONCENTRIC NEUTRAL TO NO. 1/0 AWG ALUMINUM CONDUCTOR, 175MIL X	
	GENERAL ELECTRIC	9U06ADC111FE
142885	CLOSURE CABLE-SPLICE 50PR	
	CLOSURE CBL SPLICE 50PR (50PR BRCH) CLOSURE, COMMUNICATION CABLE SPLICE, 50 PAIR, TO PROVIDE ACCESS TO AERIAL CABLE FOR STRAIGHT AND BRANCH SPLICES, ACCOMMO DATE UP TO FOUR 6 PAIR TERMINAL BLOCKS, ADAPTABLE FOR BRANCH NOZZLE KITS, POLYET	
	RELIABLE ELECTRIC	200-MB
142893	CLOSURE CBL SPLICE 25PR KIT	
	CLOSURE CBL SPLICE 25PR KIT Y BRANCH "Y" BRANCH KIT FOR USE ON 25 PAIR COMMUN ICATION CABLE SPLICE CLOSURES WHERE 25 AND 50 PAIR CABLES BRANCH OFF FROM MAIN CABLE.	
	RELIANCE ELECTRIC	170
142901	CLOSURE CBL SPLICE 50PR KIT	
	CLOSURE CBL SPLICE 50PR KIT Y BRANCH "Y" BRANCH KIT FOR USE ON 50 PAIR COMMUN ICATION CABLE SPLICE CLOSURES WHERE 25 AND 50 PAIR CABLES BRANCH OFF FROM MAIN CABLE.	
	RELIANCE ELECTRIC	173
142927	CABLE CONTROL 600V 19C 10CU	

CABLE CONTROL 600V 19C 10AWG CONTROL CABLE, 19 CONDUCTOR, 10-7 STRAND , 600V, 75~C RATING, POLYETHYLENE INSULATION, POLYVINYL CHLORIDE SHEATH AN D JACKET.

GENERAL	N/A
OKONITE	P-30
PIRELLI CABLE CORP.	20-10
ROME CABLE CORP	
TAMAQUA CABLE PRODUCTS CORP.	T20-10

142935 BREAKER CIRCUIT 2 POLE 30 AMP
BREAKER CIRCUIT 2 POLE 30 AMP

GENERAL ELECTRIC	THQLZ30

142943 BREAKER CIRCUIT 2 POLE 30 AMP
BREAKER CIRCUIT 2 POLE 30 AMP

SQUARE D	FHL 26030

142968 LUG AERIAL 3/4"" TO 2 HOLE
LUG AERIAL 3/4" TO 2 HOLE

142976 LUG AERIAL 3/4"" TO 250 MCM
LUG AERIAL 3/4" TO 250 MCM

142984 SPLICE 2WAY 15KV
SPLICE 2WAY 15KV

142992 CONN ELBOW 15KV
CONN ELBOW 15KV

143081 RATCHET QUICK-RELEASE 1/2"
RATCHET 1/2" QUICK RELEASE

ALLEN INDUSTRIAL HAND TOOLS	12804

143321 WRENCH COMBINATION 1/2"" CHROM
WRENCH COMBINATION 1/2" CHROME

ALLEN INDUSTRIAL HAND TOOLS	20210

143339 WRENCH COMBINATION 9/16"" CHRO
WRENCH COMBINATION 9/16" CHROM

ALLEN INDUSTRIAL HAND TOOLS	20211

143347 WRENCH COMBINATION 5/8"" CHROM
WRENCH COMBINATION 5/8" CHROME

ALLEN INDUSTRIAL HAND TOOLS	20212

143461 SNIPS COMPOUND-LEAVERAGE
SNIPS COMPOUND LEVERAGE

WISS - COOPER INDUSTRIAL	M3R

143495 TERM CABLE RUB 15KV 1/0AL 1-PC
TERMINATOR CABLE RUB 1/0AWG 1 PIECE 15KV TERMINATOR, CABLE, 15KV, ONE

	PIECE, SLIP -ON OR COLD SHRINK RUBBER, FOR OUT- DOOR USE ON 15KV 1/0 COMPRESSED AL JACKETED URD CABLE WITH 175 OR 220 MIL EPR INSULATION AND CONCENTRIC NEUTRAL. T	
	ELASTIMOLD	PCT-1-1240-4
	JOSLYN MFG & SUPPLY CO.	JPT15J1-S05
	SCOTCH 3M CO.	5641-1/0
143503	PLIERS LONG-NOSE 6"	
	PLIERS 6" LONG NOSE	
	CHANNELLOCK	326
143529	PLIERS DIAG-CUTTING W/ HANDLES	
	PLIERS 6" DIAG CUTTING W/HDLS	
	CHANNELLOCK	337
	COLUMBIAN TOOLS	31251
143545	PLIERS SLIP-JOINT 6-3/4"	
	PLIERS 6-3/4" SLIP JOINT	
	CHANNELLOCK	526
143602	PLIERS LOCKING CURVED 1"	
	PLIERS LOCKING CURVED 1"	
	AMERICAN TOOL COMPANIES INC	7WR-3
143610	WRENCH ADJUSTABLE 6"	
	WRENCH ADJUSTABLE 6"	
	CRESCENT TOOLS	AC16
	STANLEY	87-791
143628	WRENCH ADJUSTABLE 8"	
	WRENCH ADJUSTABLE 8"	
	CRESCENT TOOLS	AC18
	STANLEY	87-792
143636	WRENCH ADJUSTABLE 10"	
	WRENCH ADJUSTABLE 10"	
	CRESCENT TOOLS	AC110
	STANLEY	87-471
143644	WRENCH ADJUSTABLE 12"	
	WRENCH ADJUSTABLE 12"	
	CRESCENT TOOLS	AC112
	STANLEY	87-473
143651	SCREWDRIVER SLOTTED 1/4" X 6"	
	SCREWDRIVER SLOTTED 1/4X6"	
	KLEIN	600-6
143669	SCREWDRIVER SLOTTED 3/8"" x 8"	
	SCREWDRIVER SLOTTED 3/8" x 8"	
	KLEIN	602-8
143677	SCREWDRIVER SLOTTED 1/4"" x 4"	
	SCREWDRIVER SLOTTED 1/4" x 4"	
	KLEIN	600-4
143685	SCREWDRIVER STUBBY 1/4 x 1 1/2	
	SCREWDRIVER STUBBY 1/4 x 1 1/2	
	KLEIN	600-1

143719	SCREWDRIVER SLOTTED 3/16"" x SCREWDRIVER SLOTTED 3/16" x 4 KLEIN	601-4
143735	SCREWDRIVER SLOTTED 3/16"" x 8 SCREWDRIVER SLOTTED 3/16" x 8" KLEIN	601-8
143743	SCREWDRIVER SLOTTED 3/8"" x 12 SCREWDRIVER SLOTTED 3/8" x 12" KLEIN	602-12
143750	SCREWDRIVER PHLPS 2-1/2" TIP#0 SCREWDRIVER PHILLIPS TIP #0 PROTO TOOLS	88393
143768	SCREWDRIVER PHILLIPS 3" TIP#1 SCREWDRIVER PHILLIPS 3" TIP#1 KLEIN	603-3
143776	SCREWDRIVER PHILLIPS 4"" TIP# SCREWDRIVER PHILLIPS 4" TIP#2 KLEIN	603-4

143784	SCREWDRIVER PHILLIPS 6"" TIP #	
	SCREWDRIVER PHILLIPS 6" TIP #3	
	CRESCENT TOOLS	2503-6
	KLEIN	603-6
143792	SET NUT DRIVER 3/16"X3/8"	
	NUT DRIVER SET **N.S.**	
	KLEIN	630-B-INS.
143800	PUNCH LINE-UP&CHISEL 12-PC SET	
	PUNCH LINE UP & CHISEL (12pc)	
	ALLEN INDUSTRIAL HAND TOOLS	25677
	BALTIMORE TOOL WORKS	90801
143818	HAMMER BALL-PIEN 16OZ	
	HAMMER BALL PEIN 16 OZ	
	ALLEN INDUSTRIAL HAND TOOLS	25704
	OLMPIA INDUSTRIAL TOOLS	61-213
143826	HAMMER BALL-PIEN 24OZ	
	HAMMER BALL PEIN 24 OZ	
	ALLEN INDUSTRIAL HAND TOOLS	25706
	OLMPIA INDUSTRIAL TOOLS	61-214
143834	HAMMER CLAW CURVED 16OZ	
	HAMMER CLAW CURVED 16 OZ.	
	PLUMB	11-402
	STANLEY	51-110
143859	GUAGE LEAF-FEELER 0002-0035	
	GUAGE LEAF FEELER .0002-.0035	
	ALLEN INDUSTRIAL HAND TOOLS	KD161
143867	WRENCH PIPE STRAIGHT 14"	
	WRENCH PIPE 14" ALUMINUM	
	RIDGE TOOL COMPANY	814
143875	WRENCH PIPE STRAIGHT 10"	
	WRENCH PIPE 10" ALUMINUM	
	RIDGE TOOL COMPANY	810
143883	RATCHET FINE-TOOTH 3/8"	
	RATCHET 3/8 FINE TOOTH	
	ALLEN INDUSTRIAL HAND TOOLS	11904
143891	SOCKET 3/8" DRIVE 20-PC SET	
	SOCKET SET 3/8 DRIVE 20 PCS	
	ALLEN INDUSTRIAL HAND TOOLS	19230
	COLUMBIAN TOOLS	36004
143909	JOINT UNIVERSAL 3/8"	
	JOINT UNIVERSAL 3/8" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	11-930
	COLUMBIAN TOOLS	36733
143917	EXTENSION RACH/SOCKET 3/8"X3"	
	EXTENSION 3/8"X3" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	11-905
	COLUMBIAN TOOLS	36704

143925	EXTENSION RACH/SOCKET 3/8"X6"	
	EXTENSION 3/8"X6" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	11-910
	COLUMBIAN TOOLS	36705
143933	EXTENSION RACH/SOCKET 3/8"X10"	
	EXTENSION 3/8"X10" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	11-912
	COLUMBIAN TOOLS	36707
143941	RATCHET	
	RATCHET 1/4" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	10900
	COLUMBIAN TOOLS	36714
143958	SOCKET 1/4" DRIVE 21-PC SET	
	SOCKET SET 1/4" DRIVE 21PCS.	
	ALLEN INDUSTRIAL HAND TOOLS	19011
	COLUMBIAN TOOLS	36006
143966	EXTENSION RACH/SOCKET 1/4"X3"	
	EXTENSION 1/4"X3" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	10905
	COLUMBIAN TOOLS	36701
143974	EXTENSION RACH/SOCKET 1/4"X6"	
	EXTENSION 1/4"X6" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	10910
	COLUMBIAN TOOLS	36702
143990	HANDLE FLEX 1/4" CHROME	
	FLEX HANDLE 1/4" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	10920
	PROTO TOOLS	J07516L
144006	ADAPTER 3/4"" FEMALE-1/2"" MAL	
	ADAPTER 3/4" FEMALE-1/2" MALE	
	ALLEN INDUSTRIAL HAND TOOLS	13927
	PROTO TOOLS	5453
144014	ADAPTER 1/2"" FEMALE-3/8"" MAL	
	ADAPTER 1/2" FEMALE-3/8" MALE	
	ALLEN INDUSTRIAL HAND TOOLS	12827
144030	ADAPTER 3/8"" FEMALE-1/4""MALE	
	ADAPTER 3/8" FEMALE-1/4"MALE	
	ALLEN INDUSTRIAL HAND TOOLS	11927
144048	ADAPTER 1/4""FEMALE-3/8"" MALE	
	ADAPTER 1/4"FEMALE-3/8" MALE	
	ALLEN INDUSTRIAL HAND TOOLS	10925
	PROTO TOOLS	5256
144071	PULLER FUSE	
	PULLER FUSE	
	EAGLE	S642
144089	RULER FOLDING 6' LUFKIN	
	RULE FOLDING 066 LUFKIN 6'	

	LUFKIN	66
144121	RIP-BAR 3/4" X 18"	
	RIP BAR 5/8" X 18"	
	ALLEN INDUSTRIAL HAND TOOLS	25627
	MADISON - MILLS	989
	OLMPIA INDUSTRIAL TOOLS	64-418
144139	CHISEL COLD 1-1/8" X 12"	
	CHISEL COLD 1 1/8" X 12"	
	ALLEN INDUSTRIAL HAND TOOLS	25665
	BALTIMORE TOOL WORKS	34502
144170	EXTENSION RACH/SOCKET 1/2"X3"	
	EXTENSION 1/2"X3" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	35203
	COLUMBIAN TOOLS	36709
144188	EXTENSION RACH/SOCKET 1/2"X6"	
	EXTENSION 1/2"X6" CHROME	
	ALLEN INDUSTRIAL HAND TOOLS	12810
144204	JOINT UNIVERSAL 1/2"	
	JOINT UNIVERSAL 1/2"	
	ALLEN INDUSTRIAL HAND TOOLS	12830
144212	HANDLE SPEEDER 1/2" X 18"	
	HANDLE SPEEDER 1/2" X 18"	
	ALLEN INDUSTRIAL HAND TOOLS	12825
144220	WRENCH OPEN-END 12-PC SET	
	WRENCH SET OPEN END 10 PC	
	ALLEN INDUSTRIAL HAND TOOLS	29103
144246	WRENCH IGNITION 8-PC SET	
	WRENCH SET IGNITION 8 PC	
	ARMSTRONG INDUSTRIAL TOOLS	27942
	PROTO TOOLS	3200D
144261	HACKSAW	
	HACKSAW	
	STANLEY	15408
144329	KNIFE ELECTRICIAN SKINNING **	
	KNIFE ELECTRICIAN SKINNING **	
	W R CASE CUTLERY	126
144337	PUNCH CENTER 3/8" X 4-1/2"	
	PUNCH CENTER 3/8"X 5"	
	ARMSTRONG INDUSTRIAL TOOLS	70235
	BALTIMORE TOOL WORKS	43402
144378	POUCH TOOL	
	POUCH TOOL **N.S.**	
	KLEIN	5118-C

144386	TESTER CONTINUNITY IDEAL **N.	
	TESTER CONTINUNITY IDEAL **N.	
	IDEAL	61-030
144436	WRENCH RATCHET 1/2 "" X 9/16"	
	WRENCH RATCHET 1/2 " X 9/16"	
	FARGO	GP-203
	KLEIN	68202
144451	SCREWDRIVER LONG HOLD-ON 9"	
	SCREWDRIVER LONG HOLD-ON 9"	
	KLEIN	K-48
	SNAP ON	CSSC9
144469	STRIPPER WIRE 45-120 IDEAL **	
	STRIPPER WIRE 45-120 IDEAL **	
	IDEAL MFG.	45-120
144477	PLIERS 9"" SIDE CUTTING **N.S	
	PLIERS 9" SIDE CUTTING **N.S.	
	KLEIN	D2000-9NE
144485	PLIERS ADJUSTABLE 9-1/2"	
	PLIERS ADJUSTABLE 9-1/2"	
	CHANNELLOCK	420
144501	CUTTER 9-1/2"	
	CUTTER 9-1/2" **N.S.**	
	KLEIN	63050
144519	SCREWDRIVER SLOTTED 6"" **N.	
	SCREWDRIVER SLOTTED 6" **N.S	
	KLEIN	602-6
144527	SCREWDRIVER SLOTTED 6"" **N.	
	SCREWDRIVER SLOTTED 6" **N.S	
	KLEIN	601-6
144535	SCREWDRIVER SLOTTED 3/8"" X 8	
	SCREWDRIVER SLOTTED 3/8" X 8"	
	KLEIN	602-8
144550	SCREWDRIVER SLOTTED 1/8"" X 3"	
	SCREWDRIVER SLOTTED 1/8" X 3"	
	KLEIN	A216-3
144618	CLAMP POST-INS 397-795AA 15KV	
	CLAMP POST INS 397-795AA 15KV ANGLE CLAMP, POST INSULATOR, ANGLE 397-795AA FOR USE ON 15KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS. ALUMINUM BODY AND KEEPER, GALVANIZED STEEL HARDWARE	
	BETHEA	ACP-106-SL-1
	CONTINENTAL ELECTRIC	ULPS2-118
	LAPP INSULATOR CO	80483
144626	CONN CABLE SHIELD GND C4043	
	CONN CABLE SHIELD GND C4043	
	COMMUNICATIONS TECHNOLOGY CORP	C4043
	SCOTCH 3M CO.	4460-S

144659 CLAMP POST-INS 4/0-795AA 15KV
CLAMP POST INS 4/0AA-397AA-795AA 15KV CLAMP, POST INSULATOR, 397AA-795AA, FOR USE ON 15KV LINES ON HORIZONTAL OR UPRIGHT MOUNTED POST INSULATORS, WITHOUT LINE GUARD. ALUMINUM BODY AND KEEPER

ANDERSON ELECTRIC	TSC-106-ARIV
BETHEA	ACTS-106-SL-1
CONTINENTAL ELECTRIC	LPS-118
LAPP INSULATOR CO	47113

144667 CONN 1-BLT PG AL 4/0-1/0&2/0-6
CONN 1 BOLT PG 4/0-1/0 & 2/0-8 AL&CU CONNECTOR, ONE BOLT ALUMINUM PARALLEL GROOVE, 4/0AA-1/0 & 2/0CU, WITH HEX HEAD GALVANIZED STEEL BOLT, LOCKWASHER, AND N UT, FILLED WITH OXIDE INHIBITING COMPOUND AND INDIVIDUALLY PACKAGED. THE

ANDERSON ELECTRIC	LC-52-C-XB
BLACKBURN	PAA 129-3
FARGO	GA-616-L
PENN-UNION	

144675 LUMINAIRE 480V SL 250W HPS
LUMINAIRE HP 250W W/0 C 480V SL LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM VAPOR WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE III DISTRIBUTION PATTERN, 480 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING

AMERICAN ELECTRIC	113-06633
COOPER LIGHTING	OVZ25SW83E
GENERAL ELECTRIC	M2RR25S5A1GMS3

144683 LUMINAIRE HP 400W W/O C 480V S
LUMINAIRE HP 400W W/O C 480V SL LUMINAIRE, 400 WATT HIGH PRESSURE SODIUM VAPOR, 480 VOLT OPERATION, WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE III DISTRIBUTION, AND WITH SLIPFITTER FOR MOUNTING ON A 1

AMERICAN ELECTRIC	126-06643
COOPER LIGHTING	OVX40SC83E
GENERAL ELECTRIC	MSRL40S5A12RMS3

144709 CONN COMP TERM STACK 2/0AL
CONN COMP TERM STACK AL 2/0AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL WITH TWO 9/16 IN DIAMETER HOLES, NEMA SPACED, 1 3/4 IN ON CENTER FOR 2/0 AWG ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	ATL-2/0 BN
HOMAC	ASL 2/0N

144717 LUMINAIRE HP 100W W/O C 240V
LUMINAIRE HP 100W W/O C 240V SL NR LUMINAIRE, 100 WATT HIGH PRESSURE SODIUM VAPOR WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 240 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING

AMERICAN ELECTRIC	114-57312-6
COOPER LIGHTING	OVS10SR42E
GENERAL ELECTRIC	M2RR10S3N1AMS2

144758 SAFE TAG SWITCH TAGGING DEVICE
SAFE TAG SWITCH TAGGING DEVICE SAFE-TAG TAGGING DEVICE FOR TAGGING OPEN DISCONNECTING DEVICES. TAG SHALL BE ORANGE IN COLOR, OF HIGH QUALITY, LONG LASTING SALCOR COMPOUND OR EQUIVALENT.

ALMETEK INDUSTRIES, INC.	N/A
SALISBURY, W H & CO	1166TD

144774 LANTERN FLOATING
LANTERN FLOATING

BRIGHT STAR	2206
EVEREADY	459
GARRITY	60070

144782 TAMPER HYDRAULIC WITHOUT VALVE
TAMPER HYDRAULIC WITHOUT VALVE

GREENLEE TEXTRON	H4802

144790 IMPACT WRENCH 7/16 Q C CHUCK
IMPACT WRENCH 7/16 Q C CHUCK

GREENLEE TEXTRON	48755

144808 RATCHET CUTTER CU & AL **N.S.
RATCHET CUTTER CU & AL **N.S.

PORTER, H. K., CO.	8690 FSK

144816 CUTTER BOLT W/FGLS HANDLES **
CUTTER BOLT W/FGLS HANDLES **

HASTINGS FIBERGLASS PROD. INC.	10-667

144824 ARRESTER 9/10KV M/O ELBOW-TYPE
ARRESTER 9/10 KV MO GAPLESS ELBOW TYPE ARRESTER, SURGE, 9/10KV, METAL OXIDE BLOCKS, GAPLESS, FOR USE AT OPEN POINTS IN PAD-MOUNTED TRANSFORMERS. DEVICE HAS AN INTEGRAL ELBOW CONNECTOR SO THAT IT MAY BE CONNECTED DIRECTLY TO AN ANSI

COOPER POWER SYSTEMS	3238018C10M
ELASTIMOLD	167ESA-10
JOSLYN MFG & SUPPLY CO.	8132B0010J001

144832 GUARD BIRD & SQUIRREL GRAY
GUARD BIRD & SQUIRREL GRAY GUARD, BIRD & SQUIRREL, GRAY COLOR, ONE PIECE, HINGED CONSTRUCTION FOR EASY INSTALLATION OR RETROFIT BETWEEN FIRST & SECOND SKIRTS OF BUSHING, WITH UV INHIBITORS

FARGO	GS560
HENDRIX	BG9

144840 RATCHET CUTTER
RATCHET CUTTER **N.S.**

PORTER, H. K., CO.	6990-FS

144857 SHEAR TYPE CABLE CUTTER **N.S
SHEAR TYPE CABLE CUTTER **N.S

PORTER, H. K., CO.	0290-FCS

144865 BRAID T CU 3/8"" X 100'
BRAID T CU 3/8" X 100' W/144-30 AWG BRAID, TINNED COPPER, 3/8 INCH WIDE IN 1 00 FOOT ROLLS, FLATTENED, WOVEN TUBE COMPOSED OF 144 #30 AWG COPPER WIRES. USED FOR GROUNDING TAPED 15KV CABLE TERMINATIONS AND SPLICES.

BISHOP TAPE CO.	N/A
PLYMOUTH RUBBER CO.	2711
SCOTCH 3M CO.	N/A

144881 CABLE COMM 28PR 19AWG
CABLE COMM 28PR 19AWG D SCREEN CABLE,COMMUNICATION,25-28 PAIR #19AWG SO FT COPPER WIRES,THERMOPLASTIC INSULATED & JEL-FILLED,COVERED WITH DUAL D-SCREENE D 8 MIL ALUMINUM TAPE AND OUTER 6 MIL STEEL TAPE. JACKET SHALL BE BLACK,HMW PO

ESSEX GROUP INC	N/A
GENERAL CABLE CO.	SPEC. 2008 ASP
OKONITE	KTG-F-B-PCM
SUPERIOR/CABLE	

144923 CABLE INSTR 600V 6PR 20CU
CABLE INSTR 600V 6PR 20AWG SHLD CU CABLE INSTRUMENTATION, 20 AWG 7 STRAND C OPPER COND, 6 OR 8 PAIR, SHIELDED PAIRS , OVERALL SHIELD, 600V, 90 DEG C MIN, FL AME RETARDANT INSULATION AND JACKET, COATED STRANDED COPPER DRAIN WIRE. APPL

ESSEX GROUP INC	N/A
GENERAL	N/A

145417 BOLT DOUBLE-ARMING 5/8" X 32"
BOLT DOUBLE ARMING 5/8" X 32

CHANCE A B CO	8879
COOPER POWER SYSTEMS	DF2D32
FLORIDA WIRE & CABLE CO	FW 8879
JOSLYN MFG & SUPPLY CO.	
STEEL CITY	N/A

145474 BOLT DOUBLE ARMING 5/8"" X 36
BOLT DOUBLE ARMING 5/8" X 36

COOPER POWER SYSTEMS	DF2D36
STEEL CITY	N/A

145862 FUSE 69KV 100A SS TYPE PM
FUSE 69KV 100A SS TYPE PM

SOUTHERN STATES INC	PM69100

145870 LINK DOUBLE 8
LINK DOUBLE 8

ANDERSON ELECTRIC	LK8-30
CONTINENTAL ELECTRIC	F8L-30-4.5
FLAGG	13100

146324 CONN TEE 1000 RUN TO 4/0 TAP
CONN TEE 1000MCM TO 4/0AWG

ANDERSON ELECTRIC	TCC8M-100100
BURNDY	NYT4428
DOWSER	
SEFCOR	TCRCT-3434

146340 CONN TEE 500MCM TO 1/0AWG
CONN TEE 500MCM TO 1/0AWG

ANDERSON ELECTRIC	TCC8M-050050-3

	DOWSER	N/A
146456	INHIBITOR OXIDE AL-AR-CU 8-OZ INHIBITOR OXIDE AL-AR-CU 8 OZ BOTTLE INHIBITOR, OXIDE, FOR USE ON ALUMINUM TO ALUMINUM OR ALUMINUM TO COPPER SURFACES TO REDUCE THE OXIDATION OF THE METALS AND TO ENHANCE THE ELECTRICAL CONNECTION	
	BLACKBURN	CONTAX CT-B8
	BURNDY	PENATROX A13-8
	IDEAL MACHINE & TOOL CO.	
	KEARNEY	KEARNALEX
	PENN-UNION	CUAL-AID #11
	UTILCO	DE-OX 8
146472	FUSE 250V CARTR BUSS NON 40A FUSE 40A NON 250V CARTRIDGE	
	BUSSMAN	NON-40
146498	FUSE 250V CARTR BUSS NON 60A FUSE 60A NON 250V CARTRIDGE	
	BUSSMAN	NON-60
146514	CONN TERM CU 250-4 2-HOLE CONN TERM CU 250MCM THRU 4 CA TO 2 HOLE CONNECTOR TERMINAL 250 MCM THRU NO 4 CU CABLE TO 2 HOLE FLAT, 1/2 IN BOLTS, HIGH STRENGTH SILICON BRONZE HARDWARE, S TRAIGHT PAD	
	ANDERSON ELECTRIC	SWH-025-B
	FRANKEL CONNECTOR CO	7M-30-2N
146530	NUT W/ SPRING UNISTRUT 1/4" 20 FITTING NUT 1/4-20 W/SPRING	
	B-LINE	N-224
	KIN LINE (E E RULE)	672-1/4
	UNISTRUT CORP.	P1006-1420
146753	CLAMP GROUND 2 DOSSERT CLAMP GROUND 2 DOSSERT	
	ANDERSON ELECTRIC	GC-111-TC
	BURNDY	GAR1829
	DOSSERT CORP.	GPC-200-25
146779	FITTING SIDEWALK GUY POLE-PLAT FITTING SIDEWALK GUY POLE-PLAT	
	CHANCE A B CO	501
	CONTINENTAL ELECTRIC	SWGB-20-54
	COOPER POWER SYSTEMS	
	FLAGG	PX34A
	JOSLYN MFG & SUPPLY CO.	J1501
	UTILITIES SERVICE CO.	1296
146969	SUPPORT CABLE 1/C 500MCM SUPPORT CABLE 1/C 500MCM	
	DELTA STAR	350108
147033	CONN TERM CU 500-1/0 2-HOLE CONN TERM CU 500-1/0 2"	
	ANDERSON ELECTRIC	SWH-050-B2
	FRANKEL CONNECTOR CO	7M-50-2N
	PENN-UNION	RAR-050-HD
147108	FUSE 250V CARTR BUSS NON 30A	

	FUSE 30A NON 250V CARTRIDGE	
	BUSSMAN	NON-30
147116	FUSE 250V CARTR BUSS NON 200A	
	FUSE 200A NON 250V CARTRIDGE	
	BUSSMAN	NON-200
147124	FUSE 250V CARTR BUSS NON 100A	
	FUSE 100A NON 250V CARTRIDGE	
	BUSSMAN	NON-100
147173	NUT W/ SPRING UNISTRUT 3/8" 16	
	FITTING NUT 3/8-16 W/SPRING	
	B-LINE	N-228
	KIN LINE (E E RULE)	672-3/8
	UNISTRUT CORP.	P1008
147314	FITTING SIDEWALK GUY CLAMP-END	
	FITTING SIDEWALK GUYCLAMP-END	
	CHANCE A B CO	502
	CONTINENTAL ELECTRIC	SWG-20-5
	COOPER POWER SYSTEMS	
	FLAGG	PX33A
	JOSLYN MFG & SUPPLY CO.	J1502
	UTILITIES SERVICE CO.	1297
147967	FUSE BLOCK SP 4512 BUSSMAN	
	FUSE BLOCK SP 4512 BUSSMAN	
	COOPER POWER SYSTEMS	4512
148056	DISC DATING BRONZE 1/16" X 1"	
	DISC DATING BRONZE 1/16 X1"	
	PREMAX PRODUCTS	BD1
148072	NAIL POLE DATING 1/4" X 3"	
	NAIL POLE DATING 1/4 X 3"	
	PREMAX PRODUCTS	BDN3M
148296	SPLICE TENSION COMP CU 250MCM	
	SPLICE TENSION COMP CU 250MCM	
	BURNDY	YDS29-12
148346	CONN TRN-TANK-GND CU	
	CONN TRANS TANK GROUND CONNECTOR, TRANSFORMER TANK GROUNDING, C OPPER ALLOY OR SILICON BRONZE, FOR USE IN CONNECTING GROUND WIRES TO TRANSFORME RS OR STEEL POLES.	
	ANDERSON ELECTRIC	GTCS-21
	BLACKBURN	TTC-2
	CONTINENTAL ELECTRIC	TGH-101
	KEARNEY	17546
	PENN-UNION	HGSE-C1-SBH
148379	SUPPORT CABLE 1/C 1000MCM	
	SUPPORT CABLE 1/C 1000MCM	
	DELTA STAR	350111

148494	SPLICE TENSION AUTO 4AR	
	SPLICE TENSION AUTO AR 4AWG	
	BLACKBURN	ATS4
	FARGO	GL-402A
	RELIABLE ELECTRIC	7651
148676	ARRESTER INTERMEDIATE 3KV ER	
	ARRESTER INTERMEDIATE 3KV ER	
	ABB POWER T & D CO	PH03DAI021
	COOPER VARISTAR TYPE AZL	AZL31B3/ TRANSF MTG
	OHIO BRASS CO.	217603-7214/271881
148692	WASHER SQUARE 2" 9/16" HOLE	
	WASHER SQUARE 2" 9/16" HOLE	
	CHANCE A B CO	6811
	COOPER POWER SYSTEMS	DF2W1
	FLORIDA WIRE & CABLE CO	FW 1073
	HUGHES BROS	SW2-50
	JOSLYN MFG & SUPPLY CO.	J-1073
	UTILITIES SERVICE CO.	
148981	CLAMP STRAIN BOLTED CU1000-500	
	CLAMP STRAIN BOLTED CU1000-500 1000-500 15KV CLAMP, BRONZE STRAIN BOLTED FOR 500 MCM COPPER TO 1000 MCM COPPER WITHOUT WIRE GUIDE, CLAMP SHALL BE DRILLED FOR WIRE G UIDE.	
	ANDERSON ELECTRIC	BSC-100-C
149179	FUSE 15KV 5A QA	
	FUSE 15KV 5A QA	
	KEARNEY	6416-2T
149195	FUSE 15KV 7A TYPE-200	
	FUSE 15KV 7A TYPE 200	
	KEARNEY	11007
149203	FUSE 15KV 10A TYPE-200	
	FUSE 15KV 10A TYPE 200	
	KEARNEY	11010

149229	FUSE 15KV 20A QA	
	FUSE 15KV 20A QA	
	KEARNEY	6420-2T
149237	FUSE 15KV 25A KS	
	FUSE 15KV 25A KS	
	KEARNEY	21025
149245	FUSE 15KV 30A QA	
	FUSE 15KV 30A QA	
	KEARNEY	6422-2T
149260	FUSE 15KV 50A QA	
	FUSE 15KV 50A QA	
	KEARNEY	6424-2T
149286	FUSE 15KV 60A QA	
	FUSE 15KV 60A QA	
	KEARNEY	6425-2T
149302	FUSE 15KV 75A QA	
	FUSE 15KV 75A QA	
	KEARNEY	6426-2T
149419	CONN COMP PREINS 4AA MULTIPLEX	
	CONN COMP PREINS 4AA MULT	
	BURNDY	ES2W2W
	HOMAC	U1N44
	KEARNEY	58-OO
149476	BOLT CARRIAGE 1/2" X 8"	
	BOLT CARRIAGE 1/2" X 8"	
	COOPER POWER SYSTEMS	DF2C8
	FLORIDA WIRE & CABLE CO	FW 8648
	JOSLYN MFG & SUPPLY CO.	J8648
	UTILITIES SERVICE CO.	
149567	CLEVIS STRAIGHT	
	CLEVIS-CLEVIS, STRAIGHT, DUCTILE IRON BODY, STEEL CLEVIS PINS, HOT DIP GALVANIZED, FOR USE IN ATTACHING HARDWAR E TO AN INSULATOR STRING	
	ANDERSON ELECTRIC	CCC-30
	CONTINENTAL ELECTRIC	CC-55
	FLAGG	33100
149716	HOOK DRIVE GLV 7/16"" X 4-3/4"	
	HOOK DRIVE GLV 7/16" X 4-3/4"	
	CHANCE A B CO	C205-0190
	FLORIDA WIRE & CABLE CO	FW3316P
	JOSLYN MFG & SUPPLY CO.	J3316P
	UTILITIES SERVICE CO.	846
149765	FUSE 15KV 100A QA	
	FUSE 15KV 100A QA	
	KEARNEY	6427-2T
150029	CONN COMP PREINS 2AA MULTIPLEX	
	CONN COMP PREINS 2AA MULT	

	BURNDY	ES2R2R
	HOMAC	U1N22
	KEARNEY	58-RR

150045 CONN COMP PREINS 1/0AA M-PLEX
CONN COMP PREINS 1/0AA MULT

BURNDY	ES25R25R
HOMAC	U1N1010
KEARNEY	58-YY

150177 PAD TRANSITION AL TO CU
PAD TRANSITION AL TO CU

ANDERSON ELECTRIC	TP-D

150300 INSULATOR SECONDARY SPOOL
INSULATOR SECONDARY SPOOL

COOPER POWER SYSTEMS	DE4S5
DULMISON	DSL 5320
FLORIDA WIRE & CABLE CO	FW151
JOSLYN MFG & SUPPLY CO.	
LAPP INSULATOR CO	8442-70
PORCELAIN PRODUCTS (KNOX)	5101
VICTOR INSULATORS	2012

150375 CONN SPLIT-BOLT BRZ 6CU
CONN SPLIT BOLT BRNZ 6AWG CU-CU CONNECTOR, SPLIT BOLT, 6AWG CU-CU HIGH S TRENGTH SILICON BRONZE OR COPPER ALLOY, WITHOUT SPACER, FOR USE ON COPPER AND CO PPERWELD WIRES.

BLACKBURN	6H
BURNDY	KS17
GREAVES	A-3
KEARNEY	118102
PENN-UNION	
RELIABLE ELECTRIC	6F

150391 CONN SPLIT-BOLT BRZ 4CU
CONN SPLIT BOLT BRNZ 4AWG CU-CU CONNECTOR, SPLIT BOLT, 4AWG CU-CU HIGH S TRENGTH SILICON BRONZE OR COPPER ALLOY, WITHOUT SPACER, FOR USE ON COPPER AND CO PPERWELD WIRES.

BLACKBURN	
BURNDY	KS20
GREAVES	A-5
KEARNEY	118104
PENN-UNION	S-4
RELIABLE ELECTRIC	4F

150417 CONN SPLIT-BOLT TN CU&AL 2AWG
CONN SPLIT BOLT TINNED 2AWG TINNED CONNECTOR, SPLIT BOLT, 2AWG HIGH STRENGT H SILICON BRONZE OR COPPER ALLOY COMPLETELY TIN PLATED, WITH TIN PLATED S PACER.

BLACKBURN	l-HPS
BURNDY	KSU-23
GREAVES	A-8 SP
KEARNEY	118108-02
RELIABLE ELECTRIC	

150433 CONN SPLIT-BOLT TN CU&AL 1/0AW
CONN SPLIT BOLT TINNED 1/0AWG AR-CU CONNECTOR, SPLIT BOLT, 1/0AWG AR-CU HIGH STRENGTH SILICON BRONZE OR COPPER ALLOY COMPLETELY TIN PLATED, WITH TIN PL ATED SPACER, FOR USE ON COPPER, ALUMINUM, STEEL, OR ACSR WIRES

	ANDERSON ELECTRIC	
	BLACKBURN	20 HPS
	BURNDY	KSU-26
	GREAVES	A-11 SP
	KEARNEY	118110-02
	RELIABLE ELECTRIC	1/0 FGP
150524	FUSE 15KV 65A KS	
	FUSE 15KV 65A KS	
	KEARNEY	21065
150573	SPLICE TENSION AUTO 4/0CU	
	SPLICE TENSION AUTO CU 4/0AWG	
	FARGO	GL-120
	RELIABLE ELECTRIC	407

150623	CONN COMP PG AL 6-2 & 14-8	
	CONN COMP PG AL 6-2 & 14-8 CONNECTOR, ALUMINUM COMPRESSION, GROOVE" A" (6-2), GROOVE "B" (14-8). CONNECTORS SHALL BE PREFILLED WITH AN OX IDE INHIBITING COMPOUND.	
	BLACKBURN	WR-9
	HOMAC	UB214
	KEARNEY	421-82
150888	INSULATOR PIN-TYPE 13KV	
	INSULATOR PIN TYPE 13KV	
	COOPER POWER SYSTEMS	NP21D8
	DULMISON	DPN 5540
	FLORIDA WIRE & CABLE CO	FW 2064-R
	GAMMA	PT8196GR
	JOSLYN MFG & SUPPLY CO.	L2064-R
	LAPP INSULATOR CO	6183R-70
	PORCELAIN PRODUCTS (KNOX)	366-S
	SANTANA	
	VICTOR INSULATORS	6R
150904	WIREHOLDER SCREW PORCELAIN	
	WIREHOLDER SCREW PORCELAIN -	
	CHANCE A B CO	3/11/1944
	COOPER POWER SYSTEMS	DW2R9
	JOSLYN MFG & SUPPLY CO.	
	PORCELAIN PRODUCTS (KNOX)	1986
150961	NUT OVAL-EYE 5/8"	
	NUT OVAL EYE 5/8"	
	AMERICAN CONNECTOR ENGINEERING	EN-5
	CONTINENTAL ELECTRIC	
	COOPER POWER SYSTEMS	DG2E3
	DIXIE ELECTRICAL MFG CO	D6502
	FLAGG	P125C
	FLORIDA WIRE & CABLE CO	FW 1092
	JOSLYN MFG & SUPPLY CO.	J1092
	UTILITIES SERVICE CO.	450
150979	FUSE 15KV 40A KS	
	FUSE 15KV 40A KS	
	KEARNEY	21040
150995	CLAMP DEADEND WEDGE 2-6AA	
	CLAMP DEADEND WEDGE	
	PORCELAIN PRODUCTS (KNOX)	1061
	RELIABLE ELECTRIC	7195
	TELEDYNE PENN UNION	WDC-2S
151019	STAPLE GLV 1-1/2" X 1/4"	
	STAPLE GLV 1-1/2" X 1/4"	
151415	CONN 1-BOLT STL 3/4-3/8"	
	CONN 1 BOLT 3/4-3/8"	
	RELIABLE ELECTRIC	744ALC
151456	WASHER SQUARE 2-1/4" 11/16" HO	
	WASHER SQUARE 2-1/4" 11/16"	

	CHANCE A B CO	6813	
	COOPER POWER SYSTEMS	DF2W4	
	FLORIDA WIRE & CABLE CO		
	HUGHES BROS	SW2 1/4-70	
	JOSLYN MFG & SUPPLY CO.	J-1075	
	UTILITIES SERVICE CO.	5483	
151498	SCREW LAG GLV 1/2" X 4"		
	SCREW LAG GLV 1/2" X 4"		
	CHANCE A B CO	508754	
	COOPER POWER SYSTEMS	DF9L4	
	FLORIDA WIRE & CABLE CO	FW 8754P	
	JOSLYN MFG & SUPPLY CO.	J8754P	
151506	BOLT CARRIAGE 3/8" X 4"		
	BOLT CARRIAGE 3/8" X 4"		
	CHANCE A B CO	8634	
	COOPER POWER SYSTEMS	DF1C4	
	FLORIDA WIRE & CABLE CO	FW 8634	0
	JOSLYN MFG & SUPPLY CO.		
	UTILITIES SERVICE CO.	5057	
151522	BOLT MACH 5/8" X 10" SQ		
	BOLT MACH 5/8 X 10" SQ BOLT, 5/8 IN. X 10 IN. SQ., MACHINE, GAL VANIZED STEEL COMPLETE WITH SQ. NUT AND IN ACCORDANCE WITH C135.1 0930		
	CHANCE A B CO	8810	
	COOPER POWER SYSTEMS		
	FLORIDA WIRE & CABLE CO	FW 8810	
	HUGHES BROS	B 610	
	JOSLYN MFG & SUPPLY CO.	J8810	
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5182	
151548	BOLT MACH 5/8" X 12" SQ		
	BOLT MACH 5/8 X 12" SQ		
	CHANCE A B CO	8812	
	COOPER POWER SYSTEMS	DF3B12	
	FLORIDA WIRE & CABLE CO		
	HUGHES BROS	B 612	
	JOSLYN MFG & SUPPLY CO.	J8812	
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5183	
151563	BOLT MACH 5/8" X 14" SQ		
	BOLT MACH 5/8 X 14" SQ		
	CHANCE A B CO	8814	
	COOPER POWER SYSTEMS	DF3B14	
	FLORIDA WIRE & CABLE CO	FW 8814	
	HUGHES BROS	B 614	
	JOSLYN MFG & SUPPLY CO.	J8814	
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5184	
151589	BOLT MACH 5/8" X 16" SQ		
	BOLT MACH 5/8 X 16" SQ		
	CHANCE A B CO	8816	
	COOPER POWER SYSTEMS	DF3B16	
	FLORIDA WIRE & CABLE CO	FW 8816	
	HUGHES BROS	B 616	
	JOSLYN MFG & SUPPLY CO.	J8816	

	STEEL CITY	N/A
	UTILITIES SERVICE CO.	5185
151605	BOLT OVAL-EYE 5/8" X 12"	
	BOLT OVAL EYE 5/8" X 12"	
	CHANCE A B CO	29962
	COOPER POWER SYSTEMS	DF2E12
	FLORIDA WIRE & CABLE CO	FW 9412
	HUGHES BROS	2724.6126
	JOSLYN MFG & SUPPLY CO.	
	UTILITIES SERVICE CO.	25101
151621	BOLT OVAL-EYE 5/8" X 14"	
	BOLT OVAL EYE 5/8" X 14"	
	CHANCE A B CO	29964
	COOPER POWER SYSTEMS	DF2E14
	FLORIDA WIRE & CABLE CO	FW 9414
	HUGHES BROS	2724.6146
	JOSLYN MFG & SUPPLY CO.	
	UTILITIES SERVICE CO.	25102
151639	BOLT OVAL-EYE 5/8" X 16"	
	BOLT OVAL EYE 5/8" X 16"	
	CHANCE A B CO	29966
	COOPER POWER SYSTEMS	DF2E16
	FLORIDA WIRE & CABLE CO	
	HUGHES BROS	2724.6166
	JOSLYN MFG & SUPPLY CO.	J9416
	UTILITIES SERVICE CO.	25103
151696	CLAMP HOTLINE 1/0AR-CU	
	CLAMP HOTLINE 1/0AR-CU CLAMP, HOT LINE, ALUMINUM TO COPPER 1/0A R-CU. THE CLAMP SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR RANGE. RUN 0.743IN TO 0.136IN, TAP 0.531IN TO 0.125IN.	
	ANDERSON ELECTRIC	AH-4-GP
	CHANCE A B CO	S1530AC
	FARGO	GH-101AC
	IDEAL MACHINE & TOOL CO.	
	MACLEAN POWER SYSTEMS	#C1530AP
151886	BRACKET TRN LEAD C-CLAMP	
	BRACKET TRANS LEAD C CLAMP	
	CHANCE A B CO	9113S
	COOPER POWER SYSTEMS	DT4M14
	JOSLYN MFG & SUPPLY CO.	J6765A
151894	CLAMP STRAIN BOLTED 4/0-6CU	
	CLAMP STRAIN BOLTED CU 4/0-6	
	AMERICAN CONNECTOR ENGINEERING	FUD-58
	ANDERSON ELECTRIC	DDC-55-N
151902	BOLT MACH 5/8 X 26"" SQ	
	BOLT MACH 5/8 X 26" SQ	
	COOPER POWER SYSTEMS	DF3B26
	STEEL CITY	N/A
	UTILITIES SERVICE CO.	5190
151936	BOLT OVAL-EYE 5/8" X 10"	
	BOLT OVAL EYE 5/8" X 10"	
	CHANCE A B CO	29960

COOPER POWER SYSTEMS	
FLORIDA WIRE & CABLE CO	FW 9410
HUGHES BROS	2724.6106
JOSLYN MFG & SUPPLY CO.	J9410
UTILITIES SERVICE CO.	25100

151951 CLAMP HOTLINE CU-TO-CU

CLAMP HOTLINE CU-CU CLAMP, HOTLINE, COPPER TO COPPER, RUN 0. 743 TO 0.136 IN., TAP 0.531 IN TO 0.109 IN. THE CLAMP SHALL BE CLEARLY MARKED WITH THE CATALOG NUMBER AND CONDUCTOR RANGE.

ANDERSON ELECTRIC	BH-4
BLACKBURN	HLC3974
CHANCE A B CO	
FARGO	GH-101
MACLEAN POWER SYSTEMS	#C1530
PENN-UNION	HLC-040

151969 BOLT DOUBLE-ARMING 5/8" X 26"

BOLT DOUBLE ARMING 5/8" X 26

CHANCE A B CO	8876
COOPER POWER SYSTEMS	DF2D26
FLORIDA WIRE & CABLE CO	FW 8876
JOSLYN MFG & SUPPLY CO.	
STEEL CITY	N/A
UTILITIES SERVICE CO.	5082A

151977	BOLT DOUBLE-ARMING 5/8" X 28"		
	BOLT DOUBLE ARMING 5/8" X 28		
	CHANCE A B CO	8877	
	COOPER POWER SYSTEMS	DF2D28	
	FLORIDA WIRE & CABLE CO	FW 8877	
	JOSLYN MFG & SUPPLY CO.	J8877	
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5082B	
151993	PIN 15KV 6" 6-1/2" X 5/8" SHK		
	PIN 15KV 6" 6-1/2X5/8 SHK		
	CHANCE A B CO	883	
	COOPER POWER SYSTEMS	DP2S33	
	FLORIDA WIRE & CABLE CO		
	JOSLYN MFG & SUPPLY CO.	J626	
	UTILITIES SERVICE CO.	561	
152009	BOLT MACH 5/8" X 18" SQ		
	BOLT MACH 5/8 X 18" SQ		
	CHANCE A B CO	8818	
	COOPER POWER SYSTEMS	DF3B18	
	FLORIDA WIRE & CABLE CO	FW 8818	
	HUGHES BROS	B 618	
	JOSLYN MFG & SUPPLY CO.	J8818	
	STEEL CITY		
	UTILITIES SERVICE CO.	5186	
152017	BOLT MACH 5/8" X 20" SQ		
	BOLT MACH 5/8 X 20" SQ BOLT, 5/8 IN. X 20 IN. SQ., MACHINE, GAL VANIZED STEEL, COMPLETE WITH SQ. NUT AND IN ACCORDANCE WITH ANSI STANDARD C13 5.1		
	CHANCE A B CO	8820	
	COOPER POWER SYSTEMS	DF3B20	
	FLORIDA WIRE & CABLE CO	FW 8820	
	HUGHES BROS	B 620	
	JOSLYN MFG & SUPPLY CO.	J8820	
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5187	
152025	BOLT DOUBLE-ARMING 5/8" X 24"		
	BOLT DOUBLE ARMING 5/8" X 24		
	CHANCE A B CO	8874	
	COOPER POWER SYSTEMS		
	FLORIDA WIRE & CABLE CO	FW 8874	0
	HUGHES BROS	BB 624	
	JOSLYN MFG & SUPPLY CO.	J8874	
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5082	
152033	BOLT DOUBLE-ARMING 5/8" X 22"		
	BOLT DOUBLE ARMING 5/8" X 22		
	CHANCE A B CO	8872	
	COOPER POWER SYSTEMS	DF2D22	
	FLORIDA WIRE & CABLE CO	FW 8872	0
	HUGHES BROS	BB 622	
	JOSLYN MFG & SUPPLY CO.		
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5081	
152058	BOLT DOUBLE-ARMING 5/8" X 18"		

BOLT DOUBLE ARMING 5/8" X 18

CHANCE A B CO	8868	
COOPER POWER SYSTEMS	DF2D18	
FLORIDA WIRE & CABLE CO	FW 8868	0
HUGHES BROS	BB 618	
JOSLYN MFG & SUPPLY CO.		
STEEL CITY	N/A	
UTILITIES SERVICE CO.	5079	

152066 BOLT OVAL-EYE 5/8" X 18"

BOLT OVAL EYE 5/8" X 18"

CHANCE A B CO	29968	
COOPER POWER SYSTEMS	DF2E18	
FLORIDA WIRE & CABLE CO	FW 9418	
HUGHES BROS	2724.6186	
JOSLYN MFG & SUPPLY CO.	J9418	
UTILITIES SERVICE CO.	25104	

152132 BOLT MACH 5/8" X 22" SQ

BOLT MACH 5/8 X 22" SQ

CHANCE A B CO	8822	
COOPER POWER SYSTEMS		
FLORIDA WIRE & CABLE CO	FW 8822	
JOSLYN MFG & SUPPLY CO.	J8822	
STEEL CITY	N/A	
UTILITIES SERVICE CO.	5188	

152157 CLAMP STRAIN BOLTED 250CU

CLAMP STRAIN BOLTED CU 250MCM

AMERICAN CONNECTOR ENGINEERING	FSD-75	
ANDERSON ELECTRIC	BSD-68-N	
BETHEA	FD-680-N	

152173 BOLT DOUBLE ARMING 5/8"" X 14

BOLT DOUBLE ARMING 5/8" X 14

CHANCE A B CO	8864	
COOPER POWER SYSTEMS	DF2D14	
FLORIDA WIRE & CABLE CO	FW 8864	0
HUGHES BROS	BB 614	
JOSLYN MFG & SUPPLY CO.	J8864	
STEEL CITY	N/A	
UTILITIES SERVICE CO.	5077	

152207 CLAMP HOTLINE STIRRUP 795AA

CLAMP HOTLINE STIRRUP 795AA

ANDERSON ELECTRIC	AHLS-954022-E-TB

152231 BRACE CROSSARM FLAT 28"

BRACE CROSSARM FLAT 28"

ATLAS POWER PRODUCTS	APP-1554	
CHANCE A B CO	7128	
COOPER POWER SYSTEMS	DB2F5	
FLORIDA WIRE & CABLE CO	FW 7128	
HUGHES BROS	2809.5	
JOSLYN MFG & SUPPLY CO.	J7128	

152272 BOLT SPOOL UPSET 5/8" X 12"

BOLT SPOOL UPSET 5/8" X 12"

CHANCE A B CO	7743
COOPER POWER SYSTEMS	DC2E14
FLORIDA WIRE & CABLE CO	FW2346-1/2
JOSLYN MFG & SUPPLY CO.	J2346-1/2
UTILITIES SERVICE CO.	31055

152322 CLEVIS SECONDARY W/O INSULATOR

CLEVIS SECONDARY W/O INSULATOR

CHANCE A B CO	340
COOPER POWER SYSTEMS	
DIXIE ELECTRICAL MFG CO	D-0340
JOSLYN MFG & SUPPLY CO.	J0342

152355	BOLT MACH 5/8" X 24" SQ		
	BOLT MACH 5/8 X 24" SQ		
	CHANCE A B CO	8824	
	COOPER POWER SYSTEMS	DF3B24	
	FLORIDA WIRE & CABLE CO	FW 8824	
	HUGHES BROS	B 624	
	JOSLYN MFG & SUPPLY CO.	J8824	
	STEEL CITY		
	UTILITIES SERVICE CO.	5189	
152371	PIN 15KV 6" SMALL ANGLE		
	PIN 15KV 6" SMALL ANGLE		
	CHANCE A B CO	8779	
	CONTINENTAL ELECTRIC	AP8-6H	
	FLAGG	PA400	
152397	BOLT DOUBLE-ARMING 5/8" X 20"		
	BOLT DOUBLE ARMING 5/8" X 20		
	CHANCE A B CO	8870	
	COOPER POWER SYSTEMS	DF2D20	
	FLORIDA WIRE & CABLE CO	FW 8870	0
	HUGHES BROS	BB 620	
	JOSLYN MFG & SUPPLY CO.		
	STEEL CITY	N/A	
	UTILITIES SERVICE CO.	5080	
153015	CLOTH EMERY FINE GRIT 9""X11""		
	CLOTH EMERY FINE GRIT 9"X11"		
	SCOTCH 3M CO.	2431	
153023	CLOTH EMERY MEDIUM		
	CLOTH EMERY MEDIUM		
153155	CONN COMP BUTT 1000CU		
	CONN BUTT COMP CU 1000MCM		
	ANDERSON ELECTRIC	VHS-1000	
	BLACKBURN	CU1000	
	BURNDY	YS44	
	HOMAC		
	MAC PRODUCTS	MRC 1000	
153171	FLUX SOLDERING STEARINE		
	FLUX SOLDERING STEARINE		
	G & W ELECTRIC CO.	N/A	
	MAC PRODUCTS	N/A	
	RUSGREEN	N/A	
153239	TUBING INSUL CONN 2/0-4/0AWG		
	TUBING INSUL CONN 2/0-4/0		
	SCOTCH 3M CO.	8426-11	
153247	TUBING INSUL CONN 500MCM		
	TUBING INSUL CONN 500 MCM		
	SCOTCH 3M CO.	8428-12	
153254	TUBING INSUL CONN 1000MCM		
	TUBING INSUL CONN 1000 MCM		
	SCOTCH 3M CO.	8429-18	

153536	CONN GND POLE & ARM POST-TYPE	
	CONN GRND/POLE & ARM POST TYPE	
	BURNDY	KC22B2
	TELEDYNE PENN UNION	SSS-5
153593	YARN COTTON OIL SOAKED	
	YARN COTTON OIL SOAKED	
	G & W ELECTRIC CO.	N/A
	MAC PRODUCTS	N/A
	RUSGREEN	N/A
153635	CONN COMP BUTT 500CU	
	CONN BUTT COMP CU 500MCM	
	ANDERSON ELECTRIC	
	BLACKBURN	CU500
	BURNDY	YS34
	HOMAC	C-500
	MAC PRODUCTS	MRC 500
154047	TAPE COTTON 3/4" WIDE	
	TAPE COTTON 3/4" WIDE X 108' TAPE, COTTON, DRY PACKED, 3/4 INCH WIDE ON 108 FOOT ROLLS. FOR USE IN CLEANING CONDUCTORS AND CONNECTORS, AND FILLING V OIDS ON 13.2 KV PILC CABLE SPLICES.	
	CAROLINA TAPE	6436
	G & W ELECTRIC CO.	
	MAC PRODUCTS	N/A
	RUSGREEN	N/A
154054	ADAPTER REDUCING CU 500MCM TO	
	ADAPTER REDUCING CU 500MCM TO	
	BURNDY	Y-3430R
154096	BRAID SHIELDING TIN-CU 1" WIDE	
	BRAID SHIELDING	
	BISHOP TAPE CO.	#15 BRAID
	G & W ELECTRIC CO.	N/A
	PLYMOUTH INSULATING PRODUCTS	
	RUSGREEN	N/A
	SCOTCH 3M CO.	SCOTCH #24 BRAID
154138	CONN COMP BUTT 300CU	
	CONN BUTT COMP CU 300MCM	
	ANDERSON ELECTRIC	VHS-300
	BLACKBURN	CU300
	BURNDY	
	HOMAC	C-300
	MAC PRODUCTS	MRC 300
154179	TAPE VARNISH CAMBRIC 1/2" WIDE	
	TAPE VARN CAMB 12MIL 3/4" X 12' TAPE, VARNISH CAMBRIC, OIL PACKED, .012 INCH THICK, 3/4 INCH WIDE IN 12 FOOT ROLLS. TAPE SHALL BE SUPPLIED IN 10 ROLL CANS. TAPE SHALL BE BIAS CUT AND BLACK IN COLOR. TAPE IS FOR PHASE	
	G & W ELECTRIC CO.	N/A
	MAC PRODUCTS	N/A
	RUSGREEN	N/A
154195	CONN COMP BUTT 250CU	
	CONN BUTT COMP CU 250MCM	
	ANDERSON ELECTRIC	VHS-250
	BLACKBURN	CU250

	BURNDY	YS29
	HOMAC	C-250
	MAC PRODUCTS	
154526	CONN SPLIT BOLT BRNZ 8AWG CU-C	
	CONN SPLIT BOLT BRNZ 8AWG CU-C	
	BLACKBURN	8H
	BURNDY	KS15
	GREAVES	A-2
	KEARNEY	118101
	PENN-UNION	
	RELIABLE ELECTRIC	8F
154625	CAP EXPEND FOR 100A S/S	
	CAP EXPEND FOR 100A SOU STATES	
	SOUTHERN STATES INC	BP-100

156331 SCREW LAG GLV 3/8" X 3"
SCREW LAG GLV 3/8" X 3"

CHANCE A B CO	508743
COOPER POWER SYSTEMS	DF13L3
FLORIDA WIRE & CABLE CO	FW 8743P
JOSLYN MFG & SUPPLY CO.	J8743P

156380 CONN COMP TERM 650AL
CONN COMP TERM AL 650MCM 2HOLE FLAT CONNECTOR ALUMINUM COMPRESSION TERMINAL 2 HOLE FLAT, TWO 9/16 IN HOLES 1-3/4 IN ON CENTER, FOR INDOOR OR OUTDOOR USE ON 650 MCM ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	VAUL-750-12BN
BLACKBURN	AL32
HOMAC	SAL650-N

157107 BOLT MACH 1/2" X 4" SQ
BOLT MACH 1/2" X 4" SQ

COOPER POWER SYSTEMS	DF2B4
FLORIDA WIRE & CABLE CO	
HUGHES BROS	B 54
JOSLYN MFG & SUPPLY CO.	J8704
STEEL CITY	N/A
UTILITIES SERVICE CO.	4864

157123 BOLT STAINLESS 1/2" X 1"
BOLT STAINLESS 1/2" X 1" BOLT, 1/2 IN DIAMETER X 1 IN, HEX HEAD, STAINLESS STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO

158030 BOLT MACH 1/2"" X 1-1/2"" SQ
BOLT MACH 1/2" X 1-1/2" SQ BOLTS, 1/2 IN. X 1-1/2 IN. HEX., MACHINE , GALVANIZ>ED STEEL, COMPLETE WITH HEX NUT IN ACCORDANCE WITH ANSI STANDARD C13 5.1

CHANCE A B CO	8701.5
COOPER POWER SYSTEMS	DF2B150
FLORIDA WIRE & CABLE CO	
HUGHES BROS	B 51 1/2
JOSLYN MFG & SUPPLY CO.	J8701 1/2
STEEL CITY	N/A
UTILITIES SERVICE CO.	4859

159368 SLEEVE LEAD 3/16"" X 4"" X 22"
SLEEVE LEAD 3/16" X 4" X 22"

AVRIL, G.A., CO.	N/A
G & W ELECTRIC CO.	N/A
MAC PRODUCTS	N/A
RUSGREEN	

159376 SLEEVE LEAD 3/16"" X 4 1/2"" X
SLEEVE LEAD 3/16" X 4 1/2" X 2

AVRIL, G.A., CO.	N/A
G & W ELECTRIC CO.	N/A
MAC PRODUCTS	N/A
RUSGREEN	

159384 SLEEVE LEAD 3/16"" X 6"" X 28"
SLEEVE LEAD 3/16" X 6" X 28"

AVRIL, G.A., CO.	N/A
G & W ELECTRIC CO.	N/A
MAC PRODUCTS	

	RUSGREEN	N/A
159392	WIRE 600V STR 1C 6CU BLK	
	WIRE 6CU 1C STRND 600V BLACK	
	BICC	
	OKONITE	N/A
	PHILLIPS CABLE INC.	N/A
	PIRELLI CABLE CORP.	N/A
	ROME CABLE CORP	N/A
159533	BOLT MACH 5/8" X 8" SQ	
	BOLT MACH 5/8 X 8" SQ	
	CHANCE A B CO	8808
	COOPER POWER SYSTEMS	DF3B8
	FLORIDA WIRE & CABLE CO	FW 8808
	HUGHES BROS	B 68
	JOSLYN MFG & SUPPLY CO.	
	STEEL CITY	N/A
	UTILITIES SERVICE CO.	5181
159541	SLEEVE LEAD 3/16"" X 5 1/2"" X	
	SLEEVE LEAD 3/16" X 5 1/2" X 2	
	AVRIL, G.A., CO.	N/A
	G & W ELECTRIC CO.	N/A
	MAC PRODUCTS	N/A
	RUSGREEN	
159558	SOLDER 40/60 BAR	
	SOLDER 40/60 BAR	
	AVRIL, G.A., CO.	
	FEDERATED METALS CORP.	N/A
	KESTER SOLDER CO.	N/A
	MAC PRODUCTS	MBS46
	OATEY LEAD CO.	N/A
159566	SOLDER 50/50 BAR	
	SOLDER 50/50 BAR FOR LEAD SLEEVE SOLDER, 50 PARTS TIN - 50 PARTS LEAD, ON E POUND BARS MADE FROM VIRGIN METAL. FOR USE IN CLOSING THE FILLING HOLES IN LEAD SLEEVES USED ON 13.2 KV PILC CABLE SPLICES.	
	AVRIL, G.A., CO.	N/A
	FEDERATED METALS CORP.	N/A
	KESTER SOLDER CO.	
	MAC PRODUCTS	MBS 55
	OATEY LEAD CO.	N/A
160424	CONE COMP CU 1000MCM	
	CONE COMP CU 1000MCM	
	BURNDY	Z4444
160465	CONNECTION 4/0 CABLE	
	CONNECTION 4/0 CABLE	
	BURNDY	NYT-3426
160523	CONN TEE 1000 RUN TO 1000 TAP	
	CONN TEE 1000 BOLT RUN 1000 COMP TAP CONNECTOR, TEE, BOLTED TO A RUN CABLE AN D COMPRESSED TO TAP CABLE. FOR MAKING A TAP ONTO 1000 CABLE WITH 1000 CABLE. CONNECTOR TO BE MADE OF TINNED ELECTRICAL GRADE COPPER	
	BURNDY	NYT4444
	HOMAC	2131-13
	MAC PRODUCTS	MXT 1000-1000

160556	ADAPTER REDUCING CU 4/0AWG TO ADAPTER REDUCING CU 4/0AWG TO	
	BURNDY	Y-2826R
161141	CONN COMP BUTT 4CU CONN BUTT COMP CU 4AWG	
	ANDERSON ELECTRIC	VHS-4
	BLACKBURN	CU4
	BURNDY	YS4C
	HOMAC	
	MAC PRODUCTS	MRC 4

161216	CONN COMP BUTT 2/0CU	
	CONN BUTT COMP CU 2/0AWG	
	ANDERSON ELECTRIC	
	BLACKBURN	CU20
	BURNDY	YS26
	HOMAC	C-2/0
	MAC PRODUCTS	MRC 2/0
161224	CONN COMP BUTT 2CU	
	CONN BUTT COMP CU 2AWG	
	ANDERSON ELECTRIC	
	BLACKBURN	CU2
	BURNDY	YS2C
	HOMAC	C-2
	MAC PRODUCTS	MRC 2
161240	ADAPTER REDUCING CU 300MCM TO	
	ADAPTER REDUCING CU 300MCM TO	
	BURNDY	Y-3028R
161307	KIT TAPE VARNISH CAMBRIC 2"X4"	
	KIT TAPE VARN CAMB 2-1/2 4-3/4 12-1 KIT, TAPE, VARNISH CAMBRIC, OIL PACKED, BIAS CUT, BLACK, .012 INCH THICK IN 12 FT ROLLS. CONTAINS 2 ROLLS OF 1/2 INCH WIDE, 4 ROLLS OF 3/4 INCH WIDE, AND 12 ROLLS OF 1 INCH WIDE TAPE. FOR USE	
	G & W ELECTRIC CO.	N/A
161398	SCREW HOOK EYE 3/8" X 3-1/2"	
	SCREW HOOKEYE 3/8" X 3 1/2"	
	CHANCE A B CO	8777
161844	CONN TEE 1000 RUN TO 500 TAP	
	CONN TEE 1000 BOLT RUN 500 COMP TAP CONNECTOR, TEE, BOLTED TO RUN CABLE AND COMPRESSED TO TAP CABLE. FOR MAKING A TAP ONTO 1000 CABLE WITH 500 CABLE. CON NECTOR TO BE MADE OF TINNED ELECTRICAL GRADE COPPER OR	
	BURNDY	NYT4434
	HOMAC	2131-11
	MAC PRODUCTS	MXT 1000-500
161869	CONN TEE 500 RUN TO 500 TAP	
	CONN TEE 500 BOLT RUN 500 COMP TAP CONNECTOR, TEE, BOLTED TO RUN CABLE AND COMPRESSED TO TAP CABLE. FOR MAKING A TAP ONTO 500 CABLE WITH 500 CABLE. CONN ECTOR TO BE MADE OF TINNED ELECTRICAL GRADE COPPER OR	
	BURNDY	NYT3434
	FRANKEL CONNECTOR CO	UAT-50-50R
	MAC PRODUCTS	MXT 500-500
161885	CONN COMP BUTT 4/0CU	
	CONN BUTT COMP CU 4/0AWG	
	ANDERSON ELECTRIC	VHS-4/0
	BLACKBURN	CU40
	BURNDY	YS28
	HOMAC	C-4/0
	MAC PRODUCTS	
161893	CONE COMP CU 500MCM	
	CONE COMP CU 500MCM	
	BURNDY	Z3444
	MAC PRODUCTS	UC500-500
161919	BOLT STAINLESS 1/2" X 3/4"	
	BOLT STAINLESS 1/2" X 3/4" BOLT, 1/2 IN DIAMETER X 3/4 IN, HEX HEAD , STAINLESS	

STEEL, UNC THREADS, CLASS 2A FIT, MEETING OR EXCEEDING ASTM SPEC F 593, ALLOY GROUP 1 (304 TYP), COLD WORKED, SUPP REQUIREMENT S7(MFG ID SYMBO

161927 WASHER LOCK STAINLESS 1/2"
WASHER LOCK STAINLESS 1/2"

161935 TAPE SPLICING HV EPR 3/4" WIDE
TAPE SPLICING HV EPR 3/4"X30' NO LINER TAPE,SPLICING,HIGH VOLTAGE,EPR COMPOSITI ON,NO LINER, 0.030 INCHES THICK BY 3/4 INCHES WIDE BY 30 FEET.

PLYMOUTH RUBBER CO.	3/4/2211
SCOTCH 3M CO.	130C-3/4(00073)

161943 STRAP GROUND DIST TRANS 276
STRAP GROUND DIST TRANS 276

FRANKEL CONNECTOR CO	FB11-NE 7-3/4
SOUTHERN STATES INC	8111588

162024 TAP LUG 1000MCM TO 750MCM
TAP LUG 1000MCM TO 750MCM

ANDERSON ELECTRIC	TLD-82L
BURNDY	QQGFL44B1T6

162032 LUG TAP 500MCM TO 4/0AWG DBLE
TAP LUG 500MCM TO 4/0AWG

ANDERSON ELECTRIC	TLD-62L
BURNDY	QQGFL34B1T6
PENN-UNION	LDN-050NE
SOUTHERN STATES INC	

162040 LUG TAP 2/0AWG TO 8AWG SINGLE
TAP LUG 2/0AWG TO 8AWG

ANDERSON ELECTRIC	TLS-32L
BURNDY	QGFL26B2T6
PENN-UNION	LSN-2/0NE
SOUTHERN STATES INC	

162065 BRUSH COND CLEANING V TYPE **
BRUSH COND CLEANING V TYPE **N.S.** BRUSH, CONDUCTOR CLEANING, V-TYPE WITH GUARD FOR HAND USE IN CLEANING ELECTRICAL CONDUCTORS -INCLUDES MOLDED EYE FOR USE WITH SHOTGUN STICKS

HASTINGS FIBERGLASS PROD. INC.	10-178

162651 SOLDER 50/50 NO 9 WIRE FOR CU
SOLDER 50/50 NO 9 WIRE FOR CU CONNECTORS SOLDER, 50 PARTS TIN - 50 PARTS LEAD, NO . 9 WIRE SIZE,SOLID CORE,NO FLUX,ONE POUND SPOOLS. FOR USE ON COPPER SPLIT TINNED CONNECTORS AND CABLE CONTACTS.

AVRIL, G.A., CO.	N/A
FEDERATED METALS CORP.	
KESTER SOLDER CO.	N/A
MAC PRODUCTS	N/A
OATEY LEAD CO.	N/A

162691 MARKER VINYL SNAP ER
MARKER VINYL SNAP ER MARKER, VINYL SNAP AROUND FOR FIBER OPTIC CABLE. WITH U.V. PROTECTION FOR USE IN OVERHEAD & UNDERGROUND INSTALLATIONS. COLOR SHALL BE ORANGE WITH BLACK LETTERS AND DESIGNED ACCORDING TO

ALMETEK INDUSTRIES, INC.	N/A
SETON NAME PLATE COMPANY	N/A
WILLIAM FRICK & CO.	N/A

162826	STARTER 400W HPS H-M HOLO STARTER HP 400W HIGH MAST HOL	
	HOLOPHANE	EC-3125
162883	SPLICE REPAIR 15KV 3/0AL-3/0AL SPLICE REPAIR CABLE 15KV 3/0 TO 3/0 URD SPLICE, REPAIR, CABLE, 15KV, 3/0 AL TO 3 /0 AL URD, FOR USE IN REPAIRING CABLE WHERE NO MORE THAN SIX INCHES OF T HE CABLE IS DAMAGED. (CONNECTOR NOT INCLUDED W/SPLICE)	
	RAYCHEM	HVS-1511E-RJ
162891	SPLICE REPAIR 15KV 4/0AL-4/0AL SPLICE REPAIR CABLE 15KV 4/0 TO 4/0 URD SPLICE, REPAIR, CABLE, 15KV, 4/0 AL TO 4 /0 AL URD, FOR USE IN REPAIRING CABLE WHERE NO MORE THAN SIX INCHES OF T HE CABLE IS DAMAGED. (CONNECTOR INCLUDED W/SPLICE)	
	RAYCHEM	HVS-1512E-RJ
	SCOTCH 3M CO.	5412R-CIR-4/0

163006	CONN COMP TERM 3/0CU	
	CONN COMP TERM CU 3/0AWG 2HOLE FLAT	
	CONNECTOR,COPPER,COMPRESSION,TERMINAL,2 HOLE FLAT,NEMA SPACED, TINNED,FOR INDOOR OR OUTDOOR USE ON 3/0A WG COPPER CONDUCTOR.	
	ANDERSON ELECTRIC	CHL-3/0-BN
	BLACKBURN	
	CONNECTOR MFGR CO	CCBL3/0-50
	HOMAC	L3/0N
163014	CONN COMP TERM STACK 3/0CU	
	CONN COMP TERM STACK CU 3/0AWG 2HOLE	
	CONNECTOR,COPPER,COMPRESSION,TERMINAL,ST ACKING,3/0 AWG,2HOLE NEMA-SPACED,TINNED,FOR USE ON TOP OF NEM A-SPACED TWO HOLE FLAT COMPRESSION CONNECTOR TERMINALS.	
	ANDERSON ELECTRIC	CSL-3/0 BN
	HOMAC	SL 3/0 N
163089	ADAPTER CABLE 750CU/COMP	
	ADAPTER CABLE 5KV 750 1MCM	
	CHARDON ELECTRICAL COMPONENTS	9U60CAM
	COOPER POWER SYSTEMS	2637196B09M
	ELASTIMOLD	655CA-M
163105	CONN COMP BUTT 750AL COMP	
	CONN BUTT COMP AL 750 COMP	
	ANDERSON ELECTRIC	VACS-750
	BLACKBURN	ASP750
	BURNDY	
	HOMAC	AC-750
	MAC PRODUCTS	MTAP 750
	SCOTCH 3M CO.	20019
163366	CUTTER TUBING MOD 101 **N.S.	
	CUTTER TUBING MOD 101 **N.S.	
	RIDGID TOOLS	40617
163501	PAINT WHITE INVERTED	
	PAINT WHITE INVERTED	
	FOX VALLEY MARKING SYSTEM	N/A
164004	WIRE SWITCHBOARD 14CU-41STL	
	WIRE SWITCHBOARD 14CU-41ST 600V XLP 238 WIRE, SWITCHBOARD, TYPE SIS, SINGLE CONDUCTOR, 14AWG, 41 STRANDS, ANNEALED COPPER WIRE, TINNED, INSULATED, TO BE SU PPLIED IN COILS NOT EXCEEDING 500 FEET IN LENGTH.	
	AMERICAN STEEL & WIRE CO.	N/A
	BICC	N/A
	GENERAL CABLE CO.	
	GENERAL ELECTRIC	N/A
	OKONITE	N/A
	ROME CABLE CORP	N/A
164012	INSULATOR DEADEND 161KV ER	
	INSULATOR DEADEND 161KV ER POLYMER INSULATOR, SUSPENSION TYPE, 161KV, WITH FIBERGLASS ROD, POLYMER WEATHER SHED MATERIAL, 25,000 LB SPECIFIED MECHANICAL LOAD, 12,500 LB ROUTINE TEST LOAD, Y-CLEVIS/BALL END FITTINGS, MEETING OR E	
	OHIO BRASS CO.	511010-1201
	SEDIVER	YB120XF053

164020 SWITCH 161KV STA LAT VERT 2000

SWITCH 161KV STA LAT VERT 2000 A 3P 678ER SWITCH, 161KV, 2000A, 3PST, 750KV BIL, 1 00KA MOMENTARY, VERTICAL BREAK PER KUB SPECIFICATION F02-678 AND E03-16 0. INSULATORS TO BE INCLUDED WITH THE SWITCH. SWITCH SHALL BE SHIPPED

ABB POWER T & D CO	
MEMCO, INC.	161EA20P5
SOUTHERN STATES INC	EV-21612000
U S C O POWER EQUIP. CORP.	AVR-161-20

164046 COVER FOR 1-BOLT PG 4/0AL CONN
COVER FOR 1 BOLT PG AL CONN 4/
ANDERSON ELECTRIC PTC-52

164079 BRUSH COND-CLEANING
BRUSH COND CLEANING **N.S.**
KEARNEY 48900

164509 INSULATOR DEADEND 69KV
INSULATOR DEADEND 69KV POLYMER INSULATOR, SUSPENSION TYPE,69KV,WITH FIBERGLASS ROD, POLYMER WEATHER SHED MATERIAL 25,000 LB SPECIFIED MECHANICAL LOAD, 12, 500 LB ROUTINE TEST LOAD, Y-CLEVIS/BALL END FITTINGS, MEETING OR EXCEEDING ANSI
MACLEAN POWER SYSTEMS S148041MX03
OHIO BRASS CO. 511005-1201
SEDIVER YB120XF025

164558 BUS IWBC AL 4 X 4 X26'
BUS IWBC AL 4 X 4 X26' ER INTEGRAL WEB CHANNEL BUS CONDUCTOR, # 61 01-T61 ALLOY, 4" X 4" X 26 FT AS SHOWN ON ALCOA SECTION 88960. VENT HO LES, 5/8" DIAMETER, SHALL BE PROVIDED IN THE WEB 4" ON CENTER. BUS SH
COPPER AND BRASS SALES N/A
J M TULL METALS CO. N/A
MEIER METAL SERVICE N/A
MILLER ALUMINUM SALES CO.
T W METALS N/A
VINCENT BRASS & ALUMINUM CO. N/A

164574 BUS SUPPORT AL 4X4 IWBC 3"" BC
BUS SUPPORT AL 4X4 IWBC 3" BC ER BUS SUPPORT, ALUMINUM, WITH ANTICHATTER STAINLESS STEEL SPRING CLIP, FOR MOUNTING 4" X 4" INTEGRAL WEB ALUMINUM C HANNEL BUS ON INSULATOR WITH 3" BC. SUPPORT SHALL BE CAPABLE OF RIGID AN
FRANKEL CONNECTOR CO IWCBS-44-3

164582 BUS TUBE AL IPS 4 X40'
BUS TUBE AL IPS 4 X40'
COPPER AND BRASS SALES N/A
J M TULL METALS CO. N/A
MEIER METAL SERVICE
MILLER ALUMINUM SALES CO. N/A
T W METALS N/A
VINCENT BRASS & ALUMINUM CO. N/A

164590 BUS SUPPORT AL 4"" IPS ER
BUS SUPPORT AL 4" IPS ER ALUMINUM BUS SUPPORT WITH STATIC SPRINGS FOR 4" IPS STD (SCH 40) ALUMINUM TUBE BUS. SUPPORT MUST BE CAPAB LE OF EITHER SLIP-FREE OR RIGID CLAMPING FOR MOUNTING ON 5" BOL
ANDERSON ELECTRIC AUR-40-5

164608 BUS SUPPORT EXP CPLER 4"" IPS
BUS SUPPORT EXP CPLER 4" IPS ER ALUMINUM HORIZONTAL EXPANSION BUS SUPPORT FOR 4" IPS STD (SCH 40) ALUMINUM TUBE BUS TO 5" B.C. STATION POS T
SEFCOR AXCTI-64-5

164798 MARKER OH-LINE 24" WHITE
LINE MARKER 24" DIA WHITE
P R INDUSTRIES MODEL 24
TANA WIRE MARKER TWM-24-XL

164806	MARKER OH-LINE 24" YELLOW	
	LINE MARKER 24" DIA YELLOW	
	P R INDUSTRIES	MODEL 24
	TANA WIRE MARKER	TWM-24-XL

164814	CONN TEE 4"" TUBE TO 1590MCM E	
	CONN TEE 4" TUBE TO 1590MCM ER	
	ANDERSON ELECTRIC	ATTC-4016
	DELTA STAR	FTU-206-AL
	SEFCOR	ATRCT-6446
164822	CONN TEE 4"" IPS TO 4 HOLE PAD	
	CONN TEE 4" IPS TO 4 HOLE PAD	
	ANDERSON ELECTRIC	ATTF-4040-1
164830	CONN TERM 4"" IPS 4 HOLE STR A	
	CONN TERM 4" IPS 4 HOLE STR AL	
	ANDERSON ELECTRIC	ASTF-40-D
164848	CONN FLEXIBLE 4"" IPS	
	CONN FLEXIBLE 4" IPS	
	SEFCOR	AFXT-64-4B
164855	BUS SUPPORT AL 1590MCM 5"" BC	
	BUS SUPPORT AL 1590MCM 5" BC ER ALUMINUM BUS SUPPORT, 1590MCM AA CONDUCTOR TO 5" BC STATION POST INSULATOR, TO BE MOUNTED IN ANY POSITION	
	ANDERSON ELECTRIC	ACS-16-5
	BURNDY	UHKR16A-5
	SEFCOR	AVCA-51-5
164863	BUS SUPPORT AL 795MCM 3"" BC	
	BUS SUPPORT AL 795MCM 3" BC ER ALUMINUM BUS SUPPORT, 795MCM AA CONDUCTOR TO 3" BC STATION POST INSULATOR, TO BE MOUNTED IN ANY POSITION	
	ANDERSON ELECTRIC	ACS-13-3
	BURNDY	UHKR14A-3
	SEFCOR	AVCA-34-3
164889	LOCK SUBSTATION GATE LONG SHAN	
	LOCK SUBSTATION GATE LONG SHANK KEYED NO 2A27457 LOCK, BRASS BODY, 5 PIN TUMBLER LOCK, 2I N SHACKLE, 3/8IN SHACKLE DIAMETER, 2 1/16IN WIDE, MARKED "PROPERTY OF KUB", ALL UNITS KEYED ALIKE, KEY NUMBER 2A27457.	
	HERCULES	SERIES 900
	WILSON BOHANNON	622A-KA
164897	ANCHOR PWR SCREW 8" 1500LB	
	ANCHOR PWR SCREW 8" 15000LB	
	CHANCE A B CO	C102-5000
164905	ANCHOR PWR SCREW 12" 1500LB	
	ANCHOR PWR SCREW 12" 15000LB	
	CHANCE A B CO	C102-5002
164921	ANCHOR PWR SCREW 8" STD	
	ANCHOR PWR SCREW 8" STD	
	CHANCE A B CO	C102-5004/E102-1002
	COOPER POWER SYSTEMS	DA14P6
	DIXIE ELECTRICAL MFG CO	
	JOSLYN MFG & SUPPLY CO.	J23738CAB.1
164939	ANCHOR PWR SCREW 10" STD	
	ANCHOR PWR SCREW 10" STD	
	CHANCE A B CO	C102-5005/E102-1004
	COOPER POWER SYSTEMS	DA14P14
	DIXIE ELECTRICAL MFG CO	
	JOSLYN MFG & SUPPLY CO.	J23738CAB.2

164947	ANCHOR PWR SCREW 2-8" HX	
	ANCHOR PWR SCREW 2 -8" HX	
	CHANCE A B CO	E102-1219
	COOPER POWER SYSTEMS	
	DIXIE ELECTRICAL MFG CO	D284
	JOSLYN MFG & SUPPLY CO.	J23739CAB.1

164954	ANCHOR PWR SCREW 2-10" HX	
	ANCHOR PWR SCREW 2-10" HX	
	CHANCE A B CO	
	COOPER POWER SYSTEMS	DA15P14
	DIXIE ELECTRICAL MFG CO	D2104
	JOSLYN MFG & SUPPLY CO.	J23739CAB.2
164962	LINER FLAME RETARDANT	
	LINER FLAME RETARDANT FLAME RETARDANT LINER, LONG NECK, WINTER STANDARD PACKAGING - 1 UNIT PER PACKAGE STOCKING REQUIREMENT - 60 UNITS	
	GUARD LINE	V320THE
	VALLEN SAFETY	V320THE
165167	TRANSDUCER CURRENT 3PH 0-3MA	
	TRANSDUCER CURRENT 3-PH 0-3MA	
	ROCHESTER INSTRUMENT SYSTEMS	CCC-30B-1
	SCIENTIFIC COLUMBUS, INC.	4044-CT510A2
	TRANSDATA INC	30CS501
165191	FUSE 30A 600V TYPE-OTS30	
	FUSE 30A 600V ST LT OTS30	
	BUSSMAN	NOS30
	GOULD SHAWMUT	0TS30
	LITTLEFUSE INC	NLS30
165282	LUMINAIRE HP 100W W/O C 480V	
	LUMINAIRE HP 100W W/O C 480V	
	GENERAL ELECTRIC	WL400-C699N314
165290	SHIELD LEXAN HVY DTY C246G002	
	SHIELD LEXAN HVY DTY C246G002	
165308	LUMINAIRE HP 150W W/O C 480V	
	LUMINAIRE HP 150W W/O C 480V SL LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM VAPOR WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 480 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING	
	AMERICAN ELECTRIC	114-56662-6
	COOPER LIGHTING	OVZ15SN82E
	GENERAL ELECTRIC	M2RR15S5A1AMS2
165357	CONN VINYLINK #10 TO #12	
	CONN VINYLINK NO 10 TO NO12	
	BURNDY	SP 10
	PANDUIT CORP	BSV 10X
165399	STARTER 100W HPS CH-220C173G11	
	STARTER HP 100W 220C173G11 CH	
	COOPER LIGHTING	220C173G11
	CROUSE HINDS	220C173A11
165407	STARTER 250-400W CH-220C173G05	
	STARTER HP 250-400W 220C173G05	
	COOPER LIGHTING	220C173G05
165415	STARTER 1000 H-M CH-219C960G09	
	STARTER HP 1000W 219C960G09CH	
	CROUSE HINDS	219C960G09

165423	STARTER 70-150W HPS STARTER HP 70-150W ADVANCE	LI551-H4
165431	STARTER 250-400W AE-LI501-H4 STARTER HP 250-400W ADVANCE ADVANCE TRANSFORMER CO.	LI501-H4

165449	HANGER SPACER CABLE 15KV	
	HANGER SPACER CABLE 15KV	
	HENDRIX	H-15D/RT-33 TIES
165548	LOCK SHORT-SHANK SUBSTATION	
	LOCK, SHORT SHANK SUBSTATION BRASS BODY STAMPED KUB KEYED 2A27457 LOCK, BRASS BODY, 5 TUMBLER PIN LOCK, 7/ 8" SHACKLE CLEARANCE, 5/16" SHACKLE DIA 1 3/4" WIDE, MARKED "PROPERTY OF KUB", A LL UNITS KEYED ALIKE, KEY # 2A27457	
	HERCULES	800
	WILSON BOHANNON	621A-KA
165571	BALLAST 400W 480V H-M KIT HOLO	
	BALLAST HP 400W 480V HM KIT	
	HOLOPHANE	RBK400HP48
165589	CAPACITOR 400W HPS H-M HOLO	
	CAPACITOR 400W HP HM HOLOPHANE	
	HOLOPHANE	EC-2918
165605	ENVELOPE CUSTOMER-REFUND	
	ENVELOPE CUSTOMER REFUND P OBOX 59017 ENVELOPE, STD ENVELOPE BOND, WHITE, #9 8 7/8" X 3 7/8" HIGH (TO FOLD), BLACK INK ON LOGO AND ADDRESS, CELLO WINDOW 1" HIGH X 4" WIDE LOCATED 3/8" FROM LEFT EDGE AND 1 1/4" FROM BOTTOM	
165639	CABLE 15KV 1/0 ACSR TREE WIRE	
	CABLE 15KV 1/0 ACSR TREE WIRE CABLE, TREE WIRE, 15KV, 1/0 ACSR 6/1 STR ANDING, 150 MIL COVERING THICKNESS, BLACK HIGH DENSITY POLYETHYLENE	
	HENDRIX	HAC15-TPB
	SOUTHWIRE	N/A
165647	FUSE 15KV 150A AF	
	FUSE 15KV 150A AF	
	SOUTHERN STATES INC	AF15150
165662	CONN COMP UNINS 1/0AA M-PLEX	
	CONN COMP UNINS 1/0AA MULT	
	BLACKBURN	TR 65
	BURNDY	YDS25AT
	HOMAC	SNG 00
	KEARNEY	30013
165670	CABLE 600V PVC 2CW/G 10CU	
	CABLE 10AWG CU 600V 2CW/G ST LT CABLE, 600 VOLT, TWO CONDUCTOR WITH GROU ND, NUMBER 10 AWG SOLID COPPER TYPE UF, WITH PVC INSULATION IN ACCORDANCE WITH F EDERAL SPECIFICATION JC-30A. TO BE SUPPLIED IN 250FT	
	BICC	N/A
	SOUTHWIRE	UF
165696	CABLE INSTR 300V 1PR 18AWG	
	CABLE INSTR 300V 1PR 18AWG SHLD CU CABLE, INSTRUMENTATION, 18 AWG 7 STRAND COPPER COND, ONE PAIR , 300V, 90 C MIN, ALUMINUM/POLYESTER SHIELDING TAPE, FLAME RETARDANT INSULATION AND JACKET, COAT- ED STRANDED COPPER DRAIN WIRE. APPLICAB	
	ANIXTER WIRE & CABLE CO.	323-221-1801
	BICC	AP 63570
	CONTINENTAL WIRE & CABLE	PVIC-S300-18-2S
	OKONITE	
165704	BOX-PAD FBGL 50"X56"X15"D	

BOX/PAD FIBERGLASS 15X56X50 HVY DTY BOX/PAD, 15 X 56 X 50 FIBERGLASS, FOR USE AS A BASE (PAD) FOR SINGLE PHASE PADMOUNTED TRANSFORMERS FROM 25KVA THROU GH 167KVA. BOX/PAD SHALL BE EQUIPPED WITH A MIN OF 4 THREADED INSERTS (1 CENT

ACURA FIBERGLASS CORP.	AG-4915
CONCAST	FC-38-43-15
ELECTRIMOLD INC	EFBT-374315-2632-400
HIGHLINE PRODUCTS CORP.	HIGHHL49DE HL374315-2630
NORDIC	CBP-37-43-15A

165738 CLEANER CLEAN-UP CREW
CLEANER CLEAN-UP CREW

ECOLAB, INC.	61039272

165837 STRAP PIPE 2 HL PLATED 4"" PIP
STRAP PIPE 2 HL PLATED 4" PIPE

MINERALLAC	HD296

165845 STRAP PIPE 2 HL PLATED 2"" PIP
STRAP PIPE 2 HL PLATED 2" PIPE

COOPER POWER SYSTEMS	OLIVER 4522
KIN LINE (E E RULE)	477-2
MINERALLAC	HD 290

165852 STRAP PIPE 1 HL PLATED 1"" PIP
STRAP PIPE 1 HL PLATED 1" PIPE

APPLETON	CL-100
COOPER LIGHTING	MW412
STANDARD TRANSFORMERS	193

165860 GLOVE RUBBER PVC 7712R
GLOVE RUBBER PVC 7712R

165878 FUSE 5A 600V TYPE-KTQ
FUSE 5A 600V TYPE KTQ

BUSSMAN	KTQ-5

165886 MARKER OH-LINE 20" ORANGE
LINE MARKER 20" DIA ORANGE

TANA WIRE MARKER	TWM-20

166090 HOOK GUY DEAD END COMB 5/8""EY
HOOK GUY DEAD END COMB 5/8"EYE

BETHEA	AGM-65
CONTINENTAL ELECTRIC	MGA-345
FLAGG	P345

166108 ALLEN SET 9 PC SET 5/64 - 1/4
ALLEN SET 9 PC SET 5/64 - 1/4

KLEIN	70591

166116 ALLEN SET 8 PC SET .050 - 5/32
ALLEN SET 8 PC SET .050 - 5/32

KLEIN	70581

166124 ALLEN SET 5 PC SET 3/16 - 3/8
ALLEN SET 5 PC SET 3/16 - 3/8

KLEIN	70579

166132	SCREW LAG GLV 5/16" X 2"	
	SCREW LAG GLV 5/16 X 2"	
	COOPER POWER SYSTEMS	DF2L2
	FLORIDA WIRE & CABLE CO	FW8732-1/2
	JOSLYN MFG & SUPPLY CO.	
	UTILITIES SERVICE CO.	5356
166157	FUSE CURRENT-LIMIT T-T 2/0MCM	
	FUSE CURR LIMITING T-T 2/0AWG	
	BUSSMAN	KCD
	RELIANCE ELECTRIC	UCL-20TT
166165	FUSE CURRENT-LIMIT T-T 4/0AWG	
	FUSE CURR LIMITING T-T 4/0AWG	
	BUSSMAN	KCF
	RELIANCE ELECTRIC	UCL-40TT

166173	FUSE CURRENT-LIMIT T-T 500MCM	
	FUSE CURR LIMITING T-T 500MCM	
	BUSSMAN	KCM
	RELIANCE ELECTRIC	UCL-50TT
166181	FUSE CURR LIMITING T-T 1000MCM	
	FUSE CURR LIMITING T-T 1000MCM	
	BUSSMAN	KCS
166231	COVER SPLICE RUBR 6 AWG-2AWG	
	COVER SPLICE RUBR 6 AWG-2AWG	
	HOMAC	FSS20
166249	COVER SPLICE RUBR 2/0-4/0AWG	
	COVER SPLICE RUBR 2/0-4/0AWG	
	HOMAC	FSS350
	UTILCO	SS350
166256	COVER SPLICE RUBBER 500-1000	
	COVER SPLICE RUBR 500-1000MCM	
	HOMAC	FSS1000
166264	CAP END CABLE 600V 6-2 AWG	
	CAP END CABLE 600V 6-2 AWG	
	HOMAC	CAP35
166272	CAP END CABLE 600V 1-3/0 AWG	
	CAP END CABLE 600V 1-3/0 AWG	
	HOMAC	CAP55
166280	CAP END CABLE 600V 3/0-300MCM	
	CAP END CABLE 600V 3/0-300MCM	
	HOMAC	CAP65
166298	CAP END CABLE 600V 250-400MCM	
	CAP END CABLE 600V 250-400MCM	
	HOMAC	CAP85
166306	CAP END CABLE 600V 500-750MCM	
	CAP END CABLE 600V 500-750MCM	
	HOMAC	CAP 95
166314	CAP END CABLE 600V 800-1000MCM	
	CAP END CABLE 600V 800-1000MCM	
	HOMAC	CAP125
166355	WASHER BEVEL SQ 1-1/2"" 11/16"	
	WASHER BEVEL SQ 1-1/2" 11/16" HOLE WASHER, BEVEL, SQUARE 1 1/2 INCH, GALVAN IZED WITH 11/16 DIA. HOLE, FOR USE IN LEVELING SUBSTATION SWI TCHES.	
	JOSLYN MFG & SUPPLY CO.	J 6821
166371	BEND CND PVC-40 2" 90-DEG 12R	
	BEND CONDUIT PVC 2" 90-D 12R SCH 40 BEND, CONDUIT PVC, SCHEDULE 40, 90 DEGRE E, 2 INCH, 12 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT USE WITH SCHEDULE 40 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6, LATEST REVISION.	
	CANTEX CO	5133828
	CARLON	UA9AJ
	CERTAINEED CORP	59593

	P P S	N/A
	PICOMA INDUSTRIES	
	R & G SLOANE CO.	N/A
	SEDCO	79020
166397	RTV SILICONE RUBBER ADHESIVE	
	RTV SILICONE RUBBER ADHESIVE	
	GENERAL ELECTRIC	RTV 108
166405	BUCKET LEATHER BOTTOM **N.S.*	
	BUCKET LEATHER BOTTOM **N.S.*	
	ESTEX	2061
	KLEIN	5104
166421	GREASE 41 DOW CORNING	
	GREASE 41 DOW CORNING	
	DOW CORNING CO.	#41
166439	PUMP SUMP AUTO 1/3 HP	
	PUMP SUMP AUTO 1/3 HP	
	LITTLE GIANT	508913, MODEL# 8-CBA
	W. W. GRAINGER	3P641-A
166447	SILICONE LUBE 111 DOW CORNING	
	SILICONE LUBE 111 DOW CORNING	
166470	BRACKET TERM 2AWG-750MCM URD	
	BRACKET TERM 2-750 MCM URD	
	ALUMA FORM INC.	CS-820-51919
	BLACKBURN	MPB6 W/O BKT
	ELASTIMOLD	1535-AFB-1
	HUBBELL	
166488	BRACE WOOD MILLER-FALLS-731	
	WOOD BRACE MILLER FALLS 731	
166496	PAINT RED INVERTED	
	PAINT RED INVERTED	
	FOX VALLEY MARKING SYSTEM	N/A
166504	SWITCH 15KV HOOKSTICK 900A	
	SWITCH 15KV HOOKSTICK 900A SPST SWITCH, 900 AMPERE, 15KV, 110 KV BIL, SI NGLE POLE, SINGLE THROW, OUTDOOR HOOK- STICK OPERATED, INCLUDING BACK MOUNTING BRACKET AND FOUR MOUNTING BOLTS, GREY COLORED PORCELAIN INSULATORS, GALVANIZED	
	S & C ELECTRIC CO	4752R9-D2
166520	TAPE RED COLOR CODING	
	TAPE RED COLOR CODING 3/4 X 66 TAPE,RED, COLOR CODING, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME,ABRASION,UV RAYS,MOISTURE,CHEMI CALS AND COLD WEATHER IN ACCORDANCE WITH EXISTING GSA CODES.	
	SCOTCH 3M CO.	RED 3/4 X 66
166538	TAPE WHITE COLOR-CODE 1/2" W	
	TAPE WHITE COLOR CODING 3/4" X 66 TAPE, WHITE, COLOR CODING, 3/4" VINYL, P RESSURE SENSITIVE, THIN, RESISTANT TO FLAME, ABRASION, UV RAYS, MOISTURE, C HEMICALS AND COLD WEATHER, IN ACCORDANCE WITH EXISTING GSA CODES.	

	SCOTCH 3M CO.	WHITE 3/4 X 66
166546	TAPE BLUE COLOR CODING	
	TAPE BLUE COLOR CODING 3/4 X 66 TAPE, BLUE, COLOR CODING, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME, ABRASION, UV RAYS, M OISTURE, CHEMICALS AND COLD WEATHER, IN ACCORDANCE WITH EXISTING GSA	
	SCOTCH 3M CO.	BLUE 3/4 X 66
166553	TAPE GREEN COLOR CODING	
	TAPE GREEN COLOR CODING 3/4 X 66 TAPE, GREEN, COLOR CODING, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME, ABRASION, UV RAYS, M OISTURE, CHEMICALS, AND COLD WEATHER, IN ACCORDANCE WITH EXISTING GSA	
	SCOTCH 3M CO.	GREEN 3/4 X 66
166587	SWITCH AUXILIARY 10 STAGE SWBD	
	SWITCH AUXILIARY 10 STAGE SWBD MTD SB-1 SWITCH, AUXILIARY, 10 STAGE FOR SWITCHBO ARD MOUNTING. TEN NORMALLY OPEN & TEN NORMALLY CLOSED MAKE-BEFORE-BREAK CO NTACTS MAINTAINED ALL POSITIONS. ESCUTCHEON TO BE STANDARD AND LABELED "O	
	GENERAL ELECTRIC	SB-1 SPECIAL
166645	DEVICE GROUNDING FOR 500MCM DW	
	DEVICE GROUNDING FOR 500MCM DW	
	BLACKBURN	N/A
	COOPER POWER SYSTEMS	2637326B15M
	ELASTIMOLD	31MAHJ
166959	JUMPER TERM AA COMP 795MCM 2 H	
	JUMPER TERM AA COMP 795MCM 2 H	
	BURNDY	YCA391A-2N
166975	FUSE TUBE 15KV LKB 8000AIC 100	
	FUSE TUBE 15KV 100A LINKBREAK 8000AIC FUSE TUBE, 15/27KV, 100 AMP LINKBREAK, 8 000AIC, 125KV BIL, FOR USE IN S & C TYPE XS, CHANCE TYPE C AND SOU STATES TYPE 66B CUTOUTS.	
	CHANCE A B CO	T700-1578
167023	PAPER WHITE 20LB 11" X 17"	
	PAPER 11" X 17 WHITE 20 LB DUAL PURPOSE (DP) PAPER, 11" X 17", WHITE, 20 LB., DUAL PU RPOSE (DP) *** RECYCLED GROUNDWOOD FREE, ALKALINE PAPER WITH A MINIMUM OF 20% POST *** CONSUMER CONTENT WITH A BRIGHTNESS M	
167049	CABINET SECTIONALIZING FBGL	
	CABINET, SECTIONALIZING, FIBERGLASS, WITH PENTA-HEAD SECONDARY LOCKING DEVICE, 36" X 36" X 19" HIGH, SUPPLIED WITHOUT L OADBREAK JUNCTIONS OR PARKING STANDS.	
	NORDIC	ND-8R
167072	INK BLACK STENCIL 3108	
	INK BLACK STENCIL 3108	
	SHERWIN WILLIAMS CO.	03108 SPRAYON
167155	NIPPLE PVC 1"" X 2"" ALL THREA	
	NIPPLE PVC 1" X 2" ALL THREAD	
167189	TEE PVC 1""	
	TEE PVC 1"	
	CANTEX CO	N/A
167353	HOOK CANT	
	HOOKS CANT	
	DIXIE ELECTRICAL MFG CO	6250

167387	CAP PVC 1"" WEATHER CAP PVC 1" WEATHER CANTEX CO	 5133741
167403	STARTER 150-400 GE-35-216702-R STARTER HP 150-400W GENERAL ELECTRIC	 35-216702-R10
167411	BALLAST 400W HPS 480V H-M GE BALLAST HP 400W 480V HMGE GENERAL ELECTRIC	 35-962870-10
167437	STARTER 1000W H-M HOL-EC-3030 STARTER HP 1000W 480V HM HOLOPHANE	 EC-3030
167445	BALLAST 1000W HPS H-M KIT HOLO BALLAST HP 1000W 480V HM KIT HOLOPHANE	 RBKC10HP48
167452	STARTER 50-150W HPS AE-SD-55B STARTER HP 50-150W SD-55B AE AMERICAN ELECTRIC	 SD-55B

167460 LUMINAIRE HP 150W W/O C 240V
LUMINAIRE HP 150W W/O C 240V SL NR LUMINAIRE 150 WATT HIGH PRESSURE SODIUM VAPOR WITHOUT RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 240 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING

AMERICAN ELECTRIC	114-57362-6
COOPER LIGHTING	OVS15SR42E
GENERAL ELECTRIC	M2RR15S3N1AMS2

167486 INSULATOR SW POST 15KV 8""
INSULATOR SW POST 15KV 8" (CHANCE SW) INSULATOR,SWITCH POST,15KV,8IN HIGH PORCELAIN,WITH 2 1\4IN BOLT CIRCLE FOR USE AS REPLACEMENT INSULATORS ON A.B.CHANCE CO. 15KV,600A. DISCONNECT SWITCH NO. CM 31506110-H.

LAPP INSULATOR CO	J-99845-70

167494 INSULATOR SW POST 15KV 6-3\4""
INSULATOR SW POST 15KV 6-3\4" (S&C SW) INSULATOR,SWITCH POST,15KV,6 3/4IN HIGH PORCELAIN,WITH 2 1/4IN BOLT CIRCLE FOR USE AS REPLACEMENT INSULATORS ON S&C ELEC CO. 15KV,600A. DISC. SW. NO. 4922R9-D1 OR S&C ELEC

LAPP INSULATOR CO	J-99846-A70

167502 BLOCK TERM STRIP TYPE BK-4
BLOCK TERM STRIP TYPE BK-4 TERMINAL BLOCK, STRIP TYPE WITH INSULATE D HOUSING, 7.5 MM WIDTH, ACCOMMODATING UP TO 12 AWG WIRE (PHOENIX-CONTACT TYPE BK-4)

PHOENIX-CONTACT	08 01 01 8

167551 MOUNT EQUIP AL 3PH FOR TRN
MOUNT EQUIP AL THREE PHASE FOR

ALUMA FORM INC.	R3CSA-48
BARFIELD MFG. CO.	BT3CDA48

167585 BEND CONDUIT PVC 5"" 45 D 36R
BEND CONDUIT PVC 5" 45 D 36R SCH 40 BEND, CONDUIT, PVC, 5 INCH, SCHEDULE 40, 45 DEGREE, 36 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT,SHALL CONFORM TO THE LATEST NEMA STANDARD #TC-2, ASTM STANDARD F-512 FOR UTILITIES, FEDER

CANTEX CO	5133780
CARLON	UA7FP
CERTAINEED CORP	59783
P P S	N/A
PICOMA INDUSTRIES	
R & G SLOANE CO.	N/A
SEDCO	N/A

167676 BOX HANDHOLE 13" X 24" X 18"
BOX HANDHOLE 13 X 24 X 18 BOX, SERVICE OR HANDHOLE WITHOUT INTEGRA L BOTTOM CONSTRUCTED OF POLYMER CONCRETE AND REINFORCED BY FIBER POLYEST ER OR FIBERGLASS. BOX SHALL BE 13 X 24 X 18 FURNISHED WITH COVER

CDR SYSTEMS CORPORATION	PA10-1324-18
NEWBASIS	PW1324/18
STRONGWELL	PG1324BA18 W/

167932 LUMINAIRE HP 100W W/PEC 120VDE
LUMINAIRE HP 100W W/PEC 120VDEC SCROLL LUMINAIRE 100 WATT HIGH PRESSURE SODIUM VAPOR WITH RECEPTACLE FOR PHOTOELECTRIC CONTROL, POST-TOP DECORATIVE STYLE WITH SCROLL, TYPE FIVE DISTRIBUTION PATTERN, 120 VOLT OPERATION

AMERICAN ELECTRIC	245-5-70156S0000
COOPER POWER SYSTEMS	MPW10SW255357S
GENERAL ELECTRIC	P16M10S1N2AMS5BL

167940	FUSE 15KV 12A K	
	FUSE 15KV 12A K	
	ABB POWER T & D CO	632A036A01
167965	FUSE 15KV 20A TYPE T	
	FUSE 15KV 20A TYPE T	
	COOPER POWER SYSTEMS	FL25T20R
167973	CAPACITOR 100KVAR 13280V	
	CAPACITOR 100 KVAR 13280V	
	ABB POWER T & D CO	1N03100A27
	COOPER POWER SYSTEMS	CEP138B2
	GENERAL ELECTRIC	54L230RC
167981	CAPACITOR 200KVAR 13.8KV&95KV	
	CAPACITOR 200 KVAR 13.8KV 95KV	
	ABB POWER T & D CO	1N05200A29
	COOPER POWER SYSTEMS	CEP140B12
	GENERAL ELECTRIC	58L133RC52
168047	POLE CAST 14' DECOR	
	POLE CAST 14' DECOR W/2-120V POLE, ARCHITECTURAL GRADE, FLUTED ROUND TAPERED CAST IRON, 14 1/2 FOOT, 3 INCH O.D. BY 3 INCH HIGH TENON ON TOP 15 INCH DIAMETER BOLT CIRCLE. ONE 120V 20 AMP SINGLE GFI RECEPTACLES	
	ANTIQUE STREET LIGHTS	PIC2015ANBK FG-S
	HOLOPHANE	ZC1520CIBKH-STD-FGSBKH
168070	LUMINAIRE HP 100W W/O C MT GAY	
	LUMINAIRE HP 100W W/O C MT GAY STREET LUMINAIRE, SINGLE 100 WATT HPS, MULTI-TAP BLACK POLYESTER POWDER PAINT, 3" ID SLIPFITTER FOR POST TOP MOUNTING, W/O PE RECEPTACLE SPECIAL BLK DECO BAND, PROTECTED STARTER OR IGNITER, TYPE V	
	HOLOPHANE	WAU100HPMAB5-SPEC-P
	MOLDCAST	WCC/100HPS/MT/ASY/FINIAL/BLK
168088	SPLICE TENSION COMP AR 397MCM	
	SPLICE TENSION COMP AR 397MCM	
	BURNDY	YDS34R
168104	DEADEND BODY 397AR SING TONGUE	
	DEADEND BODY 397AR SING TONGUE	
	BURNDY	YTW34R
168112	JUMPER TERM COMP 397AR	
	JUMPER TERM AR COMP 397MCM	
	BURNDY	YCA35R-2N
168120	SPLICE LOOP AR 397MCM	
	SPLICE LOOP AR 397MCM	
	BURNDY	YCS35R
168138	FTG-CLEVIS END 397AR DE BODY	
	FTG-CLEVIS END 397AR DE BODY	
	BURNDY	YTW34RC
168146	SLEEVE REPAIR AR 1/0AWG	
	SLEEVE REPAIR AR 1/0AWG	

	BURNDY	YCU25R
168153	SLEEVE REPAIR AR 397MCM SLEEVE REPAIR AR 397MCM	
	BURNDY	YOU35R
168179	TAP TEE COMP 397AR 2-HOLE PAD TAP TEE COMP AR 397 2 HOL PAD	
	BURNDY	YTA 361R-2N
168229	INSULATOR POST 69KV EYE END 1. INSULATOR POST 69KV EYE END 1.75" ROD INSULATOR, HORIZONTAL LINE POST, FOR 69K V APPLICATION, ONE HOLE BLADE END FITTING, 1.75IN (45MM) MIN. DIA. FIBERGLASS ROD, 1100LBS. MIN CANTILEVER STRENGTH, POS CRITICAL FLASHOVER	
	OHIO BRASS CO.	402069-0900
	SEDIVER	OLPT 17

168260	Y-CLEVIS-EYE 90-DEG	
	Y-CLEVIS EYE 90-DEG	
	ANDERSON ELECTRIC	YCS-12-90
	CONTINENTAL ELECTRIC	YCE 90
	FLAGG	33420
168369	CONN COMP TERM 600CU	
	CONN COMP TERM CU 600MCM 2HOLE FLAT	
	CONNECTOR,COPPER,COMPRESSION,TERMINAL,2 HOLE FLAT W/NEMA SPACING,TINNED FOR INDOOR OR OUTDOOR USE ON 600MCM COPP ER	
	ANDERSON ELECTRIC	VHCL-600-12BN
	CONNECTOR MFGR CO	CCBL600-50
	HOMAC	L600-N
168377	CONN COMP TERM 350CU	
	CONN COMP TERM CU 350MCM 2HOLE FLAT	
	CONNECTOR,COPPER,COMPRESSION,TERMINAL,2H OLE FLAT W/NEMA SPACING,TINNED FOR INDOOR OR OUTDOOR USE ON 350MCM COPP ER	
	ANDERSON ELECTRIC	
	BLACKBURN	LCN-350
	CONNECTOR MFGR CO	CCBL350-50
	HOMAC	L350-N
	SCOTCH 3M CO.	31156
	UTILCO	CRA-350L2
168385	CONN COMP TERM STACK 300AL	
	CONN COMP TERM STACK AL 300MCM 2HOLE	
	CONNECTOR,ALUM.,COMPRESSION,STACKING,TERMINAL,300MCM,2-HOLE,NEMA SPACED, TINNED, FOR INDOOR OR OUTDOOR USE TO TERMINATE CONDUCTORS ON TOP OF NEMA SPACED 2-HOLE FLAT COMPRESSION TERMINALS	
	ANDERSON ELECTRIC	ATL-300-BN
	HOMAC	ASL 300-NTN
168393	CONN COMP TERM STACK 350CU	
	CONN COMP TERM STACK CU 350MCM 2HOLE	
	CONNECTOR,COPPER,COMPRESSION,STACKING,TERMINAL,350MCM,2-HOLE,NEMA SPACED, TINNED ,FOR INDOOR OR OUTDOOR USE TO TERMINATE CONDUCTORS ON TOP OF NEMA SPACED 2-HOLE FLAT 350MCM COMPRESSION TERMINALS	
	ANDERSON ELECTRIC	CSL-350-BN
	HOMAC	SL 350 N
168401	CONN COMP TERM STACK 600CU	
	CONN COMP TERM STACK CU 600MCM 2HOLE	
	CONNECTOR,COPPER,COMPRESSION,STACKING,TERMINAL,600MCM,2HOLE,NEMA SPACED, TINNED, FOR INDOOR OR OUTDOOR USE TO TERMINATE CONDUCTORS ON TOP OF NEMA SPACED 2-HOLE FLAT 600MCM COMPRESSION TE	
	ANDERSON ELECTRIC	CSL-600-BN
	HOMAC	SL 600 N
168468	PROTECTOR CABLE PLASTIC 3""-6"	
	PROTECTOR CABLE PLASTIC 3"-6"	
	VIRGINIA PLASTICS CO.	LG-345
168484	CAP POLE PROTECTIVE 8-1/2"" DI	
	CAP POLE PROTECTIVE 8-1/2" DIA	
	OSMOSE WOOD PRESERVATIVES,INC.	OZ11-8.5
168492	CAP POLE PROTECTIVE 9-1/2"" DI	
	CAP POLE PROTECTIVE 9-1/2" DIA	
	OSMOSE WOOD	OZ11-9.5

	PRESERVATIVES,INC.	
168518	CAP POLE PROTECTIVE 10-1/2"" D	
	CAP POLE PROTECTIVE 10-1/2" DI	
	OSMOSE WOOD PRESERVATIVES,INC.	OZ11-10.5

168526	CLAMP CABLE UNISTRUT 4-1/2"	
	FITTING CABLE CLAMP 4-1/2"	
	B-LINE	B4093
	KIN LINE (E E RULE)	
	POWERSTRUT	PS723-4 1/2"EG
	UNISTRUT CORP.	U470B
168542	CONN BOLTED-WEDGE AL 795-397	
	CONN WEDGE TYPE ALUM 795-397	
	CONNECTOR PRODUCTS, INC	795920
168559	CONN BOLTED-WEDGE AL 397-4/0	
	CONN WEDGE TYPE ALUM 397-4/0	
	CONNECTOR PRODUCTS, INC	336012
168567	CONN BOLTED-WEDGE AL 795-4/0	
	CONN WEDGE TYPE ALUM 795-4/0	
	CONNECTOR PRODUCTS, INC	795218
168575	RODS TAP PROTECTION 1/0AR	
	RODS TAP PROTECTION AR 1/0	
	PREFORMED LINE PRODUCTS	TAP-0183
168583	RODS TAP PROTECTION 4/0AA	
	RODS TAP PROTECTION AA 4/0	
	PREFORMED LINE PRODUCTS	TAP-0188
168591	RODS TAP PROTECTION 397AA	
	RODS TAP PROTECTION AA 397	
	PREFORMED LINE PRODUCTS	TAP-0195
168609	RODS TAP PROTECTION 795AA	
	RODS TAP PROTECTION AA 795	
	PREFORMED LINE PRODUCTS	TAP-MS-9767
168617	STRAPPING 2""W X .055""X 260'	
	STRAPPING 2"W X .055"X 260' RL STRAPPING, 260'ROLL X 2"WIDE X .055"MIN. THICKNESS,MIN. STRENGTH 10,000 LBS. HEAVY DUTY GALVANIZED, FOR USE IN BANDIN G STEEL POLE SPLINTS.	
	OSMOSE WOOD PRESERVATIVES,INC.	N/A
168633	INSULATOR POST 69KV EYE END 2.	
	INSULATOR POST 69KV EYE END 2.50" ROD INSULATOR, HORIZONTAL LINE POST, FOR 69K V APPLICATION, TWO HOLE EYE END FITTING, 2.50IN.(64MM) MIN. DIA. FIBERGLASS ROD, EPR WATERSHEDS,2600LBS. MIN. CANTILEVER STRENGTH, GREY	
	OHIO BRASS CO.	522005-1002
	SEDIVER	PTG-1250HX-770
168732	STUD CU 1-7/8 X 5/8	
	STUD CU 1-7/8 X 5/8	
	COOPER POWER SYSTEMS	2638100B03M
	ELASTIMOLD	675SA
168781	PAPER 8-1/2 X 11"" WHITE 3 HOL	
	PAPER 8-1/2 X 11" WHITE 3 HOLE 3R2641 XEROX PAPER LASER PRINT 3 HOLE DRILLED 8 1/2" X 11" 20 LB WHITE *** RECYCLED GROUNDWOOD FREE, ALKALINE PAPER WITH A MINIMUM OF 20% POST *** CONSUMER CONTENT WITH A BRIGHTNESS M	

168799 TERM CABLE RUB 15KV 3/0AL 1-PC

TERMINATOR CABLE RUB 3/0AWG 15KV 1 PIECE TERMINATOR, CABLE, 15KV CLASS, ONE PIECE , SLIP-ON OR COLD SHRINK RUBBER, FOR OUTDOOR USE ON 3/0 AWG ALUMINUM, TWO CONDUCTOR, 15KV, JACKETED URD CABLE WITH 175 MIL EP INSULATION. THE TERMINATOR CO

ELASTIMOLD	PCT1-1260-4
JOSLYN MFG & SUPPLY CO.	JPT15J1-SO7
SCOTCH 3M CO.	5642-3/0

168807	CAPACITOR 1000W HP HM	
	CAPACITOR 1000W HP HM	
	HOLOPHANE	EC-2349
168815	CABLE 15KV EPR 1C 1/0AL UD JKT	
	CABLE 15KV EPR AL 1/0 UD JKT CABLE, 15KV, 175 MIL OR 220 MIL EPR INSU LATION, 1/0 AWG, 19 STR COMPRESSED AL CONDUCTOR, URD TYPE, JACKETED, STRAND FILLED W/FULL NEUTRAL	
	GENERAL	N/A
	HENDRIX	N/A
	KERITE	N/A
	OKONITE	N/A
	PIRELLI CABLE CORP.	
	ROME CABLE CORP	N/A
168823	CABLE 15KV EPR 1C 3/0AL UD JKT	
	CABLE 15KV EPR AL 3/0 UD JKT	
	BICC	N/A
	HENDRIX	
	KERITE	N/A
	OKONITE	N/A
	PIRELLI CABLE CORP.	N/A
	ROME CABLE CORP	N/A
168864	TERMINATOR CABLE RUB 750MCM 15	
	TERMINATOR CABLE RUB 750MCM 15	
	RAYCHEM	TFT-152
	SCOTCH 3M CO.	5644
168872	FOUNDATION PWR SCREW 8-5/8"	
	FOUNDATION PWR SCREW 8-5/8"	
	CHANCE A B CO	C11242NG4VP
	DIXIE ELECTRICAL MFG CO	D-851311-15
168880	GUY WIRE DISPENSER	
	GUY WIRE DISPENSER	
	PREFORMED LINE PRODUCTS	SGD-0700
168898	SPLICE REPAIR 15KV 1/0AL-1/0AL	
	SPLICE REPAIR CABLE 15KV 1/0 TO 1/0 URD SPLICE, REPAIR, CABLE, 15KV, 1/0 AL TO 1 /0 AL URD, FOR USE IN REPAIRING CABLE WHERE NO MORE THAN SIX INCHES OF T HE CABLE IS DAMAGED. (CONNECTOR INCLUDED W/SPLICE)	
	RAYCHEM	HVS-1511E-RJ
	SCOTCH 3M CO.	5411R-CIR-1/0
168906	CONN COMP BUTT 1/0AL	
	CONN BUTT COMP AL 1/0	
	SCOTCH 3M CO.	CIR-1/0
168922	CONN BUTT COMP CU 500	
	CONN BUTT COMP CU 500	
	SCOTCH 3M CO.	20014
168930	CONN COMP BUTT 750AL CMPT	
	CONN BUTT COMP AL 750CMPT	
	HOMAC	ASC 600
	SCOTCH 3M CO.	20016
168948	LUMINAIRE HP 250W W/PEC SMTV	

LUMINAIRE HP 250W W/PEC SMTV SQ DEC LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM VAPOR SHOE BOX DESIGN, 120/208/ 240/277 MULTIVOLT BALLAST, RECEPTACLE FOR PHOTOELECTRIC CONTROL, BLACK IN COLOR, TYPE III

AMERICAN ELECTRIC	
COOPER LIGHTING	RCL25SCW3DC0200
GENERAL ELECTRIC	DSMF25S0A2GMC3BL-R
HOLOPHANE	SMST250HPMTBKCL-R-PBBK

168955 CAPACITOR 250W HP SL
CAPACITOR 250W HP SL
GENERAL ELECTRIC 35-205009R09

168963 PLUGS EAR
EAR PLUGS WITH CONNECTING CORD AND INSERTER DEVICE STANDARD PACKAGING - 1 PAIR PER BOX STOCKING REQUIREMENT - 40 PAIR
HOWARD LEIGHT MAX 1
NORTH MED SUPPLY 28-14-13

169060 CONTROL PHOTOELECTRIC 120V POS
CONTROL PHOTOELECTRIC 120V POS
AREA LIGHTING RESEARCH AA-105
FISHER PIERCE
PRECISION A-105
RIPLEY 7011

169102 LADDER EXTENSION 20' 2 SECT
LADDER EXTENSION 20' 2 SECT
LOUISVILLE LADDER FE-2220-E05E34
WERNER D6220-2XW/A80-272-2

169110 ENVELOPE 6-1/2""X 9-1/2"" KRAF
ENVELOPE 6-1/2"X 9-1/2" KRAFT

169128 ENVELOPE KRAFT 9" X 12"
ENVELOPE 9" X 12" KRAFT 28 LB ENVELOPE, KRAFT, 28 POUND 9" X 12" PLAIN , FULL GUMMED FLAP, OPEN END WITH CLASP, 1 COLOR IMPRINT IN UPPER LEFT COR NER

169151 ENVELOPE KRAFT 10" X 13"
ENVELOPE 10" X13" KRAFT 28 LB ENVELOPE, KRAFT, 10" X 13", 28 POUND, FU LL GUMMED FLAP, OPEN END WITH CLASP, 1 COLOR IMPRINT IN UPPER LEFT COR NER

169169 ENVELOPE KRAFT 10" X 15"
ENVELOPE 10" X15" KRAFT 28 LB ENVELOPE, KRAFT, 28 POUND, 10" X 15", FU LL GUMMED FLAP, OPEN END WITH CLASP, 1 COLOR IMPRINT IN UPPER LEFT COR NER

169201 VEST FLAGMAN LIME-GREEN
VEST FLAGMAN LIME GREEN KNITTED MESH WITH REFLECTIVE STRIP VEST, FLAGMAN, LIME GREEN, KNITTED MESH WITH REFLECTIVE STRIP STANDARD PACKAGING - 1 UNIT PER PACKAGE TOTAL STOCKING REQUIREMENT FOR FLAGMAN V EST - 20 UNITS
CAROLINA SAFETY SPORT LHV-UTL-R
MAR MAC 400 VR
VALLEN SAFETY V10R

169227 STARTER 150-400 HPS AE-SD-100B
STARTER HP 150-400W SD-100BAE
AMERICAN ELECTRIC SD-100B

169235 INDICATOR FAULT 1PH 600A
INDICATOR FAULT 1PH 600A FOR PM TRANSF INDICATOR,FAULT,1PH,600A,WITH ONE SENSOR AND ONE REMOTE INDICATOR FOR USE IN PADMOUNTED TRANSFORMERS AND SWITCHGEAR. INDICATOR SHALL BE FURNISHED WITH KIT FOR FLUSH PANEL
COOPER POWER SYSTEMS 8137273B08M W/RLMK
EDISON CONTROL 1000619D600A1.0
FISHER PIERCE 1514SP-6A1.5-6S-L

169243 INDICATOR FAULT 3PH 600A
INDICATOR FAULT 3PH 600A FOR PM TRANSF INDICATOR,FAULT,3PH,600A,WITH THREE SENSORS AND ONE REMOTE INDICATOR FOR USE IN PAD MOUNTED TRANSFORMERS AND SWGR. INDICATOR SHALL BE FURNISHED W/KIT FOR FLUSH
COOPER POWER SYSTEMS 8138195B05M W/RLMK
EDISON CONTROL 3000619D600A1.0
FISHER PIERCE 1515WP-6A1.5-10S-L-B

169300 ENVELOPE ACCOUNTS-PAYABLE
ENVELOPE ACCOUNTS PAYABLE P O BOX 51326 ENVELOPE, RECYCLED PAPER, WHITE, 9" X 3 7/8" HIGH (TO FOLD), BLACK INK ON LOGO AND ADDRESS, CELLO WINDOW 1 1/8" HI GH X 3 1/2" WIDE LOCATED 1/2" FROM LEFT EDGE AND 1 1/4" FROM

169301 PLIERS ADJUST CHANNELLOCK 12"
PLIERS ADJ CHANNELLOCK 12
CHANNELLOCK 440

169302 PLIERS ADJUST KNIPEX 7"
PLIERS ADJ KNIPEX 7"
KNIPEX TOOLS 88 01 180E

169303 PLIERS ADJUST KNIPEX 10"
PLIERS ADJ KNIPEX 10"
KNIPEX TOOLS 88 01 250E

169304 PLIERS ADJUST KNIPEX 12"
PLIERS ADJ KNIPEX 12"
KNIPEX TOOLS 88 01 300E

169318 LADDER STEP STRAIGHT
LADDER STEP STRAIGHT
LOUISVILLE LADDER FS 1006
WERNER 6206

169326 PAPER 8-1/2"" X 11"" WHITE 90L
PAPER 8-1/2" X 11" WHITE 90LB INDEX BLANK LASER PRINT PAPER, 8 1/2" X 11" WHITE BLANK 90# INDE X, TO RUN ON XEROX 4050 LASER PRINTER WITH 11" SIDE FEED. MUST BE SHRINK WRAPP ED 250 SHEETS PER BUNDLE. MUST BE LASER QUALITY

169330 WRENCH 3/8 ""X 7/16 "" OPENEND
WRENCH 3/8 "X 7/16 " OPENEND C
ALLEN INDUSTRIAL HAND TOOLS 21008

169342 CABLE 5KV XLPE CU 1C 350MCM
CABLE 5KV XLPE CU 1C 350MCM CABLE,5KV,XLP INSULATION,NONSHIELDED,1 CONDUCTOR,350MCM COPPER,FOR USE AT WASTE WATER TREATMENT SUBSTATION.
OKONITE 114-23-3837

169348 WRENCH 1/2"" X 9/16"" OPENEND
WRENCH 1/2" X 9/16" OPENEND CH
ALLEN INDUSTRIAL HAND TOOLS 21010

169354 SCREWDRIVER POCKET 1/8" X 3"
SCREWDRIVER 1/8" X 3" ST
KLEIN A1303

169359 TAPE SPLICING HV EPR 2" WIDE
TAPE SPLICING HV EPR 2.0"X30' NO LINER TAPE, SPLICING, HIGH VOLTAGE, EPR COMPOS ITION, NO LINER 0.030 INCHES THICK BY 2 INCHES WIDE BY 3 0 FEET.
PLYMOUTH RUBBER CO. W963-2IN.

	SCOTCH 3M CO.	130C-2(00076)
169363	SOCKET 5-STAR SHALLOW SOCKET SHALLOW 5-STAR	
	SNAP ON	B2-191
169367	CABLE 5KV CU 1C 1AWG WT SUB CABLE 5KV CU 1C 1AWG WT SUB CABLE, 5KV, 1AWG COPPER CONDUCTOR, 210 S TRAND, NONSHIELDED, FOR USE AT WASTE WATER TREA TMENT SUBSTATION.	
169371	TOOL CRIMP CRIMP TOOL **N.S.**	
	KLEIN	1005

169383	CABLE 7.5KV CU 1C 4/0AWG WT	
	CABLE 7.5KV CU 1C 4/0AWG WT	
169389	HARNESS BODY MEDIUM	
	HARNESS BODY MEDIUM **N.S.**	
	BUCKINGHAM MFG	603S8Q5
169391	CONN GND BARE ARM GLV	
	CONN GRND/B ARMS GLV CONNECTOR, HOT DIPPED GALVANIZED GROUNDI NG LUG TO GROUND STREET LIGHT BRACKET ARMS THROUGH A 3/8 INCH SQUARE H OLE.	
	AMERICAN ELECTRIC	R-319000001/C
	JOSLYN MFG & SUPPLY CO.	J771018
169397	HARNESS BODY LARGE	
	HARNESS BODY LARGE **N.S.**	
	BUCKINGHAM MFG	603S8Q5
169405	HARNESS BODY EXTRA LARGE **N.	
	HARNESS BODY EXTRA LARGE **N.	
	BUCKINGHAM MFG	603S8Q5
169409	POLE STEEL 30' SQ W/ 7' ARM CS	
	POLE STEEL 30' SQ W/ 7' ARM CS SL ER POLE 30FT NOM HEIGHT SQUARE TAPERED STEEL WITH BAKED ENAMEL OR ELECTROSTATIC AIR DRY BLACK FINISH, 14.5IN BC BASE PLA TE, 3IN X 5IN MIN SIZE HANDHOLE W/COVER , GND LUG ATTACHED TO HANDHOLE FRAME AND	
	ARCHITECTURAL AREA LIGHTING	AAL30STSA7BCGFISPF
	COOPER LIGHTING	
	UNION METAL MANUFACTURING CO.	N/A
	VALMONT	N/A
169417	POLE STEEL 30' SQ W/10"" ARM	
	POLE STEEL 30' SQ W/10" ARM	
169421	SCREWDRIVER PHILLIPS #4 ROUND	
	SCREWDRIVER PHILLIPS #4 ROUND	
	PROTO TOOLS	88348
169428	SCREWDRIVER #2 PHILLIPS 1-1/2"	
	SCREWDRIVER #2 PHILLIPS 1-1/2"	
	KLEIN	603-1
169432	HARNESS BODY XX-LARGE	
	HARNESS BODY 2XL **N.S.**	
	BUCKINGHAM MFG	603S8Q5
169433	POLE STEEL 12' W/SHEPHERD'S	
	POLE STEEL 12' W/SHEPHERD'S CROOK BKT POLE STEEL BOTTLENECK 12FT IN LENGTH, 4I N O.D. TOP SECTION AND 5IN O.D. BOTTOM SECTION WELDED TO THE ANCHOR PLAT E WITH A 9IN BOLT CIRCLE AND SUPPLIED WITH A 2 3/8IN O.D. BENT	
	LUMEC INC	SPR12-RSV1453PRA5GFI
169435	LANYARD RECOIL	
	LANYARD RECOIL **N.S.**	
	BUCKINGHAM MFG	84V116

169439	INSULATOR POST 161KV EYE-END	
	INSULATOR POST 161KV EYE END	
	OHIO BRASS CO.	522010-1002
169447	HOOKS PULLING FOR STRAND VISE	
	HOOKS PULLING FOR STRAND VISE	
169454	SOCKET 3/4"" DEEP-WELL CHROME	
	SOCKET 3/4" DEEP-WELL CHROME *	
	PROTO TOOLS	5324
169470	SOCKET 11/16"" DEEP-WELL CHROM	
	SOCKET 11/16" DEEP-WELL CHROME	
	PROTO TOOLS	5322
169488	SOCKET 7/8"" DEEP-WELL CHROM	
	SOCKET 7/8" DEEP-WELL CHROME	
	PROTO TOOLS	5328
169496	SOCKET STANDARD 15/16 DEEP-WEL	
	SOCKET STANDARD 15/16 DEEP-WEL	
	PROTO TOOLS	5330
169504	SOCKET STD DEEP 1" 12-POINT	
	SOCKET STANDARD 1" DEEP-WELL	
	PROTO TOOLS	5332
169512	SOCKET STANDARD 1-1/16 DEEP-WE	
	SOCKET STANDARD 1-1/16 DEEP-WE	
	PROTO TOOLS	5334
169516	CONTROL PHOTOELECTRIC 120V CON	
	CONTROL PHOTOELECTRIC 120V CONT PTS ER CONTROL, PHOTOELECTRIC, 120VOLT, 1800VA, NOMINAL ON AT 1.0+/-0.2 FC, OFF TO ON RATIO 2.0 TO 1, SOLID STATE CONTROL WITH TIME DELAY, ONE 160 JOULE MOV LIGHTING ARRESTER, HIGH IMPACT COVER, MEETING NEM	
	AREA LIGHTING RESEARCH	2160-N-PS
	DARK TO LIGHT, INC.	D120-1.0-STM
	FISHER PIERCE	7571-B-MBCA
	SUNTECH	
169520	SOCKET STANDARD 1-1/8 DEEP-WEL	
	SOCKET STANDARD 1-1/8 DEEP-WEL	
	PROTO TOOLS	5336
169524	ENVELOPE REGULAR-MAIL-OUT #10	
	ENVELOPE 10 REGULAR MAIL OUT	
169532	ENVELOPE 10 IMPORT NOTICE W/ B	
	ENVELOPE 10 IMPORT NOTICE W/ B	
169538	SOCKET STANDARD 1-1/4 DEEP-WEL	
	SOCKET STANDARD 1-1/4 DEEP-WEL	
	PROTO TOOLS	5340

169540	ENVELOPE 10 IMPORT NOTICE W/O ENVELOPE 10 IMPORT NOTICE W/O	
169546	WRENCH PIPE STRAIGHT 8" WRENCH PIPE STRAIGHT 8" RIDGE TOOL COMPANY	31005
169553	METER VOLTAGE METER CLAMP 600A 600V DIGITAL-DISPLAY 5 FUNCTION CAT-III APPLICATIONS 9V BATTERY-POWERED GREENLEE TEXTRON	CM-600
169555	WRENCH PIPE STRAIGHT 12"" ALUM WRENCH PIPE STRAIGHT 12" ALUMI RIDGE TOOL COMPANY	812

169573	ENVELOPE REGULAR-RETURN #9 ENVELOPE 9 REGULAR RETURN	
169579	WRENCH PIPE STRAIGHT 18"" ALUM WRENCH PIPE STRAIGHT 18" ALUMI RIDGE TOOL COMPANY	818
169581	FORM BILL REGULAR LASER FORM BILL REGULAR LASER 8 1/2" X 11" 24# WHITE LASER PAPER WITH MICRO PERF 3 1/2" FROM TOP (MUST BE PRECISE ON PERF). ART WORK FOR LOGOS WILL BE FURNISHED. PRINTS ONE SIDE ONLY. TO BE WRAPPED IN MOISTURE RESISTANCE PAP	
169587	WRENCH PIPE STRAIGHT 24"" ALU WRENCH PIPE STRAIGHT 24" ALUM RIDGE TOOL COMPANY	824
169595	FLASHLIGHT BROWN-TUFFITE F10X FLASHLIGHT F10X BROWNE TUFFITE STUART BROWNE	F10X
169599	ENVELOPE M-SERIES 10" ENVELOPE 10"M" SERIES	
169607	INDICATOR FAULT 1PH 800A FOR P INDICATOR FAULT 1PH 800A FOR PMT & SWGR INDICATOR,FAULT,1PH,800A,W/ONE SENSOR AN D ONE REMOTE INDICATOR. FOR USE ON 1.80IN.DIA.CABLE IN PMT & SWGR. INDICATOR SHALL BE FURNISHED W/KIT FOR F COOPER POWER SYSTEMS EDISON CONTROL FISHER PIERCE	 8137865B02M W/RLMK 1000619D800A3.0 1514SP-8Z3-6SD
169615	FUSE 5A 600V TYPES-KTK & KLK FUSE 5A 600V TYPES KTK & KLK BUSSMAN LITTLEFUSE INC	 KTK 5 KLK 5
169637	WRENCH RATCHET 3/4" x 9/16" IN WRENCH RATCHET 3/4" x 9/16" INSULATED FARGO	GP223 9/16 X 3/4
169646	KNIFE LINOLEUM KNIFE LINOLEUM HYDE MFG. CO.	20350
169648	KNIFE UTILITY KNIFE UTILITY STANLEY	10-099
169672	JACKET COLD-SHRINK 1/0AL&3/0AL JACKET COLD SHRINK FOR 1/0 & 3/0 SPLICES JACKET,RUBBER,COLD SHRINK,FOR RE-JACKETING OVER 1/0 AND 3/0 15KV JACKETED CABLE SPLICES.KIT SHALL COME COMPLETE WITH ALL MATERIALS REQUIRED TO SCOTCH 3M CO.	SJ-1A
169678	CUTTER TUBING #10 CUTTER TUBING #10 RIDGE TOOL COMPANY	32910

169680	FUSE 20A 600V TYPES-KTK & KLK	
	FUSE 20A 600V TYPES KTK & KLK FUSE,20 AMPERE,600 VOLT,13/32 IN. X1 1/2 IN. WITH INTERRUPTING RATING OF 100,000 AMPERES.FUSE MUST BE UL LISTED.	
	BUSSMAN	KTK 20
	LITTLEFUSE INC	KLK 20
169686	CUTTER TUBING #20	
	CUTTER TUBING #20	
	RIDGE TOOL COMPANY	32930
169694	BRUSH WIRE BOW-HANDLE	
	BRUSH WIRE BOW HANDLE	
	RUBBERMAID	X191-06
	UTILCO	WC
169698	SWITCH STA V-TYPE 69 KV 3000A	
	SWITCH STA V-TYPE 69 KV 3000A 3P ER SWITCH, 69KV, 3000A, 3PST, V-TYPE, CENTE R BREAK (SPEC. F02-416 & E03-160 TO BE INCLUDED WITH INVITATION TO BID). INSULA TORS (5" B.C.) INCLUDED WITH SWITCH. SWITCH SHALL BE SHIPPED FULLY	
	U S C O POWER EQUIP. CORP.	AGCH-5V6930
169702	TROWEL POINTING 5-1/2"	
	TROWEL POINTING 5-1/2" STEEL	
	HYDE MFG. CO.	18100
	MARSHALL TOWN	45-6
169706	SWITCH 161KV STA V-TYPE 3000A	
	SWITCH STA V-TYPE 161 KV 2000A 3P ER SWITCH, 161KV, 2000A, 3PST, V-TYPE, CENT ER BREAK (SPEC. F02-673 & E03-160 TO BE INCLUDED WITH INVITATION TO BID). INS ULATORS TO BE INCLUDED WITH THE SWITCH. SWITCH SHALL BE SHIPPED FULLY ASSEMBLED,	
	ABB POWER T & D CO	DRV-161-2000
	U S C O POWER EQUIP. CORP.	AGCH-5V16120
169722	PLATE STEEL GLV 5-1/4" X 8"	
	PLATE STEEL GLV 5-1/4 X8" 24GA PLATE,STEEL,GALVANIZED,24 GAGE,5 1/4 IN. BY 8 IN. ALL EDGES SHALL BE DE-BURRED AND CORNERS SHALL BE ROUND WITH 1/4 IN.	
	DLD SIGNS (ALCOA TN)	N/A
	QUALITY SHEET METAL WORKS	N/A
169736	TAPE MEASURE 3/4" X 12'	
	TAPE MEAS 3/4 X 12	
	STANLEY	33-312
169745	TAPE MEASURE 1" X 25'	
	TAPE MEAS 1" X 25	
	STANLEY	33-625
169748	DECAL PHONE-GROUND 5"X7-3/4"	
	DECAL 5X7 3/4 PHONE GROUND WIRE HERE DECAL,"TELEPHONE GROUND WIRE HERE",5 IN. X 7 3/4 IN. THE DECAL SHALL BE PRINTED ON #3652 YELLOW SCOTCHCAL WITH COLORS AS PER SAMPLE(FURNISHED UPON	
	ADVERCO, INC.	N/A
	ALMETEK INDUSTRIES, INC.	N/A
	DLD SIGNS (ALCOA TN)	N/A
169755	DECAL SMALL WARNING U/G	
	DECAL SMALL WARNING U/G POWER CABLE DECAL,"WARNING UNDERGROUND POWER CABLE,E TC." 5IN. X 7 3/4IN. DECAL SHALL BE PRINTED ON #3652 YELLOW SCOTCHCAL W/COLORS AND WORDING AS PER SAMPLE(FURNI	
	ADVERCO, INC.	N/A

	ALMETEK INDUSTRIES, INC.	N/A
	DLD SIGNS (ALCOA TN)	N/A
169757	TAPE MEASURE 1" X 30'	
	TAPE MEAS 1" X 30	
	STANLEY	33-430
169763	SIGN LARGE WARNING U/G POWER C	
	SIGN LARGE WARNING U/G POWER CABLE SIGN "WARNING UNDERGROUND POWER CABLE MAY SHOCK, BURN OR CAUSE DEATH BEFORE DIGGING OR DRIVING STAKES PLEASE CALL 524-2911 18 1/2"X 12" 652 YELLOW SCOTCHCAL W/COLORS AND WORDING AS SAMPLE	
	ADVERCO, INC.	N/A
	ALMETEK INDUSTRIES, INC.	N/A
	DLD SIGNS (ALCOA TN)	
	UTICOM SYSTEMS INC	LEXAN

169769	CHISEL COLD 3/4" X 7"	
	CHISEL COLD 3/4" X 7"	
	ALLEN INDUSTRIAL HAND TOOLS	25655
	BALTIMORE TOOL WORKS	10602
169777	CHISEL COLD 3/4" X 12"	
	CHISEL COLD 3/4 X 12	
	ALLEN INDUSTRIAL HAND TOOLS	25664
	BALTIMORE TOOL WORKS	12205
169785	PUNCH CENTER 1/2" X 4-1/2"	
	PUNCH 1/2" X 5	
	BALTIMORE TOOL WORKS	41402
	PROTO TOOLS	96
169801	FILE MILL 14"	
	FILE MILL BASTARD 14"	
	ATLAS UTILITY SUPPLY CO	N/A
	NICHOLSON	N/A
	SIMONDS	73-151500
169805	STARTER 35-150 GE-35-216702-01	
	STARTER HP 35-150W	
	GENERAL ELECTRIC	35-216702-01
169821	CONN COMP TERM 2AL	
	CONN COMP TERM AL 2AWG 2HOLE FLAT	
	CONNECTOR,ALUMINUM,COMPRESSION,TERMINAL, 2 HOLE FLAT,TWO 9/16 IN. HOLES 1 3/4 IN. ON CENTER,FOR I NDOOR OR OUTDOOR USE ON NO. 2 AWG ALUMINUM CONDUCTOR.	
	ANDERSON ELECTRIC	AHL-2-BN
	BLACKBURN	
	HOMAC	SA2NTN
	MAC PRODUCTS	MLB2-8N
169862	CAP FOR FUSEHOLDER LINKBREAK	
	CAP FOR FUSEHOLDER LINKBREAK	
	CHANCE A B CO	PP700-1469
169888	CAP FOR FUSEHOLDER S&C	
	CAP FOR FUSEHOLDER S & C	
	S & C ELECTRIC CO	K7740
169896	FUSE 250V CARTR 2-ELEM FRN 1A	
	FUSE 1A FRN 250V CARTRIDGE	
	BUSSMAN	FRN-R1
	GEC ALST	CRN-R1
	LITTLEFUSE INC	FLNR-1
169904	FUSE 250V CARTR 2-ELEM FRN 6A	
	FUSE 6A FRN 250V CARTRIDGE	
	BUSSMAN	FRN-R6
	GEC ALST	CRN-R6
	LITTLEFUSE INC	FLNR-6
169920	FUSE 250V CARTR 2-ELEM FRN 15A	
	FUSE 15A FRN 250V CARTRIDGE	
	BUSSMAN	FRN-R15
	GEC ALST	CRN-R15
	LITTLEFUSE INC	FLNR-15

169938	FUSE 250V CARTR 2-ELEM FRN 20A	
	FUSE 20A FRN 250V CARTRIDGE	
	BUSSMAN	FRN-R20
	GEC ALST	CRN-R20
	LITTLEFUSE INC	FLNR-20
169946	COVER FOR 1 BOLT PG AL CONN 1/	
	COVER FOR 1 BOLT PG AL CONN 1/	
	ANDERSON ELECTRIC	PTC-51
169953	BRACKET SERV MAST 3- 41/2""	
	BRACKET SERV MAST 3- 41/2"	
	MC GRAW-EDISON POWER SYSTEMS	DW3C2
169961	ARRESTER 10KV M/O PARKING STAN	
	ARRESTER 10KV M/O PARKING STAND TYPE ARRESTOR,15KV CLASS,10KV DUTY CYCLE,8.4K V MCOV,METAL OXIDE, PARKING STAND TYPE, FOR USE WITH 20 0A LOAD BREAK ELBOWS IN PAD MOUNTED EQUIPMENT.	
	COOPER POWER SYSTEMS	3237686C10M
	ELASTIMOLD	167PSA
169968	SOCKET STD DEEP 1/2" 12-POINT	
	SOCKET STANDARD 1/2 DEEP-WELL	
	PROTO TOOLS	5316
169975	SOCKET STD DEEP 9/16" 12-POINT	
	SOCKET STANDARD 9/16 DEEP-WELL	
	PROTO TOOLS	5318
170001	CLAMP DEADEND WEDGE 1/0AA	
	CLAMP DEADEND WEDGE 1/0AA	
	PORCELAIN PRODUCTS (KNOX)	1062
	RELIABLE ELECTRIC	7187
	TELEDYNE PENN UNION	WDC-10S
170007	CHISEL WOOD 1-1/4"	
	CHISEL WOOD 1-1/4	
	STANLEY	16-263
170015	KNIFE PUTTY 1-1/4" STIFF	
	KNIFE PUTTY 1-1/4 STIFF	
	HYDE MFG. CO.	2050
170019	WIRE BARE 795AA 37STR	
	WIRE AA BARE 795MCM 37STR ARBUTUS WIRE, AA BARE, 795 MCM, 37 STR (ARBUTUS) ,CLASS AA, 1350-H19 ALUMINUM AS PER ASTM STDS. B230 & B231. REEL LENGTH: APP ROX. 5,000 FT.IN ONE PIECE. REEL DIM. SHALL BE: MAX. FLANGE DIA. 78 IN.; MAX.	
	ACPC INC	N/A
	ALCAN	
	BICC	N/A
	NEXANS	N/A
	SOUTHWIRE	N/A
170043	WIRE GUY 1/4" SIEMENS-MART	
	WIRE GUY 1/4" SIEMENS-MART	
	BEKEART WIRE	N/A
	INDIANA STEEL & WIRE CO	N/A
	NATIONAL STRAND PRODUCTS	N/A

170126	FRAME AND COVER ROUND 24"" FRAME AND COVER ROUND 24" MANHOLE FRAME AND COVER, 24 INCH DIAMETER COVER, ROUND, MADE FROM GRAY CAST IRON PER LATEST ASTM SPECIFICATIONS PERTAINING TO LIGHT DUTY (SIDEWALK) TRAFFIC INSTALLATIONS. DIMENSIONS AND MARKING T	
	KELLER FOUNDRY INC.	N/A
170183	CLAMP SUSPENSION 795AA CLAMP SUSPEN 795 MCM AA	
	AMERICAN CONNECTOR ENGINEERING	ALS-182-S-KUB
	ANDERSON ELECTRIC	
	BETHEA	LS-8-S
	CONTINENTAL ELECTRIC	SC-192-S

170241	WIRE CU BARE SD 1000MCM 61 STR	
	WIRE CU BARE SD 1000MCM 61 STR WIRE, COPPER, 1000 MCM, BARE 61 STRAND, SOFT DRAWN (3088 LB/M.) ANSI C7.1-1964, ANSI C7.8-1965, ASTM B3 ,B8.	
	GENERAL CABLE CO.	N/A
	PRIORITY WIRE & CABLE	
	REPUBLIC WIRE INC.	N/A
	ROME CABLE CORP	N/A
	SERVICE WIRE CO.	N/A
	SOUTHWIRE	N/A
	VIAKON	N/A
170308	ARM AL WOOD POLE MTG 10' BKT	
	ARM AL WOOD POLE MTG 10'	
	HAPCO (HUBBARD ALUM PROD CO.)	46110
	UNION METAL MANUFACTURING CO.	64-Y16
170324	ARM AL WOOD POLE MTG 6'	
	ARM AL WOOD POLE MTG 6'	
	HAPCO (HUBBARD ALUM PROD CO.)	46108
	UNION METAL MANUFACTURING CO.	54-Y86
170332	ARM AL WOOD POLE MTG 10' TRS	
	ARM AL WOOD POLE MTG 10'	
	HAPCO (HUBBARD ALUM PROD CO.)	46107
	UNION METAL MANUFACTURING CO.	54-Y87
170373	CLAMP DEADEND WEDGE 4/0AA	
	CLAMP DEADEND WEDGE 4/0AA	
	PORCELAIN PRODUCTS (KNOX)	1063
	RELIABLE ELECTRIC	7197
170381	ARM AL WOOD POLE MTG 15' TRS	
	ARM AL WOOD POLE MTG 15'	
	HAPCO (HUBBARD ALUM PROD CO.)	46109
	UNION METAL MANUFACTURING CO.	64-Y17
170498	ANCHOR BOLT 1""X 40""	
	ANCHOR BOLT 1"X 40" W/NUT & WSR BOLT ANCHOR,STEEL, HOT DIPPED GALVANIZED OVER ENTIRE LENGTH, 1IN X 40IN WITH 4IN TURNED END. BOLT SHALL BE FURN ISHED WITH TWO GALV HEX NUTS AND TWO ROUND FLAT WASHERS AND SHALL	
	CLARK CORP.	N/A
	DISTRAN PRODUCTS INC. DIS-TRAN	
	GATE CITY STEEL CORP.	N/A
	R. JENNINGS MFG. CO. INC.	N/A
170522	ARM AL WOOD POLE MTG 24"" X 2"	
	ARM AL WOOD POLE MTG 24" X 2" BRACKET ARM, ALUMINUM SINGLE MEMBER 2IN DIAMETER BY 24IN IN LENGTH FOR SUPPORTING LIGHTING LUMINAIRES ON WOOD POLES.	
	AMERICAN METAL PRODUCTS, INC.	A-2-2
	FABRICATED/UNION METALS CORP	P200AO20

170605 CUTOUT 15KV 100A LDBRK

CUTOUT 15KV 100A LOADBREAK 8000AIC CUTOUT, 15KV, 100A FUSE TUBE, 8000AIC MI N, 110KV BIL, LOADBREAK WITH 200A ARC CHUTE, TINNED EYE BOLT CONNECTORS NO. 8 THRU 2/0, LESS CROSSARM MOUNTING BRACKET

ABB POWER T & D CO	279C790A35
CHANCE A B CO	C730-211P
SOUTHERN STATES INC	B7015100-X39

170746	WIRE GUY 7/16"" HIGH STRENGTH	
	WIRE GUY 7/16" HIGH STRENGTH COILS WIRE, 7/16 IN HIGH STRENGTH, 7 STRAND GALVANIZED STEEL, WITH CLASS A ZINC COATING IN ACCORDANCE WITH ANSI/ASTM STANDARDS #475-72A, OR LATEST REVISIONS THEREOF. 250 FOOT COIL	
	BEKEART WIRE	N/A
	INDIANA STEEL & WIRE CO	N/A
	NATIONAL STRAND PRODUCTS	N/A
170795	SWITCH 15KV POLE HORZ 1200A	
	SWITCH 15KV POLE HORZ 1200A	
170882	CUTTER TUBING MINATURE	
	CUTTER TUBING MINATURE	
	RIDGID TOOLS	40617
170886	WIRE BARE SD 6CU SOL	
	WIRE CU BARE SD 6AWG SOL WIRE, #6 BARE COPPER, SOLID, SOFT DRAWN, ON 25LB(315FT) SPOOLS, MFG ACCORDING TO ANSI C7.1 AND/OR ASTM B3 AND ASTM B25	
	ALAN WIRE	N/A
	GENERAL CABLE CO.	
	NEHRING	N/A
	PRIORITY WIRE & CABLE	N/A
	REPUBLIC WIRE INC.	N/A
	ROME CABLE CORP	N/A
	SEAL	N/A
	SERVICE WIRE CO.	N/A
	SOUTHWIRE	N/A
170936	SLEEVE LEAD 3/16"" X 5"" X 24"	
	SLEEVE LEAD 3/16" X 5" X 24"	
	AVRIL, G.A., CO.	N/A
	G & W ELECTRIC CO.	N/A
	MAC PRODUCTS	
	RUSGREEN	N/A
171074	CUTOUT 15KV 100A W/O MTG BKT	
	CUTOUT 15KV 100A W/0 MT BKT 8000AIC CUTOUT, 15KV, 100A FUSE TUBE, 8000AIC MI N, 125KV BIL, TINNED PARALLEL GROOVE CONNECTORS NO. 8 THRU 2/0, LESS CROSSARM MOUNTING BRACKET	
	ABB POWER T & D CO	X2NCNNAA12
	CHANCE A B CO	C710-211P
	S & C ELECTRIC CO	89022R9-D
	SOUTHERN STATES INC	
171181	CUP PAPER DRINKING 4OZ	
	CUPS, DRINKING, PAPER 4 OZ ** STANDARD PACKAGING - 5,000 CUPS PER CASE **	
	RUBBERMAID	
	SOLO	4SS
	SWEETHEART CUP	CS204
	VORTEX	154
171256	FUSE ASSY 69KV 100A SS	
	FUSE ASSY 69KV 100A SS TYPE HPA POWER FUSE ASSEMBLY, OUTDOOR, SINGLE POLE, VERTICAL MTG., 69KV, 100 AMP, CONTINUOUS CURRENT, 20,000 AMP RMS ASYMMETRICAL INTERRUPTING CAPACITY.	
	SOUTHERN STATES INC	41100317, HPA
171314	WIRE BARE 4AR 6/1STR	
	WIRE AR BARE 4AWG 6/1STR SWAN WIRE, AR BARE, 4 AWG, 6/1 STR SWAN OR 7/ 1	

STR SWANATE, CLASS AA, 1350-H19 AL AS PER ASTM STDS B230, B232, & B498. STEEL CORE SHALL BE STND. WT GALV. COAT CL A. REEL LENGTH: APPROX. 15,000 FT. IN

ACPC	N/A
ALCAN	N/A
NEHRING	
NEXANS	N/A
SOUTHWIRE	N/A

171363 WIRE BARE SD 2/0CU 19STR
WIRE CU BARE SD 2/0AWG 19 STR WIRE, COPPER, 2/0 BARE, 19 STRAND, SOFT DRAWN (411 LB/M) ON REELS. ANSI C7.1-1964, ANSI C7.8-1965, ASTM B3, B8.

ALAN WIRE	N/A
GENERAL CABLE CO.	N/A
NEHRING	N/A
PRIORITY WIRE & CABLE	N/A
REPUBLIC WIRE INC.	N/A
ROME CABLE CORP	N/A
SERVICE WIRE CO.	N/A
SOUTHWIRE	

171371 CABLE 15KV P CU 3C 2/0AWG SH
CABLE 15KV P&L CU 3C 2/0AWG SH CABLE, 15 KV, SOLID TYPE, THREE COMPACT-SECTOR 2/0 AWG STRANDED COPPER CONDUCTORS, IMPREGNATED PAPER INSULATED, CONDUCTOR STRAND SHIELDED, INSULATION SHIELDED WITH COPPER TAPE,LEAD ALLOY SHE

BICC	N/A
OKONITE	N/A
PIRELLI CABLE CORP.	N/A

171389 CABLE 15KV P CU 3C 2AWG SH
CABLE 15KV P&L CU 3C 2AWG SH CABLE, 15 KV, SOLID TYPE, THREE COMPACT-SECTOR 2AWG STRANDED COPPER CONDUCTORS, IMPREGNATED PAPER INSULATED, CONDUCTOR S TRAND SHIELDED, INSULATION SHIELDED, LEAD ALLOY SHEATHED, AND NEOPRENE JACKET

BICC	N/A
OKONITE	N/A
PIRELLI CABLE CORP.	N/A

171405 WASHER ROUND 1-3/4"" 11/16"" H
WASHER ROUND 1-3/4" 11/16" HOL

CHANCE A B CO	6805
COOPER POWER SYSTEMS	DF1W3
FLORIDA WIRE & CABLE CO	FW 1088
HUGHES BROS	RW2-60
JOSLYN MFG & SUPPLY CO.	J-1088
UTILITIES SERVICE CO.	5479

171454 COMPOUND INSULATING POTHEAD
COMPOUND INSULATING POTHEADS /TRANS MOD COMPOUND, INSULATING, MEDIUM SOFT, ASPHALTIC BASE, LOW MELTING POINT, HIGH DIELECTRIC STRENGTH, AND LOW DIELECTRIC LOSS. COMPOUND USED TO FILL THE VOIDS IN 3/C PAPER INSULATED LEAD-COVERED 13.2

G & W ELECTRIC CO.	NOVOID "A"
MAC PRODUCTS	CP11
RUSGREEN	N/A

171470 ROPE 1/2" 3-STRAND
ROPE 1/2" 3 STRAND P/D

WALL MFG	82279

171512 GUARD LINE PREFORMED 795AA
LINE GUARD PF AA 795MCM

DULMISON	
FARGO	F13-1017
HELICAL	ALG541
PREFORMED LINE PRODUCTS	MG-0154

171538 SWITCH 15KV HOOKSTICK 1200A
SWITCH 15KV HOOKSTICK 1200A

MEMCO, INC.	TYPE STU
SIEMENS-ALLIS CORP.	
SOUTHERN STATES INC	TYPE PB0151200
TURNER ELECTRIC CO.	TYPE BT2-15-12
U S C O POWER EQUIP. CORP.	TYPE HH-6

171587 ARRESTER DIST 10KV

ARRESTER DISTRIBUTION 10KV 176 ARRESTER, SURGE, 10KV(8.4KV MCOV), HEAVY DUTY DISTRIBUTION CLASS, MOV TYPE, GREY COLOR, WITH PLASTIC OR SYNTHETIC RUBBER COVER FOR TERMINAL, WITH GROUND LE AD DISCONNECTOR, WITHOUT CROSSARM MOUNTI

ABB POWER T & D CO	
COOPER POWER SYSTEMS	UHS1005-0A1A-1A1A
GENERAL ELECTRIC	9L23AXX410XH
JOSLYN MFG & SUPPLY CO.	8154C0010J106
JOSLYN MFG & SUPPLY CO.	ZHP-0100C00100
OHIO BRASS CO.	217609

171595 CABLE 15KV P CU 3C 500MCM SH

CABLE 15KV P&L CU 3C 500MCM SH CABLE, 15 KV, SOLID TYPE, THREE COMPACT-SECTOR 500 MCM STRANDED COPPER CONDUCTORS, IMPREGNATED PAPER INSULATED, CONDUCTOR STRAND SHIELDED, INSULATION SHIELDED, LEAD ALLOY SHEATHED, AND NEOPR

BICC	N/A
OKONITE	N/A
PIRELLI CABLE CORP.	N/A

171611 GROUND PLATE 30" X 60"

GROUND PLATE 30" X 60" DWG C-3555 GROUND, PLATE, 30 X 60 IN. IN ACCORDANCE WITH KUB DWG. C-3555 PLAN B. GRIND & SMOOTH 2" +/- X 4" +/- AREA, DRI LL 9/16" HOLES, PAINT ALL SURFACES W/ 1 COAT ZINC DICHORMATE & 1 COAT ALUMI

171629 LINE GUARD PF AA 4/0AWG

LINE GUARD PF AA 4/0AWG

DULMISON	ALG1325
HELICAL	ALG527
PREFORMED LINE PRODUCTS	MG-0140

171682 TESTER LOW-VOLTAGE

TESTER LOW VOLTAGE

KLEIN	69135

171686 ARM AL WOOD POLE MTG 30" X 1"

ARM AL WOOD POLE MTG 30" X 1-1/4" BRACKET ARM, ALUMINUM SINGLE MEMBER 30IN X 1-1/4IN FOR MOUNTING OF LIGHTING LUMINAIRES ON WOOD POLES; A 7/1 6IN SQUARE HOLE SHALL BE MADE IN SUPPORT BRACKET TO ACCOMMODATE

AMERICAN METAL PRODUCTS, INC.	A-125-2.5
FABRICATED/UNION METALS CORP	P125A025
HAPCO (HUBBARD ALUM PROD CO.)	
JOSLYN MFG & SUPPLY CO.	CA 18103

171785 INSULATOR STATION POST 15KV

INSULATOR STATION POST 15KV 3" BC INSULATOR, STATION POST, 15KV, 110KV BIL , 3" DIAMETER BOLT CIRCLE MOUNTING, WET-PROCESS PORCELAIN, SHALL COMPLY WITH NEMA TECHNICAL REFERENCE NUMBER 205 AND SHALL BE ANSI-70 IN COLOR.

LAPP INSULATOR CO	27077
LOCKE INSULATORS	PS01110
NEWELL PORCELAIN CO	231002
VICTOR INSULATORS	1751

171793 INSULATOR STATION POST 69KV 3"

INSULATOR STATION POST 69KV 3" BC 160 INSULATOR, 69KV, WET-PROCESS PORCELAIN O R TOUGHENED GLASS, APPARATUS, STATION POST TYPE, TECHNICAL REFERENCE NUMBER 21 6 WITH 3" DIAMETER BOLT CIRCLE MOUNTING

LAPP INSULATOR CO	9521A-70
LOCKE INSULATORS	
NEWELL PORCELAIN CO	2310067001
SEDIVER	F08
VICTOR INSULATORS	1755

171819 CABLE 600V PVC 2C 12CU
CABLE 12AWG CU 600V 2C PVC ST LT CABLE, 2 COND #12 AWG STRANDED COPPER, 6 00 VOLT INSULATED CONDUCTORS, OVERALL SUNLIGHT RESISTANT PVC JACKET, ON 500 FT N/R REELS. APPLICABLE STANDARDS: ICEA S-61-402, ASTM B-8.

AMERICAN INSULATED WIRE CORP	ES-12301 FLAT
ANIXTER WIRE & CABLE CO.	2A-1202
NEXANS ALCATEL	N/A
OKONITE	202-31-3602
PIRELLI CABLE CORP.	
ROME CABLE CORP	SPEC 3587

171868 CONDUIT PVC 1" SLIP-JOINT
CONDUIT PVC 1" SLIP JOINT

CANTEX CO	A52BA12
CARLON	49008

171900 WIRE BARE 4/0AA 7STR
WIRE AA BARE 4/0AWG 7STR OXLIP WIRE, AA BARE, 4/0 AWG 7 STR (OXLIP),CLA SS AA, 1350-H19 ALUMINUM AS PER ASTM STDS. B230 &B231. REEL LENGTH: APPROX. 7 ,000 FT. IN ONE PIECE. REEL DIM. SHALL BE: MAX. FLANGE DIA. 78 IN.; MAX. OUTSID

ACPC INC	N/A
ALCAN	
GENERAL	N/A
NEXANS	N/A
SOUTHWIRE	N/A

172122 CROSSARM FIR 3-5/8X4-5/8X8'
CROSSARM FIR 3-5/8X4-5/8X8' CROSSARM, DENSE DOUGLAS FIR, 3 5/8 X 4 5 /8 X 8FT OR 3 3/4 X 4 3/4 X 8FT, TREATED WITH PENTACHLOROPHENOL AS PER AW PA STANDARDS C25; AFTER ALL SAWING, MACHINING AND DRILLING ARE COMPLETED. RE

172148 BRACE CROSSARM ANGLE 60"
BRACE CROSSARM ANGLE 60"

CHANCE A B CO	6942
COOPER POWER SYSTEMS	DB1L5
JOSLYN MFG & SUPPLY CO.	J1508
UTILITIES SERVICE CO.	5217

172320 COMPOUND INSULATING SPLICE
COMPOUND INSULATING SPLICE COMPOUND, INSULATING, OIL INSOLUBLE, ASPHALTIC BASE WITH LOW MELTING POINT, HIGH DIELECTRIC STRENGTH, AND LOW DIELECTRIC LOSS. COMPOUND USED TO FILL THE LEAD SLEEVE AROUND A 13.2 KV

G & W ELECTRIC CO.	NOVOID "X"
MAC PRODUCTS	CO-21
RUSGREEN	N/A

172353 LINE GUARD PF AA 397MCM
LINE GUARD PF AA 397MCM

DULMISON	ALG1790
FARGO	
HELICAL	ALG534
PREFORMED LINE PRODUCTS	MG-0147

172379 BUS TUBE CU HD SQ 2"" X 2"" X1
BUS TUBE CU HD SQ 2" X 2" X10'

172536 POLE STEEL 26' GUY STUB
POLE STEEL 26' GUY STUB

172627 POLE WOOD 50' CLASS 3 DISTR
POLE WOOD 50' CLASS 3 DISTR 209 CONS POLE, 50 FT CLASS 3 PRESSURE TREATED SOUTHERN YELLOW PINE, PENTA OR CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.

BALDWIN POLE AND PILING CO	N/A
BROWN WOOD PRESERVING CO.,INC.	N/A
HUXFORD POLE & TIMBER	N/A
INTERNATIONAL PAPER CO	N/A
KOPPERS CO., INC.	
LANGDALE CO.	N/A
MID GULF INDUSTRIES	N/A
STALLWORTH TIMBER CO.	N/A
THOMASSON LUMBER CO.	N/A
TRI STATE POLE & PILING INC.	N/A

172635 POLE WOOD 55' CLASS 3 DISTR
POLE WOOD 55' CLASS 3 DISTR 209 CONS POLE, 55 FT CLASS 3 PRESSURE TREATED SOUTHERN YELLOW PINE, PENTA OR CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.

BALDWIN POLE AND PILING CO	N/A
BROWN WOOD PRESERVING CO.,INC.	N/A
HUXFORD POLE & TIMBER	N/A
INTERNATIONAL PAPER CO	N/A
KOPPERS CO., INC.	N/A
LANGDALE CO.	
MID GULF INDUSTRIES	N/A
STALLWORTH TIMBER CO.	N/A
THOMASSON LUMBER CO.	N/A
TRI STATE POLE & PILING INC.	N/A

172742 BUS ANGLE AL 4 X 3/8 X25'
BUS ANGLE AL 4 X 3/8 X25'

COPPER AND BRASS SALES	N/A
J M TULL METALS CO.	N/A
MEIER METAL SERVICE	
MILLER ALUMINUM SALES CO.	N/A
T W METALS	N/A
VINCENT BRASS & ALUMINUM CO.	N/A

172817 WIRE CU WP SD 1000MCM 61 STR
WIRE CU WP SD 1000MCM 61 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER-RESISTANT, 1000 MCM 61 STRAND SOFT DRAWN. SPECS ANSI C7.1, C7.8, C8.35 (ICEA S-70-547), ASTM B3 AND B8, ON REELS. FOR USE ON NEHRING

ROME CABLE CORP	SPEC 1215
SERVICE WIRE CO.	N/A
SOUTHWIRE	CULW

172825 CABLE 600V EPR 1C 2CU BLK
CABLE 2 CU 1C 600V EPR BLK NETWK CABLE,2 AWG CU, 7 STRAND,TINNED COPPER C OND, 600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET.

NEXANS	
OKONITE	N/A
PIRELLI CABLE CORP.	N/A

	ROME CABLE CORP	7031

172833 CABLE 4 CU 1C 600V EPR BLK

CABLE 4 CU 1C 600V EPR BLK NETWK CABLE, 4 AWG, 7 STRAND,TINNED COPPER CON D,600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET.

NEXANS ALCATEL	N/A
OKONITE	
PIRELLI CABLE CORP.	N/A
ROME CABLE CORP	7031

172841	CABLE 600V EPR 1C 2/0CU BLK	
	CABLE 2/0 CU 1C 600V EPR BLK NETWK CABLE, 2/0AWG, 19 STRAND,TINNED COPPER C OND,600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET. CABLE SHALL BE FURNISHED ON 1000FT REELS.	
	NEXANS ALCATEL	N/A
	OKONITE	N/A
	PIRELLI CABLE CORP.	
	ROME CABLE CORP	7031
172858	CABLE 15KV XLP CU 1C 4/0AWG	
	CABLE 15KV XLP CU 1C 4/0AWG	
172882	DEADEND GUY PREFORMED 7/16"	
	DEADEND GUY PREFORMED 7/16"	
	DULMISON	SGG 1105
	FARGO	F50-0437
	FLORIDA WIRE & CABLE CO	
	HELICAL	HG 211 7/16
	PREFORMED LINE PRODUCTS	GDE-1108
172890	DEADEND GUY PREFORMED 3/8"	
	DEADEND GUY PREFORMED 3/8"	
	DULMISON	SGG 0915
	FARGO	
	FLORIDA WIRE & CABLE CO	FLB-1600
	HELICAL	HG 210 3/8
	PREFORMED LINE PRODUCTS	GDE-1107
172908	FUSE ASSY 69KV 100A S/S	
	FUSE TUBE 15KV 100A B80	
	SOUTHERN STATES INC	B8015100TX34
172940	ENVELOPE NIGHT-DEPOSIT #9	
	ENVELOPE 9 NIGHT DEPOSIT	
172995	SAW MINI	
	SAW MINI	
	LENOX	20975-975
	STANLEY	20-807
173286	ROD GROUND 5/8" X 8"	
	ROD GROUND 5/8" X 8' ROD, GROUND, COPPERWELD OR COPPER-BOND 5 /8 IN DIAMETER X 8 FT. MUST MEET OR EXCEED REQUIREMENTS OF UL 467(ANSI C33.8).	
	APACHE GROUNDING CORP	GR588
	BLACKBURN	6258
	ERITECH INC.	615883
	GALVAN INDUSTRIES	6258
	JOSLYN MFG & SUPPLY CO.	J8338
	UTILITIES SERVICE CO.	B6258
173310	BRACKET FBGL CO-ARR 1HOLE	
	BRACKET FGLS CO-ARR 1HOLE	
	ANDERSON ELECTRIC	APF-3418-B
	CHANCE A B CO	X1SBM18CB
	CONTINENTAL ELECTRIC	GPB-5568M-18-CB
	FLAGG	7510-018CB
	HUGHES BROS	

173518	BUS ANGLE AL 31/4 X 1/4 X25'	
	BUS ANGLE AL 31/4 X 1/4 X25'	
	COPPER AND BRASS SALES	43125
	J M TULL METALS CO.	N/A
	MEIER METAL SERVICE	N/A
	MILLER ALUMINUM SALES CO.	
	T W METALS	N/A
	VINCENT BRASS & ALUMINUM CO.	N/A
173526	BUS BAR CU HD FLT 1/4X4X17'	
	BUS BAR CU HD FLT 1/4X4X17'	
173534	BUS BAR AL 3/8" X 2" X 20'	
	BUS BAR AL 2" X 3/8 X20'	
	COPPER AND BRASS SALES	28435
	J M TULL METALS CO.	N/A
	MEIER METAL SERVICE	N/A
	MILLER ALUMINUM SALES CO.	N/A
	T W METALS	
	VINCENT BRASS & ALUMINUM CO.	N/A
173682	CABLE 600V EPR 1C 6CU BLK	
	CABLE 6 CU 1C 600V EPR BLK NETWK CABLE, 6 AWG, 7 STRAND,TINNED COPPER CON D,600V, NETWORK TYPE,E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET.	
	NEXANS ALCATEL	
	OKONITE	112-11-2221
	PIRELLI CABLE CORP.	10-1030 CU
	ROME CABLE CORP	2165
173716	FUSE TUBE 69KV 100A	
	FUSE TUBE 69KV 100A	
	SOUTHERN STATES INC	42100317
173815	CABLE CONTROL 600V 1C 10CU	
	CABLE CONTROL 600V 1C 10AWG CONTROL CABLE, 1 CONDUCTOR, #10-7 STRAND , 600V, 75~C RATING, 30 MILS POLYETHYLENE INSULATION AND 15 MILS PVC JACKET, CABLE SHALL BE TYPE B CABLE AS SPECIFIED IN IPCEA S-61-402, NE	
	OKONITE	116-83-1131
	ROME CABLE CORP	N/A
	TAMAQUA CABLE PRODUCTS CORP.	N/A
173821	PLIERS LINEMAN 5"	
	PLIERS LINEMAN 5 IN	
	KLEIN	D201-6NE
173823	CABLE CONTROL 600V 9C 10AWG	
	CABLE CONTROL 600V 9C 10AWG CONTROL CABLE, 9 CONDUCTOR, #10-7 STRAND , 600V, 75~C RATING, POLYETHYLENE INSULATION, POLYVINYL CHLORIDE SHEATH AN	
	BICC	TC
	GENERAL ELECTRIC	SI-58081
	OKONITE	P-30
	PIRELLI CABLE CORP.	20-10
	ROME CABLE CORP	CT-B
	TAMAQUA CABLE PRODUCTS CORP.	

173997 POLE WOOD 100' CLASS 1 TRANS
POLE WOOD 100' CLASS 1 TRANS 179 ER POLE, 100FT CLASS 1; SOUTHERN PINE, PRES SURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER-BORNE CHROMATED CO PPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL BORNE PENTACHLOROPHENOL

BALDWIN POLE AND PILING CO	N/A
INTERNATIONAL PAPER CO	N/A
J H BAXTER CO	
KOPPERS CO., INC.	N/A
MID GULF INDUSTRIES	N/A
NIEDERMEYER-MARTIN CO	N/A
NORTH PACIFIC LUMBER	N/A
THOMASSON LUMBER CO.	N/A

174003 CROSSARM FIR 3-5/8X4-5/8X10'
CROSSARM FIR 3-5/8X4-5/8X10' CROSSARM, DENSE DOUGLAS FIR, 3 5/8 X 4 5 /8 X 10FT OR 3 3/4 X 4 3/4 X 10FT, TREATED WITH PENTACHLOROPHENOL AS PER AW PA STANDARDS C25; AFTER ALL SAWING, MACHINING AND DRILLING ARE COMPLETED. RE

174078 CABLE 600V EPR 1C 500CU BLK
CABLE 500 CU 1C 600V EPR BLK NETWK CABLE, 500MCM, 37 STRAND,TINNED COPPER C OND,600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET. CABLE SHALL BE FURNISHED ON 1000FT REELS.

AMERCABLE	N/A
NEXANS ALCATEL	N/A
OKONITE	N/A
PIRELLI CABLE CORP.	
ROME CABLE CORP	N/A

174128 ANCHOR EXPANDING 8"
ANCHOR EXPANDING 8" ANCHOR,8" EXPANDING TYPE, SHALL BE COATE D WITH BLACK ASPHALTIC PAINT TO RETARD RUST AND CORROSION. A NUT RETAINER SHALL BE ATTACHED TO THE BOTTOM OF THE ANCHOR PLATE SUITABLE FOR

CHANCE A B CO	88135
JOSLYN MFG & SUPPLY CO.	J8135
UTILITIES SERVICE CO.	C88135

174201 INSULATOR FBGL STRAIN 54"
INSULATOR FGLS STRAIN 54" CLV-CLV/ROL INSULATOR, FIBERGLASS STRAIN, 54" INSULATING LENGTH, 15,000 LB. MIN. BREAKING STRENGTH, CLEVIS-CLEVIS FITTINGS WITH ON E ROLLER, GALVANIZED.

ANDERSON ELECTRIC	APF-154R
BETHEA	
CHANCE A B CO	GS16054CC1
CONTINENTAL ELECTRIC	GCC15-54R
FLAGG	150-54
HUGHES BROS	CF692-54R
HYDROCOM INTERNATIONAL	DD15-GSC-54-R
K-LINE INSULATORS LIMITED	KL-54CR
PLASTIGAGE (HEATHERLITE)	HSI-2X-54-1P
PREFORMED LINE PRODUCTS	FCC1554R

174268 BRACKET CORNER SWING 3/4"" BOL
BRACKET CORNER SWING 3/4" BOLT

JOSLYN MFG & SUPPLY CO.	J6195

174276 SLEEVE LEAD 3/16"" X 6 1/2"" X
SLEEVE LEAD 3/16" X 6 1/2" X 3

AVRIL, G.A., CO.	N/A

	G & W ELECTRIC CO.	N/A
	MAC PRODUCTS	N/A
	RUSGREEN	

174284 POLE ST LT AL 27'-6" 8"X6" W/O

POLE ST LT AL 27' 6" 8X6.0" POLE 27FT 6IN NOM HEIGHT ROUND TAPERED(8 "X6") ALUM WITH 11IN TO 12IN SLOTTED BC BASE PLATE W/ANCHOR BOLT COVERS, 4IN X 6 .5IN HANDHOLE W/COVER, 1 1/2IN DIA HOLE 8" FROM TOP OF POLE AND WITH ALUM NUT

HAPCO (HUBBARD ALUM PROD CO.)	54464
PFAFF AND KENDALL	RTA8M28AA-987
UNION METAL MANUFACTURING CO.	154A7128401S

174292 ARM AL 6' BANDED SINGLE

ARM AL 6' BANDED SINGLE MEM BRACKET ARM, ALUMINUM 6 FT. SINGLE MEMBE R, COMPLETE WITH BANDING MOUNTING HARDWARE FOR MOUNTING ON ALUMINUM POLE WITH 6 INCH O.D. AT TOP. ARM TO HAVE 2 FT 6 INCH RISE.

HAPCO (HUBBARD ALUM PROD CO.)	A78452
PFAFF AND KENDALL	E636-6.0-CLAMP

174334 ANCHOR ROCK

ANCHOR ROCK

CHANCE A B CO	R-330
JOSLYN MFG & SUPPLY CO.	J3437

174367	ARM AL 15' BANDED TRUSS	
	ARM AL 15' BANDED TRUSS BRACKET ARM, ALUMINUM, 15 FT. TRUSS, COMPLETE WITH MOUNTING HARDWARE FOR BANDED TYPE MOUNTING ON ALUMINUM POLE WITH A 6 INCH DIAMETER TOP. ARM TO HAVE A 2 FT 6 INCH RISE.	
	HAPCO (HUBBARD ALUM PROD CO.)	85012-003
	PFAFF AND KENDALL	G88169H
	UNION METAL MANUFACTURING CO.	N/A
174383	BRACKET FBGL 24" DOWN LEAD	
	BRACKET FGLS 24" DOWN LEAD	
	ANDERSON ELECTRIC	APF-4124-B
	CONTINENTAL ELECTRIC	DLBB-24
	FLAGG	60-24
	HUGHES BROS	CF755B-24
	PLASTIGAGE (HEATHERLITE)	
174409	ROPE 3/4" 3-STRAND	
	ROPE 3/4" 3 STRAND	
	WALL MFG	82289
174425	BAYONET OGW 1/4"X2"X2"X66"	
	BAYONET OGW 1/4X2X2X66"	
	CHANCE A B CO	5566
	HUGHES BROS	AS2613-F3
	UTILITIES SERVICE CO.	5046
174433	WIRE BARE 397AA 19STR	
	WIRE AA BARE 397MCM 19STR CANNA WIRE, AA BARE, 397 MCM 19 STR (CANNA), C LASS AA, 1350-H19 ALUMINUM AS PER ASTM B230 & B231. REEL LENGTH: APPROX. 10,000 FT. IN ONE PIECE. REEL DIM. SHALL BE: MAX. FLANGE DIA. 78 IN.; MAX.	
	ACPC INC	
	ALCAN	N/A
	GENERAL	N/A
	SOUTHWIRE	N/A
174458	RACK CAPACITOR POLE MTNG	
	RACK CAPACITOR POLE MTNG 3 UNITS ER RACK, CAPACITOR FOR DIRECT POLE MOUNTING FOR 3-200 KVAR, 7960 VOLT UNITS WITH 15.62 INCH MOUNTING CENTERS. RACK SHALL BE STRUCTURAL ALUMINUM OR GALVANIZED STEEL, UNASSEMBLED.	
	ABB POWER T & D CO	791C644G04
	ALUMA FORM INC.	CR-3/4
	GENERAL ELECTRIC	39F83G1
	HUBBELL	
	SANGAMO ELECTRIC	97650
174474	POLE WOOD 30' CLASS 5 DISTR	
	POLE WOOD 30' CLASS 5 DISTR 209 CONS POLE, 30 FT CLASS 5 PRESSURE TREATED SOUTHERN YELLOW PINE, PENTA OR CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.	
	BALDWIN POLE AND PILING CO	N/A
	BROWN WOOD PRESERVING CO.,INC.	N/A
	HUXFORD POLE & TIMBER	N/A
	INTERNATIONAL PAPER CO	N/A
	KOPPERS CO., INC.	N/A
	LANGDALE CO.	
	MID GULF INDUSTRIES	N/A
	STALLWORTH TIMBER CO.	N/A

THOMASSON LUMBER CO.	N/A
TRI STATE POLE & PILING INC.	N/A

174508 WIRE CU WP SD 2AWG 7 STR
WIRE CU WP SD 2AWG 7 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER-RESISTANT, 2 AWG 7 STRAND SOFT DRAWN. SPECS ANSI C7.1, C7.8, C8.35 (ICEA S-70-547), ASTM B3 AND B8. 200 LBS COILS. (230 LB/M)

NEHRING	N/A
ROME CABLE CORP	SPEC 1215
SERVICE WIRE CO.	
SOUTHWIRE	CULW-990/11:02:62

174516 WIRE WP SD 4CU SOLID
WIRE CU WP SD 4AWG SOLID XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER-RESISTANT, 4 AWG SOLID SOFT DRAWN. SPECS ANSI C7.1, C7.8, C8.35(ICE A S-70-547), ASTM B3 AND B8, IN 200 LB COILS. FOR USE ON OVERHEAD POWER LINES.

NEHRING	N/A
ROME CABLE CORP	SPEC 1215
SERVICE WIRE CO.	N/A
SOUTHWIRE	

174540 WIRE BARE HD 4CU SOL
WIRE CU BARE HD 4AWG SLD

ALAN WIRE	N/A
GENERAL CABLE CO.	
NEHRING	N/A
PRIORITY WIRE & CABLE	N/A
REPUBLIC WIRE INC.	N/A
ROME CABLE CORP	N/A
SEAL	N/A
SERVICE WIRE CO.	N/A
SOUTHWIRE	N/A

174573 WIRE WP SD 2/0CU 7STR
WIRE CU WP SD 2/0AWG 7 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER RESISTANT 2/0AWG 7 STRAND SOFT DRAWN . SPECS ANSI C7.1, C7.8, C8.35(IC EA S-70-547), ASTM B3 AND B8, ON APPROX 800 LB REELS. FOR USE ON OVERHEAD POWER

NEHRING	
ROME CABLE CORP	SPEC 1215
SERVICE WIRE CO.	N/A
SOUTHWIRE	CULW-990/11:03:20

174581 DEADEND GUY PREFORMED 1/4"
DEADEND GUY PREFORMED 1/4"

DULMISON	
FARGO	F50-0250
FLORIDA WIRE & CABLE CO	FLB-1300
HELICAL	HG 207 1/4
PREFORMED LINE PRODUCTS	GDE-1104

174607 WIRE BARE SD 250CU 19STR
WIRE CU BARE SD 250MCM 19 STR WIRE, COPPER, 250 MCM BARE 19 STRAND SOFT DRAWN (772 LB/M). ANSI C7.1-1964, ANSI C7.8-1965, ASTM B3, B8.

ALAN WIRE	N/A
GENERAL CABLE CO.	N/A
NEHRING	N/A
PRIORITY WIRE & CABLE	N/A
REPUBLIC WIRE INC.	N/A
ROME CABLE CORP	N/A
SEAL	
SERVICE WIRE CO.	N/A
SOUTHWIRE	N/A

174615 WIRE WP SD 500CU 37STR

WIRE CU WP SD 500MCM 37 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, 500 MCM, 37 STRAND SOFT DRAWN, SPECS ANSI C7.1, C7.8, C8.35(ICEA S-70-547), ASTM B3 AND B8, ON REELS. FOR USE ON OVERHEAD LINES.

NEHRING	N/A
ROME CABLE CORP	SPEC 1215
SERVICE WIRE CO.	N/A
SOUTHWIRE	

174649 WIRE BARE HD 2/0CU 7STR
WIRE CU BARE HD 2/0AWG 7 STR

ALAN WIRE	N/A
GENERAL CABLE CO.	N/A
NEHRING	N/A
PRIORITY WIRE & CABLE	
REPUBLIC WIRE INC.	N/A
ROME CABLE CORP	N/A
SEAL	N/A
SERVICE WIRE CO.	N/A
SOUTHWIRE	N/A

174656 CABLE 15KV P CU 3C 250MCM SH
CABLE 15KV P&L CU 3C 250MCM SH CABLE, 15 KV, SOLID TYPE, THREE COMPACT-SECTOR 250 MCM STRANDED COPPER CONDUCTORS, POLYBUTENE OIL IMPREGNATED PAPER INSULATION, CONDUCTOR STAND SHIELDED, COPPER TYPE

GENERAL	N/A
OKONITE	N/A
PIRELLI CABLE CORP.	N/A

174680 LUMINAIRE 120/240V SL W/PC 400
LUMINAIRE HP 400W W PEC120/ 240V SL LUMINAIRE, 400 WATT HIGH PRESSURE SODIUM VAPOR WITH 120/240 VOLT MULTI-TAP BALLAST, RECEPTACLE FOR PHOTOELECTRIC CO NTROL, TYPE III DISTRIBUTION PATTERN AND WITH SLIPFITTER

AMERICAN ELECTRIC	125-0H143
COOPER LIGHTING	OVX40SWW3E-4
GENERAL ELECTRIC	MSRL40S7A22RMS3

174771 ANCHOR EXPANDING 10"
ANCHOR EXPANDING 10" ANCHOR,10" EXPANDING TYPE, SHALL BE COAT ED WITH BLACK ASPHALTIC PAINT TO RETARD RUST AND CORROSION. A NUT RETAINER SHALL BE ATTACHED TO THE BOTTOM OF THE ANCHOR PLATE SUITABLE FOR

CHANCE A B CO	1082
COOPER POWER SYSTEMS	DA6E1
JOSLYN MFG & SUPPLY CO.	
UTILITIES SERVICE CO.	C1082

174805 WIRE GUY 3/8" UTILITY GRADE
WIRE GUY 3/8" UTILITY GRADE COILS WIRE, 3/8 IN - UTILITIES GRADE, 7 STRAND GALVANIZED STEEL, WITH CLASS A ZINC COATING IN ACCORDANCE WITH ANSI/ASTM STANDARDS #475-72A, OR LATEST REVISIONS THEREOF. 500 FOOT COIL

BEKEART WIRE	N/A
INDIANA STEEL & WIRE CO	N/A
NATIONAL STRAND PRODUCTS	N/A

174987 BROOM 32 LB 5 TIE STRAW
BROOM 32 LB 5 TIE STRAW

CHICKASAW BROOM MFG.	JANITOR S
CRYSTAL LAKES	JANITOR
KEL SAN	SELECT 5 TIE

175000 BRACE ALLEY-ARM 15KV 60"
BRACE ALLEY ARM 15KV 60"

CHANCE A B CO	6979
COOPER POWER SYSTEMS	DB1A2
JOSLYN MFG & SUPPLY CO.	
UTILITIES SERVICE CO.	5209

175067 CABLE 4/0 CU 1C 600V EPR BLK
CABLE 4/0 CU 1C 600V EPR BLK NETWK CABLE, 4/0AWG, 19 STRAND,TINNED COPPER

C OND,600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET.

NEXANS ALCATEL	N/A
OKONITE	
PIRELLI CABLE CORP.	N/A
ROME CABLE CORP	7031

175083 BUS BAR AL 3/8" X 4" X 20'
BUS, CONDUCTOR, BAR, ALUMINUM, 4" X 3/8" X 20' WITH NO. 2EC-T6 ALLOY AND TEMPER PER KUB SPECIFICATION C10-233 R3 DATED 7/84

COPPER AND BRASS SALES	28443
J M TULL METALS CO.	N/A
MEIER METAL SERVICE	N/A
MILLER ALUMINUM SALES CO.	
T W METALS	N/A
VINCENT BRASS & ALUMINUM CO.	N/A

175182 WIRE WP SD 250CU 19STR
WIRE CU WP SD 250MCM 19 STR XLP WIRE, COPPER, CROSS-LINKED POLYETHYLENE, WEATHER-RESISTANT, 250 MCM 19 STRAND SOFT DRAWN, SPECS ANSI C7.1, C7.8, C8.35 (ICEA S-70-547), ASTM B3 AND B8, ON 500 LB.REEL FOR USE ON OVERHEAD

NEHRING	N/A
ROME CABLE CORP	SPEC 1215
SOUTHWIRE	CULW-990/11:04:11

175190 WIRE AA BARE 1590MCM 61STR
WIRE AA BARE 1590MCM 61STR COREOPSIS ERM WIRE, AA BARE, 1590 MCM, 61 STR (COREOPI S) CLASS AA, 1350-H19 ALUMINUM AS PER ASTM STDS. B230 & B231. REEL LENGTH: APP ROX. 10,000 FT. IN ONE PIECE. REEL DIM. SHALL BE: MAX. FLANGE DIA. 78 IN.;MAX. O

175299 GUARD LINE PREFORMED 4AR
LINE GUARD PF AR 4AWG

DULMISON	DALG 0620
HELICAL	ALG614
PREFORMED LINE PRODUCTS	MG-0310

175315 BUCKET 12 QT GLV
BUCKET 12 QT GLV

DOVER MANUFACTURING	12
KELLEY MANUFACTURING	63321-12
LAWSON MANUFACTURING	122

175331 CONPOUND FLUSHING
COMPOUND FLUSHING 1 GAL CAN COMPOUND, FLUSHING, VISCOUS MINERAL OIL, WITH LOW DIELECTRIC LOSS FOR REMOVING SURFACE DIRT AND MOISTURE AND ELIMINATING VOIDS IN 13.2 KV PILC CABLE SPLICES.

G & W ELECTRIC CO.	N/A
MAC PRODUCTS	CX31
RUSGREEN	N/A

175398 SWITCHBOARD RACK 24W X 90H
SWITCHBOARD RACK 24W X 90H

ALLEN-MORRISON INC.	
B & K ELECTRICIAL PRODUCTS	N/A
CLEVELAND	N/A
DAYTON FABRICATOR STEEL CO.	N/A
NIX & MILLER INC.	N/A
TRANSDATA INC	N/A

175497 WIRE AR BARE 397MCM 26/7STR
WIRE AR BARE 397MCM 26/7STR IBIS ERM WIRE, AR BARE, 397 MCM, 26/7 STR (IBIS) CLASS AA, 1350-H19 ALUMINUM, AS PER ASTM STDS. B230, B232, & B498. STEEL CORE SHALL BE STD. WEIGHT (CLASS A) GALV. COATING. REEL LENGTH: APROX. 7,000 FT. I

ALCATEL	N/A
ALCOA ALUMINIO SA	N/A

	NEHRING	N/A
	SOUTHWIRE	
175646	ROD ANCHOR 3/4"X6' DOUBLE-EYE	
	ROD ANCHOR 3/4" X 6' DOUBLE	
	CHANCE A B CO	5356
	COOPER POWER SYSTEMS	DA2D6
	DIXIE ELECTRICAL MFG CO	
	JOSLYN MFG & SUPPLY CO.	J7526
	UTILITIES SERVICE CO.	5035

175653	ROD ANCHOR 1"X8' TRIPLE-EYE	
	ROD ANCHOR 1" X 8' TRIPLE EYE	
	CHANCE A B CO	7568
	COOPER POWER SYSTEMS	DA2T8
	DIXIE ELECTRICAL MFG CO	D-7568
	JOSLYN MFG & SUPPLY CO.	J7338
	UTILITIES SERVICE CO.	35040
175802	ROPE 3/8"" STRAND	
	ROPE 3/8" STRAND	
175828	WIRE BARE 4AA SOLID TIE	
	WIRE AA BARE 4AWG SOLID TIE	
	NEHRING	N/A
	SOUTHWIRE	N/A
	TIPPER TIE INC	N/A
175950	CABLE 15KV XLP AL 1C 350MCM	
	CABLE 15KV XLP AL 1C 350MCM	
176149	PAPER 8-1/2"" X 11"" 20 LB WHI	
	PAPER 8-1/2" X 11" 20 LB WHITE XEROX/LASER PAPER PAPER, 8 1/2" X 11", 20 POUND, WHITE, #4 DUAL PURPOSE (DP) *** RECYCLED GROUNDWOOD FREE, ALKALINE PAPER WITH A MINIMUM OF 20% POST *** CONSUMER CONTENT WITH A BRIGHTNESS M	
176198	LINK TRUNION 22" CLEVIS-EYE	
	LINK TRUNION 22" CLEVIS-EYE	
	CONTINENTAL ELECTRIC	TCEF-3-166
176370	FRAME AND COVER ROUND 28"" ER	
	FRAME AND COVER ROUND 28" ER MANHOLE FRAME AND COVER, 28 INCH DIAMETER COVER, ROUND, MADE FROM GRAY CAST IRON PER LATEST ASTM SPECIFICATIONS PERTAINING TO HEAVY DUTY (STREET) TRAFFIC INSTALLATIONS. DIMENSIONS AND MARKING T	
	KELLER FOUNDRY INC.	N/A
176453	CROSSARM FBGL 2PH 2"	
	CROSSARM FGLS 2PHASE 2"	
	ANDERSON ELECTRIC	APF-2236
	CHANCE A B CO	2SBH36VV1
	CONTINENTAL ELECTRIC	GPB2-558H-36V
	FLAGG	7581-436
	HUGHES BROS	CF834-36
	HYDROCOM INTERNATIONAL	
176479	PIN FBGL POLE TOP 2"	
	PIN FGLS POLE TOP 2"	
	ANDERSON ELECTRIC	APF-615
	CONTINENTAL ELECTRIC	GRP-558H-15
	FLAGG	
	HUGHES BROS	CF859-15
	HYDROCOM INTERNATIONAL	AD20-SRP-15
176503	ENVELOPE 6 WHITE PLAIN SMALL	
	ENVELOPE 6 WHITE PLAIN SMALL	

176560	LUMINAIRE 120/240V SL W/PC 250	
	LUMINAIRE HP 250W W/PEC 120/ 240V SL LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM VAPOR WITH 120/240 VOLT MULTI-TAP BALLAST, RECEPTACLE FOR PHOTOELECTRIC CO NTROL, TYPE III DISTRIBUTION PATTERN AND WITH SLIPFITTER	
	AMERICAN ELECTRIC	113-06733
	COOPER LIGHTING	OVZ25SWW3E-4
	GENERAL ELECTRIC	M2RR25S7A2GMS3
176578	CABLEWAY STRAIGHT 12"" X 24'	
	CABLEWAY STRAIGHT 12" X 24'	
	MP/HUSKEY CORP.	A9C1-12-288
176586	CABLEWAY STRAIGHT 24"" X 24'	
	CABLEWAY STRAIGHT 24" X 24'	
	MP/HUSKEY CORP.	A9C1-24-288
176594	COVER TEE HORZ 24"" WIDE	
	COVER TEE HORZ 24" WIDE	
	MP/HUSKEY CORP.	CA3F-24-T-12
176677	LAMP HPS 400W LU400	
	LAMP HPSV 400W LU400	
	GENERAL ELECTRIC	N/A
	PHILLIPS LIGHTING	368811
	SYLVANIA	LU400
176685	LAMP HPS 250W LU250	
	LAMP HPSV 250W LU250	
	GENERAL ELECTRIC	N/A
	PHILLIPS LIGHTING	368795
	SYLVANIA	LU250
176800	BRACE CROSSARM ANGLE 72""	
	BRACE CROSSARM ANGLE 72"	
	COOPER POWER SYSTEMS	DB2L3
	JOSLYN MFG & SUPPLY CO.	J1512
	UTILITIES SERVICE CO.	5218
176933	STAKE WOOD 3/4"" X 1-3/4"" X 1	
	STAKE WOOD 3/4" X 1-3/4" X 18"	
177022	CABLE 5KV CU 1C 6 AWG	
	CABLE 5KV CU 1C 6 AWG	
	OKONITE	114-24-2317
177048	SWITCH 69KV STA LAT VERT 600A	
	SWITCH, 69KV, 600A, 3P, FOR VERTICAL MOUNTING ON 24 FT. TRUSS OF STEEL SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-5088 WITH MECHANISM IN "POSITION 1", AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-172 AND E03-160, AS WELL AS, KUB DRAWING A-5059.	
	ABB POWER T & D CO	N/A
	MEMCO, INC.	N/A
	SOUTHERN STATES INC	
	TURNER ELECTRIC CO.	N/A
	U S C O POWER EQUIP. CORP.	N/A
177147	BRACKET SERV-MAST 2-1/2"	
	BRACKET SERV MAST 2-1/2"	
	CHANCE A B CO	C206-0169

	CONTINENTAL ELECTRIC	SMB-30
	JOSLYN MFG & SUPPLY CO.	J-0590
177253	COOLER WATER 2 GAL GLV	
	COOLER WATER 2 GAL GLV	
	IGLOO COOLER CO.	321
177279	COOLER WATER 5 GAL PLASTIC	
	COOLER WATER 5 GAL PLASTIC	
	IGLOO COOLER CO.	451
177287	WIRE OGW 3/8" HIGH-STRENGTH	
	WIRE OGW 3/8" HIGH STRENGTH REELS WIRE, OVERHEAD GROUND, 3/8 IN, HIGH STRENGTH, 7 STRAND, GALVANIZED STEEL, WITH CLASS B ZINC COATING, IN ACCORDANCE WITH ANSI/ASTM A363-72 STANDARDS, OR LATEST REVISION THEREOF.	
	5,000 FT LENGTH REELS	
	BEKEART WIRE	N/A
	INDIANA STEEL & WIRE CO	N/A
	NATIONAL STRAND PRODUCTS	N/A

177394 LUMINAIRE HP 100W W/PEC 120V S
LUMINAIRE HP 100W W/PEC 120V SL LUMINAIRE, 100 WATT HIGH PRESSURE SODIUM VAPOR WITH RECEPTACLE FOR PHOTO- ELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 120 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING ON A 1 1/4

AMERICAN ELECTRIC	113-57012-6
COOPER LIGHTING	0VZ10SR22E4
GENERAL ELECTRIC	M2RR10S1N2AMS2

177469 LUMINAIRE HP 150W W/PEC 120V
LUMINAIRE HP 150W W/PEC 120V SL LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM VAPOR WITH RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE II DISTRIBUTION PATTERN, 120 VOLT OPERATION AND WITH SLIPFITTER FOR MOUNTING ON A 1

AMERICAN ELECTRIC	113-57062-6
COOPER LIGHTING	OVZ15SR22E4
GENERAL ELECTRIC	M2RR15S1N2AMS2

177477 LAMP HPS 150W LU150
LAMP HPSV 150W LU150

GENERAL ELECTRIC	N/A
PHILLIPS LIGHTING	368746
SYLVANIA	LU150

177485 CABLE 1000 CU 1C 600V EPR BLK
CABLE 1000 CU 1C 600V EPR BLK NETWK CABLE, 1000MCM, 61 STRAND,TINNED COPPER COND,600V, NETWORK TYPE, E.P.R. INSULATED WITH BLACK HYPALON OR NEOPRENE JACKET. CABLE SHALL BE FURNISHED ON 500FT REELS.

GENERAL	N/A
OKONITE	
PIRELLI CABLE CORP.	N/A
ROME CABLE CORP	7031

177493 LAMP HPS 100W LU100
LAMP HPSV 100W LU100

GENERAL ELECTRIC	N/A
PHILLIPS LIGHTING	368720
SYLVANIA	LU100

177543 BRACE SIDE ARM 69KV 42""
BRACE SIDE ARM 69KV 42"

CHANCE A B CO	6999
JOSLYN MFG & SUPPLY CO.	J1442

177626 CONDUIT GLV 2""
CONDUIT GLV 2"

177683 PAPER WHITE 20LB 8-1/2" X 14"
PAPER 8-1/2" X 14 20 LB WHITE DUAL PURPOSE (DP) PAPER, 8 1/2" X 14", 20 LB., WHITE, DUAL PURPOSE (DP) *** RECYCLED GROUNDWOOD FREE, ALKALINE PAPER WITH A MINIMUM OF 20% POST *** CONSUMER CONTENT WITH A BRIGHTNESS M

177725 POLE FBGL 5' EXTENSION
POLE FBGL 5' EXTENSION

HIGHLINE PRODUCTS CORP.	HL-44

177766 POLE WOOD 70' CLASS 2 TRANS
POLE WOOD 70' CLASS 2 TRANS 179 POLE, 70 FT CLASS 2;SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER-BORNE CHROMATED CO PPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL

BALDWIN POLE AND PILING CO	N/A
INTERNATIONAL PAPER CO	N/A
J H BAXTER CO	N/A
KOPPERS CO., INC.	N/A
MID GULF INDUSTRIES	N/A
NIEDERMEYER-MARTIN CO	N/A
NORTH PACIFIC LUMBER	
THOMASSON LUMBER CO.	N/A

177774 POLE WOOD 75' CLASS 2 TRANS
POLE WOOD 75' CLASS 2 TRANS 179 POLE, 75FT CLASS 2; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER-BORNE CHROMATED CO PPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL

BALDWIN POLE AND PILING CO	N/A
INTERNATIONAL PAPER CO	N/A
J H BAXTER CO	N/A
KOPPERS CO., INC.	N/A
MID GULF INDUSTRIES	N/A
NIEDERMEYER-MARTIN CO	N/A
NORTH PACIFIC LUMBER	
THOMASSON LUMBER CO.	N/A

177782 POLE WOOD 80' CLASS 1 TRANS
POLE WOOD 80' CLASS 1 TRANS 179 POLE, 80FT CLASS 1; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER-BORNE CHROMATED CO PPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL

BALDWIN POLE AND PILING CO	N/A
INTERNATIONAL PAPER CO	N/A
J H BAXTER CO	N/A
KOPPERS CO., INC.	N/A
MID GULF INDUSTRIES	N/A
NIEDERMEYER-MARTIN CO	N/A
NORTH PACIFIC LUMBER	N/A
THOMASSON LUMBER CO.	

177790 POLE WOOD 85' CLASS 1 TRANS
POLE WOOD 85' CLASS 1 TRANS 179 POLE, 85FT CLASS 1; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER-BORNE CHROMATED CO PPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL

BALDWIN POLE AND PILING CO	N/A
INTERNATIONAL PAPER CO	N/A
J H BAXTER CO	N/A
KOPPERS CO., INC.	
MID GULF INDUSTRIES	N/A
NIEDERMEYER-MARTIN CO	N/A
NORTH PACIFIC LUMBER	N/A
THOMASSON LUMBER CO.	N/A

177808 POLE WOOD 90' CLASS 1 TRANS
POLE WOOD 90' CLASS 1 TRANS 179 POLE, 90FT CLASS 1; SOUTHERN PINE, PRESSURE TREATED WITH OIL-BORNE PENTA- CHLOROPHENOL OR WATER-BORNE CHROMATED CO PPER ARSENATE TYPE C; OR DOUGLAS FIR, TREATED WITH OIL-BORNE PENTACHLOROPHENOL

BALDWIN POLE AND PILING CO	N/A
INTERNATIONAL PAPER CO	N/A
J H BAXTER CO	N/A
KOPPERS CO., INC.	
MID GULF INDUSTRIES	N/A
NIEDERMEYER-MARTIN CO	N/A
NORTH PACIFIC LUMBER	N/A
THOMASSON LUMBER CO.	N/A

178186 WIRE GUY 7/16"" HIGH STRENGTH
WIRE GUY 7/16" HIGH STRENGTH REELS WIRE, 7/16 IN HIGH STRENGTH, 7 STRAND GALVANIZED STEEL, WITH CLASS A ZINC COATING IN ACCORDANCE WITH ANSI/ASTM STANDARDS #A475-72A, OR LATEST REVISIONS THEREOF. 5,000 FT REEL

BEKEART WIRE	N/A

INDIANA STEEL & WIRE CO	N/A
NATIONAL STRAND PRODUCTS	N/A

178285 WIRE CU BARE SD 500MCM 37 STR
WIRE CU BARE SD 500MCM 37 STR WIRE, COPPER, 500 MCM, BARE, 37 STRAND, SOFT DRAWN (1544 LB/M) ON REELS. ANSI C7.1-1964, ANSI C7.8-1965, ASTM B3 , B8.

GENERAL CABLE CO.	N/A
PRIORITY WIRE & CABLE	N/A
REPUBLIC UTC	N/A
ROME CABLE CORP	
SERVICE WIRE CO.	N/A
SOUTHWIRE	N/A

178293 WIRE BARE 1/0AR 6/1STR
WIRE AR BARE 1/0AWG 6/1STR RAVEN WIRE, ACSR BARE, 1/0 AWG, 6/1 STR (RAVEN) CLASS AA, 1350-H19 ALUMINUM, AS PER ASTM STDS. B230, B232, & B498. STEEL CORE SHALL BE STND. WEIGHT (CLASS A) GALV. COATING. REEL LENGTH: APPROX. 6,000 FT.

ACPC INC	N/A
ALCAN	
GENERAL	N/A
NEXANS	N/A
SOUTHWIRE	N/A

178327 CABLE 4/0AWG AL 600V 3C
CABLE 4/0AWG AL 600V 3C

178384 WIRE AR BARE 795MCM 26/7STR D
WIRE AR BARE 795MCM 26/7STR D DRAKE ERM WIRE, AR BARE, 795 MCM 26/7 STR (DRAKE) CLASS AA, 1350-H19 ALUMINUM, AS PER ASTM STDS. B230, B232, & B498. STEEL CORE SHALL BE STD. WEIGHT (CLASS A) GALV. COATING. REEL LENGTH: APPROX. 3,500 FT.

ALCATEL	N/A
ALCOA ALUMINIO SA	N/A
NEHRING	
SOUTHWIRE	N/A

178541 SLEEVE LEAD 3/16"" X 7"" X 30"
SLEEVE LEAD 3/16" X 7" X 30"
AVRIL, G.A., CO.

G & W ELECTRIC CO.	N/A
MAC PRODUCTS	N/A
RUSGREEN	N/A

178566 POLE ST LT AL 37' 3""
POLE ST LT AL 37' 3"

HAPCO (HUBBARD ALUM PROD CO.)	DRAWING B51302

178640 SWBD PANEL A24 24W X 8-3/4H
SWBD PANEL A24 24W X 8-3/4H

ALLEN-MORRISON INC.	N/A
B & K ELECTRICIAL PRODUCTS	N/A
CLEVELAND	N/A
DAYTON FABRICATOR STEEL CO.	
NIX & MILLER INC.	N/A
TRANSDATA INC	N/A

178657 SWBD PANEL B24 24W X 17 1/2H
SWBD PANEL B24 24W X 17 1/2H

ALLEN-MORRISON INC.	N/A
B & K ELECTRICIAL PRODUCTS	

CLEVELAND	N/A
DAYTON FABRICATOR STEEL CO.	N/A
NIX & MILLER INC.	N/A
TRANSDATA INC	N/A

178665	SWBD PANEL C24 24W X 19-1/4H	
	SWBD PANEL C24 24W X 19-1/4H	
	ALLEN-MORRISON INC.	N/A
	B & K ELECTRICIAL PRODUCTS	N/A
	CLEVELAND	N/A
	DAYTON FABRICATOR STEEL CO.	
	NIX & MILLER INC.	N/A
	TRANSDATA INC	N/A
178673	SWBD PANEL D24 24W X 21"" H	
	SWBD PANEL D24 24W X 21" H	
	ALLEN-MORRISON INC.	
	B & K ELECTRICIAL PRODUCTS	N/A
	CLEVELAND	N/A
	DAYTON FABRICATOR STEEL CO.	N/A
	NIX & MILLER INC.	N/A
	TRANSDATA INC	N/A
178681	SWBD PANEL E24 24W X 22 3/4H	
	SWBD PANEL E24 24W X 22 3/4H	
	ALLEN-MORRISON INC.	N/A
	B & K ELECTRICIAL PRODUCTS	
	CLEVELAND	N/A
	DAYTON FABRICATOR STEEL CO.	N/A
	NIX & MILLER INC.	N/A
	TRANSDATA INC	N/A
178764	CROSSARM FBGL 1PH 1-1/2"	
	CROSSARM FGLS 1PHASE 1-1/2"	
	ANDERSON ELECTRIC	
	CHANCE A B CO	1SBM18V1
	CONTINENTAL ELECTRIC	GPB-5568M-18V
	FLAGG	7561-118
	HUGHES BROS	CF810-18
	HYDROCOM INTERNATIONAL	AD15-SV-18
178780	CABLE COMM 50PR 19AWG CU SHLD	
	CABLE COMM 50PR 19AWG CU SHLD CABLE,COMMUNICATION 50 PAIR,#19AWG SOFT COPPER WIRES,WITH A 5 MIL COPPER TAPE SHIELD. CABLE JACKET SHALL BE BLACK,HIGH MOLECULAR WEIGHT POLYETHYLENE MARKED TO INDUSTRY STANDARDS. MAXIMUM REEL SIZE	
	ALCATEL	TYPE GED
	OKONITE	704-03-4050
	SUPERIOR/CABLE	TEL CU
178814	COMPOUND OIL-ABSORBENT DRY	
	COMPOUND ABSORBENT OIL DRY	
178822	BRACKET HORZ 2"" POST INS 69KV	
	BRACKET HORZ 2" POST INS 69KV BRACKET, HORIZONTAL POST INSULATOR, 2 IN POLE CLEARANCE, FOR USE WITH 2800 POUND CANTILEVER RATED INSULATOR, G	
	CONTINENTAL ELECTRIC	H1B-122-65
	FLAGG	P543
178830	BRACKET HORZ 10"" POST INS 69K	
	BRACKET HORZ 10" POST INS 69KV BRACKET, HORIZONTAL POST INSULATOR, 10IN	

	POLE CLEARANCE, FOR USE WITH 2800 POUND CANTILEVER RATED INSULATOR, G	
	CONTINENTAL ELECTRIC	H1B-1210-6
	FLAGG	P546
178855	FUSE ASSY 15KV 300A SS	
	FUSE ASSY 15KV 300A SS	

178871 POLE ST LT AL 39' 3"" ERM
POLE ST LT AL 39' 3" ERM

HAPCO (HUBBARD ALUM PROD CO.)	51300-012

178970 INSULATOR VERT LINE POST TIE
INSULATOR VERT LINE POST TIE 23KV TIE TP INSULATOR, VERTICAL LINE POST, TIE TOP, FOR 23KV APPLICATION, 2800 LB. CANTILEVER STRENGTH, WITHOUT SHORT

LAPP INSULATOR CO	9325X-70
NEWELL PORCELAIN CO	37610

179150 BRACKET FBGL 15" STANDOFF
BRACKET FGLS 15" STANDOFF

ANDERSON ELECTRIC	
CHANCE A B CO	1SBM15H1
CONTINENTAL ELECTRIC	GPB-56-15
FLAGG	7561-016
HUGHES BROS	CF725-16
HYDROCOM INTERNATIONAL	AD15-SS-15
PLASTIGAGE (HEATHERLITE)	HL-72-2100A

179168 INSULATOR FBGL STRAIN 12"
INSULATOR FGLS STRAIN 12" CLV-EYE INSULATOR, FIBERGLASS STRAIN, 12" INSULATING LENGTH, 15,000 LB., MIN., BREAKING STRENGTH, CLEVIS-EYE FITTINGS,

ANDERSON ELECTRIC	APF-112CE
BETHEA	FGS16CE12P
CHANCE A B CO	CGS16012CE
CONTINENTAL ELECTRIC	GCE15-12
FLAGG	150-12CE
HUGHES BROS	
HYDROCOM INTERNATIONAL	DD15-GSCTE-12
PLASTIGAGE (HEATHERLITE)	HSL2-12
PREFORMED LINE PRODUCTS	FCE1512

179184 ARM STEEL BKT 18"
ARM STEEL BKT 18" 3HOLE WOOD POLE ARM, METAL BRACKET, 18 INCH, 3 HOLE, FOR MOUNTING INSULATOR, ARRESTOR AND CUTOUT BRACKET ON WOOD POLE, WITH 1/2" - 13 TAPPED GROUNDING LUG HOLE.

ANDERSON ELECTRIC	
ATLAS POWER PRODUCTS	AVIB3-18
CONTINENTAL ELECTRIC	IACB-18-5-4-13
FLAGG	P-619E

179192 BRACKET VERT POST INS POLETOP
BRACKET VERT POST INS POLETOP

ANDERSON ELECTRIC	
CONTINENTAL ELECTRIC	PTB-66H
FLAGG	P526
LAPP INSULATOR CO	304043

179200 BASE GLV POST INS OB 87741
BASE GLV POST INSUL OB 87741

ANDERSON ELECTRIC	1XAB
LAPP INSULATOR CO	20175

179226 CONE TRAFFIC ORANGE
CONE TRAFFIC ORANGE FLURESCENT ORANGE TRAFFIC CONE, HEIGHT 2 8 INCHES, 1 PIECE CONSTRUCTION, POLYVINYL CHLORIDE, PERMANENT REFLECTORI ZED STRIPING IN ACCORDANCD WITH FEDERAL SAFETY STANDARD EFFECTIVE 1990 -

ALLSAFE	2196205
EASTERN METAL / USA SIGN	TC-28FC
RADIATOR SPECIALITY CO.	28-PO
S M C	TC-28-W
WORK AREA	

179275	BUS TUBE AL IPS 2"" X20'	
	BUS TUBE AL IPS 2" X20'	
	J M TULL METALS CO.	N/A
	MEIER METAL SERVICE	N/A
	MILLER ALUMINUM SALES CO.	N/A
	T W METALS	
	VINCENT BRASS & ALUMINUM CO.	N/A
179465	SWITCH 15KV LINE TENSION 1200A	
	SWITCH 15KV LINE TENSION 1200A	
	BRIDGES ELECTRIC INC	TYPE SE CAT #190
179481	WIRE BARE HD 2CU 7STR	
	WIRE CU BARE HD 2AWG 7 STR WIRE, COPPER, 2 BARE, 7 STRAND, HARDDRAWN, (205 LB/M) ON REELS. ANSI C7.2-1974, ANSI C7.8-1965, ASTM B1, B8.	
	ALAN WIRE	N/A
	GENERAL CABLE CO.	
	NEHRING	N/A
	PRIORITY WIRE & CABLE	N/A
	REPUBLIC WIRE INC.	N/A
	ROME CABLE CORP	N/A
	SEAL	N/A
	SERVICE WIRE CO.	N/A
	SOUTHWIRE	N/A
179705	LAMP INC 50W 240V MED	
	LAMP INC 50W 240V MED	
	SYLVANIA	N/A
179770	GUARD GUY PLASTIC YELLOW 8'	
	GUARD GUY PLAS YELLOW 8' GUY GUARD, PLASTIC, YELLOW COLOR, FULL ROUND, 8 FOOT LONG, SUITABLE FOR INSTALLATION ON EITHER 3/8 INCH OR 7/16 INCH GUY STRAND	
	CHANCE A B CO	96-FRPM-YEL
	CUSTOM PLASTICS, INC.	CPUGGSH
	ELECTRICAL MATERIALS CO	70-7Y
	JOSLYN MFG & SUPPLY CO.	J1493Y
	PLASTIGAGE (HEATHERLITE)	
	PREFORMED LINE PRODUCTS	PG-MS-4072
	R & M PLASTICS, INC.	RMYGG-SM-8
	VIRGINIA PLASTICS CO.	TG-137-1BC-8Y
179820	INSULATOR VERT LINE POST CLAMP	
	INSULATOR VERT LINE POST CLAMP 23KV CLAMP TOP INSULATOR, VERTICAL LINE POST, CLAMP TOP FOR 23KV APPLICATION, 2800 LB. CANTILEVER STRENGTH, ALUMINUM CLAMP-TOP YOKE, WITHOUT SHORT STUD BOLT	
	LAPP INSULATOR CO	4225-70
	NEWELL PORCELAIN CO	43920
179838	BRACKET FBGL CO-ARR 2HOLE	
	BRACKET FGLS CO-ARR 2HOLE BRACKET, FIBERGLASS, FOR CUTOUT AND ARRESTER, 1 PHASE, 2 HOLE 10 1/4 IN MIN ON CENTER, WITH CAPTIVE BOLTS, 1-1/2	
	ANDERSON ELECTRIC	
	CONTINENTAL ELECTRIC	GPB-0-568M-18-CAT12B
	FLAGG	7510-218CB
	HUGHES BROS	CF668-18-B
	HYDROCOM INTERNATIONAL	AA15-SDC-18-0-B
179846	BRACKET CLUSTER MTG 3 TRANS 3-	

BRACKET CLUSTER MTG 3 TRANS 3-50KVA BRACKET, TRANSFORMER CLUSTER MOUNTING, S INGLE BAND, ALUMINUM, FOR MOUNTING 3 SINGLE PHASE TRANSFORMERS WITH MAXIMUM WEIGHT OF 2000 LBS. EACH. SHALL BE CAPABLE OF MOUNTING 3KVA THRU 50KVA TRAN

ALUMA FORM INC.	6M3-6
BARFIELD MFG. CO.	BMAC-366
CHANCE A B CO	C6M3-6

179853	BRACKET CLUSTER MTG 3 TRANS 75 BRACKET CLUSTER MTG 3 TRANS 75-167KVA BRACKET, TRANSFORMER CLUSTER MOUNTING, D OUBLE BAND, ALUMINUM, FOR MOUNTING 3 SINGLE PHASE TRANSFORMER WITH MAXIMUM WEIGHT OF 5000 LBS. EACH. SHALL BE CAPABLE OF MOUNTING 75 THRU 100 (167) KV	
	ALUMA FORM INC.	15M3-6
	BARFIELD MFG. CO.	BMAC-3156
179903	SWITCH 69KV POL PH/PHASE 2000A SWITCH 69KV POL PH/PHASE 2000A 3P 208 ER SWITCH, 2000A, 69KV, PHASE OVER PHASE WITH SUPPORTING STRUCTURE FOR STRAIGHT OR 90 DEGREE CORNER INSTALLATION, POLE M OUNTED, SIDE BREAK WITH COUNTER CLOCK- WISE OPENING, ARCING HORNS, WITH MOUNTED	
	MEMCO, INC.	69R14-20-P
	TURNER ELECTRIC CO.	1CD-69-20/STL FRAME
179945	ADAPTER IMPACT ADAPTER IMPACT ***N.S.*** 7/16" HEX TO 1/2" SQ ADAPTER, 7/16 IN HEX TO 1/2 IN SQUARE SHANK FOR IMPACT TOOLS. O 7121 STANLEY 5117	
	FAIRMONT	FO15321
180000	ELL HORZ 90-DEG 12"" WIDE ELL HORZ 90-DEG 12" WIDE	
	MP/HUSKEY CORP.	A9C1-12H90-12
180018	CABLEWAY TEE HORZ 24"" CABLEWAY TEE HORZ 24"	
	MP/HUSKEY CORP.	A9C1-24T-12
180026	REDUCER 24"" TO 12"" LEFTHAND REDUCER 24" TO 12" LEFTHAND	
	MP/HUSKEY CORP.	A9C1-24RL-12
180034	REDUCER 24"" TO 12"" RIGHTHAND REDUCER 24" TO 12" RIGHTHAND	
	MP/HUSKEY CORP.	A9C1-24RR-12
180042	RISER VERT OUTSIDE 30 -DEG 24" RISER VERT OUTSIDE 30 -DEG 24"	
	MP/HUSKEY CORP.	A9C1-24V030-12
180059	RISER VERT INSIDE 30 -DEG 24"" RISER VERT INSIDE 30 -DEG 24"	
	MP/HUSKEY CORP.	A9C1-24V130-12
180067	BOX CONNECTOR 24"" TO VERT FLT BOX CONNECTOR 24" TO VERT FLT	
	MP/HUSKEY CORP.	N/A
180075	COVER STRAIGHT 12"" W X 12' COVER STRAIGHT 12" W X 12'	
	MP/HUSKEY CORP.	CA3F-12-144
180083	COVER STRAIGHT 24"" W X 12' COVER STRAIGHT 24" W X 12'	
	MP/HUSKEY CORP.	CA3F-24-144
180091	COVER REDUCER 24"" TO 12"" LHA	

COVER REDUCER 24" TO 12" LHAND
MP/HUSKEY CORP. CA3F-24RL12

180109 COVER REDUCER 24"" TO 12"" RHA
COVER REDUCER 24" TO 12" RHAND
MP/HUSKEY CORP. CA3F-24RR12

180117 END PLATE 12"" WIDE
END PLATE 12" WIDE
MP/HUSKEY CORP. ABE-12

180125 END PLATE 24"" WIDE
END PLATE 24" WIDE
MP/HUSKEY CORP. ABE-24

180133 INSULATOR HORZ LINE POST 69KV
INSULATOR HORZ LINE POST 69KV CL-TOP INSULATOR, HORIZONTAL LINE POST, FOR 69K V APPLICATION, CLAMP END FITTING, 1.75 IN (45 MM) MIN DIAMETER FIBERGLASS ROD, EPR OR SILICONE RUBBER WATERSHEDS, 1100 LB MIN CANTILEVER STRENGTH, GREY COLOR,

OHIO BRASS CO.	402069-0100
RELIABLE ELECTRIC	L233035GMW
SEDIVER	OLPK 17 GB 12

180141 FUSE TUBE 15KV 200A LDBRK 10M
FUSE TUBE 15KV 200A LDBRK 10M
SOUTHERN STATES INC B7015200T

180158 SWITCH 69KV STA LAT HORZ 2000A
SWITCH, 69KV, 2000A, 3PST, FOR HORIZONTAL UPRIGHT MOUNTING ON A 24 FT. TRUSS AT THE 36 FT. LEVEL OF STEEL SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-5094 WITH MECHANISM IN "POSITION CD", AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-172 AND E03-160,

ABB POWER T & D CO	N/A
MEMCO, INC.	N/A
SOUTHERN STATES INC	
TURNER ELECTRIC CO.	N/A
U S C O POWER EQUIP. CORP.	N/A

180166 SWITCH 69KV STA LAT VERT 2000A
SWITCH, 69KV, 2000A, 3P, FOR VERTICAL MOUNTING ON 24FT. TRUSS OF STEEL SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-5088 WITH MECHANISM IN "POSITION 1", AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-172 AND E03-160, AS WELL AS , KUB DRAWING A-5059.

ABB POWER T & D CO	N/A
MEMCO, INC.	
SOUTHERN STATES INC	N/A
TURNER ELECTRIC CO.	N/A
U S C O POWER EQUIP. CORP.	N/A

180281 SWITCH 15KV STA LAT 1200A 3PST
SWITCH, 15KV, 1200A, 61KA MOM, 3PST, FOR HORIZONTAL UPRIGHT MOUNTING ON TOP OF A STEEL TRUSS SUBSTATION STRUCTURE AS SHOWN ON KUB DRAWING D-6976 AND IN ACCORDANCE WITH KUB SPECIFICATIONS F02-181 AND E03-160, AS WELL AS, STANDARD BASE DRAWING A-6242

ABB POWER T & D CO	AL TTR-6
MEMCO, INC.	
SOUTHERN STATES INC	TA-OC AL-EV
TURNER ELECTRIC CO.	TH201512/8503T
U S C O POWER EQUIP. CORP.	AVR-01512

180299 INSULATOR STATION POST 69KV 5"
INSULATOR STATION POST 69KV 5" BC 160 INSULATOR, 69KV WET-PROCESS PORCELAIN OR TOUGHENED GLASS, APPARATUS, STATION POST TYPE, TECHNICAL REFERENCE NUMBER 27 8 WITH 5 IN DIAMETER BOLT CIRCLE MOUNTING.

LAPP INSULATOR CO	34250-70
NEWELL PORCELAIN CO	41530
SEDIVER	
VICTOR INSULATORS	1765

180380 LUMINAIRE 120V SL W/PC 1000W
LUMINAIRE HP 1000W W/PEC 120V SL LUMINAIRE, 1000 WATT HIGH PRESSURE SODIUM VAPOR, 120 VOLT OPERATION, RECEPTACLE FOR PHOTOELECTRIC CONTROL, TYPE III DISTRIBUTION PATTERN AND WITH SLIPFITTER FOR MOUNTING

AMERICAN ELECTRIC	327-6293

180398 LAMP HPS 1000W LU1000
LAMP HPSV 1000W LU1000

GENERAL ELECTRIC	LU1000
PHILLIPS LIGHTING	C10000S52
SYLVANIA	LU1000

180406 CABINET 14-GAGE 8"X12"X12"
CABINET 14 GA 8 X 12" X 12" CABINET, 14 GA. ALUMINUM OR STAINLESS STEEL, NEMA 3R, 8" DEEP, 12" WIDE, 12" HIGH WITH A STAINLESS STEEL HINGE, C LAMP COVER HELD IN PLACE WITH A SEALABLE STAINLESS STEEL SPRING LATCH, S

BARFIELD MFG. CO.	
CLEVELAND	N/A
E. M. WIEGMANN & CO.	N/A
ENGLISH ELECTRIC CORP.	N/A
FEDERAL PACIFIC COMPANY	N/A
HOFFMAN ENGR COMPANY	N/A

180414 CABINET 14-GAGE 10"X24"X24"
CABINET 14 GA 10 X 24 X 24" CABINET, 14 GA. ALUMINUM OR STAINLESS STEEL, NEMA 3R, 8" DEEP, 24" WIDE, 24" HIGH WITH A STAINLESS STEEL HINGE, C LAMP COVER HELD IN PLACE WITH A SEALABLE STAINLESS STEEL SPRING LATCH, S

BARFIELD MFG. CO.	N/A
CLEVELAND	N/A
E. M. WIEGMANN & CO.	LOH24248
ENGLISH ELECTRIC CORP.	
FEDERAL PACIFIC COMPANY	N/A
HOFFMAN ENGR COMPANY	A-24R248HCLO

180471 ENVELOPE PURCHASE ORDER
ENVELOPE PURCHASE ORDER 10 MAILING ENVELOPE # 10, 24 LB. KRAFT, GLASSINE WI NDOW 4 1/2" X 1 1/8" PLACED IN LEFT CORNER 1/2" FROM BOTTOM 7/8" FROM LEFT E DGE. BLACK INK, HAND STUFFED RECYCLED PAPER

180489 BALLAST HP 100W 240V
BALLAST HP 100W 240V

180521 DEADEND GUY PREFORMED 5/16""
DEADEND GUY PREFORMED 5/16"

DULMISON	
FARGO	F50-0312
FLORIDA WIRE & CABLE CO	FLA-1500
HELICAL	HG 209 5/16
PREFORMED LINE PRODUCTS	GDE-1106

180570 ARM STEEL 10 & 15'

ARM STEEL 10 & 15'

UNION METAL MANUFACTURING CO.	TYPE 440

180612 BRACKET FBGL CO-ARR 3PH

BRACKET FGLS CO-ARR 3PHASE BRACKET, FIBERGLASS, FOR CUTOUT AND ARRESTER, 3 PHASE, 2 HOLES 9 IN MIN ON CENT ER EACH PHASE, WITH CAPTIVE BOLTS, 1 1/2 IN MINIMUM ROD DIAMETER.

ANDERSON ELECTRIC	
CONTINENTAL ELECTRIC	GPB-3-0-568M-
HUGHES BROS	CF910-1B
HYDROCOM INTERNATIONAL	AA15-TDC-3613-0-B
JOSLYN MFG & SUPPLY CO.	7510-73612CB

180661 ARM BKT 18" 1-1/2" 3-HOLE

ARM FGLS BKT 18" 1-1/2"

ANDERSON ELECTRIC	APF-4018
CHANCE A B CO	1SBM18CL
CONTINENTAL ELECTRIC	GPB-5568M-18-6-G1ACB
FLAGG	7561-218
HUGHES BROS	
HYDROCOM INTERNATIONAL	AA15-STC-18

180687 ARRESTER SEC 120-480V

ARRESTER SECOND 120V TO 480V W/BKT ARRESTER, SECONDARY SURGE, 480V (400V MC OV) DOUBLE-POLE, ZINC-OXIDE VALVE ELEMENTS, WITH MOUNTING BRACKET FOR OUTDOOR MOUNTING.

COOPER POWER SYSTEMS	ASZH480C201
GENERAL ELECTRIC	9L15ECB001
JOSLYN MFG & SUPPLY CO.	Z2-480-1

180737 BOX STEEL 10"X12"X5"D NEMA-12

BOX, STEEL, 12X10X5, TYPE NEMA 12 , CONTINUOUS HINGE AND CLAMP COVER W/ STEEL PANEL #A12P10 OR NAED-EDP #5479 0

HOFFMAN ENGR COMPANY	A-1210CH & A12P10

180786 WIRE TRN RISER 4CU SOLID

WIRE CU TRANS RISER 4AWG SOL SD WIRE, TRANSFORMER RISER, #4 AWG COPPER, SOLID, SOFT DRAWN, 110 MIL POLYETHYLENE COVERING, FOR USE ON VOLTAGES UP TO 13.2 KV. APPLICABLE STANDARDS: ASTM B-3, ANSI C8.35.,

NEHRING	N/A
PRIORITY WIRE & CABLE	N/A
SOUTHWIRE	CAT SECT 18, PAGE 5

181008 BOLT CARRIAGE 3/8" X 8"

BOLT CARRIAGE 3/8" X 8"

COOPER POWER SYSTEMS	DF1C8
FLORIDA WIRE & CABLE CO	
JOSLYN MFG & SUPPLY CO.	J8638
UTILITIES SERVICE CO.	6101

181016 POLE STEEL GLV 45' CLASS 3

POLE STEEL GLV 45' CLASS 3

ARCHITECTURAL AREA LIGHTING	N/A
UNION METAL MANUFACTURING CO.	N/A
VALMONT	N/A

181024 SPLICE TENSION AUTO AR 266MCM

SPLICE TENSION AUTO AR 266MCM

FARGO	GLT-1316A

181078 CONN COMP TERM CU 12AWG 19STR
CONN COMP TERM CU 12AWG 19STR #10HOL FLT CONNECTOR, COMPRESSION TERMINAL, 12AWG CU 19 STRAND TO #10 1-HOLE FLAT, SEAMLESS BARREL. - - - 100 PER CARTON - - -

BURNDY	YAV12-G2 BOX

181305 LUG TAP 250MCM TO 6AWG SINGLE
TAP LUG 6AWG TO 250MCM

ANDERSON ELECTRIC	TLS-42-L
BURNDY	QGFL29B1T6
PENN-UNION	LSN-025NE

181313 SIGN DANGER H V OH 12X18 FGLS
SIGN DANGER H V OH 12X18 FGLS 687 SIGN, DANGER, 12 IN X 18 IN FIBERGLASS REINFORCED EPOXY RESIN PLASTIC, MINIMUM 0.1 IN THICK, WITH FADE RESISTANT EMBEDDED GRAPHICS. THE SIGN SHALL BE SUN AND WEATHER RESISTANT AND NONCONDUCTIVE. TH

ALMETEK INDUSTRIES, INC.	N/A

181321 SIGN DANGER H-V OH 5" X 7"
SIGN DANGER H V OH 5 X 7 ADHESIVE SIGN, DANGER, 5 IN X 7 IN PRESSURE SENSITIVE VINYL, 3M SCOTCH-CAL (SV2), 3.5 MILS MINIMUM THICKNESS (FILM PLUS ADHESIVE). INKS SHALL BE UV RESISTANT AND AN ADDITIONAL UV TOPCOAT OF

ALMETEK INDUSTRIES, INC.	N/A

181339 HANGER SPACER CABLE 35KV
HANGER SPACER CABLE 35KV

HENDRIX	H-35D/RT-44 TIES

181396 LUMINAIRE HP 400W W/O C 480V O
LUMINAIRE HP 400W W/O C 480V OFF ROAD LUMINAIRE, 400 WATT HPS, 480 VOLT, WITHOUT RECEPTACLE FOR PE CONTROL AND WITH A VERTICAL AND HORIZONTAL ADJUSTABLE KNUCKLE FITTER FOR A 2 INCH TENON MOUNTING. THE OPTICAL TRAIN SHALL CONSIST OF A PRI

HOLOPHANE	G400HP48HDRVGBP-50346

181438	ARRESTER SEC 120-360V	
	ARRESTER SECOND 120V TO 360V W/BKT ARRESTER, SECONDARY SURGE, 175V DOUBLE-P OLE, ZINC-OXIDE VALVE ELEMENTS, WITH MOUNTING BRACKET FOR OUTDOOR MOUNTING. 175 MCOV	
	COOPER POWER SYSTEMS	ASZH240C201
	JOSLYN MFG & SUPPLY CO.	Z2-1750A
181461	DEADEND SLACK-SPAN 4/0AA	
	DEAD END SLACK SPAN 4/0AA	
	DULMISON	SSDE-1315
	FARGO	F61-0517
	PREFORMED LINE PRODUCTS	SSDE-9129
181487	FORM CHECK KUB-PAYROLL	
	FORM CHECK PAYROLL	
	MOORE BUSINESS FORMS	N/A
181545	CONN CABLE 19-19CU	
	CONN CABLE 19-19AWG CU	
	SCOTCH 3M CO.	ULG
181552	WASHER BELLEVILLE SS 1/2"	
	WASHER BELLEVILLE S/S 1/2" WASHER, BELLEVILLE, NON-MAGNETIC, AISI 3 01 STAINLESS STEEL, TO BE USED IN A BOLTED ELECTRICAL BUS CONNECTION TORQUED TO NEMA STANDARDS. NOMINAL DIMENSIONS: O.D.=1.06", I.D.=.531",	
	BELL FASTENERS	N/A
	BURNDY	N/A
	TELEDYNE PENN UNION	N/A
181578	CABLE CONTROL 600V 4C 10AWG	
	CABLE CONTROL 600V 4C 10AWG CONTROL CABLE, 4 CONDUCTOR, #10-7 STRAND , 600V, 75~C RATING. POLYETHYLENE INSULATION, POLYVINYL CHLORIDE SHEATH AN	
	BICC	
	GENERAL ELECTRIC	SI-58081
	OKONITE	P-30
	PIRELLI CABLE CORP.	20-10
	ROME CABLE CORP	CT-B
	TAMAQUA CABLE PRODUCTS CORP.	T20-10
181636	ARM AL 15' TRUSS	
	ARM AL 15' TRUSS ARM, ALUMINUM 15FT TRUSS TYPE CONSTRUCTION FOR MOUNTING ON A FIBERGLASS POLE COMPLETE WITH MOUNTING HARDWARE KIT .	
	SHAKESPEARE CO.	OPAR-15X6 W/OPHW-1X6
181644	PHASE METER MODEL #44030 AND 4	
	PHASE METER MODEL #44030 AND CARRY CASE 44050	
	AMERICAN SAFETY	44030 AND 44050
181651	POUCH TOOL KLIEN 5166	
	POUCH TOOL	
	KLEIN	5166
181669	METER VOLTAGE	
	MULTI-METER PORTABLE HEAVY-DUTY WATERPROOF ANALOG/DIGITAL DISPLAY 5 FUNCTION CAT-IV APPLICATIONS BATTERY POWERED COMPLETE WITH LEADS	
	WAVETECH/BECKMAN	HD-160B
181677	ARM AL 15' HIGH RISE TRUSS	

ARM AL 15' HIGH RISE TRUSS ARM, ALUMINUM 15FT TRUSS TYPE CONSTRUCTION FOR MOUNTING ON A FIBERGLASS POLE COMPLETE WITH MOUNTING HARDWARE KIT . ARM HAS 5' RISE FOR INCREASING MOUNTING HEIGHT OF LUMINAIRE.
SHAKESPEARE CO. OPAR-15X6-HR WITH

181685 FUSE TUBE 15KV 200A LDBRK 10M
FUSE TUBE 15KV 200A LDBRK 10M
CHANCE A B CO T730242T

182006 BEND CND PVC-40 2" 22-DEG 24R
BEND CONDUIT PVC 2" 22 D 24R SCH 40 BEND,CONDUIT,PVC,2 INCH,SCHEDULE 40,22 1 /2 DEGREE,WITH 24 INCH RADIUS.FOR USE W/SCHEDULE 40 PVC CONDUIT AND OTHER PVC FITTINGS TO INSTALL H/V URD TY

CANTEX CO	5133915
CARLON	UA5DJ
PICOMA INDUSTRIES	MUA5DJ

182014 BEND CND PVC-40 2" 45-DEG 24R
BEND CONDUIT PVC 2" 45 D 24R SCH 40 BEND,CONDUIT,PVC,2 INCH,SCHEDULE 40,45 DEGREE,WITH 24 INCH RADIUS.FOR USE W/SCHEDULE 40 PVC CONDUIT AND OTHER PVC FITTINGS TO INSTALL H/V URD TY

CANTEX CO	5133815
CARLON	UA7DJ
PICOMA INDUSTRIES	MUA7DJ

182022 BEND CND PVC-40 4" 22-DEG 24R
BEND CONDUIT PVC 4" 22 D 24R SCH 40 BEND,CONDUIT,PVC,4 INCH,SCHEDULE 40,22 1 /2 DEGREE,WITH 24 INCH RADIUS. FOR USE W/SCHEDULE 40 PV C CONDUIT AND OTHER PVC FITTINGS TO INSTALL H/V URD TY

CANTEX CO	5133869
CARLON	UA5DN
PICOMA INDUSTRIES	MUA5DN

182030 BEND CND PVC-40 4" 45-DEG 24R
BEND CONDUIT PVC 4" 45 D 24R SCH 40 BEND,CONDUIT,PVC,4 INCH,SCHEDULE 40,45 D EGREE,WITH 24 INCH RADIUS. FOR USE W/SCHEDULE 40 CONDU IT AND OTHER PVC FITTINGS TO INSTALL H/V URD TYPE CABLE.

CANTEX CO	5133812
CARLON	UA7DN
PICOMA INDUSTRIES	MUA7DN

182048 COUPLING CND PVC 2" SCH-40
COUPLING COND PVC 2" SCH 40 5 -DEG BEND COUPLING,CONDUIT,PVC,SCHEDULE 40,2 INCH, 5 DEGREE BEND. SOCKET/SOCKET TYPE FOR USE W/SHEDULE 40 CONDUIT TO MAKE SMALL ANGLE BENDS.

CANTEX CO	6151457
CARLON	E245J
PICOMA INDUSTRIES	ME2450J

182071 POLE CONCRETE 45' CLASS 2
POLE CONCRETE 45' CLASS 2 EQUIV DISTR POLE, 45FT CLASS-3 WOOD EQUIVALENT, CENTRIFUGALLY CAST PRESTRESSED CONCRETE, TAPERED, HOLLOW CIRCULAR CROSS-SECTION, MIN COMPRESSIVE STRENGTH 12,000 LBS, EQUIPPED WITH SIXTY-NINE (69) 3/4 IN

ACCORD	840-0070-045
NEWMARK	1
STRESS CRETE	E-450-FPR-EGS-PS-INS

182089 POLE CONCRETE 50' CLASS 3
POLE CONCRETE 50' CLASS 2 EQUIV DISTR POLE, 50FT CLASS-3 WOOD EQUIVALENT, CENTRIFUGALLY CAST PRESTRESSED CONCRETE, TAPERED, HOLLOW CIRCULAR CROSS-SECTION, MIN COMPRESSIVE STRENGTH 12,000 LBS, EQUIPPED WITH SIXTY-NINE (69) 3/4 IN

ACCORD	840-0078-050
NEWMARK	1
STRESS CRETE	E-500-FPR-EGS-PS-INS

182097 BUS SUPPORT AL 2-795MCM 3"" BC
BUS SUPPORT AL 2-795MCM 3" BC ER ALUMINUM BUS SUPPORT, 2-795MCM AA

	CONDUCTORS TO 3IN BC STATION POST INSULATOR, TO BE MOUNTED IN ANY	
	ANDERSON ELECTRIC	ADCS-75-3
	JOHNSON & SONS INC.	ABS-75-3-2
	SEFCOR	AVCA2-34-3
182121	GLOVE GUNN CUT XLARGE LNG CUFF	
	GLOVE GUNN CUT XLARGE LNG CUFF	
	KNOXVILLE GLOVE CO.	1749XL OR 6939XLI
	WELLS-LAMONT	Y3015XL

182154 LUMINAIRE HP 100W W/PEC MTV
LUMINAIRE HP 100W W/PEC MTV LUMINAIRE 100 WATT HIGH PRESSURE SODIUM VAPOR WITH RECEPTACLE FOR PHOTOELECTRIC CONTROL, POST-TOP DECORATIVE WASHINGTON STYLE, TYPE FIVE DISTRIBUTION PATTERN, MULTI-TAP VOLTAGE

COOPER LIGHTING	ACN-10SWW55X124
HOLOPHANE	WAU-100HPMT12B5B4H (ACRYLIC)
HOLOPHANE	WAU-100HPMT12B5B4H(ACRYLIC)
HOLOPHANE	WAU-100HPMT12M5B4H(ACRYLIC)

182162 LUMINAIRE HP 100W W/PEC MULTI-
LUMINAIRE HP 100W W/PEC MULTI-TAP TRADITION LUMINAIRE 100 WATT HIGH PRESSURE SODIUM VAPOR WITH RECEPTACLE FOR PHOTOELECTRIC CONTROL, POST-TOP DECORATIVE TRADITIONAL STYLE, TYPE V DISTRIBUTION PATTERN, MULTI-TAP 120 VOLT

COOPER LIGHTING	UTR10SWW554HS

182170 CABLE ST LT 12AWG CU 600V 2C
CABLE ST LT 12AWG CU 600V 2C W/G CABLE, 600 VOLT, TWO CONDUCTOR WITH GROU ND, NUMBER 12AWG SOLID COPPER TYPE UF WITH PVC INSULATION IN ACCORDANCE WITH FEDERAL SPECIFICATION JC-30A. TO BE SUPPLIED IN 250FT

AMERICAN INSULATED WIRE CORP	ES-06279
COLONIAL	UF
SOUTHWIRE	UF

182238 POLE ST LT AL 50' W/O ARM
POLE ST LT AL 50' W/O ARM POLE, ROUND TAPERED ALUMINUM 49FT 2IN WITHOUT ARM AND WITH A 2 3/8IN TENON ON TOP FOR A 50FT MOUNTING HEIGHT OF AN OFF ROAD LUMINAIRE. POLE TO HAVE A 14.5IN DIAMETER BOLT CIRCLE, GROUND LUG

HAPCO (HUBBARD ALUM PROD CO.)	DRAWING #A71277

182345 BLADE SOLID 300AMP LDBRK A B C
BLADE SOLID 300AMP LDBRK A B C

CHANCE A B CO	T730-233T

182352 NUT LOCK 2"
NUT LOCK 2"

CANTEX CO	N/A
CARLON	N/A
PICOMA INDUSTRIES	N/A

182360 ADAPTER CND PVC 2" MALE
ADAPTER CONDUIT PVC 2" MALE

CANTEX CO	5140108
CARLON	
CERTAINEED CORP	59620
PICOMA INDUSTRIES	ME943J

182378 ADAPTER CND PVC 1" MALE
ADAPTER CONDUIT PVC 1" MALE

CANTEX CO	5140105
CARLON	E943F
CERTAINEED CORP	59617
PICOMA INDUSTRIES	

182386 FITTING CONDUIT PVC 2"" TYPE L
FITTING CONDUIT PVC 2" TYPE LB FITTING, CONDUIT BODIES, TYPE LB, 2IN SC HEDULE 40. FOR ABOVE GROUND, UNDERGROUND OR CONCRETE ENCASEMENT USE WITH SCHEDULE 40 CONDUIT.

CANTEX CO	5133668

CARLON	E986J
CERTAINEED CORP	59215
PICOMA INDUSTRIES	

182394 FITTING CONDUIT PVC 2"" TYPE L
FITTING CONDUIT PVC 2" TYPE LL FITTING, CONDUIT BODIES TYPE LL, 2IN PVC SCHEDULE 40. FOR ABOVE GROUND, UNDERGROUND OR CONCRETE ENCASEMENT USE W IYH SCHEDULE 40 CONDUIT.

CANTEX CO	5133647
CARLON	E984J
CERTAINEED CORP	59215
PICOMA INDUSTRIES	ME984J

182402 FITTING CONDUIT PVC 2"" TYPE L
FITTING CONDUIT PVC 2" TYPE LR FITTING, CONDUIT BODIES TYPE LR, 2IN PVC SCHEDULE 40. FOR ABOVE GROUND UNDERGROUND OR CONCRETE ENCASEMENT USE WITH SCHEDULE 40 CONDUIT.

CANTEX CO	5133655
CARLON	E985J
CERTAINEED CORP	59225
PICOMA INDUSTRIES	

182410 FITTING CONDUIT PVC 1"" TYPE L
FITTING CONDUIT PVC 1" TYPE LB FITTING, CONDUIT BODIES TYPE LB, 1IN PVC . FOR ABOVE GROUND, UNDERGROUND OR CONCRETE ENCASEMENT USE WITH 1IN PVC CONDUIT.

CANTEX CO	5133665
CARLON	E986F
PICOMA INDUSTRIES	ME986F

182428 WEATHERHEAD PVC FITTING 2"
WEATHERHEAD PVC FITTING 2"

CANTEX CO	5133743
CARLON	E998J
PICOMA INDUSTRIES	ME998J

182477 TAP TEE COMP 636AR 4-HOLE PAD
TAP TEE COMP AR 636 4 HOL PAD (HE) SUB TAP, TEE, COMPRESSION FOR 636MCM ACSR 26 /7 STRANDED CABLE TO 4 HOLE PAD. NOTE: THESE T-TAPS ARE FOR USE AT HEISKE LL SUBSTATION ON TVA'S 636 ACSR LINES INSIDE THE SUBSTATION.

BURNDY	YNTA43R

182485 POLE STEEL GLV 50' CLASS 2
POLE STEEL GLV 50' CLASS 2

ARCHITECTURAL AREA LIGHTING	N/A
INTERNATIONAL UTILITY STRUCTURES INC	N/A
NEWMARK	N/A
SOUTHERN MONOPOLE & UTILITIES CO INC	N/A
THOMAS & BETTS	
UNION METAL MANUFACTURING CO.	N/A
VALMONT	N/A

182527 POLE WOOD 40' CLASS 5 DISTR
POLE WOOD 40' CLASS 5 DISTR CONS POLE, 40 FT CLASS 5 PRESSURE TREATED SOUTHERN YELLOW PINE, PENTA OR CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.

BALDWIN POLE AND PILING CO	N/A
BROWN WOOD PRESERVING CO.,INC.	N/A
HUXFORD POLE & TIMBER	N/A
INTERNATIONAL PAPER CO	N/A

KOPPERS CO., INC.	N/A
LANGDALE CO.	N/A
MID GULF INDUSTRIES	N/A
STALLWORTH TIMBER CO.	
THOMASSON LUMBER CO.	N/A
TRI STATE POLE & PILING INC.	N/A

182535 CABLE 15KV EPR 1C 750AL UD JKT
CABLE 15KV EPR AL 750 UD JKT CABLE,15KV,.175 MIL EPR INSULATION, 750 MCM, 61 STRAND COMPRESSED AL. CONDUCTOR, JACKETED, STRAND FILLED, WITH 1/3 CONCENTRIC NEUTRAL

GENERAL	N/A
HENDRIX	N/A
KERITE	N/A
OKONITE	
PIRELLI CABLE CORP.	N/A
ROME CABLE CORP	N/A
SOUTHWIRE	N/A

182543 CONN SERV 4 OUTLETS 8-500AL/CU
CONN SERV 4 OUTLETS 8-500AL/CU

HOMAC	FSN4-125AWR

182576 COUPLING DUCT HDPE 2"
COUPLING DUCT HDPE 2" SLIP-ON TYPE COUPLING, DUCT, 2IN, PVC SLEEVE WITH POLYURETHANE ELASTOMER. FOR JOINING PVC CONDUIT TO HDPE DUCT WITH E-LOC GROOVES OR SLIP-ON.

ETCO SPECIALTY PRODUCTS INC	EL-200

182584 COUPLING DUCT HDPE 4"
COUPLING DUCT HDPE 4" SLIP-ON TYPE COUPLING, DUCT, 4IN, PVC SLEEVE WITH POLYURETHANE ELASTOMER. FOR JOINING PVC CONDUIT TO HDPE DUCT WITH E-LOC GROOVES OR SLIP-ON.

ETCO SPECIALTY PRODUCTS INC	EL-400

182600 RATCHET CABLE CUTTER 63060
RATCHING CABLE CUTTER 63060

KLEIN	63060

182618 SPLICE ST 15KV URD 1/0 AL TO
SPLICE ST 15KV URD 1/0 AL TO 3/0 AL ERM SPLICE, STRAIGHT, 5-25KV, MOLDED RUBBER, SUBMERSIBLE, FOR SPLICING #1/0AWG ALUMINUM CONDUCTOR, 175 OR 220 MIL EPR I NSULATED URD CABLE W/CONCENTRIC NEUTRAL TO #3/0AWG ALUMINUM CONDUCTOR, 175 MIL E

CHARDON ELECTRICAL COMPONENTS	9U06AEF111JF

182626 LUMINAIRE HP 400W W/PEC MTV OF
LUMINAIRE HP 400W W/PEC MTV OFF ROAD LUMINAIRE, 400 WATT HPS MULTI-TAP WITH RECEPTACLE FOR PE CONTROL AND WITH A VERTICAL AND HORIZONTAL ADJUSTABLE KNUCKLE FITTER FOR A 2 INCH TENON MOUNTING. THE OPTICAL TRAIN SHALL CONSIST OF A PRI

HOLOPHANE	G400HPMAHDRVGBPRT-50346

182634 CUTTER RACHET FOR GUYWIRE
CUTTER RATCHET 8690CK

PORTER, H. K., CO.	8690-CK

182659 POLE CONCRETE 55' CLASS 2
POLE CONCRETE 55' CLASS 2 EQUIV DISTR POLE, 55FT CLASS-3 WOOD EQUIVALENT, CENTRIFUGALLY CAST PRESTRESSED CONCRETE, TAPERED, HOLLOW CIRCULAR CROSS-SECTION, MIN COMPRESSIVE STRENGTH 12,000 LBS, EQUIPPED WITH SIXTY-NINE (69) 3/4 IN

ACCORD	840-0086-055
NEWMARK	1
STRESS CRETE	E-550-FPR-EGS-PS-INS

182667 BUSHING STANDOFF INSUL 600A
BUSHING, STANDOFF, INSULATED, 15KV, 600 AMP, FOR USE WITH A PARKING STAND TO ENABLE A DEENERGIZED CABLE TO BE REMOVED FROM A 600 AMP EQUIPMENT BUSHING AND "PARKED" ON THE STANDOFF BUSHING TEM

COOPER POWER SYSTEMS	ISB625AST
ELASTIMOLD	675SOP

182675 CAP PROTECTIVE INSUL 600A
CAP PROTECTIVE INSUL 600A BUSHING 15KV CAP, PROTECTIVE, INSULATING, 15KV, 600 A MP, FOR USE ON 600 AMP BUSHINGS WHEN 650 TEES HAVE BEEN REMOVED TEMPORAR ILY. CAP WILL BE SUPPLIED WITH DRAIN WIRE AND PULLING EYE FOR

COOPER POWER SYSTEMS	DPC625
ELASTIMOLD	656DR

182691 TRANSDUCER CURRENT 3PH 0-1MA
TRANSDUCER CURRENT 3-PH 0-1MA OUTPUT TRANSDUCER, CURRENT, 3-PHASE, 0-5 AMP 60 HERTZ INPUT, 0-1 MILLIAMP D.C. OUTPUT, BUILT-IN CALIBRATION, OVERALL ACCURACY WITHIN (+ OR -) 1/2% OF READING OVER THE RATED INPUT RANGE AT 25 DEG. C, OPERATIN

ROCHESTER INSTRUMENT SYSTEMS	CCC-30B-1
SCIENTIFIC COLUMBUS, INC.	XLGI3051-A
TRANSDATA INC	30CS501

182709 TRANSDUCER VOLTAGE 1PH 0-1MA
TRANSDUCER VOLTAGE 1-PH 0-1MA OUTPUT TRANSDUCER, VOLTAGE, 1-PHASE, 0-150 VOLT 60 HERTZ INPUT, 0-1 MILLIAMP D.C. OUTPUT, BUILT-IN CALIBRATION, OVERALL AC CURACY WITHIN (+ OR -) 1/2% OF READING OVER THE RATED INPUT RANGE AT 25

ROCHESTER INSTRUMENT SYSTEMS	N/A
SCIENTIFIC COLUMBUS, INC.	XLGV1501-1
TRANSDATA INC	10PS501

182725 CABLE 15KV EPR CU 500 UD JKT
CABLE 15KV EPR CU 500 UD JKT CABLE, 15KV, 220 MIL EPR INSULATION, 500 MCM, 37 STR COMPACT CU. CONDUCTOR, URD TYPE, JACKETED, WITH ONE-THIRD CU. CONCENTRIC NEUTRAL.

BICC	
HENDRIX	N/A
KERITE	N/A
OKONITE	N/A
PIRELLI CABLE CORP.	N/A
SOUTHWIRE	N/A

182733 ARRESTER STA OV 10KV MOV
ARRESTER STATION OV 10KV M ARRESTER, LIGHTING, 10KV, STATION CLASS, MOV, GAPLESS, MCOV 8.4KV, AS PER ANSI C62.11 (LATEST REV.), SUSPENSION C AP WITH NEMA 4-BOLT TERMINAL CONNECTOR.

ABB POWER T & D CO	8040A10A10
COOPER POWER SYSTEMS	ATZ11A10
GENERAL ELECTRIC	9L11XGA010
OHIO BRASS CO.	219509

182741 SPLICE GUY AUTO 3/8"
SPLICE GUY AUTOMATIC 3/8"

RELIABLE ELECTRIC	5042

182758 SPLICE GUY AUTO 7/16"
SPLICE GUY AUTOMATIC 7/16"

RELIABLE ELECTRIC	5043

182766 SPLICE STR 15KV 500CU/CMPT-500
SPLICE ST 15KV CU URD 500CMPT- 500CMPT SPLICE, STRAIGHT, 15KV, MOLDED RUBBER, S UBMERSIBLE, FOR SPLICING 500 MCM CU COMPACT CONDUCTOR W/CONCENTRIC NEUTRA L, 175MIL EPR INSULATED CABLE.

COOPER POWER SYSTEMS	N/A
ELASTIMOLD	15PCJ1K232P

182774	CONN COMP CU-TOP 500CU/CMPT CONN COMP CU-TOP 500 MCM CMPT 600A 15KV CONNECTOR, COMPRESSION, 600 AMPERE, 15KV , 15/16 IN. THREADED COPPERTOP. FOR USE WITH 500MCM ALUMINUM OR COPPER C OMPACT CONDUCTOR.	
	COOPER POWER SYSTEMS	2638290B07M
	ELASTIMOLD	5501320

182782 TERM CABLE RUB 15KV 500CU CMPT
TERMINATOR CABLE RUB 500CMPT
RAYCHEM HVT-153-SJ
SCOTCH 3M CO. 5643

182808 FUSE 250V CARTR 2-ELM FRN 400A
FUSE 400A FRN 250V CARTRIDGE
BUSSMAN FRN-R400
GEC ALST CRN-R400
GOULD SHAWMUT
LITTLEFUSE INC FLNR-400

182857 CAP BALL SUMMER-STYLE SOLID
CAP BALL SUMMER STYLE SOLID SUMMER STYLE SOLID BALL CAP, NAVY WITH TWO COLOR EMBROIDERED LOGO (WHITE LETTERS, LIGHT BLUE OUT-LINE) APP ROX. 7000 STITCHES, GREY UNDERLINED BILL, BRUSHED COTTON TWILL PANELS, DOMES
STANLY KNITTING MILLS 3501DE

183004 BREAKER CKT 15A 600V
CIRCUIT BREAKER 15AMP 600VAC 3 POLES CIRCUIT BREAKER 15AMP 600VAC 3 POLES WITH 2A AND 2B AUX SWITCHES. WEST. TYPE FDB, MODIFICATION CODE: FDB30 15LA10. FOR USE IN P.T. SECONDARY CIRCUIT.
WESTINGHOUSE FDB3015LA10

183012 DUCT HDPE 2" RED SDR
DUCT HDPE 2" RED SDR 13.5 FOR BORES ER DUCT,ELEC., 2" SDR 13.5, HDPE #7C-15087- 92 W/UV STABILIZER TO WITHSTAND 24 MO EXPOSURE. INDENT PRINT MFG NAME, DUCT S IZE AND TYPE, SEQUENTIAL FOOTAGES DATE AND LOT# ON DUCT. DUCT SHALL MEET ASTM
ARNCO CORP
DURA LINE CORP 2015-11220
PERFORMANCE PIPE N/A
PETROFLEX INC P200SDR13,5

183020 DUCT HDPE 4" RED SDR
DUCT HDPE 4" RED SDR 13.5 FOR BORES ER DUCT,ELEC., 4" SDR 13.5, HDPE RED #7C-15 087-92 W/UV STABILIZER TO WITHSTAND 24 MO EXPOSURE.INDENT PRINT MFG NAME, DUCT SIZE AND TYPE,SEQUENTIAL FOOTAGES DATE AND LOT# ON DUCT. DUCT SHALL MEET ASTM D
ARNCO CORP
DURA LINE CORP 3515-11220
PETROFLEX INC P400SDR13.5
PLEXCO 903955

183053 CONE COMP CU 1000MCM-500MCM
CONE COMP CU 1000MCM-500MCM
MAC PRODUCTS UC1000-500

183103 PLIERS NEEDLE-NOSE
PLIERS NEEDLE NOSE D203-8N
KLEIN D203-8N

183111 CUTTER FOR 350MCM CABLE 24"
CUTTER CABLE 24" FOR 350 CU OR
THOMAS & BETTS 364RF

183129 TERM CABLE RUB 15KV 750AL COMP
TERMINATOR CABLE RUB 750 COMPR
BLACKBURN MTB1JBW171
ELASTIMOLD 35MTG-JB750-4-3-00

183178 CONN COMP TERM 4AL
CONN COMP TERM AL 4AWG 2HOLE FLAT CONNECTOR, ALUMINUM, COMPRESSION, TERMINAL, 2 HOLE FLAT, TWO 9/16 IN. HOLES 1 3/4 IN. ON CENTERS, FOR INDOOR A ND OUTDOOR USE ON NO. 4 AWG. ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	AHL-4-BN
BLACKBURN	AL582
HOMAC	
MAC PRODUCTS	MLB 4-6N

183194 CABLE COMM 50PR 19AWG CU SHLD
CABLE COMM 50PR 19AWG CU SHLD #19AWG CABLE, COMMUNICATION 50 PAIR #19AWG SOFT COPPER WIRE, WITH A 5 MIL COPPER TAPE SHIELD. SELF-SUPPORTING FIGURE 8 DESIGN WITH A 1/4 INCH EHS, CLASS A GALVANIZED STEEL STRAND. CABLE & STRAND SHALL BE CO

OKONITE	704-15-4050
SUPERIOR/CABLE	IM CU

183228 PLUG TAP REDUCE 600-200A T-OP
PLUG LRTAP 600A TO 200A FOR T-OP-II SYS PLUG, LOADBREAK REDUCING TAP, ALINGMENT SEGMENT INCLUDED, WITH TINNED COPPER 600 AMPERE INTERFACE AND 200 AMPERE BUSH ING, FOR USE WITH T-OP-II SYSTEMS.

COOPER POWER SYSTEMS	2638460B02M
COOPER POWER SYSTEMS	LRTP615X

183236 CONN COMP CU-TOP 750CU/COMP
CONN COMP CU-TOP 750 MCM COMP 600A 15KV CONNECTOR, COMPRESSION, 600 AMPERE, 15KV , 15/16 IN. THREADED COPPERTOP. FOR USE WITH 750MCM ALUMINUM OR COPPER C OMPRESSED CONDUCTOR.

COOPER POWER SYSTEMS	2638290B11M
ELASTIMOLD	5501380

183244 STUD CU EXTENDED FOR T-OP-II
STUD CU EXTENDED 600A

COOPER POWER SYSTEMS	0838573A01B

183251 POLE ST LT AL 32' 6" W/8'
POLE ST LT AL 32' 6" W/8' TARM ER POLE, ALUMINUM 32FT 6IN NOM HEIGHT ROUND TAPERED WITH A 8FT TRUSS TYPE BRACKET ARM FOR A 35FT MOUNTING HEIGHT OF LUMINA IRE, 11IN TO 12IN SLOTTED BOLT CIRCLE BASE PLATE, 4INX6IN HANDHOLE W/COVER, NU

COOPER LIGHTING	RTA8M35AAT18
HAPCO (HUBBARD ALUM PROD CO.)	31-853
UNION METAL MANUFACTURING CO.	188-0860-323

183269 POLE CONCRETE 14' MH DB/POST
POLE CONCRETE 14' MH DB/POST TOP MTG ER POLE, PRESTRESSED SPUN OCTAGONAL ORNAMEN TAL CONCRETE WITH 4" BUTT FOR DIRECT EMBEDMENT, UNDERGROUND WIRE ENTRANCE, ABOVE GROUND HANDHOLE WITH COVER, SHAFT FOR 14FT NOMINAL MOUNTING HEIGHT OF LIGH

STRESS CRETE	KT14-G-T-E51

183277 STRING PULL POLYETHYLENE
STRING, PULL, POLYETHYLENE, 210 LB AVERA GE BREAKING STRENGTH, 6500FT FURNISHED IN A 4 1/2 OR 5 GALLON PLASTIC BUCKET.

CONDUX	8561285
GREENLEE TEXTRON	G430

183285 FORM CHECK ACCT-PAY/CUST-REFND
FORM CHECK A/ P & CUST REFUND

183293 CONN COMP TERM STACK 3/0AL

CONN COMP TERM STACK AL 3/0AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL, WITH TWO 9/16 IN. DIAMETER HOLES, NEMA SPACED 1 3/4 IN. ON CENTERS, FOR INDOOR AND OUTDOOR USE ON NO. 3/0 AWG ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	ATL-3/0-BN
HOMAC	ASL3/0-NTN
MAC PRODUCTS	MLB3/0N TOP

183301 CONN COMP TERM STACK 4AL

CONN COMP TERM STACK AL 4AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMPRESSION, TERMINAL, WITH TWO 9/16 IN. DIAMETER HOLES, NEMA SPACED 1 3/4 IN. ON CENTERS, FOR INDOOR AND OUTDOOR USE ON NO. 4 AWG ALUMINUM

HOMAC	ASL4-NTN

183319 CONN COMP TERM STACK 2AL
CONN COMP TERM STACK AL 2AWG 2HOLE CONNECTOR, ALUMINUM STACKING, COMMPRESSI ON, TERMINAL, WITH TWO 9/16 IN. DIAMETER HOLES, NEMA SPACED 1 3/4 IN. ON CENTERS, FOR INDOOR AND OUTDOOR USE ON NO. 2 AWG ALUMINUM CONDUCTOR.

ANDERSON ELECTRIC	MLB2N TOP
HOMAC	ASL2-NTN

183434 CADWELD MOLD 250 CU RUN TO 250
CADWELD MOLD 250 CU RUN TO 250

CADWELD	PTC-2V2V

183442 CADWELD MOLD 250CU
CADWELD MOLD 250CU

CADWELD	HDGTC-162V

183459 CADWELD MOLD 250 CU RUN TO 2/0
CADWELD MOLD 250 CU RUN TO 2/0

CADWELD	PTC-2V2G

183467 HANDLE MOLD FOR CADWELD "C"
HANDLE MOLD FOR CADWELD "C"

CADWELD	L160

183475 BRUSH FOR MOLD CLEANING
BRUSH MOLD CLEANING

CADWELD	T-394

183483 EXT FLINT IGNITER 15"
EXT FLINT IGNITER 15"

CADWELD	T-320

183566 POLE ST LT AL 42' 9" W/15'ARM
POLE ST LT AL 42' 9" W/15'ARM POLE ROUND TAPERED ALUMINUM 42FT 9IN WITH A 15FT TRUSS TYPE BRACKET ARM TO PROVIDE A 50FT MOUNTING HEIGHT OF LUMINA IRE, 14.5IN BOLT CIRCLE, 4IN X 6IN HANDHOLE W/COVER, GROUND LUG AND

HAPCO (HUBBARD ALUM PROD CO.)	DRAWING #B67899XS

183574 POLE ST LT AL 38' 11" W/15'
POLE ST LT AL 38' 11" W/15' ARM POLE ROUND TAPERED ALUMINUM 38FT 11IN WITH A 15FT TRUSS TYPE BRACKET ARM TO PROVIDE A 45FT MOUNTING HEIGHT OF LUMINA IRE, 13.5IN BOLT CIRCLE, 4IN X 6IN HANDHOLE W/COVER, GROUND LUG AND

HAPCO (HUBBARD ALUM PROD CO.)	DRAWING #B67517

183590 DUCT HDPE 1" WAVE-RIBBED RED
DUCT HDPE 1" WAVE RIBBED RED RED & BLUE ER DUCT, HDPE, 1IN, STARBURST WAVE RIBBED TYPE 11, RED & BLUE PARALLELED (3500 FT EA COLOR), PRE-LUBRICATED, UV STABILI ZED FOR ONE YEAR STORAGE, WITH 1250# POLYESTER PULL TAPE. DUCT TO BE SUPPLIED

ARNCO CORP	SR 511 100 Y022/66
CARLON	N/A
DURA LINE CORP	N/A

183616 ADAPTER CABLE 500CU/CMPT
ADAPTER CABLE 5KV 500 1MCM 600 AMP 1MCM CMPT ADAPTER, CABLE, 600 AMPERE, 15KV, FOR ADAPTING 500MCM COMPACT CONDUCTOR CABLE TO THE 600 AMPERE ELBOW TEE CONNECTOR.

CHARDON ELECTRICAL	

	COMPONENTS	
	COOPER POWER SYSTEMS	2637196B05M
	COOPER POWER SYSTEMS	CA625F
	ELASTIMOLD	655CA-K

183624 LANYARD SHOCK-ABSORBING

LANYARD SHOCK ABSORBING BUCKINGHAM LANYARD, SHOCK ABSORBING, BUCKINGHAM 64V126, 6FT LONG, 1" NYLON, WITH 7" NYLON LOOP ON ONE END AND A DOUBLE LO CKING SNAP HOOK ON THE OTHER END

BUCKINGHAM MFG	64V126

183632 DUCT HDPE 1" WAVE-RIBBED ORANG
DUCT HDPE 1" WAVE RIBBED ORANGE & GR ER DUCT, HDPE, 1IN, STARBURST WAVE RIBBED TYPE 11, ORANGE & GREEN PARALLELED (3500FT EA COLOR), PRE-LUBRICATED, UV ST ABILIZED FOR ONE YEAR STORAGE,WITH 1250# POLYESTER PULL TAPE. DUCT TO BE SU

ARNCO CORP	SR 511 100 Y033/55
CARLON	N/A
DURA LINE CORP	1015-17220

183640 DUCT HDPE 1" WAVE-RIBBED BLUE
DUCT HDPE 1" WAVE RIBBED BLUE ER DUCT, HDPE, 1IN, STARBURST WAVE RIBBED TYPE 11, BLUE, PRE-LUBRICATED, UV STABILIZED FOR ONE YEAR STORAGE, WITH 1250# POLYESTER PULL TAPE. DUCT TO BE SUPPLIED ON RETURNABLE BREAKD

ARNCO CORP	SR 511 100 Y066
CARLON	N/A
DURA LINE CORP	N/A

183673 LUMINAIRE HP 100W W/PEC 120V W
LUMINAIRE HP 100W W/PEC 120V WASHINGTON LUMINAIRE, 100 WATT HIGH PRESSURE SODIUM VAPOR WITH RECEPTACLE FOR PHOTOELECTRIC CONTROL, POST-TOP WASHINGTON STYLE WITH CORONET DECORATIVE RING, TYPE FIVE DISTRIBUTION PATTERN, 120 VOLT

KING LUMINAIRE CO.	K118 -EAR-V-100-HPS-
KING MFG NUMBER	120-K16-PR-GR

183822 BEND CND PVC-40 2" 90-DEG 36R
BEND CONDUIT PVC 2" 90-D 36R SCH 40 BEND, CONDUIT, PVC, SCHEDULE 40, 90 DEGREE, 2 INCH, 36 INCH RADIUS, FOR DIRECT BURIAL OR CONCRETE ENCASEMENT, USE WITH SCHEDULE 40 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC6 LATEST EDITION.

CANTEX CO	5133848
CARLON	UA9FJ
PICOMA INDUSTRIES	MUA9FJ

183871 CONN COMP TERM CU 12AWG 19STR
CONN COMP TERM CU 12AWG 19STR 1/4HOL FLT CONNECTOR, COMPRESSION TERMINAL, 12AWG CU 19 STRAND TO 1/4IN 1-HOLE FLAT, SEAMLESS BARREL. - - - 100 PER CARTON - - -

BURNDY	YAV12-G3 BOX

183897 FLAG RED WITH 24" STAFF
FLAG RED WITH 24" STAFF

AMERICAN BLUE BOOK	47198

183905 BEND CND GLV 2" 90-DEG 36R
BEND CONDUIT GLV 2" 90-D 36R

PICOMA INDUSTRIES	N/A
SHAMROCK CONDUIT PRODUCTS	N/A

183947 FUSE 250V CARTR 2-ELEM FRN 30A
FUSE 30A FRN 250V CARTRIDGE

BUSSMAN	FRN-R30
GEC ALST	CRN-R30
LITTLEFUSE INC	FLNR-30

183954 FUSE 250V CARTR 2-ELEM FRN 2A
FUSE 2A FRN 250V CARTRIDGE

BUSSMAN	FRN-R2
GEC ALST	CRN-R2
LITTLEFUSE INC	FLNR-2

183962	FUSE 250V CARTR 2-ELEM FRN 8A	
	FUSE 8A FRN 250V CARTRIDGE	
	BUSSMAN	FRN-R8
	GEC ALST	CRN-R8
	LITTLEFUSE INC	FLRN-8

183970 FUSE 250V CARTR 2-ELEM FRN
FUSE 5A FRN 250V CARTRIDGE

BUSSMAN	FRN-R5
GEC ALST	CRN-R5
LITTLEFUSE INC	FLNR-5

183988 FLAG KUB GAS - HAND DIG
FLAG KUB GAS - HAND DIG

183996 FLAG KUB WATER - HAND DIG
FLAG KUB WATER - HAND DIG

184002 FLAG KUB WASTEWATER - HAND DIG
FLAG KUB WASTEWATER - HAND DIG

184010 FLAG "KUB" W/ WHITE LETTERS
FLAG KUB

184036 CADWELD WELD METAL SHOT #250
CADWELD WELD METAL SHOT #250 CADWELD TYPE F-20 ALLOY WELD METAL SHOT FOR CU TO CU JOINTS AND CU TO COPPERWELD/COPPER-BOND GROUND ROD

CADWELD	#250

184044 CADWELD WELD METAL SHOT #150
CADWELD WELD METAL SHOT #150 CADWELD TYPE F-20 ALLOY WELD METAL SHOT FOR CU TO CU JOINTS AND CU TO COPPERWELD/COPPER-BOND GROUND RODS

CADWELD	#150

184085 PIN TRN LEAD ADAPTER
PIN TRANSFORMER LEAD ADAPTER

JOSLYN MFG & SUPPLY CO.	J2840
UTILITIES SERVICE CO.	3848

184135 SWITCH 15KV 900A 3PH LDBRK HOR
SWITCH 15KV 900A 3PH LDBRK HORZ P-MTG SWITCH, INTERRUPTER, 15KV, 1200 AMP CONTINOUS CURRENT/ 900 AMP LOADBREAK, HORIZONTALLY MOUNTED, CLOCKWISE OPENING COMPLETE WITH OPERATING MECHANISM COMPONENTS AND 42 FT OF 1 1/2 IN PIPE.

BRIDGES ELECTRIC INC	1973X-50A
HUBBELL	AR111SSHLP

184176 CROSSARM FBGL TANGENT 8'
CROSSARM FGLS TANGENT 8' STANDARD CROSSARM, FURNISHED COMPLETE WITH A356 CAST ALUMINUM CENTER MOUNTING BRACKET TO HAVE 8IN VERTICAL SPACING FOR 3/4IN BOLTS. CROSSARM MEMBER IS 3 5/8 IN X 4 5/8 IN TUBE (WITH FOAM FILLER) WITH UV PROTECTIVE VEIL (PER ASTM

LEWTEX TECH MFG INC	DLTA-808-P
MACLEAN POWER SYSTEMS	PX08ST004
PENTECH INDUSTRIES INC	PN08SHTC-34

184184 CROSSARM FBGL TANGENT 10'
CROSSARM FGLS TANGENT 10' STANDARD CROSSARM, FURNISHED COMPLETE WITH A356 CAST ALUMINUM CENTER MOUNTING BRACKET TO HAVE 12IN VERTICAL SPACING FOR 3/4IN BOLTS. CROSSARM MEMBER IS 3 5/8 IN TUBE (WITH FOAM KILLER) WITH UV PROTECTIVE VEIL (PER ASTM G-53) AND

	LEWTEX TECH MFG INC	DLTA-1012-P
	MACLEAN POWER SYSTEMS	PX10ST005
184192	DEADEND GUY AUTO 3/8"	
	DEADEND AUTO GUY 3/8"	
	RELIABLE ELECTRIC	5202

184200	CONN TERM 2" IPS TO 4 HOLE STR	
	CONN TERM 2" IPS TO 4 HOLE STR	
	ANDERSON ELECTRIC	
	BURNDY	NA18A-4N
	DELTA STAR	FL-161-AL
	ROYAL SWITCHGEAR	TF-20-4N
184218	CLAMP STRAIN BOLTED FOR CU	
	STRAIN CLAMP	
	ANDERSON ELECTRIC	MDE46N
	CONTINENTAL ELECTRIC	SDE-46F
184226	SPLICE TENSION AUTO 250CU	
	SPLICE TENSION AUTO FOR 250MCM	
	FARGO	GL121
184242	DEADEND SLACK-SPAN 4AR	
	DEAD END SLACK SPAN 4AR	
	DULMISON	SSDE 0580
	FARGO	F61-0229
	PREFORMED LINE PRODUCTS	SSDE-9122
184259	CONN BOLTED-WEDGE AL 795-795	
	CONN WEDGE TYPE ALUM 795-795	
	CONNECTOR PRODUCTS, INC	795594
184267	DEADEND GUY AUTO 7/16"	
	DEADEND AUTO GUY 7/16	
	RELIABLE ELECTRIC	5203
184275	CABLE 600V UD TX 4/0AA SWEETBR	
	CABLE 4/0AA URD TRIPLEX	
	ALCAN	N/A
	BICC	N/A
	SOUTHWIRE	N/A
184283	GRIP WIRE LMG-4500	
	WIRE GRIP LITTLE MULE	
184291	PIN FBGL 15KV 9" 6X5/8 SHANK	
	PIN FGLS 15KV 9" 6X5/8 SHK	
	FLAGG	7561-JP-609-6
	HUGHES BROS	CF793-9-6
	HYDROCOM INTERNATIONAL	AD15-SJP-9-6
184309	BAG FOR SAFETY HARNESS	
	SAFETY HARNESS BAG	
	ESTEX	2608Y
184317	PVC CLEANER/PRIMER 1 QT CANS	
	PVC CLEANER/PRIMER 1 QT CANS	
184333	CONN ELBOW REPAIR 200A 3PH LDB	
	CONN ELBOW REPAIR 200A 3PH LDBRK 2 CONNECTOR, ELBOW, 8.3/14.4 KV, 200A, 3 PHASE LOADBREAK FOR #2 AWG STRANDED COPPER CABLE WITH COPPER TAPE SHIELD, 17 5 MIL INSULATION. ELBOW KIT SHALL HAVE AN EXTENDED LENGTH	

HOUSING AND "COP
ELASTIMOLD 167ELR-6689-0220

184341 CONN ELBOW REPAIR 200A 3PH LDB
CONN ELBOW REPAIR 200A 3PH LDBRK 1/0 CONNECTOR, ELBOW, 8.3/14.4KV, 200A, 3 PHASE LOADBREAK FOR 1/0 COMPRESSED AL URD COMPRESSED CABLE WITH 175 OR 220 MIL INS ULATION AND CONCENTRIC NEUTRAL. ELBOW KIT SHALL HAVE AN EXTENDED LENGTH HOUSIN
ELASTIMOLD 167ELR-7495-0240

184358 CONN ELBOW REPAIR 200A 3PH LDB
CONN ELBOW REPAIR 200A 3PH LDBRK 3/0 CONNECTOR, ELBOW, 8.3/14.4KV, 200A, 3 PHASE LOADBREAK FOR 3/0 COMPRESSED AL URD CABLE WITH 175 MIL INSULATION AND CONCEN TRIC NEUTRAL. ELBOW KIT SHALL HAVE AN EXTENDED LENGTH HOUSING AND "COPPER TOP"
ELASTIMOLD 167ELR-7495-0260

184366 CONN ELBOW REPLMNT 200A 3PH LD
CONN ELBOW REPLMNT 200A 3PH LDBRK 2 CONNECTOR, ELBOW, 8.3/14.4KV, 200A, 3 PH LDBRK FOR #2 AWG STRANDED CU CABLE W/ CU TAPE SHIELD, 175 MIL INSULATION. THE KIT SHALL HAVE AN 11" LONGER HOUSING AND "COPPER TOP" COMPRESSION CONNECTOR.
ELASTIMOLD 167RLR-F-5220

184374 CONN ELBOW REPLMNT 200A 3PH LD
CONN ELBOW REPLMNT 200A 3PH LDBRK 1/0 CONNECTOR, ELBOW, 8.3/14.4KV, 200A, 3 PH LDBRK FOR 1/0 COMPRESSED AL URD CABLE W/175 OR 220 MIL INSULATION & CONCENTRIC NEUT. THE KIT SHALL HAVE AN 11" LONGER HOUSING AND "COPPER TOP" COMPRESSION CON
ELASTIMOLD 167RLR-G-5240

184382 CONN ELBOW REPLMNT 200A 3PH LD
CONN ELBOW REPLMNT 200A 3PH LDBRK 3/0 CONNECTOR, ELBOW, 8.3/14.4KV 200A, 3 PH LDBRK FOR 3/0 COMPRESSED AL URD CABLE W/175MIL INSULATION & CONCENTRIC NEUT. T HE KIT SHALL HAVE AN 11" LONGER HOUSING AND "COPPER TOP" COMPRESSION CONNECTOR.
ELASTIMOLD 167RLR-G-5260

184408 GRIP LITTLE MULE
GRIP LITTLE MULE

184432 BADGE HOLDER RECTRACTABLE #78
BADGE HOLDER RECTRACTABLE #7800

184440 TRUSS C-SHAPE FOR 30-50' POLES
TRUSS GALV "C" 30-50' POLE Osmose 75-020-001-120

184457 TRUSS C-SHAPE FOR 50-75' POLES
TRUSS GALV "C" 50-75' POLE Osmose 75-020-001-160

184473 COUPLING PVC - HDPE 2"
COUPLING PVC - HDPE 2" COUPLING, PVC, 2 INCH, SCH 80, ONE END BELLED THE OTHER END THREADED, GLUE BELL END TO PVC CONDUIT AND SCREW THREADED EN D TO HDPE PIPE
JACKMOON U.S.A. INC. 20CP-RTFA20

184499 COUPLING PVC - HDPE 4"

COUPLING PVC - HDPE 4" COUPLING, PVC, 4 INCH, SCH 80, ONE END BELLED THE OTHER END THREADED, GLUE BELL END TO PVC CONDUIT AND SCREW THREADED EN D TO HDPE PIPE

TYCO	CP-FA40

184515 HOLDER BADGE MAGNETIC #9705
BADGE HOLDER MAGNETIC #9705

184523 CROSSARM STEEL DAVIT 69KV 1PH
CROSSARM STEEL DAVIT 69KV 1PH 6.5FT ER HEAVY DUTY STEEL DAVIT ARM FOR 1 PHASE O F 69KV CIRCUIT, 6.5' LONG WITH BASE PLATE FOR 7/8" MOUNTING BOLTS, GALVANIZE D WITH 33KSI STEEL

HUGHES BROS	4000A6.5A33G
T & D STEEL STRUCTURES	HSAG65

184531 COUPLING SPLIT PVC 2"
COUPLING SPLIT PVC 2" COUPLING, 2IN CONDUIT, PVC SPLIT, FOR USE IN JOINING SPLIT DUCT CONDUIT TO SPLIT DUCT CONDUIT. USED FOR REPAIRS OF DAMAGED PVC PIPE. COUPLING MUST BE INTERLOCKING (NO BANDS
CONDUIT REPAIR SYSTEM RC2F

184556 COUPLING SPLIT PVC 4"
COUPLING SPLIT PVC 4" COUPLING, 4IN CONDUIT, PVC SPLIT DUCT, FOR USE IN JOINING SPLIT DUCT CONDUIT TO SPLIT DUCT CONDUIT. USED FOR REPAIRS OF DAMAGED PVC PIPE. COUPLING MUST BE INTERLOCKING (NO BANDS
CONDUIT REPAIR SYSTEM RC4F

184564 CONDUIT PVC SPLIT 2"
CONDUIT PVC SPLIT 2" CONDUIT, 2IN SPLIT DUCT, FOR REPAIRING SECTIONS OF DAMAGED PVC CONDUIT. CONDUIT MUST BE INTERLOCKING (NO BANDS) MIN. SCH.
CONDUIT REPAIR SYSTEM P2F

184580 CONDUIT PVC SPLIT 4"
CONDUIT PVC SPLIT 4" CONDUIT, 4IN SPLIT DUCT, FOR REPAIRING SECTIONS OF DAMAGED PVC CONDUIT. CONDUIT MUST BE INTERLOCKING (NO BANDS) MIN. SCH.
CONDUIT REPAIR SYSTEM P4F

184663 TOWEL UTILITY SHOP
TOWEL UTILITY SHOP
KIMBERLY CLARK 41092 (ORANGE)

184671 PAPER WHITE 60LB 8-1/2" X 11"
PAPER 8 1/2 X 11, WHITE 60 LB
GEORGIA-PACIFIC 210038

184689 CLAMP STRAIN BOLT SPRG 2-4/0AA
CLAMP STRAIN BOLTED SPRING #2-
ANDERSON ELECTRIC ADEZ-57-N

184697 CLAMP STRAIN BLT SPG 397-795AA
CLAMP STRAIN BOLTED SPRING 397
ANDERSON ELECTRIC ADEZ-116-N

184705 CONN SWAGE SPLICE 4IN IPS AL
CONN SWAGE SPLICE 4IN IPS AL
DEUTSCH BUS CONNECTIONS PLK1000D64

184713 CONN SWAGE TEE 4IN IPS TO 4 HO
CONN SWAGE TEE 4IN IPS TO 4 HO
DEUTSCH BUS CONNECTIONS PLK1100D64E2

184721 CONN SWAGE TERM 4IN IPS TO 4 H
CONN SWAGE TERM 4IN IPS TO 4 H
DEUTSCH BUS CONNECTIONS PLK1850D64B

184739 CONN SWAGE END CAP 4IN IPS BUS
CONN SWAGE END CAP 4IN IPS BUS
DEUTSCH BUS CONNECTIONS PLK1300D64

184747 CONN SWAGE TERM 4IN IPS 4 HOLE
CONN SWAGE TERM 4IN IPS 4 HOLE
DEUTSCH BUS CONNECTIONS PLK2600D64E1

184754 POLE CONCRETE 80FT CLASS-H1 EQ

POLE CONCRETE 80FT CLASS-H1 EQ POLE, 80FT CLASS-H1 WOOD EQUIVALENT, CENTRIFUGALLY CAST PRESTRESSED CONCRETE, TAPERED, HOLLOW CIRCULAR CROSS-SECTION, MIN COMPRESSIVE STRENGTH 12,000 LBS, EQUIPPED WITH TWENTY-TWO (22) 13/16 IN H

ACCORD	840-0371-080
NEWMARK	1
STRESS CRETE	E-800-HPR-EGS-PS-INS

184762 POLE CONCRETE 85FT CLASS-H1 EQ
POLE CONCRETE 85FT CLASS-H1 EQ POLE, 85FT CLASS-H1 WOOD EQUIVALENT, CENTRIFUGALLY CAST PRESTRESSED CONCRETE, TAPERED, HOLLOW CIRCULAR CROSS-SECTION, MIN COMPRESSIVE STRENGTH 12000 LBS, EQUIPPED WITH TWENTY-TWO (22) 13/16 IN H

ACCORD	840-0371-080
NEWMARK	1
STRESS CRETE	E-850-HPR-EGS-PS-INS

184812 BAG NUTS-AND-BOLTS
BAG NUT AND BOLT

ESTEX	1061

184820 BAG TOOL
BAG TOOL

ESTEX	1820

184853 BAG HOOKS
BAG HOOKS

ESTEX	1830

184861 GLASSES SAFETY W/ GRAY LENS
GLASSES SAFETY GRAY LENS, BLACK/RED FRAME COMPACT, ULTRA-LIGHTWEIGHT FRAME FOR EXTENDED WEAR SEI CERTIFIED-ANSIZ87.1-2003 (HIGH IMPACT)

VERATTI	08204824

184879 BATTERY ALKALINE 1.5V AA-CELL
BATTERY ALKA AA CELL 1.5 V

184895 CABLE 69KV EPR CU 1500 KCMIL (
CABLE 69KV EPR CU 1500 KCMIL (

OKONITE	N/A

184911 LUMINAIRE, 150W, HPS W/PEC
LUMINAIRE, 150W, HPS W/PEC LUMINAIRE, 150W HPS W/PEC 120V, BLACK FINISH AND SUIT- ABLE FOR POST TOP MOUNTING CLEAR POLYCARBONATE/ ACRYLIC GLOBE FOR HOPE IV PROJECT

COOPER LIGHTING	ACN15SWW33X124P
HOLOPHANE	AWU15AHPMTB3MSBHTR G-LU150/55

184937 SPACER CABLE 795
SPACER CABLE 795

184945 POLE CONCRETE 60 FT CLASS-2 EQ
POLE, 60 FT CLASS-2 WOOD EQUIVALENT, CENTRIFUGALLY CAST PRESTRESSED CONCRETE TAPERED, HOLLOW CIRCULAR CROSS-SECTION MIN COMPRESSIVE STRENGTH 12,000 LBS EQUIPPED WITH SIXTY-NINE (69) 3/4 IN HOLES, EXTERNAL GROUND CLIPS AT 10

ACCORD	840-0086-060
NEWMARK	2
STRESS CRETE	E-600-FPR-EGS-PS-INS

184952 POLE CONCRETE 90FT CLASS-H1 EQ
POLE CONCRETE 90FT CLASS-H1 EQ POLE, 90FT CLASS-H1 WOOD EQUIVALENT, CENTRIFUGALLY CAST PRESTRESSED CONCRETE, TAPERED, HOLLOW CIRCULAR CROSS-SECTION, MIN COMPRESSIVE STRENGTH 12000 LBS, EQUIPPED WITH FORTY-SEVEN (47) 13/16 IN

184960	SPLICE, LEAD 3M KIT	
	SPLICE, LEAD 3M KIT	
184978	GUY ATTACHMENT SINGLE ASSY	
	GUY ATTACHMENT SINGLE ASSY	
	JOSLYN MFG & SUPPLY CO.	J6273
184986	GUY CONNECTING LINK	
	GUY CONNECTING LINK	
	JOSLYN MFG & SUPPLY CO.	J6650
184994	GUY BANDS	
	GUY BANDS	
	JOSLYN MFG & SUPPLY CO.	J6641
185009	SHOVEL ROUND-POINT FIBERGLASS	
	SHOVEL ROUND-POINT FIBERGLASS	
	AMES	15583
	UNION TOOLS INC	45-613
185017	SHOVEL SQUARE POINT FIBERGLASS	
	SHOVEL SQUARE POINT FIBERGLASS	
	AMES	13451
	UNION TOOLS INC	44124
185025	ENVELOPE LETTERHEAD KUB LOGO	
	ENVELOPE (KUB LETTERHEAD)	
185033	BALLAST HP 100W 120V KING	
	BALLAST HP 100W 120V KING	
	KING LUMINAIRE CO.	K56EAO-100HPS-120-PR-BALLAST
185041	NUT LOCK 1 INCH	
	NUT LOCK 1 INCH	
185058	BIT DRILL FOR WOOD 9/16"X18"	
	DRILL BIT, WOOD POLE 9/16 X 18	
	GREENLEE TEXTRON	37868
185066	DRILL BIT, WOOD POLE 11/16 X 1	
	DRILL BIT, WOOD POLE 11/16 X 1	
	GREENLEE TEXTRON	37869
185074	DRILL BIT, WOOD POLE 13/16 X 1	
	DRILL BIT, WOOD POLE 13/16 X 1	
185082	DRILL BIT, WOOD POLE 11/16 X 2	
	DRILL BIT, WOOD POLE 11/16 X 2	
	GREENLEE TEXTRON	37874
185090	DRILL BIT, WOOD POLE 13/16 X 2	
	DRILL BIT, WOOD POLE 13/16 X 2	

185108	DRILL BIT, WOOD POLE 15/16 X 2 DRILL BIT, WOOD POLE 15/16 X 2	
185116	HOLDER DRILL-BIT DRILL BIT HOLDER ESTEX	1305
185124	INDEX DRILL FOR STEEL DRILL INDEX FOR STEEL MORES CUTTING TOOLS	81372
185165	CUTTER PIPE CUTTERS, PIPE RIDGID TOOLS	2A-32820
185173	RULER FOLDING W/ SLIDE RULER FOLDING W/SLIDE LUFKIN	46
185199	NUT DRIVER INSULATED 3/16" NUT DRIVER, INSULATED 3/16 KLEIN	63D-3/16-INS
185207	NUT DRIVER INSULATED 5/16" NUT DRIVER, INSULATED 5/16 KLEIN	630-5/16-INS
185215	NUT DRIVER INSULATED 3/8" NUT DRIVER, INSULATED 3/8 KLEIN	630-3/8-INS
185223	NUT DRIVER INSULATED 7/16" NUT DRIVER, INSULATED 7/16 KLEIN	630-7/16-INS
185231	NUT DRIVER INSULATED 1/2" NUT DRIVER, INSULATED 1/2 KLEIN	630-1/2-INS
185249	NUT DRIVER INSULATED 5/8" NUT DRIVER, INSULATED 5/8 KLEIN	630-5/8-INS
185256	NUT DRIVER INSULATED 9/16" NUT DRIVER, INSULATED 9/16 KLEIN	630-9/16-INS
185264	PHOTOCELL COVERS PHOTOCELL COVERS HASTINGS FIBERGLASS PROD. INC.	UH 016
185272	EXTRACTORS LIGHT-BULB BULB EXTRACTORS HASTINGS FIBERGLASS PROD. INC.	200-A

185280	EXCHANGERS LIGHT-BULB	
	BULB EXCHANGERS	
	HASTINGS FIBERGLASS PROD. INC.	161-AC
185298	TAPE DUCT 2" X 60 YDS	
	TAPE DUCT 2" X 60 YDS	
	SHURTAPE TECHNOLOGY	PC590
185306	STENCILS SPRAY PAINT (NUMBERS)	
	STENCILS SPRAY PAINT (NUMBERS)	
	REESE STENCIL INC	10013
185314	STENCILS SPRAY PAINT (LETTERS)	
	STENCILS SPRAY PAINT (LETTERS)	
	REESE STENCIL INC	10033
185322	STAMPING STEEL FOR 1/4" NUMBRS	
	STAMPING STEEL (NUMBERS) 1/4"	
	YOUNG BROTHERS STAMP WORKS	6091
185330	STAMPING STEEL FOR 1/4" LETTER	
	STAMPING STEEL (LETTERS) 1/4"	
	YOUNG BROTHERS STAMP WORKS	6271
185348	HAMMER SLEDGE 10LB	
	HAMMER SLEDGE 10#	
	MADISON - MILLS	910
	OLMPIA INDUSTRIAL TOOLS	62330
	UNION TOOLS INC	30582
185355	CAN GAS 1 GAL 6 OZ	
	CAN GAS 1 GAL 6 OZ	
	BLITZ USA INC	50805
185363	TONGS POLE-LIFTING 1"	
	TONGS POLE LIFTING 1"	
	COLUMBUS ELECT MFG	42315
	OSHKOSH	384A
185371	TONGS POLE-LIFTING 3/4"	
	TONGS POLE LIFTING 3/4"	
	COLUMBUS ELECT MFG	40005
185389	CLAMP FLAG FOR POLE-HAULING	
	CLAMPS FLAG (FOR POLE HAULING)	
	AMERICAN SAFETY	T-5
185397	SHEAVING BLOCK 4-TON	
	SHEAVING BLOCK 4 TON	
	VOLUNTEER WIRE AND ROPE	SB4SBH
185405	SHEAVING BLOCK 2-TON	
	SHEAVING BLOCK 2 TON	
	VOLUNTEER WIRE AND ROPE	SB2S3BH

185421	STICK PRUNER	
	PRUNNER STICKS	
	JAMESON	FG6
185439	HEAD PRUNER	
	PRUNNER HEADS	
	HASTINGS FIBERGLASS PROD. INC.	10 019
	JAMESON	N/A
185447	HEAD PRUNER FOR EXTENSION	
	PRUNNER HEADS FOR EXTENSION NR	
	HASTINGS FIBERGLASS PROD. INC.	A11002
185454	SAW PULL	
	SAW PULL	
	HASTINGS FIBERGLASS PROD. INC.	A11000
	JAMESON	N/A
185462	SAW PULL HANDLE	
	SAW PULL HANDLE	
	HASTINGS FIBERGLASS PROD. INC.	A100016
	JAMESON	N/A
185470	SAW CHAIN W/ 14" BAR	
	SAW CHAIN WITH 14" BAR	
	HUSQVARNA	338
185488	SAW, CHAIN AND BAR OIL	
	SAW, CHAIN AND BAR OIL	
185496	LUMINAIRE MTV W/PC 250W HPS	
	LUMINAIRE HP 250W W/PEC MTV OFF ROAD LUMINAIRE, 250 WATT HPS MULTI-TAP WITH R ECEPTACLE FOR PE CONTROL AND WITH A VERTICAL AND HORIZONTAL ADJUSTABLE FITTER FOR A 2 INCH TENON MOUNTING. THE OPTICAL TRAIN SHALL	
	HOLOPHANE	G250HPMAHDRVGBPRT-50380
185504	LUMINAIRE 480V 250W HPS	
	LUMINAIRE HP 250W W/O 480V OFF ROAD LUMINAIRE, 250 WATT HPS, 480 VOLT, WITHOUT RECEPTACLE FOR PE CONTROL AND WITH A VERTICAL AND HORIZONTAL ADJUSTABLE FITTER FOR A 2 INCH TENON MOUNTING. THE OPTICAL TRAIN SHALL CONSIST OF A PRI	
	HOLOPHANE	G250HP48HDRVGBP-50380
185512	POLE ST LT AL45' W/O ARM	
	POLE ST LT AL45' W/O ARM POLE, ROUND TAPERED ALUMINUM 45FT TOP FOR A 45FT MOUNTING HEIGHT OF AN OFF ROAD LUMINAIRE. POLE TO HAVE A 14.5IN DIAMETER BOLT CIRCLE, GROUND LUG AND SUP	
185518	HAMMER BLACKSMITH 3LB	
	HAMMER BLACKSMITH 3 LB	
	MADISON - MILLS	909
	UNION TOOLS INC	30568
185538	BOX UG H-D CA-PULL 48"X96"X48"	
	BOX, HEAVY DUTY 48W X 96L X 48D W/POLYMER CONCRETE LID. THE LID SHALL BE 2 OR MORE PIECES WITH LIFTING EYES RECESSED. LID MARKED "KUB POWER" AND CES , MARKED "KUB POWER" AND SECURED WITH PENTA-HEAD BOLTS.	

	CDR SYSTEMS CORPORATION	PA12-4896-48
	STRONGWELL	PG4896BK48 - PG4896HA00KU LID

185546 BOX UG H-D CA-PULL 36"X60"X48"
BOX, HEAVY DUTY, 36W X 60L X 48D W/POLYMER CONCRETE LID. THE LID SHALL BE 2 PIECES WITH LIFTING EYES RECESSED. LID MARKED "KUB POWER" AND SECURED WITH PENTA-HEAD BOLTS.

	CDR SYSTEMS CORPORATION	PA12-3660-48
	STRONGWELL	PG3660BA48 - PG3660HA00KU LID

185553 SWITCH 15KV 600A REGULATOR BYP
SWITCH 15KV 600A REGULATOR BYP

	KEARNEY	125841-HC-65

185579 WIRE 600V STR 1C 4CU BLK
WIRE 4 CU 1C STRND 600V BLACK THHN/THWN WIRE,4AWG COPPER,ONE CONDUCTER,STRANDED, W/BLACK 600V, THHN/THWN INSULATION REFER TO SPEC 185579 2500 FT REELS VW-1 FIRE RATING

185611 PUNCH LOCK-BAND
PUNCH LOCK BAND

	PUNCH-LOCK INC	D550

185629 JUMPER RUBBER 10'
JUMPER RUBBER 10 FT

	HASTINGS FIBERGLASS PROD. INC.	11000-12201-10-1301

185637 JUMPER RUBBER 15'
JUMPER RUBBER 15 FT

	HASTINGS FIBERGLASS PROD. INC.	11000-12201-15-13001

185645 APRON DRILL-BITS
APRON DRILL BIT

	ESTEX	1829DP

185660 WRENCH RATCHET 3/4" X 5/8"
WRENCH RATCHET 3/4 X 5/8

	KLEIN	68204

185686 ENVELOPE INDUSTRIAL-CUSTOMER
ENVELOPE "INDUSTRIAL CUSTOMER" #90 WHITE 9 1/2 X 11 CELLOPHANE WINDOW W/ GLUE SEAL ON THE BACK (NO CLASP) PREPRINTED WITH KUB LOGO, WEB ADDRESS MAILING ADDRESS. "STATEMENT ENCLOSED" IS PRE-PRINTED ABOVE THE WINDOW. RE-ORDERS SHOULD SPECIFY PANTONE #295

185702 MARKER WRAP "COMMUNICATION" E
MARKER WRAP "COMMUNICATION" ER 8" X 7" CABLE WRAP WITH LOGO MARKED COMMUNICATIONS. UV PROTECTED COLOR SHALL BE ORANGE WITH BLACK LETTERS AND DESIGNED ACCORDING TO KUB DR

	UTICOM SYSTEMS INC	U8070C-KUB

185710 SCRUBS BUCKET
SCRUBS, BUCKET

	DIAMOND TOOL & HSE INC.	DYMC-422

185728 SUNSCREEN SPF-30
SUNSCREEN SPF 30 STOCKING REQUIREMENT - 25 UNITS

	CORETEX	71666

185736	MODULE JUNCTION 4WAY	
	JUNCTION MODULE 4-WAY 600A DEADBREAK JUNCTION MODULE,DEADBREAK, 600 AMPERE, 8.3/14.4KV RATED, BRACKET MOUNTED, WITH 4 CONNECTION POINTS. FOR USE WITH SEPARABLE ELBOW CONNECTORS.	
	ELASTIMOLD	K675J4
185769	ARM AUXILIARY SWITCH LEVER	
	ARM AUXILIARY SWITCH LEVER	
	DCS ELECTRONICS	16-6834-01
185777	FOUNDATION PWR SCREW 11-17 BC	
	FOUNDATION PWR SCREW 11-17 BC	
	CHANCE A B CO	C11242QG4VP
	DIXIE ELECTRICAL MFG CO	D-1202-0373
185785	PLUG TAP REDUCE 600-200A BOL-T	
	PLUG TAP REDUCING 200 TO 600	
	ELASTIMOLD	650LRTPA3
185807	GRIP, PULLING OFFSET EYE 750 U	
	GRIP, PULLING OFFSET EYE 750 U	
	LEWIS MFG CO.	OE-250-SW
185827	NUT DRIVER INSULATED 1/4"	
	NUT DRIVER, INSULATED 1/4	
	KLEIN	630-1/4-INS
185835	HOLDER BADGE LANYARD	
	BADGE HOLDER, LANYARD	
185843	NUT DRIVER INSULATED 11/32"	
	NUT DRIVER, INSULATED 11/32	
	KLEIN	630-11/32-INS
185850	SWITCH 15KV 900A 3PH LDBRK VER	
	SWITCH 15KV 900A 3PH LDBRK VERT P-MTG SWITCH, INTERRYPTER, 15KV, 1200 AMP CONTINOUS CURRENT/ 900 AMP LOADBREAK, VERTICALLY MOUNTED, CLOCKWISE OPENING COMPLETE WITH OPERATING MECHANISM COMPONENTS AND 42 FT OF 1 1/2 IN PIPE.	
	BRIDGES ELECTRIC INC	1973V-50A
	HUBBELL	AR121SSHLP
185868	SPACER CABLE 1590	
	SPACER CABLE 1590	
	ANDERSON ELECTRIC	APCS-16-4
185876	DEADEND GUY AUTO LNG-BAIL 3/8"	
	DEADEND AUTO LONG-BAIL 3/8	
	RELIABLE ELECTRIC	5202L
185884	DEADEND GUY AUTO LG-BAIL 7/16"	
	DEADEND AUTO LONG-BAIL 7/16	
	RELIABLE ELECTRIC	5203L
185892	SPLICE GUY AUTO 1/4"	
	SPLICE GUY AUTOMATIC 1/4	
	RELIABLE ELECTRIC	5000
185900	DEADEND GUY AUTO 1/4"	

	DEADEND AUTO GUY 1/4 RELIABLE ELECTRIC	5100
185918	BOX HANDHOLE 12 X 15 BOX HANDHOLE 12 X 15 ASSC PLASTICS/DEKALB CONC PROD	1419
185942	OIL 2-CYCLE 50:1 2.6OZ OIL 2-CYCLE 50:1 2.6 OZ	
185959	TOOL HY-PRESS HY-PRESS TOOL BURNDY	MD-7
185967	WRENCH LOW LINEMANS WRENCH LOW LINEMANS LOWELL CORPORATION	50-94800
185975	CHOKER 2" X 4" CHOKER 2 X 4 VOLUNTEER WIRE AND ROPE	VEE 902
185983	CHOKER 2" X 6" CHOKER 2 X 6 VOLUNTEER WIRE AND ROPE	VEE 902
185991	CLAMP HOSE 2-1/2" HOSE CLAMP 2 1/2 DIXON	K-10
186007	BAND NIPPER BAND NIPPER COOPER TOOLS	14D
186015	BIT APEX 3/8" DRIVE APEX BIT 3/8 DRIVE	
186023	LARGE ENVIRONMENTAL CONTAINMEN LARGE ENVIRONMENTAL CONTAINMEN	
186031	ADAPTER, TRANSFORMER SPADE "L" ADAPTER, TRANSFORMER SPADE "L" HOMAC	TSC4-12
186049	ADAPTER, TRANSFORMER SPADE "ST ADAPTER, TRANSFORMER SPADE "ST HOMAC	TSC-12
186056	HOOK PULLING HOOK PULLING RELIABLE ELECTRIC	9062
186060	INSULATOR POST 115KV	

INSULATOR POST 115KV EYE END 2.50" ROD INSULATOR, HORIZONTAL LINE POST, FOR 115 KV APPLICATION, TWO HOLE EYE END FITTING, 2.50 IN (64MM) MIN. DIAMETER FIBERGLASS ROD, EPR WATERSHEDS, 2600 LBS. MIN.
OHIO BRASS CO. 522006-1002

186064 CONN SERV 6 OUTLETS 8-500AL/CU
CONN SERV 6 OUTLETS 8-500AL/CU
HOMAC FSN6-125 / CSN-2011 SLEEVE

186072 CONN BAR 10 POINT 1000MCM
CONN BAR 10 POINT 1000MCM CONNECTOR BAR 2-WAY, 10-POINT 2-HOLES/CONNECTION POINT-NEMA SPACED, SUBMERSIBLE, 600V INSULATED U/G TO CONNECT SERVICE TO NETWORK 1 3/4 NEMA SPACED HOLES TO ACCOMODATE STANDARD 2-HOLE COMPRESSION LUGS
HOMAC FS55-175 / COVER FS1175

186098 ADAPTER, TRANS SPADE 1304
ADAPTER, TRANS SPADE 1304
SEFCOR FA-1304

186106 ADAPTER, TRANS SPADE 1647
ADAPTER, TRANS SPADE 1647
SEFCOR FA-1647

186114 HEAD PRUNER W/ ADAPTER
PRUNER HEAD W/ADAPTER
JAMESON JA14 DP PKG

186122 SIGN, "RIGHT LANE CLOSED" 36"
SIGN, "RIGHT LANE CLOSED" 36"

186130 SIGN, "UTILITY WORK AHEAD" 36"
SIGN, "UTILITY WORK AHEAD" 36"

186148 SIGN, "FLAGGER SYMBOL" 36"
SIGN, "FLAGGER SYMBOL" 36"

186155 STAND FOR 36" SIGN
SIGN, STAND FOR 36"

186213 TAPE ORANGE
TAPE ORANGE 3/4 X 66 TAPE,ORANGE, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME,ABRASION,UV RAYS,MOISTURE,CHEMI CALS AND COLD WEATHER IN ACCORDANCE WITH EXISTING GSA CODES.
SCOTCH 3M CO. ORANGE 3/4 X 66

186221 TAPE BROWN
TAPE BROWN 3/4 X 66 TAPE,BROWN, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME,ABRASION,UV RAYS,MOISTURE,CHEMI CALS AND COLD WEATHER IN ACCORDANCE WITH EXISTING GSA CODES.
SCOTCH 3M CO. BROWN 3/4 X 66

186239 TAPE YELLOW
TAPE YELLOW 3/4 X 66 TAPE,YELLOW, 3/4" WIDE VINYL, PRESSURE SENSITIVE, THIN, RESISTANT TO FLAME,ABRASION,UV RAYS,MOISTURE,CHEMI CALS AND COLD

	WEATHER IN ACCORDANCE WITH EXISTING GSA CODES.	
	SCOTCH 3M CO.	YELLOW 3/4 X 66
186247	BLADE CHAINSAW 14"	
	BLADE CHAIN SAW 14"	
	OREGON MFG	91VG-52C
186262	BRACKET MOUNTING APPARATUS	
	BRACKET MOUNTING APPARATUS	
	JOSLYN MFG & SUPPLY CO.	J24670
186304	COUPLING HDPE SHUR-LOCK II	
	COUPLING HDPE SHUR-LOCK II	
	ARNCO CORP	SHUR-LOCK II SL602C200
186312	HOIST LEVER 3/4TON	
	HOIST 3/4 TON LEVER	
	COFFING HOISTS	RA 15
186320	GROUND CABLE 1	
	GROUND CABLE - 1	
	HASTINGS FIBERGLASS PROD. INC.	11190-9206-10 (6756)
186338	GROUND CABLE 2	
	GROUND CABLE - 2	
	HASTINGS FIBERGLASS PROD. INC.	11190-13698-10
186346	JUMPER RUBBER 8'	
	JUMPER #2 15KV 8 FT	
	HASTINGS FIBERGLASS PROD. INC.	6727
186353	ROPE POLY 3/8"	
	ROPE POLY 3/8"	
	CRA-TEX MILLS	N/A
186361	CONNECTOR 3/4" FOR 1/0-4/0 ACS	
	CONNECTOR 3/4" FOR 1/0-4/0 ACS	
	BURNDY	NDR6444T16W
186379	BOOM STRAP RATCHETING	
	BOOM STRAP RATCHETING	
	BUCKINGHAM MFG	3809R
186387	CONN SERV 16 OUTLETS W/COVER	
	CONN SERV 16 OUTLETS W/COVER	
	HOMAC	FS88-175
186395	SOCKET IMPACT 1/2 DEEP-WELL 6	
	SOCKET IMPACT 1/2 DEEP-WELL 6	
	PROTO TOOLS	7316H
186403	SOCKET IMPACT 5/8 DEEP-WELL 6	
	SOCKET IMPACT 5/8 DEEP-WELL 6	
	PROTO TOOLS	7320H
186411	SOCKET IMPACT 3/4 DEEP-WELL 6	

	SOCKET IMPACT 3/4 DEEP-WELL 6	
	PROTO TOOLS	7324H
186429	SOCKET IMPACT 13/16 DEEP-WELL	
	SOCKET IMPACT 13/16 DEEP-WELL	
	PROTO TOOLS	7326H
186437	SOCKET IMPACT 9/16 DEEP-WELL 6	
	SOCKET IMPACT 9/16 DEEP-WELL 6	
	PROTO TOOLS	7318H
186445	SOCKET IMPACT 15/16 DEEP-WELL	
	SOCKET IMPACT 15/16 DEEP-WELL	
	PROTO TOOLS	7330H
186452	SOCKET IMPACT 11/16 DEEP-WELL	
	SOCKET IMPACT 11/16 DEEP-WELL	
	PROTO TOOLS	7322H
186460	SOCKET IMPACT 7/8 DEEP-WELL 6	
	SOCKET IMPACT 7/8 DEEP-WELL 6	
	PROTO TOOLS	7328H
186478	SOCKET IMPACT 1 1/16 DEEP-WELL	
	SOCKET IMPACT 1 1/16 DEEP-WELL	
	PROTO TOOLS	7334H
186486	SOCKET IMPACT 1 5/16 DEEP-WELL	
	SOCKET IMPACT 1 5/16 DEEP-WELL	
	PROTO TOOLS	7342H
186494	SOCKET IMPACT 1" DEEP-WELL 6 P	
	SOCKET IMPACT 1" DEEP-WELL 6 P	
	PROTO TOOLS	7332H
186502	SOCKET IMPACT 1 1/8 DEEP-WELL	
	SOCKET IMPACT 1 1/8 DEEP-WELL	
	PROTO TOOLS	7336H
186510	SOCKET IMPACT 3/4" DEEP-WELL 8	
	SOCKET IMPACT 3/4" DEEP-WELL 8	
	PROTO TOOLS	7324S
186528	SOCKET IMPACT 15/16" DEEP-WELL	
	SOCKET IMPACT 15/16" DEEP-WELL	
	PROTO TOOLS	7330S
186536	SOCKET IMPACT 13/16" DEEP-WELL	
	SOCKET IMPACT 13/16" DEEP-WELL	
	PROTO TOOLS	7326S
186544	SOCKET IMPACT 11/16" DEEP-WELL	
	SOCKET IMPACT 11/16" DEEP-WELL	
	PROTO TOOLS	7322S
186551	SOCKET IMPACT 7/8" DEEP-WELL 8	
	SOCKET IMPACT 7/8" DEEP-WELL 8	

	PROTO TOOLS	7328S
186569	SOCKET IMPACT 1" DEEP-WELL 8 P SOCKET IMPACT 1" DEEP-WELL 8 P PROTO TOOLS	7332S
186577	SOCKET IMPACT 11/16" DEEP-WELL SOCKET IMPACT 11/16" DEEP-WELL PROTO TOOLS	7322
186585	SOCKET IMPACT 7/8" DEEP-WELL 1 SOCKET IMPACT 7/8" DEEP-WELL 1 PROTO TOOLS	7328
186593	SOCKET IMPACT 1" DEEP-WELL 12 SOCKET IMPACT 1" DEEP-WELL 12 PROTO TOOLS	7332
186601	SOCKET IMPACT 1-5/16" DEEP-WEL SOCKET IMPACT 1-5/16" DEEP-WEL PROTO TOOLS	7342
186619	SOCKET IMPACT 1/2" DEEP-WELL 6 SOCKET IMPACT 1/2" DEEP-WELL 6 PROTO TOOLS	7716H
186627	SOCKET IMPACT 9/16" DEEP-WELL SOCKET IMPACT 9/16" DEEP-WELL PROTO TOOLS	7718H
186635	SOCKET IMPACT 11/16" DEEP-WELL SOCKET IMPACT 11/16" DEEP-WELL PROTO TOOLS	7722H
186643	SOCKET IMPACT 3/4" DEEP-WELL 6 SOCKET IMPACT 3/4" DEEP-WELL 6 PROTO TOOLS	7724H
186650	SOCKET STD DEEP 3/8" 6-POINT SOCKET STANDARD 3/8" DEEP-WELL PROTO TOOLS	5312H
186668	SOCKET STANDARD 7/16" DEEP-WEL SOCKET STANDARD 7/16" DEEP-WEL PROTO TOOLS	5314H
186676	SOCKET STANDARD 9/16" DEEP-WEL SOCKET STANDARD 9/16" DEEP-WEL PROTO TOOLS	5318H
186684	SOCKET STANDARD 13/16" DEEP-WE SOCKET STANDARD 13/16" DEEP-WE PROTO TOOLS	5326H
186692	SOCKET STANDARD 1-1/4" DEEP-WE SOCKET STANDARD 1-1/4" DEEP-WE PROTO TOOLS	5340H

186700	SOCKET STANDARD 1-7/16" DEEP-W	
	SOCKET STANDARD 1-7/16" DEEP-W	
	PROTO TOOLS	5346H
186726	JUNCTION MODULE 3-WAY FOR AUTO	
	JUNCTION MODULE 3-WAY FOR AUTO TRANSFER JUNCTION MODULE 3-WAY FOR AUTO TRANSFER MCGRAW EDISON/COOPER ONLY ,	
	COOPER POWER SYSTEMS	KNC207PA
186734	ADAPTER CABLE LEAD "FOR AUTO T	
	ADAPTER CABLE LEAD "FOR AUTO T	
	ELASTIMOLD	1601CL-GA10AX
186742	POLE CAST 14'-6" ER	
	POLE 14'-6" CAST IRON POLE, 20" DIA BASE, BLACK PAINTED FINISH, 3" X 9" TENON, 15" BOLT CIRCLE DIAMETER, WASHINGTON SERIES CAST ALUMINUM CROSSARM WITH 2-3" OD TENONS FOR LUMINAIRE MOUNTING, BLACK PAI 125V GROUND FAULT CIRCUIT INTERRUPTER	
	ANTIQUE STREET LIGHTS	PI C20 15 ANBK FG-S WTA28ANBK
	HOLOPHANE	ZC1520CIBKHWTACA/BKHFGIUS-SBKH
186759	KIT, PETROLEUM SPILL PACK	
	KIT, PETROLEUM SPILL PACK	
	SCOTCH 3M CO.	P-SKFL5
186775	CLEANER, HIGH VOLTAGE	
	CLEANER, HIGH VOLTAGE	
	CHEMSEARCH	VOLTZ
186791	FUSE, REFILL 50 AMP	
	FUSE, REFILL 50 AMP	
	S & C ELECTRIC CO	122075R4
186833	FUSE, REFILL 3 AMP	
	FUSE, REFILL 3 AMP	
	S & C ELECTRIC CO	122005R4
186841	FUSE, REFILL 7 AMP	
	FUSE, REFILL 7 AMP	
	S & C ELECTRIC CO	122010R4
186866	FUSE, REFILL 20 AMP	
	FUSE, REFILL 20 AMP	
	S & C ELECTRIC CO	122030R4
186874	FUSE, REFILL 25 AMP	
	FUSE, REFILL 25 AMP	
	S & C ELECTRIC CO	122040R4
186882	FUSE, REFILL 30 AMP	
	FUSE, REFILL 30 AMP	
	S & C ELECTRIC CO	122050R4
186890	FUSE, REFILL 65 AMP	
	FUSE, REFILL 65 AMP	
	S & C ELECTRIC CO	122100R4
186908	FUSE, REFILL 80 AMP	

	FUSE, REFILL 80 AMP	
	S & C ELECTRIC CO	122125R4
186916	FUSE, REFILL 100 AMP	
	FUSE, REFILL 100 AMP	
	S & C ELECTRIC CO	122150R4
186924	FUSE, REFILL 125 AMP	
	FUSE, REFILL 125 AMP	
	S & C ELECTRIC CO	122200R4
186932	FUSE, REFILL 150 AMP	
	FUSE, REFILL 150 AMP	
	S & C ELECTRIC CO	122250R4
186940	FUSE, REFILL 200 AMP	
	FUSE, REFILL 200 AMP	
	S & C ELECTRIC CO	122300R4
186957	FUSE, REFILL 13 AMP	
	FUSE, REFILL 13 AMP	
	S & C ELECTRIC CO	122020R4
186965	BRUSH, WIRE CABLE, C SHAPE	
	BRUSH, WIRE CABLE, C SHAPE	
	UTILCO	WC
186973	RACK CABLE PLASTIC	
	RACK, PLASTIC	
	UNDERGROUND DEVICES	GILCR36
186981	ARM CABLE PLASTIC	
	ARM, PLASTIC	
	UNDERGROUND DEVICES	GILRA08
186999	POLE, ALUMINUM 18 FT OVERALL H	
	POLE, ALUMINUM 18 FT OVERALL H	
	HAPCO (HUBBARD ALUM PROD CO.)	75-006-P1 DRAWING # A85093
	UNION METAL MANUFACTURING CO.	125-0430-160F-BLK
187005	DECAL WARNING LABEL, HAZARDOUS	
	DECAL WARNING LABEL, HAZARDOUS	
	UTICOM SYSTEMS INC	U2547-KUB1
187013	POLE CONCRETE 65 FT CLASS-2 EQ	
	POLE, 65 FT CLASS-2 WOOD EQUIVALENT, CENTRIFUGALLY CAST PRESTRESSED CONCRETE TAPERED, HOLLOW CIRCULAR CROSS-SECTION MIN COMPRESSIVE STRENGTH 12,000 LBS EQUIPPED WITH SIXTY-NINE (69) 3/4 IN HOLES, EXTERNAL GROUND CLIPS AT 10	
187021	SLING TRANSFORMER 5/8	
	SLING TRANSFORMER 5/8	
	WELLINGTON-PURITAN	S0191L0048
187039	HARNESS BODY SMALL **N.S.**	
	HARNESS BODY SMALL **N.S.**	
	BUCKINGHAM MFG	603S8C710N8V9-SMALL

187054 COVER POLE ACCESS OVAL SUR-LOK
COVER POLE ACCESS HANDHOLE REPLACEMENT OVAL SHAPED SUR-LOK HIGH IMPACT ABS PLASTIC MOLDED UNIVERSAL FIT NON CONDUCTIVE VANDAL PROOF FOR STREET LIGHTING/TRAFFIC POLE

187062 COVER POLE ACCESS LARGE SUR-LO
COVER POLE ACCESS HANDHOLE/REPLACEMENT LARGE RECTANGULAR SHAPED SUR-LOK HIGH IMPACT ABS PLASTIC MOLDED UNIVERSAL FIT NON CONDUCTIVE VANDAL PROOF FOR STREET LIGHTING/TRAFFIC POLE

187088 BLOCK RESCUE
RESCUE BLOCK
HASTINGS FIBERGLASS PROD. INC. 06-165

187096 SWITCH HANGER BRACKET
SWITCH HANGER BRACKET
CHANCE A B CO C2060283

187104 POLYETHYLENE BLACK 10' X 100'
POLYETHYLENE BLACK 10'X100'
SUNBELT PLASTICS N/A

187112 TIE CABLE EXTRA HEAVY DUTY 48"
TIE CABLE EXTRA HEAVY DUTY 48" LONG BLACK ZIP TIES FOR SECURING LOCK OUT TAG ON UTILITY POLES--PER SAFETY TEAM-- 3M CABLE TIES PART NUMBER 53187 STOCKING REQUIREMENT - 5 UNITS
SCOTCH 3M CO. 53187

187120 E-85 ETHANOL / UNLEADED GASOLI
E-85 ETHANOL / UNLEADED GASOLINE BLEND

187138 CONNECTOR BOLTED WEDGE 397 TO
BOLTED WEDGE CONNECTOR 397 TO 397
CONNECTOR PRODUCTS, INC 336718

187146 CONNECTOR BOLTED WEDGE 4/0 TO
CONNECTOR BOLTED WEDGE 4/0 TO 4/0
CONNECTOR PRODUCTS, INC 262115

187153 CONNECTOR BOLTED WEDGE 1/0 TO
CONNECTOR BOLTED WEDGE 1/0 TO 1/0
CONNECTOR PRODUCTS, INC 210106

187161 GLASSES SAFETY W/ DARK LENS
GLASSES SAFETY DARK LENS, MUST MEET ANSI Z87+ EYEWEAR REQUIRMENTS, MEET CSA Z94.3 EYEWEAR REQUIREMENTS, MEET MIL VO BALLISTIC TEST FOR IMPACT
UVEX SAFETY S3205X GENESIS

187179 GLASSES SAFETY CLEAR LENS
GLASSES SAFETY CLEAR LENS, MUST MEET ANSI Z87+ EYEWEAR REQUIRMENTS, MEET CSA Z94.3 EYEWEAR REQUIREMENTS, MEET MIL VO BALLISTIC TEST FOR
UVEX SAFETY S3200X GENESIS

187187 LUMINAIRE, ACORN STYLE 100 W.
LUMINAIRE, 100 W. HPS, ACORN STYLE, CWA MULTI-TAP BALLAST WIRED FOR 120 VOLTS, TYPE 3 DISTRIBUTION, INTERNAL NEMA TWIST-LOCK PE RECEPTACLE, FITS 3" O.D. POLE TENON, TERMINAL BLOCK, ARCHITECTURAL FINIAL, UV RESISTANT ACRYLIC GLOBE, BLACK POLYESTER POWDER

	COOPER LIGHTING	ACN10SWW33X134 (ACORN)

187237 TAG ELECTRIC "KEEP THIS DEVICE
TAGS ELECTRIC "KEEP THIS DEVICE OPEN DANGER MEN WORKING ON LINE" SHALL BE MADE OF REFLECTIVE PLASTIC, SIZE 4-1/4" X 5-1/2", REFLECTIVE TAG WITH GROMMET, KUB LOGO

187245 HOIST LINEMAN-STRAP 3/4TON
HOIST, LINEMAN'S STRAP 3/4 TON, SHALL MEET ANSI STANDARD B-30.21

HASTINGS FIBERGLASS PROD. INC.	E 153-10

187252 FORM BILL FINAL-NOTICE
FORM BILL LASER "FINAL NOTICE" 8 1/2" X 11" 24# WHITE LASER PAPER WITHMICRO PERF 3 1/2" FROM BOTTOM (MUST BE PRECISE ON PERF). ART WORK FOR LOGOS WILL BE FURNISHED. PRINTS DUPLEX-FRONT AND BACK. TO BE WRAPPED IN MOISTURE RESISTANCE PAPER (NOT SHRINK

187260 FORM BILL CASH-ONLY
FORM BILL LASER "CASH ONLY" 8 1/2" X 11" 24# WHITE LASER PAPER WITH MICRO PERF 3 1/2" FROM BOTTOM (MUST BE PRECISE ON PERF). ART WORK FOR LOGOS WILL BE FURNISHED. PRINTS DUPLEX-FRONT AND BACK. TO BE WRAPPED IN MOISTURE RESISTANCE PAPER

187278 FORM BILL LASER "CASH ONLY FIN
FORM BILL LASER "CASH ONLY FINAL" 8 1/2" X 11" 24# WHITE LASER PAPER WITH MICRO PERF 3 1/2" FROM BOTTOM (MUST BE PRECISE ON PERF). ART WORK FOR LOGOS WILL BE FURNISHED. PRINTS DUPLEX-FRONT AND BACK. TO BE WRAPPED IN MOISTURE RESISTANCE PAPER

187286 RISER 12" FOR PULLBOX
RISER 12" FOR PULLBOX

QUAZITE CORPORATION	PG3660EA12

187294 4" DUCT PLUGS
4" DUCT PLUGS

CARLON	P258NT

187302 3" DUCT PLUGS
3" DUCT PLUGS

CARLON	P258LT

187310 2" DUCT PLUGS
2" DUCT PLUGS

CARLON	P258JT

187328 3 PHASE 15KV 200A NETWORK SUBM
3 PHASE 15KV 200A NETWORK SUBMERSIBLE MVI WITH REMOTE OPEN-CLOSE

ELASTIMOLD	MV13-21-15-22-20-MO120A

187336 FAULT INDICATOR, NAVIGATOR FCI
FAULT INDICATOR, NAVIGATOR FCI , 41-2001-301 DUEL RESET, LOAD MEMORY

187344 DECORATIVE LIGHT ACORN/WASHING
LUMINAIRE, 100 W. HPS, ACORN/WASHINGTON STYLE, DARK SKY COMPLIANT, CWA MULTI-TAP BALLAST WIRED FOR 120 VOLTS, TYPE 3 DISTRIBUTION, INTERNAL NEMA TWIST-LOCK PE RECEPTACLE, FITS 3" O.D. POLE TENON, TERMINAL BLOCK, ARCHITECTURAL FINIAL, UV RESISTANT ACRYLIC

COOPER LIGHTING	ACN10SWW3CX634

187351 DECORATIVE LIGHTS CASCADE, DAR
LUMINAIRE, 100 W. HPS, CASCADE STYLE, DARK SKY COMPLIANT, CWA MULTI-TAP BALLAST WIRED FOR 120 VOLTS, TYPE 3 DISTRIBUTION, INTERNAL NEMA TWIST-LOCK PE RECEPTACLE, FITS 3" O.D. POLE TENON, TERMINAL BLOCK, ARCHITECTURAL FINIAL, UV RESISTANT ACRYLIC
COOPER LIGHTING CBS10SWW3C7834

187369 DECORATIVE LIGHT TRADITIONAL,
LUMINAIRE, 100 W. HPS, TRADITIONAL STYLE, DARK SKY COMPLIANT, CWA MULTI-TAP BALLAST WIRED FOR 120 VOLTS, TYPE 3 DISTRIBUTION, INTERNAL NEMA TWIST-LOCK PE RECEPTACLE, FITS 3" O.D. POLE TENON, TERMINAL BLOCK, ARCHITECTURAL FINIAL, UV RESISTANT ACRYLIC
COOPER LIGHTING UTR10SWW33HS4

187377 DECORATIVE LIGHTS WOODBRIDGE,
LUMINAIRE, 100 W. HPS, WOODBRIDGE STYLE, DARK SKY COMPLIANT, CWA MULTI-TAP BALLAST WIRED FOR 120 VOLTS, TYPE 3 DISTRIBUTION, INTERNAL NEMA TWIST-LOCK PE RECEPTACLE, FITS 3" O.D. POLE TENON, TERMINAL BLOCK, ARCHITECTURAL FINIAL, UV RESISTANT ACRYLIC
COOPER LIGHTING MPW10SWW33BKS4

187385 DECORATIVE POLE 14' EMBEDDED
DECORATIVE POLE 14' EMBEDDED SMOOTH TAPERED ALUMINUM, PAINTED BLACK , OVERALL LENGTH 18'
HAPCO (HUBBARD ALUM PROD CO.) 85093P1

187393 DECORATIVE POLE 14' MH EMBEDDE
DECORATIVE POLE 14' MH EMBEDDED FLUTED STRAIGHT ALUMINUM, PAINTED BLACK, OVERALL LENGTH 18'
HAPCO (HUBBARD ALUM PROD CO.) 87726P1

187401 DECORATIVE POLE 14' MH ANCHOR
DECORATIVE POLE 14' MH ANCHOR BASE SMOOTH TAPERED ALUMINUM PAINTED BLACK, OVERALL LENGTH 14'
HAPCO (HUBBARD ALUM PROD CO.) 87731P1

187419 DECORATIVE POLE 14' MH ANCHOR
DECORATIVE POLE 14' MH ANCHOR BASE FLUTED STRAIGHT ALUMINUM, PAINTED BLACK, OVERALL LENGTH 14'
HAPCO (HUBBARD ALUM PROD CO.) 87730P1

187443 CROSSARM FBGL DEADEND 8'
CROSSARM FGLS DEADEND 8 FT STANDARD CROSSARM, FURNISHED COMPLETE WITH CAST IRON (PER ASTM A-153) CENTER MOUNTING BRACKET TO HAVE 12 IN VERTICAL SPACING FOR 3/4 IN BOLTS. CROSSARM MEMBER IS 4 IN X 6 IN TUBE (WITH HIGH-DENSITY FOAM FILLING) WITH UV
MACLEAN POWER SYSTEMS PY08SD003-2E-SM

187450 CROSSARM FBGL DEADEND 10'
CROSSARM FGLS DEADEND 10T STANDARE CROSSARM, FURNISHED COMPLETE WITH CAST IRON (PER ASTM A-153) CENTER MOUNTING BRACKET TO HAVE 12 IN VERTICAL SPACING FOR 3/4 IN BOLTS.
MACLEAN POWER SYSTEMS PY10SD005-2E-SM

187476 WIRE CU-STEEL 7-10AWG 40% COND
WIRE CU-STEEL 7-10AWG 40% CONDUCTIVITY, WIRE, GROUNDING, COPPER-COATED-STEEL, BARE, DEAD SOFT ANNEALED, 7-STRANDS OF #10 AWG, 0.306 INCH O.D., 40% CONDUCTIVITY, 200 AMPS RATING, TO FURNISHED ON 50 LB. SPOOLS

187484 WIRE CU-STEEL 6 AWG 40% CONDUC

WIRE CU-STEEL 6 AWG 40% CONDUCTIVITY, WIRE, GROUNDING, COPPER-COATED-STEEL, BARE, DEAD SOFT ANNEALED, SOLID, #6AWG, 0.162 INCH O.D., 40% CONDUCTIVITY, 100 AMPS RATING, TO BE FURNISHED ON 50 LB. SPOOLS

187492 CIRCUIT BREAKER, 15.5KV 1200A,
CIRCUIT BREAKER, 15.5KV 1200A,OUTDOOR, VACUUM, THREE PHASE PER KUB SPECIFICATION K99-246 R11 DATED 10-5-2007

187500 LEATHER RED LINED MEDIUM GLOVE
LEATHER RED LINED MEDIUM GLOVE
PROTECTIVE INDUSTRIAL PRODUCTS 77228M

187518 LEATHER RED LINED LARGE GLOVE
LEATHER RED LINED LARGE GLOVE
PROTECTIVE INDUSTRIAL PRODUCTS 77228L

187526 LEATHER RED LINED XL GLOVE
LEATHER RED LINED XL GLOVE
PROTECTIVE INDUSTRIAL PRODUCTS 77228XL

187559 ELBOWS EPOXY 6" 90-DEGREE FIBE
ELBOWS EPOXY 6" 90-DEGREE FIBERGLASS REINFORCED FOR CABLE RISER POLE (BELOW AND ABOVE GROUND) APPLICATIONS, 48" BENDING RADIUS, HEAVY WALL THICKNEWW, EQUIPPED WITH PVC COUPLING BONDED ON EACH END, 6.60" OUTSIDE DIAMETER, 12.67 LBS. NET WEIGHT
CHAMPION FIBERGLASS 60C-HW-93-2D

187575 3M PETROLEUM SORBENT SHEET (20
3M PETROLEUM SORBENT SHEET (200/CASE)

187583 SPC OIL SOCS (12/CASE)
SPC OIL SOCS (12/CASE)

187592 ELBOWS EPOXY 4" 90-DEGREE FIBE
ELBOWS EPOXY 4" 90-DEGREE FIBERGLASS REINFORCED FOR CABLE RISER POLE (BELOW AND ABOVE GROUND) APPLICATIONS, 36" BENDING RADIUS, HEAVY WALL THICKNESS, EQUIPPED IWTH PVC COUPLING BONDED ON EACH END, 4.51" OUTSIDE DIAMETER, 5.50 LBS. NET WEIGHT
CHAMPION FIBERGLASS 40C-HW-92-2D

187609 PROTECTOR NW 480/277V 4500A NE
PROTECTOR NW 480/277V 4500A NEW

187617 PROTECTOR NW 480/277V 4500A RE
PROTECTOR NW 480/277V 4500A REMAN

187625 PROTECTOR NW 480/277V 2500A NE
PROTECTOR NW 480/277V 2500A NEW

187633 PROTECTOR NW 480/277V 2500A RE
PROTECTOR NW 480/277V 2500A REMAN

187641 PROTECTOR NW 480/277V 1875A NE
PROTECTOR NW 480/277V 1875A NEW

187658 PROTECTOR NW 480/277V 1875A RE
PROTECTOR NW 480/277V 1875A REMAN

187666 PROTECTOR NW 480/277V 1200A NE
PROTECTOR NW 480/277V 1200A NEW

187674 PROTECTOR NW 480/277V 1200A RE
PROTECTOR NW 480/277V 1200A REMAN

187682 PROTECTOR NW 480/277V 800A NEW
PROTECTOR NW 480/277V 800A NEW

187690 PROTECTOR NW 480/277V 800A REM
PROTECTOR NW 480/277V 800A REMAN

187708 PROTECTOR NW 208/120V 2825A NE
PROTECTOR NW 208/120V 2825A NEW

187716 PROTECTOR NW 208/120V 2825A R
PROTECTOR NW 208/120V 2825A REMAN

187724 PROTECTOR NW 208/120V 1875A NE
PROTECTOR NW 208/120V 1875A NEW

187732 PROCTECTOR NW 208/120V 1875A R
PROCTECTOR NW 208/120V 1875A REMAN

187740 POLE WOOD 35' CLASS 5 DISTR
POLE WOOD 35' CLASS 5 DISTR 209 CONS POLE, 35 FT CLASS 5 PRESSURE TREATED SOUTHERN YELLOW PINE, PENTA OR CCA TREATED, FOR USE AS SUPPORTING STRUCTURE S FOR ELECTRICAL DISTRIBUTION LINES.

187757 VEST SAFETY MEDIUM HI-VIS MCR
VEST SAFETY MEDIUM LIME-GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTMD6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST AND BACK. 4 1/2" ORANGE STRIP TO RUN
RIVER CITY PROTECTIVE WCCL2LFR MEDIUM

187765 VEST SAFETY LARGE HI-VIS MCR C
VEST SAFETY LARGE LIME GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST AND BACK
RIVER CITY PROTECTIVE WCCL2LFR LARGE

187773 VEST SAFETY X-LARGE HI-VIS MCR
VEST SAFETY X-LARGE LIME GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST
RIVER CITY PROTECTIVE WCCL2LFR X-LARGE

187781 VEST SAFETY 2X-LARGE HI-VIS MC
VEST SAFETY LARGE LIME-GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST AND BACK
RIVER CITY PROTECTIVE WCCL2LFR 2X-LARGE

187799 VEST SAFETY 3X-LARGE HI-VIS MC
VEST SAFETY LARGE LIME-GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST AND BACK
RIVER CITY PROTECTIVE WCCL2LFR 3X-LARGE

187807 VEST SAFETY 4X-LARGE HI-VIS MC
VEST SAFETY 4X-LARGE LIME GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST
RIVER CITY PROTECTIVE WCCL2LFR 4X-LARGE

187815 POLE, ALUM, 50' , UNIVERSAL
POLE, ALUM, 50' , UNIVERSAL FOR USE WITH UP TO 15' ARM OR TENON TOP, MAY BE USED WITH OR W/O TRANSFORMER BASE, CONSTRUCT PER HAPCO DRAWING B
HAPCO (HUBBARD ALUM PROD CO.) 15268-050

187823 POLE, ALUM, 45' , UNIVERSAL
POLE, ALUM, 45', UNIVERSAL FOR USE WITH UP TO 15' ARM OR TENON TOP, MAY BE USED WITH OR W/O TRANSFORMER BASE, CONSTRUCT PER HAPCO DRAWING B 15268
HAPCO (HUBBARD ALUM PROD CO.) 15268-045

187831 POLE, ALUM, 40', UNIVERSAL
POLE, ALUM, 40', UNIVERSAL FOR USE WITH UP TO 15' ARM OR TENON TOP, MAY BE USED WITH OR W/O TRANSFORMER BASE, CONSTRUCT PER HAPCO DRAWING
HAPCO (HUBBARD ALUM PROD CO.) 15268-040

187849 TENON ASSY FOR UNIVERSAL POLES
TENON ASSEMBLY, 2' DIA. X 4.25" LONG TENON, FOR SLIP FIT ON UNIVERSAL POLES, WITH (4) 3-1/2"-13NC X 1/2" LONG SS SOCKET TYPE CUP POINT SET SCREWS, CONSTRUCT PER HAPCO DRAWING A13393
HAPCO (HUBBARD ALUM PROD CO.)

187856 "T" BASE FOR UNIVERSAL POLES
"T" BASE FOR UNIVERSAL POLES TRANSFORMER BASE, TOP BC: 10.5" TO 13.3".. BOTTON BC: 13" TO 15". FOR USE WITH HAPCO SERIES 15268-40' , -45, & -50' UNIVERSAL POLES. HAPCO DRAWING A70501
HAPCO (HUBBARD ALUM PROD CO.)

187864 "T" BASE CONNECTING HARDWARE
"T" BASE CONNECTING HARDWARE FOR "T" BASE A70501 HAPCO DRAWING A76341
HAPCO (HUBBARD ALUM PROD CO.)

187898 CONN 1-BOLT PG CU 2/0-8 & 2/0-
CONN 1-BOLT PG CU 2/0-8 & 2/0-8 CIONNECTOR, UPLATED BRONZE, 1-BOLT PARALLEL-GROOVE TYPE, WITH EITHER GROOVE TO ACCOMODATE #2/0- STRANDED (MAX.) TO

#8AWG-SOLID (MIN) COPPER OR COPPERWELD BARE WIRE.
BLACKBURN K3

187906 PANEL CONTROL LTG 240V W/ HARD
PANEL CONTROL LIGHTING 240V SCHAEFER # SPLRHCSS-303012-PD W/PAD-LOCKABLE HANDLE & SCHAEFER #SPP-3630 SUBPANEL & SCHAEFER #R0200400 HANDLE & (2) JOSLYN #Z2-480-0A SURGE SUPPRESSORS & (4) JOSLYN-CLARK #DP5C602-120 60-AMP CONTACTOR

187914 PANEL CONTROL LTG 480V WITH HA
PANEL CONTROL LIGHTING 480V SCHAEFER #SPLRHCSS-303012-PD W/PAD-LACKABLE HANDLE & SCHAEFER #SPP-3630 SUBPANEL & SCHAEFER #R020-400 HANDLE & SIEMENS #MT0250A TRANSFORMER & SIEMENS #KCCFPX24 PRIMARY FUSE

187930 GLASSES SAFETY AMBER LENS
GLASSES SAFETY AMBER LENS, ULTRA-LIGHTWEIGHT FRAME FOR EXTENDED WEAR SEI CERTIFIED-ANSIZ87.1-2003 (HIGH IMPACT)
VERATTI 04328334

187948 CLOR-N-OIL 50 PCB SCREENING KI
CLOR-N-OIL 50 PCB SCREENING KIT TEST KITS ARE USED TO PROVIDE SPOT CHECKS OF TRANSFORMER OIL DURING EMERGENCY RESPONSES AND TRAINING (10 EACH PER BOX)

187955 266 ACSR ALUMINUM WIRE WAX WIN
266 ACSR ALUMINUM WIRE WAX WING

187963 RED BI-POLAR LED LAMP 24E
RED BI-POLAR LED LAMP 243 TYPE, DDP CATALOG NO. 24LS4-R1. REPLACEMENT LAMP FOR WESTINGHOUSE 125 VDC MINALITE WITH 3200 OHM RESISTOR, SEE DDP DRAWING NO. 503050 RA FOR DETAILS.

187971 GREEN BI-POLAR LED LAMP 24E
GREEN BI-POLAR LED LAMP 24E TYPE, DDP CATALOG NO 24LS4-G1. REPLACEMENT LAMP FOR WESTINGHOUSE 125 VDC MINALITE WITH 3200 OHM RESISTOR. SEE DDP DRAWING NO 503050 FA FOR DETAILS.

187989 WHITE BI-POLAR LED LAMP 24E
WHITE BI-POLAR LED LAMP 24E TYPE, DDP CATALOG NO. 24LS4-W1. REPLACEMENT LAMP FOR WESTINGHOUSE 125 VDC MINALITE WITH 3200 OHM RESISTOR. SEE DDP DRAWING NO. 503050 RA FOR DETAILS.

187997 BLUE BI-POLAR LED LAMP 24E
BLUE BI-POLAR LED LAMP 24E TYPE, DDP CATALOG NO. 24LS4-B1. REPLACEMENT LAMP FOR WESTINGHOUSE 125 VDC MINALITE WITH 3200 OHM RESISTOR. SEE DRAWING NO. 503050 RA FOR DETAILS.

188003 BOX UG H-D LIGHTING 12 X 12 X
BOX, OPEN-BOTTOM, HEAVY-DUTY, FIBERGLASS AND/OR RESIN AND/OR POLYMER CONCRETE, 12 X 12 X 12, W/ LID RATED 15,000 LBS & MINIMUM FALURE AT 22,568 LBS. BOX AND LID SHALL BE FULLY TESTED & RATED "TIER-15" IN ACCORDANCE WITH ANSI/SCTE77 2007 "SPECIFICATION
HIGHLINE PRODUCTS CORP. PHA121212S
QUAZITE CORPORATION PC1212BA (BOX) PC1212HA00 (LID)

188011 CONDUIT PVC 6" SCH 80
CONDUIT PVC 6" SCH 80
CANTEX CO A53GA12
CARLON 49417-010

188029 COUPLING CND PVC 6" SCH80
COUPLING CND PVC 6" SCH80

	CANTEX CO	6141634
	CARLON	E940R

188037 BEND CND PVC SCH80 6" 90-DEG 4
BEND CND PVC SCH80 6" 90-DEG 48R

CANTEX CO	5121026
CARLON	UB9HR

188045 BEND CND PVC SCH 80 6" 45-DEG
BEND CND PVC SCH 80 6" 45-DEG 48R

CANTEX CO	5119830
CARLON	UB9HR

188052 ADAPTER CND PVC 6" FEMALE
ADAPTER CND PVC 6" FEMALE

CANTEX CO	5140054
CARLON	E924R

188060 STRAP PIPE 2 HL PLATED 6" PIPE
STRAP PIPE 2 HL PLATED 6" PIPE

188078 SPACER INTER FOR 6" PVC 9" ON
SPACER INTR FOR 6" PVC 9" ON CTR SPACER, INTERMEDIATE, PLASTIC, INTERLOCK ING (HORIZONTAL AND VERTICAL), SINGLE, FOR USE WITH 6 INCH SCH 80 PVC CONDUIT INSTALLED WITH 3 INCH SEPARATION.

188086 SPACER BASE FOR 6" PVC 9" ON C
SPACER BASE FOR 6" PVC 9" ON CTR SPACER, BASE, PLASTIC, INTERLOCKING, (HORIZONTAL AND VERTICAL), SINGLE, FOR USE WITH 6 INCH SCH 80 PVC CONDUIT INSTALLED WITH 3 INCH SEPARATION.

188102 BEND CONDUIT PVC6" 90-D 48R SC
BEND CONDUIT PVC 6" 90-D 48R SCH 80 BEND, CONDUIT, PVC, SCHEDULE 80, 90 DEGREE, 6 INCH, 48 INCH RADIUS, FOR DIRECT BURIAL USE WITH SCHEDULE 80 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD #TC8, LATEST REVISION.

188110 BEND CND PVC-80 6" 45-DEG 48R
BEND, CONDUIT, PVC, SCHEDULE 80, 45 DEGR EE, 6 INCH, 48 INCH RADIUS, FOR DIRECT BURIAL USE WITH SCHEDULE 80 & SCHEDULE 40 CONDUIT. BEND SHALL CONFORM TO NEMA STANDARD LATEST REVISION.

188169 COUPLING PVC-HDPE 6"
COUPLING PVC-HDPE 6"

188177 COUPLING DUCT HDPE 6"
COUPLING DUCT HDPE 6"

188185 GRIP CABLE FOR 6" CND 3-750MCM
GRIP CABLE FOR 6" CND 3-750MCM

188193 KIT ADAPTER CABLE #3/0 CU/COMP
KIT ADAPTER CABLE FOR #3/0 AWG ALUMINUM OR COPPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW

ELASTIMOLD	655CK-G0260
RICHARDS MANUFACTURING	P725SK1G11

188201 KIT ADAPTER CABLE #350 CU/CMPT

KIT ADAPTER CABLE FOR #350MCM ALUMINUM OR COPPER COMPACT CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW

ELASTIMOLD	655CK-J0290
RICHARDS MANUFACTURING	P725SK1J14

188219 KIT ADAPTER CABLE #4/0 CU/COMP

KIT ADAPTER CABLE FOR #4/0 AWG ALUMINUM OR COPPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW

ELASTIMOLD	655CK-H0270
RICHARDS MANUFACTURING	P725SK1H12

188227 KIT ADAPTER CABLE #500 CU/CMPT

KIT ADAPTER CABLE FOR #500MCM ALUMINUM OR COPPER COMPACT CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW

ELASTIMOLD	655CK-K0320
RICHARDS MANUFACTURING	P725SK1K17

188235 KIT ADAPTER CABLE #500 CU/COMP

KIT ADAPTER CABLE FOR #500 MCM ALUMINUM OR COPPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW

COOPER POWER SYSTEMS	CCA625FC21T
ELASTIMOLD	655CK-K0330
RICHARDS MANUFACTURING	P725SK1K18

188243 KIT ADAPTER CABLE #750 CU/CMPT

KIT ADAPTER CABLE FOR #750 MCM ALUMINUM OR COPPER COMPACT CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW

ELASTIMOLD	655CK-L0360
RICHARDS MANUFACTURING	P925SK1L21

188250 KIT ADAPTER CABLE #750 CU/COMP

KIT ADAPTER CABLE FOR #750 MCM ALUMINUM OR COPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER=TOP FOR USE WITH 15KV 600A ELBOW

COOPER POWER SYSTEMS	CCA625HC25T
ELASTIMOLD	655CK-LM0380
RICHARDS MANUFACTURING	P725SK1LM23

188268 KIT ADAPTER CABLE #1/0 CU/COMP

KIT ADAPTER CABLE FOR #1/0 AWG ALUMINUM OR COPPER COMPRESSED STRANDED CONDUCTOR WITH CONNECTOR COMPRESSION 15/16 IN. THREADED COPPER-TOP FOR USE WITH 15KV 600A ELBOW

ELASTIMOLD	655CK-F0240
RICHARDS MANUFACTURING	P725SK1F9

188276 BOX UG H-D SERVICE 17 X 30 X 1

BOX, OPEN-BOTTOM HEAVY-DUTY, FIBERGLASS AND/OR RESIN AND/OR POLYMER CONCRETE, 17X30X18, W/LID RATED 15,000 LBS & MINIMUM FAILURE AT 22,568 LBS. BOX & LID SHALL BE FULLY TESTED & RATED "TEIR-15" IN ACCORDANCE WITH ANSI/SCTE 77 2007" SPECIFICATION

CDR SYSTEMS CORPORATION	PA12-1730-18
HIGHLINE PRODUCTS CORP.	PHA173018S
QUAZITE CORPORATION	PG1730BA18 (BOX) PG1730HH00 (LID)

188284 BOX UG H-D CA- PULL 36 X 60 X

BOX UG H-D CA- PULL 36 X 60 X 48 BOX, OPEN-BOTTOM, HEAVY-DUTY, FIBERGLASS AND/OR RESIN AND/OR POLYMER CONCRETE, 36 X60 X 48D, W/ LID TATED 15,000 LBS

& MINIMUM FAILURE AT 22,568 LBS. BOX & LID SHALL BE FULLY TESTED & RATED
CDR SYSTEMS CORPORATION PQ12-3660-48
HIGHLINE PRODUCTS CORP. CVA366048S
QUAZITE CORPORATION PG3660BA24 (2 REQD. FOR BOX) & PG3660HH00 (LID)

188292 BOX UG CA-PULL 48 X 96 X 48
BOX UG CA-PULL 48 X 96 X 48 BOX, OPEN-BOTTOM, HEAVY-DUTY, FIBERGLASS AND/OR RESIN AND/OR POLYMER CONCRETE, 48 X 96 X 48D, WI/ LID RATED 15,000 LBS & MINIMUM FAILURE AT 22,568 LBS. BOX & LID SHALL BE FULLY TESTED & RATED "TIER-
CDR SYSTEMS CORPORATION PQ12-4896-48
HIGHLINE PRODUCTS CORP. CVA489648S
QUAZITE CORPORATION PG4896BA48 (BOX) PG4896HH00 (LID)

188300 DUCT HDPE 6" RED SDR
DUCT HDPE 6" RED SDR 13.5 FOR BORES ER DUCT, ELEC.,6" DUCT HDPE 6" SDR13.5, HDPE RED #7C-150 87-92 W/UV STABILIZER TO WITHSTAND 24 MO EXPOSURE. INDENT PRINT MFG NAME, DUCT SIZE AND TYPE,SEQUENTIAL FOOTAGES DATE AND LOT# ON DUCT.DUCT SHALL MEET ASTM D3

188318 LUMINAIRE MTV SQ W/PC 250/400W
LUMINAIRE, SQUARE, 120-277V WIRED 120V, 250/400W WIRED 250W, FULL-CUTOFF, UL-LISTED, NEMA DECAL & NEMA TWISTLOCK PHOTO-CONTROL RECEPTACLE, PLUG-IN STARTER RECEPTACLE, EXTERNAL SLIP-FITTER, BLACK POWDER COAT PAINTED ONE-PIECE ALUMINUM HOUSING & DOOR FRAME
COOPER LIGHTING TRU24SWW3FU0075

188326 POWER TRAY REPL FOR TRIBUTE LT
POWER TRAY REPLACEMENT FOR COOPER "TRIBUTE" LUMINAIRE, 120-277V WIRED 120V, 250/400W WIRED 250W
COOPER LIGHTING TRU PT24SWWU0075

188334 POLE CONCRETE 45' CLASS-H
POLE CONCRETE 45' CLASS-H W/PREDRILLED HOLES & GROUND CLIPS, POLE ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN,12000 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT, PRE-DRILLED WITH (59)
STRESS CRETE PCC-45FT-H

188342 POLE CONCRETE 45' CLASS-J
POLE CONCRETE 45' CLASS J W/PREDRILLED HOLES & GROUND CLIPS. POLE,ROUND,TAPERED,STEEL-REINFORCED,CENTRIFUGALLY-SPUN, 12000 PSI PRE-STRESSED CONCRETE,HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT, PRE-DRILLED WITH (59)
STRESS CRETE PCC-45FT-J

188359 POLE CONCRETE 50' CLASS-H
POLE CONCRETE 50' CLASS-H W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT, PREDRILLED WITH (59)
STRESS CRETE PCC-50FT-H

188367 POLE CONCRETE 50' CLASS-J
POLE CONCRETE 50' CLASS-J W/ PRE-DRILLED HOLES & GROUND CLIPS, POLE ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRE-STRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT, PRE-DRILLED WITH
STRESS CRETE PCC-50FT-J

188375 POLE CONCRETE 80' CLASS-L
POLE CONCRETE 80' CLASS-L W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE

CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-80FT-L

188383 POLE CONCRETE 80' CLASS-N
POLE CONCRETE 80' CLASS-N W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPAD AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-80FT-N

188391 POLE CONCRETE 85' CLASS-L
POLE CONCRETE 85' CLASS-L W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTIN IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-85FT-L

188409 POLE CONCRETE 85' CLASS-N
POLE CONCRETE 85' CLASS-N W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTIN IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-85FT-N

188417 POLE CONCRETE 85' CLASS-P
POLE CONCRETE 85' CLASS-P W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED,STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-85FT-P

188425 POLE CONCRETE 90' CLASS-L
POLE CONCRETE 90' CLASS-L W/ PREDRILLED HOLES & FGOUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-90FT-L

188433 POLE CONCRETE 90' CLASS-N
POLE CONCRETE 90' CLASS-N W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 12000 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-90FT-N

188441 POLE CONCRETE 90' CLASS-O
POLE CONCRETE 90' CLASS-O W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-90FT-0

188458 POLE CONCRETE 90' CLASS-P
POLE CONCRETE 90' CLASS-P W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 1200 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-90FT-P

188466 POLE CONCRETE 95' CLASS-L
POLE CONCRETE 95' CLASS-L W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 12000 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE

CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-95FT-L

188474 POLE CONCRETE 95' CLASS-N
POLE CONCRETE 95' CLASS-N W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 12000 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-95FT-N

188482 POLE CONCRETE 95' CLASS-O
POLE CONCRETE 95' CLASS-O W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 12000 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-95FT-O

188490 POLE CONCRETE 100' CLASS-L
POLE CONCRETE 100' CLASS-L W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 12000 PSI PRESTRESSED CONCRETE, HOLLOWED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-100FT-L

188508 POLE CONCRETE 100' CLASS-M
POLE CONCRETE 100' CLASS-M W/ PREDRILLED HOLES & GROUND CLIPS, POLE, ROUND, TAPERED, STEEL-REINFORCED, CENTRIFUGALLY-SPUN, 12000 PSI PRESTRESSED CONCRETE, HOLLOED CIRCULAR CROSS-SECTION IN POLE CENTER, CAPPED AT TIP & PLUGGED AT BUTT,
STRESS CRETE PCC-100FT-M

188573 INSULATOR BRACE-POST ASSY 115K
INSULATOR, POLYMER BRACED POST, 115KV, COMPLETE ASSEMBLY CONSISTING OF HORIZONTAL LINE POST INSULATOR WITH GAIN BASE & 2-HOLE BLADE (DROP TONGUR) END FITTING (APPROX. 53.7" HORZ.), AND SUPENSION INSULATOR WITH EYE FITTING ON EACH END (APPROX. 72.8"
MACLEAN POWER SYSTEMS #B291054XL99B
OHIO BRASS CO. #234220 & 522008 & 511010 & AS-50

188581 INS PED POST 69KV 3" BC RPL C&
INSULATOR, PEDESTAL POST, 69KV, 3" BOLT-CIRCLE, PORCELAIN, TO REPLACE CAP & PIN TYPE, TECHNICAL REFERENCE #16, 29" HEIGHT, 1500 LB CANTELEVER, 12000 LB TENSION, 1500 LB TORSIONK 25000 LB COMPRESSION, 350 KV BIL, MEETS ANSI STANDARD C29.9
LAPP INSULATOR CO #317016-70
LOCKE INSULATORS #SB03513
VICTOR INSULATORS #1589

188599 INS PED POST 69KV 5" BC RPL C
INSULATOR, PEDESTAL POST, 69KV, 5" BOLT -CIRCLE, PORCELAIN, TO REPLACE CAP & PIN-TYPE, TECHNICAL REFERENCE #56, 29" HEIGHT, 3000 LB CANTELEVER, 20000 LB TENSION, 40000 LB TORSION, 60000 LB COMPRESSION, 350 KV BIL, MEETS ANSI STANDARD C29.9
LAPP INSULATOR CO #317056-70
LOCKE INSULATORS #SS03513
VICTOR INSULATORS #1590

188607 STEEL POLE 80FT CL H2
STEEL POLE 80FT CL H2

188615 STEEL POLE 80 FT CL H8

STEEL POLE 80 FT CL H8

188623 STEEL POLE 85 FT CL H4
STEEL POLE 85 FT CL H4

188631 STEEL POLE 85 FT CL H8
STEEL POLE 85 FT CL H8

188649 STEEL POLE 90 FT CL H2
STEEL POLE 90 FT CL H2

188656 STEEL POLE 90 FT CL H4
STEEL POLE 90 FT CL H4

188664 STEEL POLE 90 FT CL H6
STEEL POLE 90 FT CL H6

188672 STEEL POLE 90 FT CL H8
STEEL POLE 90 FT CL H8

188680 STEEL POLE 95 FT CL H2
STEEL POLE 95 FT CL H2

188698 STEEL POLE 100 FT CL H6
STEEL POLE 100 FT CL H6

188706 STRUCTURE #45 110 FT ENGINEERE
STRUCTURE #45 110 FT ENGINEERED ASSEMBLY INCLUDES TWO POLES

188714 STRUCTURE #44 120 FT ENGINEERE
STRUCTURE #44 120 FT ENGINEERED ASSEMBLY INCLUDES TWO POLES

188722 STEEL POLE 95 FT CL H8
STEEL POLE 95 FT CL H8

197000 FORM LETTERHEAD KUB LOGO
FORM LETTERHEAD KUB LOGO FROM PRINTING DEPARTMENT

197002 FORM REQUEST FOR COMP TIME IN
FORM REQUEST FOR COMP TIME IN LIEU OF OVERTIME PAY

198713 CONN PAD TAP AL 397AA TO 2
CONN PAD TAP AL 397AA TO 2 HOLE PAD CONNECTOR, AL, 397MCMAA WIRE TO 2 HOLE F LAT NEMA PAD, WEDGE TYPE CLAMPING ACTION WITH SHEAR NUT ON THE DRIVE SCREW , FACTORY APPLIED INHIBITOR.
CONNECTOR PRODUCTS, INC 723005-1

198721 CONN PAD TAP AL 795AA TO 2
CONN PAD TAP AL 795AA TO 2 HOLE PAD CONNECTOR, AL, 795MCM AA TO 2 HOLE FLAT NEMA PAD, WEDGE TYPE CLAMPING ACTION WITH SHEAR NUT ON THE DRIVE SCREW, FACTO RY INSTALLED INHIBITOR.
CONNECTOR PRODUCTS, INC 723006-1

198739 CONN PAD TAP AL 795AA TO 4
CONN PAD TAP AL 795AA TO 4 HOLE PAD CONNECTOR, AL, 795MCM AA TO 4 HOLE FLAT NEMA PAD, WEDGE TYPE CLAMPING ACTION WITH SHEAR NUT ON THE DRIVE SCREW, FACTO RY APPLIED INHIBITOR.
CONNECTOR PRODUCTS, INC 723006

199007 GASOLINE 87 MIN OCTANE NO LEAD
GASOLINE MIN 87 OCTANE NO LEAD

199023 FUEL OIL BIO-DIESEL MIN 40 CET
FUEL OIL BIO DIESEL MIN 40 CETANE

Water Material

200003	SCREWDRIVER PHILLIPS 4" TIP#2	
	SCREWDRIVER PHILLIPS #2 4"LONG	
	COOPER TOOLS	2502
200007	SET HEX-KEY 20-PC COMB STD	
	SET HEX-KEY 20-PC COMB STD	
	ALLEN INDUSTRIAL HAND TOOLS	56011
	EKLIND TOOL COMPANY	10018
200008	SOCKET SHALLOW 1-1/16"	
	SOCKET SHALLOW 1-1/16" 1/2" DR	
	ALLEN INDUSTRIAL HAND TOOLS	12219
200010	KEY 2" GATE VALVE 4' LONG	
	KEY 2" GATE VALVE 4' LONG	
200011	SADDLE SERV 16" W/ 3/4"TAP	
	SADDLE SERV 16" TAP 3/4" DOUB-STRAP SERVICE SADDLE FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA STANDARD	
	FORD METER BOX CO	F202
	ROMAC INDUSTRIES INC	202
200012	LUBRICANT T-2250 TITAN	
	LUBRICANT T-2250 TITAN	
200015	COVERALLS DISPOSABLE LARGE	
	COVERALLS DISPOSABLE LARGE	
	VALLEN SAFETY	VL3240L
200016	COVERALLS DISPOSABLE X-LARGE	
	COVERALLS DISPOSABLE X-L	
	VALLEN SAFETY	VL3240XL
200017	SADDLE SERV PVC 4" W/ 2"TAP	
	SADDLE SERV 4" TAP 2" PVC	
200018	SADDLE SERV 6" TAP 2" PVC	
	SADDLE SERV 6" TAP 2" PVC	
200019	LINER BOOT MEDIUM	
	LINER BOOT MEDIUM	
	VISCOLAS	4782B

200020	LINER BOOT LARGE LINER BOOT LARGE	
	VISCOLAS	4783C
200021	OPENER DRAIN CALIBER OPENER DRAIN CALIBER	
200022	PROTECTOR HEARING PROTECTOR HEARING HEARING PROTECTOR STANDARD PACKAGING - 1 UNIT PER PACKAGE TOTAL STOCKING REQUIREMENT FOR HEAR PROT ECTOR - 10 UNITS	
	CLARK CORP.	E-310
	VALLEN SAFETY	2201
	WILSON (SAFETY PRODUCTS)	365
200024	PLYWOOD 3/4"X4'X8' ROUGH- PLYWOOD 3/4"X4'X8' ROUGH-	
200026	BOLT MACH 1/2X2-3/4" BOLT MACH 1/2X2-3/4"	
200027	BUCKET METAL 5-GAL BUCKET METAL 5-GAL	
200028	BAG BIOHAZARD RED 13-16 GAL BAG BIOHAZARD RED 13-16 GAL	
200029	SPRAY LYSOL SPRAY LYSOL	
	CALTECH	40513
200031	BOTTLE SPRAY CLEAR PLASTIC 32 BOTTLE SPRAY CLEAR PLASTIC 32	
	GILMOUR MANUFACTURING	046Q
200032	COVERALLS DISPOSABLE XX-LARGE COVERALLS DISPOSABLE XX-L	
	VALLEN SAFETY	VL3240XXL
200033	COVERALLS DISPOSABLE XXX-LARGE COVERALLS DISPOSABLE XXX-L	
	VALLEN SAFETY	VL3240XXXL
200034	GLOVE EXAM CONFORM GLOVE CONFORM EXAM	
	ANSELL	34175?
200035	FACE SHIELD DISPOSABLE FACE SHIELD DISPOSABLE	
200036	REPELANT INSECT DEEP-WOODS-OFF OFF DEEP-WOODS	
	TEC LAB	DEET2A

200037	GLOVES LATEX YELLOW MEDIUM	
	GLOVE LATEX YELLOW MEDIUM	
	BEST MANUFACTURING CO	VMM
200038	GLOVES LATEX YELLOW LARGE	
	GLOVE LATEX YELLOW LARGE	
	BEST MANUFACTURING CO	VML
200039	GLOVES RUBBER PVC	
	GLOVE RUBBER PVC BEST 7712	
	BEST MANUFACTURING CO	7712
	VALLEN SAFETY	9312IS?
200040	COVERALLS DISPOSABLE SMALL	
	COVERALLS DISPOSABLE SMALL	
	MAR MAC	14120-025-1
	VALLEN SAFETY	VL3240S
200041	COVERALLS DISPOSABLE MEDIUM	
	COVERALLS DISPOSABLE MEDIUM	
	MAR MAC	14120-025-2
	VALLEN SAFETY	VL3240M
200042	APRON GREY DISPOSABLE	
	APRON GREY DISPOSABLE	
	DUPONT	TY274S
	KIMBERLY CLARK	36550500
200043	PANTS RAIN YELLOW XXX-L	
	PANTS RAIN YELLOW XXX-L	
	NEESE	5000 SERIES
	VALLEN SAFETY	535BTXXXL
200044	JACKET RAIN YELLOW XXX-L	
	JACKET RAIN YELLOW XXX-L	
	NEESE	5000 SERIES
	VALLEN SAFETY	535JXXXL
200045	RAINCOAT YELLOW SMALL 49"-LNG	
	RAINCOAT YELLOW SMALL 49"-LNG	
	RIVER CITY PROTECTIVE	200C CLASSIC
	VALLEN SAFETY	535SCS
200046	RAINCOAT YELLOW MED 49"-LNG	
	RAINCOAT YELLOW MED 49"-LNG	
	RIVER CITY PROTECTIVE	200C CLASSIC
	VALLEN SAFETY	535SCM
200047	RAINCOAT YELLOW LARGE 49"-LNG	
	RAINCOAT YELLOW LARGE 49"-LNG	
	RIVER CITY PROTECTIVE	200C CLASSIC
	VALLEN SAFETY	535SCL
200049	RAINCOAT YELLOW X-L 49"-LONG	
	RAINCOAT YELLOW X-L 49"-LONG	
	RIVER CITY PROTECTIVE	200C CLASSIC
	VALLEN SAFETY	535SCXL
200050	RAINCOAT YELLOW XX-L 49"-LONG	
	RAINCOAT YELLOW XX-L 49"-LONG	
	RIVER CITY PROTECTIVE	200C CLASSIC
	VALLEN SAFETY	535SCXXL

200051	RAINCOAT YELLOW XXX-L 49"-LONG	
	RAINCOAT YELLOW XXX-L 49"-LONG	
	RIVER CITY PROTECTIVE	200C CLASSIC
	VALLEN SAFETY	535SCXXXL
200052	BOOTS KNEE RUBBER SIZE-8	
	BOOTS RUBBER SIZE 8 KNEE	
	BOSS	2KS6430
	LA CROSS	101018
200053	BOOTS RUBBER SIZE 14 KNEE	
	BOOTS RUBBER SIZE 14 KNEE	
	BOSS	2KS6430
	LA CROSS	1010114
200054	BOOTS RUBBER SIZE 8 HIP	
	BOOTS RUBBER SIZE 8 HIP	
	BOSS	2HF6231
	LA CROSS	1009018
200055	FLANGE SAFETY MUELLER	
	FLANGE SAFETY MUELLER 4-1/2" HYDT HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA/AWWA STANDARD C502- 85 FOR FIRE HYDRANTS. FLANGE SHALL BE SPLIT.	
	MUELLER	A28
200056	CAP BALL SUMMER W/ KUB LOGO	
	CAP BALL SUMMER W/ KUB LOGO	
200058	RESPIRATOR 9900 3-M TOXIC-DUST	
	RESPIRATOR 9900 3-M TOXIC-DUST	
	SCOTCH 3M CO.	9900
200059	RESPIRATOR 5204 3-M EASI-CARE	
	RESPIRATOR 5204 3-M EASI-CARE	
	SCOTCH 3M CO.	5204
200060	STRAP TIE-DOWN RUBBER 15"	
	STRAP TIEDOWN RUBBER 15"	
	WELLINGTON-PURITAN	45329
200061	STRAP TIE-DOWN RUBBER 21"	
	STRAP TIEDOWN RUBBER 21"	
	WELLINGTON-PURITAN	46012
200062	STRAP RUBBER 31" EXTENDS TO 46	
	STRAP RUBBER 31" EXTENDS TO 46	
	WELLINGTON-PURITAN	45330
200063	SET SOCKET 21-PC 3/8" DRIVE	
	SOCKET SET 3/8" DRIVE	
	COLUMBIAN TOOLS	36004 STD
	COLUMBIAN TOOLS	36005 METRIC
200064	DEVICE MTR-LOCK 65DTLDLL DAVIS	
	DEVICE MTR-LOCK 65DTLDLL DAVIS	
	DAVIS	65DTLDLL
200065	DE-ICER PYROIL-DI11.5	

DE-ICER DI-11.5 PYROIL

200066 BOOTS RUBBER SIZE 14 HIP
BOOTS RUBBER SIZE 14 HIP
BOSS 10901
LA CROSS 10090114

200067 FLAG KUB WATER - HAND DIG
FLAG KUB WATER - HAND DIG
USA BLUE BOOK 47198

200068 FLAG KUB WASTEWATER - HAND DIG
FLAG KUB WASTEWATER - HAND DIG
USA BLUE BOOK 47198

200070 BARRICADE 8 X 24" TY-2
BARRICADE 8 X 24" TY-2
CONSOLIDATED BARRICADES SEE DESCRIPTION

200072 PAINT MARKER WHITE
PAINT WHITE MARKER
SEYMOUR OF SYCAMORE, INC 16-652

200073 SALT CALCIUM-HYPOCHLORITE 65%
CALCIUM HYPOCHLORITE 65% 5# CONTAINER
ASEPSIS OMNI DIDVISION 5185-275-10305

200075 CAP PVC 2" THREAD SCH 40 FIPT
CAP PVC 2" THREAD SCH 40 FIPT

200079 MARKER SIGN FOR LOCATING WATER
MARKER SIGN FOR LOCATING WATER
CARSONITE N/A
REPNET N/A
UTICOM SYSTEMS INC UTIPOSTS

200080 RESPIRATOR, HALF FACE SMALL
RESPIRATOR, HALF FACE SMALL
SCOTCH 3M CO. 6100

200081 RESPIRATOR, HALF-FACE, MEDUIM
RESPIRATOR, HALF-FACE, MEDUIM
SCOTCH 3M CO. 6200

200082 RESPIRATOR, HALF-FACE, LARGE
RESPIRATOR, HALF-FACE, LARGE
SCOTCH 3M CO. 6300

200083 CARTRIDGE. P100 FILTER
CARTRIDGE. P100 FILTER
SCOTCH 3M CO. 2091

200084 CARTRIDGE, ORGANIC VAPOR
CARTRIDGE, ORGANIC VAPOR
SCOTCH 3M CO. 6001

200085 CARTRIDGE, MULTI-GAS & VAPOR
CARTRIDGE, MULTI-GAS & VAPOR
SCOTCH 3M CO. 6006

200086 CARTRIDGE, P95 PRE-FILTER
CARTRIDGE, P95 PRE-FILTER
SCOTCH 3M CO. 5P71

200087 CARTRIDGE, PREFILTER RETAINER
CARTRIDGE, PREFILTER RETAINER
SCOTCH 3M CO. 501

200088 TOWEL UTILITY SHOP
TOWEL UTILITY SHOP
KIMBERLY CLARK 41092 (ORANGE)

200090 VALVE GATE 3" W/POLY STUBS
VALVE GATE 3" W/POLY STUBS RESILIET WEDGE GATE VALVE CONFORMING TO ANSI/AWWA C-509-87 OR LATEST REV. STAINLESS STEM TURNING CLOCKWISE TO OPEN & FITTED W/STD. WRENCH NUT. INTERNAL SHALL BE EPOXY COATED. MUST BE
AMERICAN AVK COMPANY N/A

200091 VALVE GATE 4" W/PLOY STUBS
VALVE GATE 4" W/PLOY STUBS RESILIENT WEDGE GATE VALVE CONFORMING TO ANSI/AWWA C-509-87 OR LATEST REV. STAINLESS STEM TURNING CLOCKWISE TO OPEN & FITTED W/STD. WRENCH NUT. INTERNAL SHALL BE EPOXY COATED. MUST BE
AMERICAN AVK COMPANY N/A

200092 VALVE GATE 6" W/POLY STUBS
VALVE GATE 6" W/POLY STUBS RESILIENT WEDGE GATE VALVE CONFORMING TO ANSI/AWWA C-509-87 OR LATEST REV. STAINLESS STEM TURNING CLOCKWISE TO OPEN & FITTED W/STD. WRENCH NUT. INTERNAL SHALL BE EPOXY COATED. MUST BE
AMERICAN AVK COMPANY N/A

200093 VALVE GATE 8" W/POLY STUBS
VALVE GATE 8" W/POLY STUBS RESILIENT WEDGE GATE VALVE CONFORMING TO ANSI/AWWA C-509-87 OR LATEST REV. STAINLESS STEM TURNING CLOCKWISE TO OPEN & FITTED W/STD. WRENCH NUT. INTERNAL SHALL BE EXOXY COATED. MUST BE
AMERICAN AVK COMPANY N/A

200096 FOG FIXER PN# J49004
FOG FIXER PN# J49004 GEL USED TO WIPE INSIDE FULL FACE RESPIRATORS TO PREVENT FOGGING
VERATTI PN J49004 FOG FIXER

200098 METER BOX 38x18x26
METER BOX 38x18x26

200101 CORRUGATED METER BOX 60x30x36
CORRUGATED METER BOX 60x30x36

200103 MEGALUG 3"
MEGALUG 3" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C
CAPITOL MANUFACTURING EZ-03
EBBA IRON INC 1103

200104 MEGALUG 4"

MEGALUG 4" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

CAPITOL MANUFACTURING	EZ-04
EBBA IRON INC	1104

200106 MEGALUG 6"

MEGALUG 6" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

CAPITOL MANUFACTURING	EZ-06
EBBA IRON INC	1106

200107 MEGALUG PIPE-RESTRAINT 36"

MEGALUG PIPE-RESTRAINT 36"MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

200108 MEGALUG 8"

MEGALUG 8" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

CAPITOL MANUFACTURING	EZ-08
EBBA IRON INC	1108

200109 MEGALUG PIPE-RESTRAINT 42"

MEGALUG PIPE-RESTRAINT 42" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

200110 MEGALUG 10"

MEGALUG 10" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

CAPITOL MANUFACTURING	EZ-10
EBBA IRON INC	1110

200112 MEGALUG 12"

MEGALUG 12" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

CAPITOL MANUFACTURING	EZ-12
EBBA IRON INC	1112

200114 MEGALUG PIPE-RESTRAINT 14"

MEGALUG PIPE-RESTRAINT 14" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

200115 MEGALUG PIPE-RESTRAINT 18"

MEGALUG PIPE-RESTRAINT 18" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

200116 MEGALUG 16"
MEGALUG 16" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C
CAPITOL MANUFACTURING EZ-16
EBBA IRON INC 1116

200117 MEGALUG PIPE-RESTRAINT 30"
MEGALUG PIPE-RESTRAINT 30" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C

200118 BUSHING BRASS 2 X 3/4
BUSHING BRASS 2 X 3/4
LEE BRASS N/A

200122 COUPLING TRANSITION 18" X 24"
COUPLING TRANSITION 18" X 24" LONG FOR DUCTILE IRON PIPE, 18" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER
SMITH-BLAIR INC #411-00195016-003

200124 MEGALUG 24"
MEGALUG 24" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND ANSI/AWWA C
CAPITOL MANUFACTURING EZ-24
EBBA IRON INC 1124

200126 GREASE WHITE LITHIUM
GREASE WHITE LITHIUM

200127 LOWER VALVE PLATE M & H HYDRAN
LOWER VALVE PLATE M & H HYDRAN
HYDRANT REPAIR PARTS INC 42 450

200128 OPERATING NUT OPEN RIGHT
OPERATING NUT OPEN RIGHT
HYDRANT REPAIR PARTS INC #1 CLOW F2500

200129 UPPER STANDPIPE GASKET CLOW F2
UPPER STANDPIPE GASKET CLOW F2
HYDRANT REPAIR PARTS INC 4.50 CLOW

200130 HOUSING COVER AMERICAN DARLING
HOUSING COVER AMERICAN DARLING
HYDRANT REPAIR PARTS INC 73-9 AMERICAN DARLING
NORTH MED SUPPLY

200131 MAIN VALVE RUBBER AMERICAN DAR
MAIN VALVE RUBBER AMERICAN DAR
HYDRANT REPAIR PARTS INC #41 AMERICAN DARLING

200132 M & H HYDRANT TRAFFIC REPAIR
M & H HYDRANT TRAFFIC REPAIR
HYDRANT REPAIR PARTS INC HRP-4-6-129

200133	LID GATE BOX HEAVY DROP *WATER	
	LID GATE BOX HEAVY DROP *WATER	
	EAST JORDAN IRON WORKS INC	68000045
200134	FIRE HYDRANT OIL	
	FIRE HYDRANT OIL 10.5 OZ.	
	MUELLER	A51-H96
200135	EASE-ON PIPE JOINT LUBRICANT	
	EASE-ON PIPE JOINT LUBRICANT	
200136	SOLID CAP BLOCK 4" X 8" X 16"	
	SOLID CAP BLOCK 4" X 8" X 16"	
	SEQUATCHIE	N/A
200139	PACKING SQUARE FLAX 1/4"	
	PACKING SQUARE FLAX 1/4" SQUARE BRAIDED FLAX PACKING SHALL BE MAD E OF HIGH GRADE EXTRA LONG FIBER FLAX OF GREAT STRENGTH, FREE FROM JUTE, HEMP OR OTHER ADULTERANTS, & CONTAINING ONLY HIGH GRADE LUBRICANTS.	
	BELMONT PACKING CO	N/A
	BRIDGEPORT BRASS CO	N/A
	JOHNS MANVILLE CO	N/A
200140	OPERATING NUT MUELLER A-1	
	OPERATING NUT MUELLER A-1	
	MUELLER	A-1
200141	HOLD DOWN NUT MUELLER A-84	
	HOLD DOWN NUT MUELLER A-84	
	MUELLER	A-84
200142	BOLT BREAKAWAY 1/2" X 2 3/4"	
	BOLT BREAKAWAY 1/2" X 2 3/4"	
200143	MAIN VALVE KIT MUELLER	
	MAIN VALVE KIT MUELLER	
	MUELLER	280366
200144	MUELLER BREAKAWAY COUPLING	
	MUELLER BREAKAWAY COUPLING	
	MUELLER	
200145	UPPER STEM 4 1/2 OLD IMPROVED	
	UPPER STEM 4 1/2 OLD IMPROVED	
	MUELLER	185223
200148	WRENCH PIPE OFFSET ALUMINUM 14	
	WRENCH PIPE OFFSET ALUMINUM 14	
	RIDGE TOOL COMPANY	31120
200149	WRENCH PIPE OFFSET ALUMINUM 18	
	WRENCH PIPE OFFSET ALUMINUM 18	
	RIDGE TOOL COMPANY	31125
200150	WRENCH PIPE OFFSET ALUMINUM 24	

WRENCH PIPE OFFSET ALUMINUM 24
RIDGID TOOLS 31130

200151 WRENCH PIPE ALUMINUM 10"
WRENCH PIPE ALUMINUM END 10"
RIDGE TOOL COMPANY 901-07

200152 WRENCH PIPE ALUMINUM 14"
WRENCH PIPE ALUMINUM END 14"
RIDGE TOOL COMPANY 900117

200153 WRENCH PIPE ALUMINUM 18"
WRENCH PIPE ALUMINUM END 18"
RIDGE TOOL COMPANY 901-22

200157 BLADE SAW 14"
SAW BLADES 14"
STIHL 0835-020-8001

200163 SAFETY FLANGE REPAIR KIT AMERI
SAFETY FLANGE REPAIR KIT AMERICAN DARLING
HYDRANT REPAIR PARTS INC HRPI-473/584

200164 WRENCH BLOW-OFF (KUPFERLE)
WRENCH BLOW-OFF (KUPFERLE)
KUPFERLE FOUNDRY COMPANY TF500-W36

200166 MOTAR-MIX 60LB-BAG
MOTAR MIX 60# BAG
QUICKRETE BRAND

200171 COUPLING TRANSITION 54" (CRITI
COUPLING STEEL 54", 57.56 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 411-00575616-003

200172 GLOVE LARGE FOAMED PVC PALM CO
GLOVE LARGE FOAMED PVC PALM COATED NF11- NORTH RED VIPER GLOVE (RED WITH BLACK COATING)
NORTH MED SUPPLY NF11 LARGE

200173 GLOVE X-LARGE FOAMED PVC PALM
GLOVE X-LARGE FOAMED PVC PALM COATED NF11- NORTH RED VIPER GLOVE (RED WITH BLACK COATING)
NORTH MED SUPPLY NR11-X LARGE

200174 GLOVE XX-LARGE FOAMED PVC PALM
GLOVE XX-LARGE FOAMED PVC PALM COATED NF11- NORTH RED VIPER GLOVE (RED WITH BLACK COATING)
NORTH MED SUPPLY NF11- XX LARGE

200175 GLOVE MEDIUM FOAMED PVC PALM C
GLOVE MEDIUM FOAMED PVC PALM COATED NF11- NORTH RED VIPER GLOVE (RED WITH BLACK COATING)
NORTH MED SUPPLY NF11- MEDIUM

200176	VALVE GATE 10" VERT FJ OPEN RI	
	VALVE GATE 10" VERT FJ OPEN RIGHTDOUBLE-DISK RESILIENT-SEATED FLANGED JOINT VALVE SHA LL CONFORM TO ANSI/AWWA STD.C-509-87 OR LATEST REVISION WITH FLANGED ENDS CON FORMING TO ANSI B16.1 CLASS 125, NON-RISING STEM TURNING CLOCKWISE TO OPE	
	MUELLER	A2360-6
200179	BOLT BREAKAWAY 5/8 X 2 3/4	
	BOLT BREAKAWAY 5/8 X 2 3/4	
200180	VALVE BLOW OFF (SELF CONTAINED	
	VALVE BLOW OFF (SELF CONTAINED	
	KUPFERLE FOUNDRY COMPANY	TF500
200181	SIGN, CONSTRUCTION AHEAD 500 F	
	SIGN, CONSTRUCTION AHEAD 500 F	
200182	SIGN, CONSTRUCTION AHEAD 1000	
	SIGN, CONSTRUCTION AHEAD 1000	
200183	SIGN, CONSTRUCTION AHEAD 1500	
	SIGN, CONSTRUCTION AHEAD 1500	
200184	SIGN, DETOUR	
	SIGN, DETOUR	
200185	SHOVEL RAZOR-BACK LITTLE-HOG	
	SHOVEL	
200186	EYE WASH SOLUTION 4 OZ	
	EYE WASH SOLUTION 4 OZ	
	AFFIRMED	130422
	NORTH MED SUPPLY	126040
200189	CHISEL 1" X 8" WITH/GUARIAN HA	
	CHISEL 1" X 8" WITH/GUARIAN HA	
	ALLEN INDUSTRIAL HAND TOOLS	25657
	BALTIMORE TOOL WORKS	10805
200190	SOCKET SET DEEP WELL 6"	
	SOCKET SET DEEP WELL 6"	
	JOSEPH G POLLARD CO	WR0961
200191	SOCKET 15/16 DEEP WELL 6"	
	SOCKET 15/16 DEEP WELL 6"	
	JOSEPH G POLLARD CO	P66075
200192	SOCKET 1-1/16 DEEP WELL 6"	
	SOCKET 1-1/16 DEEP WELL 6"	
	JOSEPH G POLLARD CO	P66076
200193	SOCKET 1-1/4 DEEP WELL 6"	
	SOCKET 1-1/4 DEEP WELL 6"	

	JOSEPH G POLLARD CO	P66078
200194	SOCKET 1-1/8 DEEP WELL 6"	
	SOCKET 1-1/8 DEEP WELL 6"	
	JOSEPH G POLLARD CO	P66077
200195	SOCKET 7/8 DEEP WELL 6"	
	SOCKET 7/8 DEEP WELL 6"	
200196	HOOD SOCK	
	HOOD SOCK	
200197	GATORADE	
	GATORAIDE	
	SQWINCHER	030575FP
200199	FENCE POLY SILT	
	FENCE POLY SILT	
200202	SIGN, "RIGHT LANE CLOSED" 36"	
	SIGN, "RIGHT LANE CLOSED" 36"	
200203	SIGN, "UTILITY WORK AHEAD" 36"	
	SIGN, "UTILITY WORK AHEAD" 36"	
200204	SIGN, "FLAGGER SYMBOL" 36"	
	SIGN, "FLAGGER SYMBOL" 36"	
200205	SIGN, STAND FOR 36" SIGN	
	SIGN, STAND FOR 36" SIGN	
200207	WASHER RUBBER METER 3/4 X 1/8	
	WASHER RUBBER METER 3/4 X 1/8	
	CORLEY MFG COMPANY	004-6287
200208	WASHER RUBBER METER 1 X 1/8	
	WASHER RUBBER METER 1 X 1/8	
	CORLEY MFG COMPANY	004-6293
200209	COUPLING ELECTRO FUSE 6 DIPS	
	COUPLING ELECTRO FUSE 6 DIPS	
	CENTRAL PLASTICS	N/A
	FRIATEC INCORPORATED	N/A
200210	6 DIPS X 2 IPS TAP TEE HDPE	
	6 DIPS X 2 IPS TAP TEE HDPE	
200211	SLEEVE DI MJ 18 INCH BODY	

SLEEVE DI MJ 18 INCH BODY

200213 PIPE HDPE 1"IPS
PIPE POLY 1 IPS 3408 HDPE, 1" IPS SDR 9 500' COILS MANUFACTURED IN COMPLIANCE WITH ASTM F714 AND ASTM D3035, NSF 61 AND AWWA C901 APPROVED, W/CO- EXTRUDED BLUE COVER OR EXTRUDED SOLID BLUE STRIPES (MINIMUM 3
FLYING W PLASTICS N/A
PERFORMANCE PIPE N/A
RINKER MATERIALS N/A

200214 PIPE HDPE 2"IPS
PIPE POLY 2 IPS 3408 HDPE 2" IPS SDR 11, 500' COIL MANUFACTURED IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 NSF 61 AND AWWA C901 APPROVED WITH A CO-EXTRUDED BLUE COVER OR EXTRUDED SOLID BLUE STRIPES
FLYING W PLASTICS
PERFORMANCE PIPE DRISCOPLEX
RINKER MATERIALS POLY PIPE

200217 VALVE POLY 2
VALVE POLY 2 BUTT FUSION OUTLETS AWWA NSF 61 MADE FROM PE-3408 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HEAD ADAPTER SDR 11 COLOR BLACK FULL OPEN PORT
NORDSTROM N/A

200218 TEE TAP PL 8 DIPS X 1 IPS
TEE TAP PL 8 DIPS X 1 IPS

200219 TEE TAP PL 2 IPS X 1 IPS
TEE TAP PL 2 IPS X 1 IPS

200220 TEE TAP PL 2 IPS X 2 IPS
TEE TAP PL 2 IPS X 2 IPS

200221 TEE TAP PL 8 DIPS X 2 IPS
TEE TAP PL 8 DIPS X 2 IPS

200222 THRUST RESTRAINT 8 DIPS
THRUST RESTRAINT 8 DIPS
PERFORMANCE PIPE N/A

200223 CORP SADDLE 8 DIPS X 2 IPS
CORP SADDLE 8 DIPS X 2 IPS
FRIATEC INCORPORATED VA ELECTRO SERVICE SADDLE

200224 TEE POLY 8 DIPS BUTT
TEE POLY 8 DIPS BUTT
CENTRAL PLASTICS N/A
INDEPENDANT PIPE N/A
PERFORMANCE PIPE N/A

200225 ELL POLY 8 DIPS
ELL POLY 8 DIPS
CENTRAL PLASTICS N/A

	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200226	CAP POLY 8 DIPS	
	CAP POLY 8 DIPS	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200227	COUPLING POLY 2 IPS ELECTRO	
	COUPLING POLY 2 IPS ELECTRO	
	CENTRAL PLASTICS	N/A
	FRIATEC INCORPORATED	N/A
200228	COUPLING ELECTRO 8 DIPS	
	COUPLING ELECTRO 8 DIPS	
	CENTRAL PLASTICS	N/A
	FRIATEC INCORPORATED	N/A
200229	REDUCER POLY 8 DIPS X 6 DIPS	
	REDUCER POLY 8 DIPS X 6 DIPS	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200230	COUPLING POLY 1 IPS SOCKET	
	COUPLING POLY 1 IPS SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200231	CAP POLY 1 IPS SOCKET	
	CAP POLY 1 IPS SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200232	ELL POLY 1 IPS SOCKET	
	ELL POLY 1 IPS SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200233	ELL 8 DIPS BUTT 45 DEG	
	ELL 8 DIPS BUTT 45 DEG	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200234	TAPPING SADDLE 6 X 1 1/4	
	TAPPING SADDLE 6 X 1 1/4 SELF TAPPING PLASTIC SADDLE FOR PVC 6 INCH IPS PVC MAINS WITH 1 1/4 IPS COMPRESSION OUTLET AND 1 1/2 COUPON RETAINING PUNCH	
	CONTINENTAL INDUSTRIES	5165-24-2515-00
200235	PIPE POLY 4 DIPS	
	PIPE POLY 4 DIPS 3408 HDPE 4' DIPS SDR 11 40' LENGTHS MANUFACTURED IN COMPLIANCE WITH ASTM F714 AND ASTM D3035, NSF 61 AND AWWA C906 APPROVED WITH A CO- EXTRUDED BLUE COVER OR EXTRUDED	
	AMERIPLAST INCORPORATED	N/A
	PERFORMANCE PIPE	N/A
	RINKER MATERIALS	N/A

200236	BEND 6 INCH 45 DEG. HDPE	
	BEND 6 INCH 45 DEG. HDPE	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200240	BEND 6 INCH 90 DEG. HDPE	
	BEND 6 INCH 90 DEG. HDPE	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200241	SOCKET 7/8" DEEP WELL 6"	
	SOCKET 7/8" DEEP WELL 6"	
	JOSEPH G POLLARD CO	P66074
200242	TEE BRASS COMPRESSION 3/4"	
	TEE BRASS COMPRESSION 3/4"	
	MUELLER	H-15381
200243	CONN SPLIT BOLT BRNZ 8AWG WIRE	
	CONN SPLIT BOLT BRNZ 8AWG WIRE	
	BURNDY	KS15
200244	TEE POLY 6" DIPS BUTT	
	TEE POLY 6" DIPS BUTT	
	CENTRAL PLASTICS	6912034
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
200245	CAP POLY 6" DIPS HDPE	
	CAP POLY 6" DIPS HDPE	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	ECD0600110
	PERFORMANCE PIPE	N/A
200246	LID FOR SQ METER BOX FRAME 2"	
	LID FOR SQ METER BOX FRAME 2" HOLES WITH 2" HOLES FOR PROREADER SQUARE METER BOX LIDS SHALL BE CAST IRON CONFORMING TO ASTM A48-76 AND /OR EQUAL KNOXVILLE UTILITIES BOARD SPECIAL SPEC # W021 WITH 2" HOLES FOR PROREADER	
	ACHESON FOUNDRY	N/A
200247	VALVE BUTTERFLY 30" MJ	
	VALVE BUTTERFLY 30" MJ SPECIAL SPECS NOTE; DISCS AND INTERNAL WATERWAY SHALL BE EPOXY COATED.	
	MUELLER	3211-20
200248	REPAIR CLAMP 24" WITH 30" LEN	
	REPAIR CLAMP 24" WITH 30" LENGTH FOR CAST IRON PIPE, PIPE RANGE 25.70-26.80	
	SMITH-BLAIR INC	2283025703000
200249	CLAMP FULL CIRCLE 2" X 7 1/2"	
	CLAMP FULL CIRCLE 2" X 7 1/2"	
	SMITH-BLAIR INC	22900023807000
200250	TIRE BRITE 16 OZ	
	TIRE BRITE 16 OZ	
	AMERICAN CONTINENTAL	
	TECHLAB	

200251 GLASSES SAFETY CLEAR LENS
GLASSES SAFETY CLEAR LENS, BLUE/BLACK FRAME COMPACT, ULTRA-LIGHTWEIGHT FRAME FOR EXTENDED WEAR SEI CERTIFIED-ANSIZ87.1-2003 (HIGH IMPACT)
VERATTI 08204804

200252 GLASSES SAFETY W/ GRAY LENS
GLASSES SAFETY GRAY LENS, BLACK/RED FRAME COMPACT, ULTRA-LIGHTWEIGHT FRAME FOR EXTENDED WEAR SEI CERTIFIED-ANSIZ87.1-2003 (HIGH IMPACT)
VERATTI 08204824

200253 GLASSES SAFETY AMBER LENS
GLASSES SAFETY AMBER LENS, , ULTRA-LIGHTWEIGHT FRAME FOR EXTENDED WEAR SEI CERTIFIED-ANSIZ87.1-2003 (HIGH IMPACT)
VERATTI 04328334

200257 CORRUGATED PIPE 4" SOLID
CORRUAGATED PIPE 4" SOLID

200258 BUSHING BRASS 3" X 2"
BUSHING BRASS 3" X 2"

200259 EXTENSION CORD 25" ORANGE HEAV
EXTENSION CORD 25" ORANGE HEAVY DUTY

200260 EXTENSION CORD 50' ORANGE HEAV
EXTENSION CORD 50' ORANGE HEAVY DUTY 12/3

200261 O-RING LOWER MAIN VALVE SEAT
O-RING LOWER MAIN VALVE SEAT M&H HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH ANSI/AWWA STANDARD C502- 85 FOR FIRE HYDRANTS.
M & H VALVE CO N/A

200262 GASKET FIELD LOC 8"
GASKET FIELD LOC 8"
MCWANE CAST IRON PIPE CO N/A

200263 SPRYR POLYETHYLENE #1000 48-OZ
SPRAYER POLY #1000 48 OZ.

200264 PLASTIC FIRE HYDRANT BAGS "NOT
PLASTIC FIRE HYDRANT BAGS TO READ "NOT IN SERVICE"
JOSEPH G POLLARD CO P69250

200265 RATCHET WRENCH 1-1/8"X1-1/4"
RATCHET WRENCH 1 1/8" X 1 1/4"
PROTO TOOLS 1199

200266 RATCHET WRENCH 1-1/16"X1"
RACHET WRENCH 1 1/16" X 1"
PROTO TOOLS 1198

200267 FIREMAN BOOT SIZES 8-14

FIREMAN BOOT SIZES 8-14
BOSS 11451 + SIZE
LEHIGH WLN00100

200268 O-RING TOP SEAT RING MUELLER A
O-RING TOP SEAT RING MUELLER A-39
MUELLER A-39

200269 O-RING BOTTOM SEAT RING MUELLE
O-RING BOTTOM SEAT RING MUELLER A-44
MUELLER

200270 PHENOL RED SPEC-GRADE INDICATO
PHENOL RED SPEC-GRADE INDICATOR SOLUTION
HACH COMPANY N/A

200271 BRUSH PAINT 2" WIDE
BRUSH PAINT 2" (CHIP BRUSH)
ACME #F5117

200272 INSERT 3/4" PLASTIC
INSERT 3/4" PLASTIC

200273 VALVE LIFTER
VALVE LIFTER
POLLARD #P572

200277 PAINT SAFETY YELLOW
SAFETY YELLOW PAINT SEYMOUR, GALLON CAN,
SEYMOUR OF SYCAMORE, INC 620-1419

200278 SAFETY RED PAINT
SAFETY RED PAINT
SEYMOUR OF SYCAMORE, INC 620-1423

200279 SAFETY BLUE PAINT
SAFETY BLUE PAINT SEYMOUR, GALLON CAN,
SEYMOUR OF SYCAMORE, INC 620-1427

200280 PAINT SAFETY ORANGE
SAFETY ORANGE PAINT SEYMOUR, GALLON CAN,
SEYMOUR OF SYCAMORE, INC 620-1451

200281 PAINT SAFETY GREEN
SAFETY GREEN PAINT SEYMOUR, GALLON CAN,
SEYMOUR OF SYCAMORE, INC 620-1452

200283 OIL DRY
OIL DRY 40# BAG

200285 UPPER STEM IMPROVED MUELLER
UPPER STEM IMPROVED MUELLER FIRE HYDRANT

	MUELLER	185223

200286 UPPER STEM NEW CENTURION MUELL
UPPER STEM NEW CENTURION MUELLER FIRE HYDRANT
MUELLER 184093

200287 SEAL PH #42 O-RING #129 FOR M&
SEAL PH #42 O-RING #129 FOR M&H HYDRANT
M & H VALVE CO #42 SEAL PH

200290 GLOVE LINED MEDIUM VINYL COATE
GLOVE LINED MEDIUM VINYL COATED KNIT
ANSELL MFG# 22-515-8; ANSELL ORDER #89421838
ANSELL 225158

200291 GLOVES VINYL-COATED LINED LGE
GLOVE LINED LARGE VINYL COATED
ANSELL MFG# 22-515-9; ANSELL ORDER # 89421846
ANSELL 225159

200292 GLOVE LINED X-LARGE VINYL COAT
GLOVE LINED X-LARGE VINYL COATED
ANSELL MFG # 22-515-10; ANSELL ORDER # 89307086
ANSELL 2251510

200293 HYDRANT EXTENSION 6" CLOW
HYDRANT EXTENSION 6" CLOW
CLOW CORP

200294 HYDRANT EXTENSION 12" CLOW
HYDRANT EXTENSION 12" CLOW
CLOW CORP

200295 CLAMP REPAIR 6" SINGLE BAND FO
CLAMP REPAIR 6" SINGLE BAND FOR DI PIPE
SMITH-BLAIR INC 226-690012

200299 NIPPLE BRASS 1/2" X 4"
NIPPLE BRASS 1/2" X 4"

200300 NIPPLE BRASS 1/2" X 6"
NIPPLE BRASS 1/2" X 6"

200302 CLAMP 10" TAP 3/4" DI&AC SS-BA
CLAMP 10" TAP 3/4" DI&AC SS-BANDS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, CORROSION RESISTANT ALLOY STEEL BOLTS. C LAMP WIDTHS SHALL BE 12-1/2.
SMITH-BLAIR INC 129

200304 GLOVE LATEX YELLOW EXTRA LARG
GLOVE LATEX YELLOW EXTRA LARG
BEST MANUFACTURING CO VMXL

200305 COVERALLS DISPOSABLE 5X-L WHIT
COVERALLS DISPOSABLE 5X-L WHIT
VALLEN SAFETY VL3240XXXXXI

200306	MAILBOX MAILBOX	
200307	POST ANGLE TOP 4"X4" POST ANGLE TOP 4 X 4	
200310	AIR HOSE COUPLING FOR SMALL WA AIR HOSE COUPLING FOR SMALL WATER PUMP 10C	
200313	PLUG BRASS 2" PLUG BRASS 2"	
200317	CORPORATION 1 1/2 " FEMALE TH CORPORATION 1 1/2 " FEMALE TH MUELLER	N/A
200319	WASHER RUBBER METER 5/8 X 1/8 WASHER RUBBER METER 5/8 X 1/8 CORLEY MFG COMPANY	004-6292
200322	HYDRANT EXT KIT CLOW 4 1/2 HYDRANT EXT KIT CLOW 4 1/2 HYDRANT REPAIR PARTS INC	HRPI-474
200323	SAFETY GLASSES DARK LENS GLASSES SAFETY DARK LENS, MUST MEET ANSI Z87+ EYEWEAR REQUIRMENTS, MEET CSA Z94.3 EYEWEAR REQUIREMENTS, MEET MIL VO BALLISTIC TEST FOR IMPACT UVEX SAFETY	S3205X GENESIS
200324	SAFETY GLASSES CLEAR LENS GLASSES SAFETY CLEAR LENS, MUST MEET ANSI Z87+ EYEWEAR REQUIRMENTS, MEET CSA Z94.3 EYEWEAR REQUIREMENTS, MEET MIL VO BALLISTIC TEST FOR UVEX SAFETY	S3200X GENESIS
200326	HYDRANT EXT KIT MUELLER 4 1/2 HYDRANT EXT KIT MUELLER 4 1/2 HYDRANT REPAIR PARTS INC	HRPI-374
200331	LOWER STEM PIN M&H LOWER STEM PIN M&H M & H VALVE CO	LOWER STEM PIN
200334	ADAPTER MJ 4 DIPS SDR 11 ADAPTER MJ 4 DIPS SDR 11	
200336	ADAPTER MJ 6 DIPS SDR 11 ADAPTER MJ 6 DIPS SDR 11 INDEPENDANT PIPE	MJDO800110
200338	ADAPTER MJ 8 DIPS SDR 11 ADAPTER MJ 8 DIPS SDR 11 INDEPENDANT PIPE	MJDO800110

200339 VALVE FACING #30 FOR M&H HYDRA
VALVE FACING #30 FOR M&H HYDRANT
M & H VALVE CO #30

200340 VALVE RIVETS #31 FOR M&H HYDRA
VALVE RIVETS #31 FOR M&H HYDRANT
M & H VALVE CO #31

200341 BOLTS 3/8 X 2 1/2 FOR M&H HYDR
BOLTS 3/8 X 2 1/2 FOR M&H HYDRANT
M & H VALVE CO BOLT 3/8 X 2 1/2

200344 BLEACH 35 GALLON DRUM
BLEACH 35 GALLON DRUM

200346 COUPLING COMP 3" WATER COUPLIN
COUPLING COMP 3" WATER COUPLING AQUAGRIP
MUELLER AGM0350 AQUAGRIP COUPLING

200347 PAINT SPRAY SAFETY BLUE 20 OUN
PAINT SPRAY SAFETY BLUE 20 FLUID OUNCE AEROSOL CAN, SINGLE COAT HIDING, RESIST ABRASION AND HEAT, OSHA SAFETY COLOR, USDA AUTHORIZED, SHALL PROTECT AGAINST RUST, WEATHER, OIL, GASOLINE, AND MOST CORRISIVE
SEYMOUR OF SYCAMORE, INC 620-1427

200348 PAINT SPRAY SAFETY ORANGE 20 O
PAINT SPRAY SAFETY ORANGE 20 FLUID OUNCE AEROSOL CAN, SINGLE COAT HIDING, RESIST ABRASION AND HEAT, OSHA SAFETY COLOR, USDA AUTHORIZED, SHALL PROTECT AGAINST RUST, WEATHER, OIL, GASOLINE, AND MOST CORRISIVE
SEYMOUR OF SYCAMORE, INC 620-1451

200349 PAINT SPRAY SAFETY GREEN 20 OU
PAINT SPRAY SAFETY GREEN 20 FLUID OUNCE AEROSOL CAN, SINGLE COAT HIDING, RESIST ABRASION AND HEAT, OSHA SAFETY COLOR, USDA AUTHORIZED, SHALL PROTECT AGAINST RUST, WEATHER, OIL, GASOLINE, AND MOST CORRISIVE
SEYMOUR OF SYCAMORE, INC 620-1452

200350 PAINT SPRAY SAFETY YELLOW 20 O
PAINT SPRAY SAFETY YELLOW 20 FLUID OUNCE AEROSOL CAN, SINGLE COAT HIDING, RESIST ABRASION AND HEAT, OSHA SAFETY COLOR, USDA AUTHORIZED, SHALL PROTECT AGAINST RUST, WEATHER, OIL, GASOLINE, AND MOST CORRISIVE
SEYMOUR OF SYCAMORE, INC 620-1419

200351 PAINT SPRAY SAFETY RED 20 OUNC
PAINT SPRAY SAFETY RED 20 FLUID OUNCE AEROSOL CAN, SINGLE COAT HIDING, RESIST ABRASION AND HEAT, OSHA SAFETY COLOR, USDA AUTHORIZED, SHALL PROTECT AGAINST RUST, WEATHER, OIL, GASOLINE, AND MOST CORRISIVE

200354 CORPORATION STOP 1" CC x 1" FI
CORPORATION STOP 1" CC x 1" FIP THREAD, GROUND KEY CORPORATION VALVE SHALL BE FURNISHED WITH AWWA TAPERED THREAD INLETS AND FEMALE IRON PIPE THREAD OUTLET. CORPORATION VALVE IS TO BE MANUFACTURED AND TESTED IN ACCORDANCE WITH ANS/AWWA C800.
MUELLER B-20045 1" CC X 1" FIP

200355 STRAIGHT SERVICE BALL VALVE 1"
STRAIGHT SERVICE BALL VALVE 1" FIP X 3/4" FIP THREADS. VALVES SHALL BE

MANUFACTURED AND TESTED IN ACCORDANCE WITH ANSI/AWWA C800.
MUELLER B-20200 1" FIP X 3/4" FIP

200356 3/4" MALE FITTING SCHEDULE 40
3/4" MALE FITTING SCHEDULE 40 PVC

200357 3/4" FEMALE FITTING SCHEDULE 4
3/4" FEMALE FITTING SCHEDULE 40 PVC

200358 3/4" FEMALE FITTING SCHEDULE 4
3/4" FEMALE FITTING SCHEDULE 40 PVC
PART #435-007

200359 1" X 3/4" REDUCER BUSHING SCHE
1" X 3/4" REDUCER BUSHING SCHEDULE 40 PVC
PART NUMBER 436-102

200361 HOLESAW FOR CONCRETE 6"
HOLESAW 6" FOR CONCRETE
STARRETT D00600

200362 BIT PILOT FOR CONCRETE 1/4"
PILOT BIT 1/4" FOR CONCRETE
STARRETT X401C

200363 CORPORATION STOP 1" WITH FEMAL
CORPORATION STOP 1" WITH FEMALE THREAD OUTLET, INLET: AWWA TAPER THREAD, OUTLET: FEMALE PIPE THREAD
MUELLER H-10045

200364 SHARKBITE PUSH FITTING 3/4" X
SHARKBITE PUSH FITTING 3/4" X 3/4" FNPT CONNECTOR

200365 1" MALE FITTING SCHEDULE 40 P
1" MALE FITTING SCHEDULE 40 PVC
PART NUMBER 436-010

200366 1" FEMALE FITTING SCHEDULE 40
1" FEMALE FITTING SCHEDULE 40 PVC
PART NUMBER435-010

200429 PIPE DI SJ CLASS-350 48"
48¿ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND

200430 CLAMP 48" BELL JOINT #274 DI P
48" BELL JOINT LEAK CLAMP, 50.80 PIPE OD, 55.94 BELL OD, 7.90 BELL LENGTH, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING
SMITH-BLAIR INC #274

200431 SLEEVE DI MJ LONG-BODY 48" (CR
SLEEVE DI MJ 48" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " &

ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION, & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIO SURFACES SHALL

200432 MEGALUG 48"
MEGALUG 48" MEGALUG JOINT RESTRAIN RING SHALL BE DUCTILE IRON CONFORMING TO ASTM A536-84. DIMENSIONS OF THE GLAND SHALL BE SUCH THAT IT MAY BE USED WITH THE STANDARDIZED MECHANICAL JOINT CONFORMING TO ANSI/AWWA C111/A21.11 AND

200433 PIPE DI SJ CLASS-350 54"
54¿ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND

200434 SLEEVE DI MJ 54" LONG-BODY
SLEEVE DI MJ 54" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " & ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISI ON, & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIO SURFACES SHALL

200435 CLAMP 54" BELL JOINT #274 DI P
54" BELL JOINT LEAK CLAMP, 57.56 PIPE OD, 62.63 BELL OD, 9.40 BELL LENGTH, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKIN
SMITH-BLAIR INC #274

200436 COUPLING 54" 57.56 OD X 24" LO
COUPLING 54" 57.56 OD X 24" LONG #F411

200440 CLAMP 14" BELL JOINT (CRITICAL
14" BELL JOINT LEAK CLAMP, 15.30¿ OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB
SMITH-BLAIR INC 274-00001530-000

200441 CLAMP 16" BELL JOINT (CRITICAL
16" BELL JOINT LEAK CLAMP, 17.40-17.80 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536.MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 274-00001740-000

200442 CLAMP 18" BELL JOINT (CRITICAL
18" BELL JOINT LEAK CLAMP, 19.50-19.92 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 274-00001950-000

200443 CLAMP 24" BELL JOINT (CRITICAL
24" BELL JOINT LEAK CLAMP, 25.80-26.32 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 274-00002580-000

200444 CLAMP 30" BELL JOINT (CRITICAL
30" BELL JOINT LEAK CLAMP, 31.74-35.74 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 274-00003174-000

200445 CLAMP 42" BELL JOINT (CRITICAL
42" BELL JOINT LEAK CLAMP, 44.50 PIPE OD, 49.36 BELL OD, 7.90 BELL LENGTH, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING
SMITH-BLAIR INC #274

200446 CLAMP 36" BELL JOINT (CRITICAL
36" BELL JOINT LEAK CLAMP, 37.96-38.70 OD RANGE, EPOXY COATED, NSF 6 NITRILE (BUNA N) GASKETS, ALLY BOLTS AND NUTS TO ASTM A-307 (ANSI-21.11) STANDARDS. BELL-SPIGOT RING SHALL BE DUCTILE IRON PER ASTM 536. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 274-00003796-000

200450 PIPE DI 14" (CRITICAL STOCK)
PIPE DI 14" (CRITICAL STOCK) 14" DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A

200451 PIPE DI 18" (CRITICAL STOCK)
PIPE DI 18" (CRITICAL STOCK) 18¿ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A

200452 PIPE DI 36" (CRITICAL STOCK)
PIPE DI 36" (CRITICAL STOCK) 36¿ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A

200453 PIPE DI 42" (CRITICAL STOCK)
PIPE DI 42" (CRITICAL STOCK) 42¿ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A

200460 2" REPAIR COULPING STAB 15" LO
2" REPAIR COULPING STAB 15" LONG HYDRASERT
PERFECTION 50341

200461 VEST SAFETY MEDIUM HI-VIS MCR
VEST SAFETY MEDIUM LIME-GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTMD6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST AND BACK. 4 1/2" ORANGE STRIP TO RUN
RIVER CITY PROTECTIVE WCCL2FR MEDIUM

200462 VEST SAFETY LARGE HI-VIS MCR C
VEST SAFETY LARGE LIME-GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST AND BACK
RIVER CITY PROTECTIVE WCCL2LFR LARGE

200463 VEST SAFETY X-LARGE HI-VIS MCR
VEST SAFETY X-LARGE LIM-GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST AND BACK
RIVER CITY PROTECTIVE WCCL2LFR X-LARGE

200464 VEST SAFETY 2X-LARGE HI-VIS MC
VEST SAFETY 2X-LARGE LIME-GREEN HI-VIS MCR CLASS II POLYESTER MESH

MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST
RIVER CITY PROTECTIVE WCCL2LFR 2X-LARGE

200465 VEST SAFETY 3X-LARGE HI-VIS MC
VEST SAFETY 3X-LARGE LIME-GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST
RIVER CITY PROTECTIVE WCCL2LFR 3L-LARGE

200466 VEST SAFETY 4X-LARGE HI-VIS MC
VEST SAFETY 4X-LARGE LIME-GREEN HI-VIS MCR CLASS II POLYESTER MESH MATERIAL, FLAME RESISTANT TO ASTM D6413 STANDARD, MEETS ANSI CLASS II STANDARDS, NON CONDUCTIVE ZIPPER 12" LONG, LOGO IMPRINTED ON LEFT CHEST
RIVER CITY PROTECTIVE WCCL2LFR 4X-LARGE

200527 O-RING UPPER MAIN VALVE SEAT
O-RING UPPER MAIN VALVE SEAT M&H HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH ANSI/AWWA STANDARD C500- 86.
M & H VALVE CO N/A

200568 BAIT RAT/RODENT BLOCK
BAIT RAT RODENT BLOCKS

200584 VALVE BALATA FOR 4-1/2" HYDT
VALVE BALATA FOR 4-1/2" HYDT MUELLER HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502.
BALATA VALVE FOR 4-1/3" MUELLER HYDRANT
MUELLER N/A

200659 PADLOCK MASTER KEY M-10
PADLOCK MASTER KEY #M-10
MASTER LOCK CO N/A

200692 CORPORATION 2 FEMALE THREAD
CORPORATION 2 FEMALE THREAD
MUELLER B-20045 CORP VALVE

200694 COUPLING COMP 4 WATER
COUPLING COMP 4 WATER
MUELLER AGC-0480 AQUAGRIP COUPLING

200696 COUPLING COMP 6 WATER
COUPLING COMP 6 WATER
MUELLER AGC-0690 AQUAGRIP COUPLING

200698 COUPLING COMP 8 WATER
COUPLING COMP 8 WATER
MUELLER AGC-0905 AQUAGRIP COUPLING

200700 HYDT 4-1/4 IN OPEN AND 3 1/2
HYDT 4-1/4 IN OPEN AND 3 1/2
MUELLER A421 OPEN RIGHT AQUAGRIP

200701 BUSHING 2 X 1 TAPERED THREAD
BUSHING 2 X 1 TAPERED THREAD
FORD METER BOX CO BB1A74

200704 VALVE GATE 4 COMP WATER
VALVE GATE 4 COMP WATER RESILIENT SEATED VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION. HDPE COMPRESSION OUTLETS, MIN. ALLOWABLE WORKING PRESSURE 200 PSI. TURN CLOCKWISE TO
MUELLER A2362-77 AQUAGRIP

200706 VALVE GATE 6 COMP WATER
VALVE GATE 6 COMP WATER RESILIENT SEATED VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION. HDPE COMPRESSION OUTLETS, MIN. ALLOWABLE WORKING PRESSURE 200 PSI. TURN CLOCKWISE TO
MUELLER A2362-77 AQUAGRIP

200708 VALVE GATE 8 COMP WATER
VALVE GATE 8 COMP WATER RESILIENT SEATED VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION. HDPE COMPRESSION OUTLETS, MIN. ALLOWABLE WORKING PRESSURE 200 PSI. TURN CLOCKWISE TO
MUELLER A2362-77 AQUAGRIP

200790 CLEANER LEMON-GUARD
CLEANER LEMON-GUARD

200802 2 TRANSITION COUPLING
2 TRANSITION COUPLING 2" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER
SMITH-BLAIR INC 461-02340285-000

200804 4 TRANSITION COUPLING
4 TRANSITION COUPLING 4" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER
ROMAC INDUSTRIES INC XR501-5.60 X 5.60
SMITH-BLAIR INC 461-04290535-000

200806 6 TRANSITION COUPLING
6 TRANSITION COUPLING 6" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER
ROMAC INDUSTRIES INC XR501-7.60 X 7.60
SMITH-BLAIR INC 461-06300740-000

200808 8 TRANSITION COUPLING
8 TRANSITION COUPLING 8" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER
ROMAC INDUSTRIES INC XR501-9.75 X 9.75
SMITH-BLAIR INC 461-08540960-000

200810 10 TRANSITION COUPLING
10 TRANSITION COUPLING 10" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER
ROMAC INDUSTRIES INC XR501-12.15 X 12.15
SMITH-BLAIR INC 461-10641197-000

200812 12 TRANSITION COUPLING
12 TRANSITION COUPLING 12" ALL-PURPOSE TRANSITION COUPLING DESIGNED TO CONNECT CASTIRON AND DUCTILE IRON TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER
ROMAC INDUSTRIES INC XR501-14.41 X 14.41
SMITH-BLAIR INC 461-12751421-000

200832	GASKET H-59 MUELLER	
	GASKET H-59 MUELLER	
	MUELLER	N/A
	ROCKWELL	N/A
200857	PADLOCK W/ 2-KEYS C-95	
	PADLOCK W/ 2-KEYS C-95	
201012	VALVE LEATHER&BALATA 4-1/2"	
	VALVE LEATHER&BALATA 4-1/2"	
	M & H VALVE CO	N/A
201021	COUPLING TRANSITION 48" (CRITI	
	COUPLING STEEL 48", 50.80 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	
	SMITH-BLAIR INC	411-00508016-003
201022	COUPLING TRANSITION 42" (CRITI	
	COUPLING STEEL 42", 44.50 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	
	SMITH-BLAIR INC	411-00445016-003
201023	COUPLING TRANSITION 36" (CRITI	
	COUPLING STEEL 36", 38.30 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	
	SMITH-BLAIR INC	411-00383016-003
201024	COUPLING TRANSITION 30" (CRITI	
	COUPLING STEEL 30",32.00 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	
	SMITH-BLAIR INC	411-00320016-003
201025	COUPLING TRANSITION 24" (CRITI	
	COUPLING STEEL 24", 25.80 OD, 24" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	
	SMITH-BLAIR INC	411-002580016-003
201026	COUPLING TRANSITION 18" (CRITI	
	COUPLING STEEL 18", 19.50-OD, 12" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	
	SMITH-BLAIR INC	411-00195033-003
201027	COUPLING TRANSITION 16" (CRITI	
	COUPLING CAST IRON 16", 17.40-17.80 OD RANGE, 12" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANSI A21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	
	SMITH-BLAIR INC	442-00001780-400
201028	COUPLING TRANSITION 14" (CRITI	
	COUPLING CAST IRON 14", 15.30-1550 OD RANGE, 12" WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANSI A21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE	
	SMITH-BLAIR INC	442-00001550-400

201030 SLEEVE DI MJ LONG BODY 14" (CR
SLEEVE DI MJ LONG BODY 14" (CRITICAL STOCK) FOR DI PIPE 15" IN LENGTH

201031 SLEEVE DI MJ LONG BODY 16" (CR
SLEEVE DI MJ LONG BODY 16" (CRITICAL STOCK) FOR DI PIPE 15" IN LENGTH

201032 SLEEVE DI MJ LONG BODY 18" (CR
SLEEVE DI MJ LONG BODY 18" (CRITICAL STOCK) FOR DI PIPE 15" IN LENGTH

201033 SLEEVE DI MJ LONG BODY 24" (CR
SLEEVE DI MJ LONG BODY 24" (CRITICAL STOCK) FOR DI PIPE 15" IN LENGTH

201034 SLEEVE DI MJ LONG BODY 30" (CR
SLEEVE DI MJ LONG BODY 30" (CRITICAL STOCK) FOR DI PIPE 24" IN LENGTH

201035 SLEEVE DI MJ LONG BODY 36" (CR
SLEEVE DI MJ LONG BODY 36" (CRITICAL STOCK) FOR DI PIPE 24" IN LENGTH

201036 SLEEVE DI MJ LONG BODY 42" (CR
SLEEVE DI MJ LONG BODY 42" (CRITICAL STOCK) FOR DI PIPE 24" IN LENGTH

201038 COUPLING STEEL 24" STYLE 413
COUPLING STEEL 24¿, 25.80-26.32 OD, 12¿ WIDTH, EPOXY COATED, NSF GASKETS NITRILE (BUNA N), ALLOY BOLTS AND NUTS AWWA C219 (ANNSI A 21.11) STANDARDS. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 413-263225809603

201040 CLAMP REPAIR FULL CIRCLE 14" (
CLAMP REPAIR FULL-CIRCLE 14" HEAVY DUTY, 15.30-15.80 OD RANGE, NSF GASKET NITRILE (BUNA N), ALLOY BOLTS AND NUTS PER ANSI B18.2.2, 16" WIDTH. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 267-00153016000

201041 CLAMP REPAIR FULL CIRCLE 16" (
CLAMP REPAIR FULL-CIRCLE 16" HEAVY DUTY, 17.40-17.80 OD RANGE, NSF GASKET NITRILE (BUNA N), ALLOY BOLTS AND NUTS PER ANSI B18.2.2, 16" WIDTH. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 267-00174016000

201042 CLAMP REPAIR FULL CIRCLE 18" (
CLAMP REPAIR FULL-CIRCLE 18" HEAVY DUTY, 19.50-20.10 OD RANGE, NSF GASKET NITRILE (BUNA N), ALLOY BOLTS AND NUTS PER ANSI B18.2.2, 16" WIDTH. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 267-00195016000

201043 CLAMP REPAIR FULL CIRCLE 24" (
CLAMP REPAIR FULL-CIRCLE 24" HEAVY DUTY, 25.80-26.60 OD RANGE, NSF GASKET NITRILE (BUNA N), ALLOY BOLTS AND NUTS PER ANSI B18.2.2, 16" WIDTH. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC 267-00258016000

201044 SPLIT REPAIR SLEEVE 30" (CRITI

SPLIT REPAIR SLEEVE 30" TO FIT 32.00 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC #675

201045 SPLIT REPAIR SLEEVE 36" (CRITI
SPLIT REPAIR SLEEVE 36" TO FIT 38.30 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC #675

201046 SPLIT REPAIR SLEEVE 42" (CRITI
SPLIT REPAIR SLEEVE 42" TO FIT 44.50 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC #675

201047 SPLIT REPAIR SLEEVE 48" (CRITI
SPLIT REPAIR SLEEVE 48" TO FIT 50.80 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC #675

201048 SPLIT REPAIR SLEEVE 54" (CRITI
SPLIT REPAIR SLEEVE 54" TO FIT 57.56 OD, 16" WIDTH, NSF GASKETS, ALLOY BOLTS AND NUTS PER ANSI B18.2.2. MINIMUM 150 LB WORKING PRESSURE
SMITH-BLAIR INC #675

201095 RING SEAT LEAD GSKT 5-1/4" HYD
RING SEAT LEAD GSKT 5-1/4" HYD
MUELLER COLUMBIAN

201121 EAR-PLUGS EXPAND TO FIT
EAR PLUGS EXPAND O FIT
HOWARD LEIGHT MAX 30
VALLEN SAFETY 214566

201122 BAKING-SODA
BAKING SODA
ARM & HAMMER 8 OZ

201123 HANDSAW FOR PVC 18" LONG
SAW HAND PVC 18"
LENOX 20980-HSF-180

201124 MACHETE 24"-BLADE
MACHETE 24" BLADE
SEYMOUR MANUFACTURING 2P-MA24

201125 SHEARS HEAVY-DUTY
SHEARS HEAVY DUTY
COOPER TOOLS 90028

201126 FACESHIELD
FACESHIELD
AEARO COMPANY 90028

201127 PAINT FLUORESCENT ORANGE
PAINT ORANGE FLORESCENT
SEYMOUR MANUFACTURING 20-657

201128 TAPE ENGINEERS 1/2" X 100'
TAPE ENGINEERS 1/2" X 100'

	KESON INDUSTRIES	KL10018
201129	IMPACT-O-PROBE 36"	
	IMPACT-O-PROBE 36"	
	JOSEPH G POLLARD CO	P55013
201130	LIPGLOSS CHAPSTICK	
	CHAPSTICK	
201131	LEVEL 4 FT TOP READ MAGNETIC	
	LEVEL 4 FT TOP READ MAGNETIC	
	STANLEY	42-486
201132	SUNBLOCK LOTION	
	SUNBLOCK LOTION	
	CORETEX	71666
201133	BLEACH 1-GAL BOTTLE	
	BLEACH	
201134	PRIMER PAINT RED	
	PRIMER RED	
201136	BROOM WHISK	
	BROOM WHISK	
201137	GAUGE 600#	
	GAUGE 600#	
201138	LINEAR TAPE, FIBERGLASS 1/2" X	
	LINEAR TAPE, FIBERGLASS 1/2" X	
	LUFKIN	706L
201160	ASSY SAFETY KIT STEM 4-1/2" (N	
	ASSY SAFETY KIT STEM 4-1/2" (NO STEM)	
	MUELLER	H-75/95/94
201194	STEM UPPER FOR 4-1/2" HYDRANT	
	STEM UPPER FOR 4-1/2" HYDRANT	
	M & H VALVE CO	N/A
201384	SHIELD NUT RH-TH	
	SHIELD NUT RH-TH	
	M & H VALVE CO	N/A
201459	SEAL RECTOR #5 1-PINT CAN	
	SEAL RECTOR #5 1-PT CAN	
201517	FLANGE BLIND DI 4"	
	FLANGE BLIND DI 4" COMPANION & BLIND TYPE FLANGES 3" THRU 6 " SHALL CONFORM TO ANSI STANDARD 16.1 CAST IRON PIPE FLANGES & FLANGED FITTING S,	

AMERICAN CAST IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	BDF
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

201525 FLANGE COMPANION 4"
FLANGE COMPANION 4" COMPANION & BLIND TYPE FLANGES SHALL CONFORM TO ANSI STANDARD B 16.1 CAST IRON PIPE FLANGES & FLANGED FITTINGS, CL ASS 125.

AMERICAN CAST IRON PIPE CO	N/A
CLOW CORP	N/A
U S PIPE & FOUNDRY CO	N/A
UNION FOUNDRY	

201533 WOOL LEAD
WOOL LEAD LEAD WOOL SHALL COMPLY WITH THE REQUIREM ENTS OF LATEST REVISION OF ASTM STANDARD B29 FOR COMMON DESILVERED PIG L EAD. THE LEAD SHALL BE FURNISHED IN SHREADED FORM.

MAYFIELD	N/A
WILLARD	N/A

201657 FLANGE METER 1-1/2" BRASS
FLANGE METER 1-1/2" METER FLANGES SHALL CONFORM TO THE REQUIREMENTS OF COMPANION FLANGES AS DESCRIBED IN AWWA STANDARD C-700 COLD-90 OR LATEST REVISION, COLD WATER METERS - DISPLACEMENT TYPE.

FORD METER BOX CO	NO. 6F
METER MFG	N/A

201665 FLANGE METER 2" BRASS
FLANGE METER 2" METER FLANGES SHALL CONFORM TO THE REQUIREMENTS OF COMPANION FLANGES AS DESCRIBED IN ANSI STANDARD B16.1 "CAST IRON PIPE FLANGES & FLANGED FITTINGS, CLASS 125."

A Y MC DONALD MFG CO	610F
FORD METER BOX CO	6F
METER MFG	
UNION FOUNDRY	N/A

201731 SLEEVE GLV 3/4"
SLEEVE GLV 3/4" GALVANIZED FITTINGS 1/2" THRU 3", SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WI

201749 SLEEVE GLV 1"
SLEEVE GLV 1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

201756 SLEEVE GLV 1-1/2"
SLEEVE GLV 1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

201764 SLEEVE GLV 2"
SLEEVE GLV 2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

201889 TAPE DUCT ROLL 2"X60YD
TAPE DUCT 2"X60YD ROLL TAPE DUCT AIR CONDITIONED. PRESSURE SENS ITIVE COTTON CLOTH BALKED, SILVER COLOR, POLYETHYLENE COATED TO PROVIDE HI GH TACK FOR ALL AROUND DUCT-SEALING PURPOSES AND THERMAL INSULATION. 2" X 60

NATIONAL TAPE	183-2

	PARMAK	CD-1
201900	NIPPLE, 1/2" X CLOSE GALVANIZE NIPPLE, 1/2" X CLOSE GALVANIZE	
201902	NIPPLE, 1/2" X 2 GALVANIZED NIPPLE, 1/2" X 2 GALVANIZED	
201903	NIPPLE, 1/2" X 3" GALVANIZED NIPPLE, 1/2" X 3" GALVANIZED	
201904	NIPPLE, 1/2" X 4" GALVANIZED NIPPLE, 1/2" X 4" GALVANIZED	
201905	NIPPLE, 1/2" X 5" GALVANIZED NIPPLE, 1/2" X 5" GALVANIZED	
201906	NIPPLE, 1/2" X 6" GALVANIZED NIPPLE, 1/2" X 6" GALVANIZED	
201910	NIPPLE, 3/4" X CLOSE GALVANIZE NIPPLE, 3/4" X CLOSE GALVANIZE	
201912	NIPPLE, 3/4" X 2" GALVANIZED NIPPLE, 3/4" X 2" GALVANIZED	
201913	NIPPLE, 3/4" X 3" GALVANIZED NIPPLE, 3/4" X 3" GALVANIZED	
201914	NIPPLE, 3/4" X 4" GALVANIZED NIPPLE, 3/4" X 4" GALVANIZED	
201915	NIPPLE, 3/4" X 5" GALVANIZED NIPPLE, 3/4" X 5" GALVANIZED	
201916	NIPPLE, 3/4" X 6" GALVANIZED NIPPLE, 3/4" X 6" GALVANIZED	
201920	NIPPLE, 1" X CLOSE GALVANIZED NIPPLE, 1" X CLOSE GALVANIZED	
201922	NIPPLE, 1" X 2" GALVANIZED NIPPLE, 1" X 2" GALVANIZED	

201923	NIPPLE, 1" X 3" GALVANIZED NIPPLE, 1" X 3" GALVANIZED
201924	NIPPLE, 1" X 4" GALVANIZED NIPPLE, 1" X 4" GALVANIZED
201925	NIPPLE, 1" X 5" GALVANIZED NIPPLE, 1" X 5" GALVANIZED
201926	NIPPLE, 1" X 6" GALVANIZED NIPPLE, 1" X 6" GALVANIZED
201930	NIPPLE, 1 1/4" X CLOSE GALVANI NIPPLE, 1 1/4" X CLOSE GALVANI
201932	NIPPLE, 1 1/4" X 2" GALVANIZED NIPPLE, 1 1/4" X 2" GALVANIZED
201933	NIPPLE, 1 1/4" X 3" GALVANIZED NIPPLE, 1 1/4" X 3" GALVANIZED
201934	NIPPLE, 1 1/4" X 4" GALVANIZED NIPPLE, 1 1/4" X 4" GALVANIZED
201935	NIPPLE, 1 1/4" X 5" GALVANIZED NIPPLE, 1 1/4" X 5" GALVANIZED
201936	NIPPLE, 1 1/4" X 6" GALVANIZED NIPPLE, 1 1/4" X 6" GALVANIZED
201940	NIPPLE, 1 1/2" X CLOSE GALVANI NIPPLE, 1 1/2" X CLOSE GALVANI
201942	NIPPLE, 1 1/2" X 2" GALVANIZED NIPPLE, 1 1/2" X 2" GALVANIZED
201943	NIPPLE, 1 1/2" X 3" GALVANIZED NIPPLE, 1 1/2" X 3" GALVANIZED
201944	NIPPLE, 1 1/2" X 4" GALVANIZED NIPPLE, 1 1/2" X 4" GALVANIZED

201945 NIPPLE, 1 1/2" X 5" GALVANIZED
NIPPLE, 1 1/2" X 5" GALVANIZED

201946 NIPPLE, 1 1/2" X 6" GALVANIZED
NIPPLE, 1 1/2" X 6" GALVANIZED

201948 NIPPLE GALVANIZED 1 1/2 X 8
NIPPLE GALVANIZED 1 1/2 X 8

201950 NIPPLE, 2" X CLOSE GALVANIZED
NIPPLE, 2" X CLOSE GALVANIZED

201952 NIPPLE, 2" X 2" GALVANIZED
NIPPLE, 2" X 2" GALVANIZED

201953 NIPPLE, 2" X 3" GALVANIZED
NIPPLE, 2" X 3" GALVANIZED

201954 NIPPLE, 2" X 4" GALVANIZED
NIPPLE, 2" X 4" GALVANIZED

201955 NIPPLE, 2" X 5" GALVANIZED
NIPPLE, 2" X 5" GALVANIZED

201956 NIPPLE, 2" X 6" GALVANIZED
NIPPLE, 2" X 6" GALVANIZED

201958 NIPPLE, 2" X 8" GALVANIZED
NIPPLE, 2" X 8" GALVANIZED

201970 BUSHING GLV 3/4X1/2"
BUSHING GLV 3/4X1/2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS 1/2" THRU 3", SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUS HINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OU

201972 24" LCP PRICE SPIGOT X MECHANI
24" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADAPTER

201974 24" LCP PRICE BELL X MECHANICA
24" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER

201976 30" LCP PRICE SPIGOT X MECHANI
30" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADAPTER

201978 30" LCP PRICE BELL X MECHANICA
30" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER

201982 NUT HEX 1/2
NUT HEX 1/2
THE FASTENAL COMPANY 201982

201984 36" LCP PRICE SPIGOT X MECHANI
36" LCP PRICE SPIGOT X MECHANICAL JOINT SPIGOT ADPATER

201986 36" LCP PRICE BELL X MECHANIC
36" LCP PRICE BELL X MECHANICAL JOINT SPIGOT ADAPTER

201988 BUSHING GLV 1X3/4"
BUSHING GLV 1X3/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

201996 BUSHING GLV 1-1/4X 3/4"
BUSHING GLV 1-1/4X 3/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

202002 BUSHING GLV 1-1/4X1"
BUSHING GLV 1-1/4X1" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

202218 BUSHING GLV 1-1/2" X 3/4"
BUSHING GLV 1-1/2" X 3/4"GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

202226 BUSHING GLV 1-1/2X 1"
BUSHING GLV 1-1/2X 1" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

202234 BUSHING GLV 1-1/2X1-1/4"
BUSHING GLV 1-1/2X1-1/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

202242 BUSHING GLV 2" X 3/4"
BUSHING GLV 2" X 3/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

202259 BUSHING GLV 2" X 1"
BUSHING GLV 2" X 1" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

202267 BUSHING GLV 2X 1-1/4"
BUSHING GLV 2X 1-1/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

202275	BUSHING GLV 2X1-1/2"	
	BUSHING GLV 2X1-1/2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT	
202507	SEAT MAIN VALVE M&H	
	SEAT MAIN VALVE M&H	
	M & H VALVE CO	N/A
202523	TEE BRASS 3/4X1"	
	TEE BRASS 3/4X1"	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
202549	WRENCH FIRE HYDRANT MUELLER	
	WRENCH FIRE HYDRANT MUELLER	
	MUELLER	A24092
202648	HANDLE AXE	
	HANDLE AXE	
	MARION	1000
	TURNER-DAY	HS-56
202697	PLATE VALVE 4-1/4" HYDT	
	PLATE VALVE 4-1/4" HYDT	
	MUELLER	COLUMBIA
202713	SHIELD NUT LF-TH	
	SHIELD NUT LF-TH	
	M & H VALVE CO	N/A
202721	ADAPTER CU-TO-STL 3/4" F-TH	
	ADAPTER CU-TO-STL 3/4" F-TH PVC INSIDE I.P. THREAD TO P.E. 3/4" TUBING ADAPTER SHALL BE A ONE PIECE STRAIGHT COUPLING WITH INSIDE I.P. THREADS ON ONE END & A PUSH-ON SELF LOCKING O RING CONNECTION ON THE OTHER END.	
	MUELLER	H15457
202747	COUPLING CORP ADAPTER 3/4"	
	COUPLING CORP ADAPTER 3/4" COMPRESSION TYPE 3/4" CORPORATION COCK C OUPLINGS SHALL BE ONE PIECE STRAIGHT COUPLING WITH A COPPER SERVICE THREAD ON ONE END & A COMPRESSION CONNECTION ON THE OTHER END.	
	FORD METER BOX CO	C04-33
	HAYES MFG CO	5305-71EE
	MUELLER	H15071
202762	COCK CORP 3/4"	
	COCK CORP 3/4" COMPRESSION TYPE CORPORATION COCKS SHALL BE FURNISHED WITH AWWA TAPERED THREAD INLETS & COMPRESSION CONNECTIONS FOR TYPE K COPPER SERVICE PIPE OUTLETS. OUTLET THREADS SHALL CONFORM TO ANSI/AWW	
	A Y MC DONALD MFG CO	4701-T
	FORD METER BOX CO	F1000-3&4 (3/4"&1")
	MUELLER	H15008 (3/4" & 1")
202770	COCK CORP 1"	
	COCK CORP 1" COMPRESSION TYPE CORPORATION COCKS 3/4" THRU 2" FURNISHED WITH AWWA TAPERED THREAD INLETS & COMPRESSION CONNECTIONS FOR TYPE K COPPER SERVICE PIPE OUTLETS. OUTLET THREADS SHALL CONFORM TO ANSI/AWW	
	A Y MC DONALD MFG CO	4701-22
	FORD METER BOX CO	F1000-3&4 (3/4"&1")
	MUELLER	H15008 (3/4" & 1")

202788 COCK CORP 1-1/2"
COCK CORP 1-1/2" COMPRESSION TYPE CORPORATION COCKS SHALL BE FURNISHED WITH AWWA TAPERED THREAD INLETS & COMPRESSION CONNECTIONS FOR TYPE K COPPER SERVICE PIPE OUTLETS. OUTLET THREADS SHALL CONFORM TO ANSI/AWWA STD C

A Y MC DONALD MFG CO	4701
FORD METER BOX CO	F1000
MUELLER	H15013 (1-1/2"& 2")

202796 COCK CORP 2"
COCK CORP 2" COMPRESSION TYPE CORPORATION COCKS SHALL BE FURNISHED WITH AWWA TAPERED THREAD INLETS & COMPRESSION CONNECTIONS FOR TYPE K COPPER SERVICE PIPE OUTLETS. OUTLET THREADS SHALL CONFORM TO ANSI/AWWA

A Y MC DONALD MFG CO	4701-T
FORD METER BOX CO	F1000
MUELLER	H15013 (1-1/2"& 2")

202840 METER BOX POLY/CONC 30X48X24
METER BOX POLY/CONC30 X 48 X24 FIBERGLASS/POLYMER CONCRETE METER BOX FOR 2” WATER METER INSTALLATIONS. BOX MEASURES 24” H X 48”L X 24”W.

202895 NAIL P-K MASONRY
NAIL P-K MASONRY

202903 ADAPTER CU-TO-STL 3/4" ML TH
ADAPTER CU-TO-STL 3/4" ML TH PVC OUTSIDE I.P. THREAD TO P.E. 3/4" TUBING ADAPTER SHALL BE A ONE PIECE STRAIGHT COUPLING WITH OUTSIDE THREADS ON ONE END & A PUSH ON SELF LOCKING O RING END.

MUELLER	H15424

202937 YOKE METER 1"
YOKE METER 1"

A Y MC DONALD MFG CO	N/A
FORD METER BOX CO	N/A
MUELLER	N/A

203024 PLASTIC METER BOX 15 X 24
PLASTIC METER BOX 15 X 24

203125 COUPLING BREAKABLE FOR 4-1/2"
COUPLING BREAKABLE FOR 4-1/2"

M & H VALVE CO	N/A

203141 GASKET STANDPIPE FOR 4-1/2"
GASKET STANDPIPE FOR 4-1/2"

M & H VALVE CO	N/A

203150 VALVE ANGLE 3/4"FPT
VALVE, ANGLE 3/4"

FORD METER BOX CO	AV11-333W

203158 NIPPLE BRASS 1X5"
NIPPLE BRASS 1X5" BRASS NIPPLES 3/4" THRU 2" SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE &

B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203182 NIPPLE BRASS 2X8"

NIPPLE BRASS 2X8" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203190 NIPPLE BRASS 2X6"

NIPPLE BRASS 2X6" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203208 NIPPLE BRASS 2X4"

NIPPLE BRASS 2X4" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203216 NIPPLE BRASS 2X2"

NIPPLE BRASS 2X2" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203224 NIPPLE BRASS 1-1/2X8"

NIPPLE BRASS 1-1/2X8" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203232 NIPPLE BRASS 1-1/2X6"

NIPPLE BRASS 1-1/2X6" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203240 NIPPLE BRASS 1-1/2X4"

NIPPLE BRASS 1-1/2X4" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

ATLAS UTILITY SUPPLY CO	N/A
BLUE RIDGE PIPE & NIPPLE CO	
DAVIS	N/A
LEE BRASS	N/A

	MERIT BRASS CO	N/A

203257 NIPPLE BRASS 1-1/2X3"
NIPPLE BRASS 1-1/2X3" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203265 NIPPLE BRASS 1-1/2X2"
NIPPLE BRASS 1-1/2X2" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203273 NIPPLE BRASS 1" X 6"
NIPPLE BRASS 1" X 6" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203281 NIPPLE BRASS 1X4"
NIPPLE BRASS 1X4" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203299 NIPPLE BRASS 1" X 3"
NIPPLE BRASS 1" X 3" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

ATLAS UTILITY SUPPLY CO	N/A
BLUE RIDGE PIPE & NIPPLE CO	
DAVIS	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203307 NIPPLE BRASS 1X2"
NIPPLE BRASS 1X2" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203315 NIPPLE BRASS 3/4X6"
NIPPLE BRASS 3/4X6" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203323 NIPPLE BRASS 3/4X5"
NIPPLE BRASS 3/4X5" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO

ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203331 NIPPLE BRASS 3/4X4"

NIPPLE BRASS 3/4X4" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203349 NIPPLE BRASS 3/4X3"

NIPPLE BRASS 3/4X3" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203356 NIPPLE BRASS 3/4X2"

NIPPLE BRASS 3/4X2" BRASS NIPPLES SHALL BE MADE FROM PIPE CONFORMING TO ASTM STANDARD B43 FOR REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL REQUIREMENTS. THE NIPPLES SHALL BE SUPPL

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203364 BUSHING GLV 3X2-1/2"

BUSHING GLV 3X2-1/2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

203372 INSERT SS FOR 1" HDPE TUBING

INSERT SS FOR 1" HDPE TUBING

203380 SLEEVE BRASS 2" THREADED

SLEEVE BRASS 2" THREADED THREADED BRASS SLEEVES SHALL BE FOR CONNECTING REGULAR SEAMLESS RED BRASS PIPE CONFORMING TO THE LATEST REVISION O F ASTM B-43 & B251 AND BE THREADED WITH NATIONAL STANDARD

BLUE RIDGE PIPE & NIPPLE CO	N/A
LEE BRASS	N/A
MERIT BRASS CO	N/A

203414 TEE BRASS 2"

TEE BRASS 2"

LEE BRASS	N/A
MERIT BRASS CO	N/A

203422 ELL BRASS 2" MALE-TH CU-TO-STL

ELL BRASS 2" MALE-TH CU-TO-STL 90-DEG BRASS & BRONZE FITTINGS 3/4" THRU 2" SHALL CONFORM TO ANSI STANDARD B16.15 BRASS OR BRONZE SCREWED FITTINGS, 125 & 250 LBS.

LEE BRASS	N/A
MERIT BRASS CO	N/A

203430 ELL BRASS 2" F-TH CU-TO-STL

ELL BRASS 2" F-TH CU-TO-STL

LEE BRASS	N/A

	MERIT BRASS CO	N/A
203448	ELL BRASS 2" 45DEG	
	ELL BRASS 2" 45DEG	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
203455	ELL BRASS 2" STREET	
	ELL BRASS 2" STREET	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
203463	ELL BRASS 2" PLAIN 90DEG	
	ELL BRASS 2" PLAIN 90DEG	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
203513	PLUG CORP BRASS 3/4"	
	PLUG CORP BRASS 3/4"	
	A Y MC DONALD MFG CO	3206
	FORD METER BOX CO	STOCK ITEM
	MUELLER	H10033
203521	PLUG CORP BRASS 1"	
	PLUG CORP BRASS 1"	
	A Y MC DONALD MFG CO	3206
	FORD METER BOX CO	STOCK ITEM
	MUELLER	H-10033
203539	ADAPTER CU-TO-STL 2" MALE TH	
	ADAPTER CU-TO-STL 2" MALE TH OUTSIDE I.P.THREADS, COMPRESSION TYPE ADAPTER FITTINGS SHALL BE STRAIGHT COUPLINGS WITH OUTSIDE I.P. END & A COMPRESSION TYPE JOINT ON THE OTHER END.	
	A Y MC DONALD MFG CO	4753-22
	FORD METER BOX CO	C84-77
	HAYES MFG CO	5606
	JAMES JONES CO	
	MUELLER	H15428
203547	COUPLING CU-TO-STL 2" FEM-TH	
	COUPLING CU-TO-STL 2" FEM-TH INSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER 3/4" THRU 2" SHALL BE STRAIGHT COUPLINGS WITH INSIDE I.P. THREADS ON ONE END & A COMPRESSIONS TYPE JOINT ON THE OTHER END.	
	A Y MC DONALD MFG CO	4754T-2
	FORD METER BOX CO	C14
	HAYES MFG CO	SERIES 5600
	JAMES JONES CO	
	MUELLER	H15451
203562	COUPLING CU-TO-CU 2" UNION	
	COUPLING CU-TO-CU 2" UNION THREE-PART UNION COUPLING 3/4 THRU 2" SHALL HAVE COMPRESSION CONNECTIONS ON EACH END FOR TYPE K COPPER OR POLYETHYLE NE SERVICE TUBING.	
	A Y MC DONALD MFG CO	4758-22
	FORD METER BOX CO	
	HAYES MFG CO	SERIES 5615
	JAMES JONES CO	J2609
	MUELLER	H15403
203570	ELL GALV 3IN STREET DELETE	
	ELL GLV 3IN STREET DELETE GALVANIZED FITTINGS 1/2" THRU 3" SHALL CONFORM TO	

ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WI

203620	VALVE DRAIN FOR 4-1/2" HYDT	
	VALVE DRAIN FOR 4-1/2" HYDT	
	M & H VALVE CO	N/A
203638	GASKET LG MAIN VALVE SEAT	
	GASKET LG MAIN VALVE SEAT	
	M & H VALVE CO	N/A
203653	TEE BRASS 1-1/2"	
	TEE BRASS 1-1/2"	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
203661	TEE BRASS 1-1/2X3/4"	
	TEE BRASS 1-1/2X3/4"	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A

203737 COUPLING CU-TO-STL 1-1/2" F-TH
COUPLING CU-TO-STL 1-1/2" F-TH 90-DEG INSIDE I.P. QUARTER BEND FLARED ADAPTER SHALL BE A QUARTER BEND COUPLING WITH INSIDE I.P. THREADS ONE END & COPPER TUB ING FLARE CONNECTION ON THE OPPOSITE END. THREADS SHALL CONFORM TO AWWA STAND

A Y MC DONALD MFG CO	4779
FORD METER BOX CO	L21
HAYES MFG CO	6530
JAMES JONES CO	J2621
MUELLER	

203752 ADAPTER CU-TO-STL 1-1/2" FM TH
ADAPTER CU-TO-STL 1-1/2" FM TH INSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER SHALL BE STRAIGHT COUPLINGS WITH INSIDE I.P. THREADS ON ONE END & A COMPRESSION TYPE JOINT ON THE OTHER END.

A Y MC DONALD MFG CO	4754-22
FORD METER BOX CO	C14-66
HAYES MFG CO	
JAMES JONES CO	J2607
MUELLER	H15451

203760 COUPLING CU-TO-STL 1-1/2" M-TH
COUPLING CU-TO-STL 1-1/2" M-TH OUTSIDE I.P.THREADS, COMPRESSION TYPE 3/ 4" THRU 2" FITTINGS SHALL BE STRAIGHT COUPLINGS WITH OUTSIDE I.P. END & A COMPRESSION TYPE JOINT ON THE OTHER END.

A Y MC DONALD MFG CO	4753-T
FORD METER BOX CO	C84
HAYES MFG CO	5606
JAMES JONES CO	J2605
MUELLER	

203778 COUPLING CU-TO-CU 1-1/2" UNION
COUPLING CU-TO-CU 1-1/2" UNION THREE-PART UNION COUPLING SHALL HAVE COM PRESSION CONNECTIONS ON EACH END FOR TYPE K COPPER OR POLYETHYLENE SERVICE TUBING.

A Y MC DONALD MFG CO	4758-22
FORD METER BOX CO	
HAYES MFG CO	SERIES 5615 CF

	JAMES JONES CO	J2609
	MUELLER	H15403
203794	NOZZLE HOSE (2 1/2")	
	NOZZLE HOSE (2 1/2")	
	M & H VALVE CO	STYLE 129T, #454057
203810	TAPE ELEC 3/4"X66'	
	TAPE ELECT 3/4" X 66'	
203851	WHEEL HAND 2" FOR GATE VALVE	
	WHEEL HAND 2" FOR GATE VALVE	
	HAMMOND VALVE CO	N/A
203885	TEE BRASS 2X1"	
	TEE BRASS 2X1"	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
203893	TEE BRASS 1X3/4"	
	TEE BRASS 1X3/4"	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
203901	TEE BRASS 1"	
	TEE BRASS 1"	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
203943	PLUG CORP BRASS 2"	
	PLUG CORP BRASS 2"	
	A Y MC DONALD MFG CO	3206
	MUELLER	H-10033
203976	ADAPTER CU-TO-STL 1" MALE TH	
	ADAPTER CU-TO-STL 1" MALE TH COUPLING 1 MALE THREAD. OUTSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER FIT- TINGS SHALL BE STRAIGHT COUPLING WITH OU TSIDE I.P. END AND A COMPRESSION TYPE JOINT ON THE OTHER END.	
	A Y MC DONALD MFG CO	
	FORD METER BOX CO	C-84-44
	HAYES MFG CO	5606
	JAMES JONES CO	J2605
	MUELLER	H-15428
203984	ADAPTER CU-TO-STL 1" FM TH	
	ADAPTER CU-TO-STL 1" FM TH INSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER SHALL BE STRAIGHT COUPLINGS WITH INSIDE I.P. THREADS ON ONE END & A COMPRESSION TYPE JOINT ON THE OTHER END.	
	A Y MC DONALD MFG CO	4754-1
	FORD METER BOX CO	
	HAYES MFG CO	SERIES 5600 CF
	JAMES JONES CO	J2607
	MUELLER	H15451
204008	COUPLING CU-TO-CU 1" UNION	
	COUPLING CU-TO-CU 1" UNION THREE-PART UNION COUPLING SHALL HAVE COM PRESSION CONNECTIONS ON EACH END FOR TYPE K COPPER OR POLYETHYLENE SERVICE TUBING.	
	A Y MC DONALD MFG CO	4758-T

	FORD METER BOX CO	
	HAYES MFG CO	SERIES 5615
	JAMES JONES CO	J2609
	MUELLER	H15403

204040 NUT OPERATING 4-1/2" HYDT M&H
NUT OPERATING 4-1/2" HYDT M&H KIT

M & H VALVE CO	N/A

204099 ADAPTER CU-TO-LD 3/4"
ADAPTER CU-TO-LD 3/4" OLD-TYPE DOUBLE EXTRA STRONG LEAD FLANGE ADAPTER SHALL BE A STRAIGHT COUPLING WITH GASKET. INLET SHALL BE LEAD FLANGE AND OUTLET SHALL BE COPPER TUBING FLARE CONNECTION. THREADS SHALL CONFORM TO AW

MUELLER	H-15510

204107 ADAPTER CU-TO-LD 3/4" STR
ADAPTER CU-TO-LD 3/4" STR OLD-TYPE EXTRA STRONG LEAD FLANGE ADAPTER SHALL B E A STRAIGHT COUPLING WITH GASKET FOR EXTRA STRONG LEAD FLANGE. INLET SHALL BE LEAD FLANGE AND OUTLET SHALL BE COPPER TUBING FLARE CONNECTION. THREADS SHALL C

A Y MC DONALD MFG CO	4742 LF
HAYES MFG CO	5340
JAMES JONES CO	
MUELLER	H-15505

204115 ADAPTER CU-TO-STL 3/4" FM TH
ADAPTER CU-TO-STL 3/4" FM TH INSIDE I.P. THREADS, COMPRESSION TYPE ADAPTER SHALL BE STRAIGHT COUPLINGS WITH INSIDE I.P. THREADS ON ONE END & A COMPRESSION TYPE JOINT ON THE OTHER END.

A Y MC DONALD MFG CO	4754-T
FORD METER BOX CO	C14-33
HAYES MFG CO	
JAMES JONES CO	J2607
MUELLER	H15451

204123 ADAPTER CU-TO-STL 3/4" ML TH
ADAPTER CU-TO-STL 3/4" ML TH OUTSIDE I.P.THREADS, COMPRESSION TYPE ADAPTER FITTINGS SHALL BE STRAIGHT COUPLINGS WITH OUTSIDE I.P. END & A COMPRESSION TYPE JOINT ON THE OTHER END.

A Y MC DONALD MFG CO	4753-T
FORD METER BOX CO	C84-33
HAYES MFG CO	
JAMES JONES CO	J2605
MUELLER	H15428

204131 COUPLING CU-TO-CU 1X3/4" COMP
COUPLING CU-TO-CU 1X3/4" COMP 3-PARTS THREE-PART COPPER TO COPPER COMPRESSION COUPLING SHALL BE FOR CONNECTION TYPE K COPPER TUBING BY MEANS OF A THREE PART UNION. THREADS SHALL CONFORM TO ANSI/AWWA STANDARD C-800-89 OR LATEST RE

A Y MC DONALD MFG CO	
FORD METER BOX CO	C44-34
HAYES MFG CO	5615-CF
JAMES JONES CO	J-2609
MUELLER	H15403

204149 COUPLING CU-TO-CU 3/4" UNION
COUPLING CU-TO-CU 3/4" UNION THREE-PART UNION COUPLING SHALL HAVE COM PRESSION CONNECTIONS ON EACH END FOR TYPE K COPPER OR POLYETHYLENE SERVICE TUBING.

A Y MC DONALD MFG CO	4758-T
FORD METER BOX CO	C44
HAYES MFG CO	
JAMES JONES CO	J2609
MUELLER	H15403

204156 CLAMP 6" CI SJ BELL JOINT
CLAMP 6" CI SJ BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT 4" THRU 30" SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT

DRESSER MFG	STYLE 60, 160
SMITH-BLAIR INC	274

204180 GLOVES RUBBER #718
GLOVE RUBBER 718

204206 ADAPTER FLANGE COUPL 3"
ADAPTER FLANGE COUPL 3" W/ ACCESSORIES FLANGED ADAPTER 3" THRU 10" SHALL BE DESIGNED TO JOIN PLAIN END DUCTILE IRON TO ANSI B16.1 CLASS 125 FLANGES OF THE SAME NOMINAL SIZE AND SHALL BE FURNISHED FULLY ASSEMBLED WITH ACCESSORIES.

DRESSER MFG	STYLE 127
FORD METER BOX CO	FFCA-388
SMITH-BLAIR INC	STYLE 912-90039603-000

204222 VALVE AIR&VAC CRISPIN 1"
VALVE AIR&VAC 1" CRISPIN AIR VALVES 1" SHALL BE DOUBLE PURPOSE TYPE TO VENT LARGE AIR FLOWS IN AND OUT ON FILLING AND DRAINING PIPE SYSTEMS AND TO CONSTANTLY RELEASE ACCUMULATED AIR ON PRESSURIZED SYSTEMS.

A R I	D-040
BERMAD	1" 4405
MULTIPLEX MFG CO	CRISPIN UL-10
VALVE & PRIMER CORP	APCO MDL 143C

204248 CLAMP CI SJ #60 8"
CLAMP 8" CI SJ BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.

DRESSER MFG	STYLE 60, 160
SMITH-BLAIR INC	274

204289 ADAPTER FLANGE COUPL 8"
ADAPTER FLANGE COUPL 8" W/ACCESSORIES FLANGED ADAPTER SHALL BE DESIGNED TO JOIN PLAIN END CI AND DI TO ANSI STANDARD B16.1 CLASS 125 FLANGES OF THE SAME NOMI NAL SIZE AND SHALL BE FURNISHED FULLY

DRESSER MFG	STYLE 127
FORD METER BOX CO	STYLE FFCA
SMITH-BLAIR INC	STYLE 912-9084008-000

204313 ADAPTER FLANGE COUPL 4"
ADAPTER FLANGE COUPL 4" W/ ACCESSORIES FLANGED ADAPTER SHALL BE DESIGNED TO JOI N PLAIN END DUCTILE IRON TO ANSI B16.1 CLASS 125 FLANGES OF THE SAME NOMI NAL SIZE AND SHALL BE FURNISHED FULLY ASSEMBLED WITH

DRESSER MFG	STYLE 127
FORD METER BOX CO	FFCA-491
SMITH-BLAIR INC	STYLE 912-90051004-000

204321 ADAPTER FLANGE COUPL 6"
ADAPTER FLANGE COUPL 6" W/ ACCESSORIES FLANGED ADAPTER SHALL BE DESIGNED TO JOI N PLAIN END DUCTILE IRON TO ANSI B16.1 CLASS 125 FLANGES OF THE SAME NOMI NAL SIZE AND SHALL BE FURNISHED FULLY ASSEMBLED.

DRESSER MFG	STYLE 127
FORD METER BOX CO	FFCA-712
SMITH-BLAIR INC	STYLE 912-90072006-000

204339 ADAPTER FLANGE COUPL 10"
ADAPTER FLANGE COUPL 10" W/ ACCESSORIES FLANGED ADAPTER SHALL BE DESIGNED TO JOI N PLAIN END CAST IRON TO ANSI STANDARD B16.1 CLASS 125 FLANGES OF THE SAME NOMI NAL SIZE AND SHALL BE FURNISHED FULLY

DRESSER MFG	STYLE 127
FORD METER BOX CO	STYLE FFCA
SMITH-BLAIR INC	STYLE 912-90116010-000

204347 COUPLING GLV 3" DRESSER 38
COUPLING GLV 3" DRESSER 38 DRESSER TYPE COUPLING PIPE SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE & SHALL BE 3 OR 4 BOLT STYLE. COUPLINGS SHALL BE H

DRESSER MFG	STYLE 38
FORD METER BOX CO	STYLE FS3
SMITH-BLAIR INC	N/A

204354 PLUG DI SJ 6"
PLUG DI SJ 6" SLIP JOINT SOLID PLUGS 6", 8" 12" SHALL CONFORM ANSI/AWWA STANDARD C-110/A21.10 -87 OR LATEST REVISION & DESIGNED TO FIT BELLS OF ANSI/AWWA STANDARD C-151/A21. 51-86 OR LATEST REVISION PIPE. INTERIOR

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DPP
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

204362 COPPERHORN METER-YOKE 3/4"
COPPERHORN METER YOKE 3/4" STANDARD COMPRESSION TYPE COPPERHORN SHALL BE DESIGNED FOR A 5/8 METER & BE FURNISHED WITH 3/4 MALE SWIVEL INL ET AND 3/4 COMPRESSION TYPE OUTLET DESIGNED FOR COPPER AND BE FORD

A Y MC DONALD MFG CO	40-1----M2233
FORD METER BOX CO	#1
MUELLER	N/A

204370 UNION GLV 1/2"
UNION GLV 1/2" GALVANIZED UNIONS, GROUND JOINT TYPE 1/2 " THRU 3" SHALL BE HOT DIPPED GALV MALLEABLE IRON FOR WATER WORKING PRESSUR E OF 200 PSI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.

204388 UNION GLV 3/4"
UNION GLV 3/4" GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.

204396 UNION GLV 1"
UNION GLV 1" GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.

204404 UNION GALV 1-1/4IN DELETE
UNION GALV 1-1/4IN DELETE GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.

204412 UNION GLV 1-1/2"
UNION GLV 1-1/2" GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.

204420 NIPPLE GLV 3X2"
NIPPLE GLV 3X2" GALVANIZED NIPPLES SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAMLESS STEEL PIPE CONFORMING TO ASTM STANDARD

A53. NIPPLES MUST NOT BE PAINTED.

204438 NIPPLE GLV 3X4"
NIPPLE GLV 3X4" GALVANIZED NIPPLES SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAMLESS STEEL PIPE CONFORMING TO ASTM STANDARD A53. NIPPLES MUST NOT BE PAINTED.

204446 UNION GLV 2"
UNION GLV 2" GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT.

204453 REDUCER GLV 3/4X1/2"
REDUCER GLV 3/4X1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204461 REDUCER GLV 1X3/4"
REDUCER GLV 1X3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204479 REDUCER GLV 1-1/4X 1/2"
REDUCER GLV 1-1/4X 1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204487 REDUCER GLV 1-1/4X 3/4"
REDUCER GLV 1-1/4X 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204495 REDUCER GLV 1-1/4X1"
REDUCER GLV 1-1/4X1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204503 REDUCER GALV 1-1/2 X 1/2IN
REDUCER GLV 1-1/2 X 1/2IN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204511 REDUCER GLV 1-1/2" X 3/4"
REDUCER GLV 1-1/2" X 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204529 REDUCER GLV 1-1/2X 1"
REDUCER GLV 1-1/2X 1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204537 REDUCER GALV 1-1/2X1-1/4IN
REDUCER GLV 1-1/2X1-1/4IN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204545 REDUCER GLV 2" X 3/4"
REDUCER GLV 2" X 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204552 REDUCER GLV 2" X 1"
REDUCER GLV 2" X 1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD

B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204560 REDUCER GLV 2" X1-1/4"
REDUCER GLV 2" X1-1/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204578 REDUCER GLV 2X 1-1/2"
REDUCER GLV 2X 1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204586 SLEEVE GLV 1/2"
SLEEVE GLV 1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204594 SLEEVE GLV 1-1/4"
SLEEVE GLV 1-1/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204610 ELL GLV 1" PLAIN
ELL GLV 1" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204628 ELL GLV 1" STREET
ELL GLV 1" STREET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204636 ELL GLV 1" 45DEG
ELL GLV 1" 45DEG GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204644 ELL GLV 1-1/4" PLAIN
ELL GLV 1-1/4" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204651 ELL GLV 1-1/2" PLAIN
ELL GLV 1-1/2" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204669 NIPPLE GLV 3X6"
NIPPLE GLV 3X6" GALVANIZED NIPPLES SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAMLESS STEEL PIPE CONFORMING TO ASTM STANDARD A53. NIPPLES MUST NOT BE PAINTED.

204677 ELL GALV 1-1/2IN 45DEG DELET
ELL GLV 1-1/2IN 45DEG DELET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204685 ELL GLV 1-1/2" STREET
ELL GLV 1-1/2" STREET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204693 ELL GLV 2" 45DEG

ELL GLV 2" 45DEG GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204701 CLAMP REPAIR SERVICE 3/4"
CLAMP REPAIR SERVICE 3/4" PIPE REPAIR CLAMPS 3/4" THRU 3" FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6

ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER
DRESSER MFG	STYLE 118
FORD METER BOX CO	
SMITH-BLAIR INC	245 REDI-CLAMP

204719 CLAMP REPAIR SERVICE 1"
CLAMP REPAIR SERVICE 1" PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.

ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER
DRESSER MFG	STYLE 118
FORD METER BOX CO	FSC-132 X 6"
SMITH-BLAIR INC	

204727 CLAMP REPAIR SERVICE 1-1/2"
CLAMP REPAIR SERVICE 1-1/2" PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.

ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER
DRESSER MFG	STYLE 118
FORD METER BOX CO	
SMITH-BLAIR INC	245 REDI-CLAMP

204735 CLAMP REPAIR SERVICE 2"
CLAMP REPAIR SERVICE 2" PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.

DRESSER MFG	STYLE 118
FORD METER BOX CO	STYLE FSC
SMITH-BLAIR INC	245 REDI-CLAMP

204750 REDUCER GLV 3X2"
REDUCER GLV 3X2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204792 VALVE CHECK BRASS 3/4"
VALVE CHECK BRASS 3/4" BRONZE, HORIZONTAL, SWING CHECK VALVES SHALL BE STANDARD BRONZE BODY TYPE, HAVING BRONZE DISCS & CLAPPER ARMS & THREADED ENDS, DESIGNED FOR MINIMUM WATER PRESSURE OF 150 PSI WITH

CRANE VALVE CO	37
HAMMOND VALVE CO	IB940
ITT GRINNELL CO	3300
POWELL VALVE CO	

204800 VALVE CHECK BRASS 1"
VALVE CHECK BRASS 1" BRONZE, HORIZONTAL, SWING CHECK VALVES SHALL BE STANDARD BRONZE BODY TYPE, HAVING BRONZE DISCS & CLAPPER ARMS & THREADED ENDS, DESIGNED FOR MINIMUM WATER PRESSURE OF 150 PSI WITH A

CRANE VALVE CO	37
HAMMOND VALVE CO	IB 904
ITT GRINNELL CO	N/A

POWELL VALVE CO	578

204818 VALVE CHECK BRASS 1-1/2"
VALVE CHECK BRASS 1-1/2" BRONZE, HORIZONTAL, SWING CHECK VALVES SHALL BE STANDARD BRONZE BODY TYPE, HAVING BRONZE DISCS & CLAPPER ARMS & THREADED ENDS, DESIGNED FOR MINIMUM WATER PRESSURE OF 150 PSI WITH

CRANE VALVE CO	37
HAMMOND VALVE CO	
ITT GRINNELL CO	3300
POWELL VALVE CO	578

204826 PLUG GLV 1/2"
PLUG GLV 1/2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

204834 PLUG GLV 3"
PLUG GLV 3" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

204859 TEE GLV 3/4"
TEE GLV 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204867 TEE GALV 3/4X1IN DELETE
TEE GLV 3/4X1IN DELETE GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204875 TEE GLV 1"
TEE GLV 1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON) GALVANIZED INSIDE & OUTSIDE WITH ZINC BY HOT DIP PROCESS.

204883 TEE GLV 1X3/4"
TEE GLV 1X3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204891 TEE GALV 1-1/4IN DELETE
TEE GLV 1-1/4IN DELETE GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204909 TEE GLV 1-1/4X3/4"
TEE GLV 1-1/4X3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204925 TEE GLV 1-1/2"
TEE GLV 1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204933 TEE GLV 1-1/2X3/4"
TEE GLV 1-1/2X3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204941 TEE GALV 1-1/2X1IN DELETE
TEE GLV 1-1/2X1IN DELETE GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE

FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204966 ELL GLV 3/4" 45DEG
ELL GLV 3/4" 45DEG GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204974 TEE GALV 2X 1IN DELETE
TEE GLV 2X 1IN DELETE GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

204990 TEE GLV 2X1-1/2"
TEE GLV 2X1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205005 PLUG GLV 1-1/2"
PLUG GLV 1-1/2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

205013 COUPLING METER 3/4" STRAIGHT
COUPLING METER 3/4" STRAIGHT

FORD METER BOX CO	C38
MUELLER	H-10891

205039 PLUG GLV 2"
PLUG GLV 2" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

205047 PLUG GLV 1"
PLUG GLV 1" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

205054 VALVE CHECK BRASS 2"
VALVE CHECK BRASS 2" BRONZE, HORIZONTAL, SWING CHECK VALVES SHALL BE STANDARD BRONZE BODY TYPE, HAVING BRONZE DISCS & CLAPPER ARMS & THREADED ENDS, DESIGNED FOR MINIMUM WATER PRESSURE OF 150 PSI WITH

CRANE VALVE CO	1707
HAMMOND VALVE CO	IB 904
ITT GRINNELL CO	3300
POWELL VALVE CO	578

205062 PLUG GLV 1-1/4"
PLUG GLV 1-1/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

205120 ELL GALV 1-1/4IN 45DEG DEL
ELL GLV 1-1/4IN 45DEG DEL GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205153 ADAPTER PVC 2" BE X MIPT
ADAPTER PVC 2" BE X MIPT

HARCO	N/A
JOHNS MANVILLE CO	N/A
VASSALLO	N/A

205179 BEND PVC 2" 90DEG BE
BEND PVC 2" 90DEG BE

HARCO	N/A
JOHNS MANVILLE CO	N/A
VASSALLO	N/A

205187 BEND PVC 2" 45DEG BE
BEND PVC 2" 45DEG BE PVC FITTING SHALL BE CLASS 200 PRESSURE PVC GASKET JOINT 0-RING BELL JOINT FOR WATER SERVICE. ** WATER DISTRIBUTION **

HARCO	N/A
JOHNS MANVILLE CO	N/A
VASSALLO	N/A

205203 TEE PVC 2" BE
TEE PVC 2" BE PVC FITTING SHALL BE CLASS 200 PRESSURE PVC GASKET JOINT 0 RING BELL JOINT FOR WATER SERVICE. ** WATER DISTRIBUTION **

HARCO	N/A
JOHNS MANVILLE CO	N/A
VASSALLO	N/A

205252 SADDLE 2"X1" PVC PIPE
SADDLE 2"X1" PVC PIPE H-13420 MUELL PVC PIPE SERVICE SADDLES SHALL BE DESIGNED FOR 2" PVC 200 PSI (SDR-21) PIPE MEETING THE REQUIREMENTS OF ASTM STANDARD D-1784, (PVC 120) & D-2241. TAP SHALL BE AWWA C-800 TAPERED THREAD.

A Y MC DONALD MFG CO	3801
FORD METER BOX CO	SERIES S-70
MUELLER	H-13420 CC

205294 SADDLE 2"X3/4" PVC PIPE
SADDLE 2"X3/4" PVC PIPE H-13420 MUELL PVC PIPE SERVICE SADDLES 2"X3/4" OR 1" T AP SHALL BE DESIGNED FOR 2" PVC 200 PSI (SDR-21) PIPE MEETING THE REQUIREMENTS O F ASTM STANDARD D-1784, (PVC 120) & D-2241. TAP SHALL BE

A Y MC DONALD MFG CO	3801
FORD METER BOX CO	SERIES S-70
MUELLER	H-13420 CC

205302 SADDLE SERV 10" TAP 1" DI&AC
SADDLE SERV 10" TAP 1" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA STANDARD

CASCADE WATERWORKS	CDS-2
DRESSER MFG	STYLE 291
FORD METER BOX CO	STYLE 202
JAMES JONES CO	J-979

JCM IND	402-1125
MUELLER	H-10533
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	

205310 CAP GLV 3/4"
CAP GLV 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205328 CAP GLV 1"
CAP GLV 1" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205336 CAP GLV 1-1/2"
CAP GLV 1-1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205344 SADDLE SERV 12" TAP 1" DI&AC
SADDLE SERV 12" TAP 1" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL DOUBLE STRAPPED, WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA

CASCADE WATERWORKS	
DRESSER MFG	STYLE 291
FORD METER BOX CO	F202-1438XCC4
JAMES JONES CO	J979
JCM IND	402-1426
MUELLER	H-10536
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	STYLE 313

205351 SADDLE SERV 12" TAP 2" DI&AC
SADDLE SERV 12" TAP 2" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED, WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA STANDARD

CASCADE WATERWORKS	CDS-2
DRESSER MFG	STYLE 291
FORD METER BOX CO	F202-1438 CC7
JAMES JONES CO	J-979 12X2CC
JCM IND	402-1426
MUELLER	H-10536
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	

205385 SLEEVE GLV 3"
SLEEVE GLV 3" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205393 CLAMP REPAIR SERVICE 3IN
CLAMP REPAIR SERVICE 3IN D PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.

ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER
DRESSER MFG	STYLE 118
FORD METER BOX CO	STYLE FSC
ROCKWELL	245 REDI-CLAMP
SMITH-BLAIR INC	245

205401 UNION GALV 3IN DELETE
UNION GALV 3IN DELETE GALVANIZED UNIONS, GROUND JOINT TYPE SHALL BE HOT DIPPED GALVANIZED MALLEABLE IRON FOR WATER WORKING PRESSURE OF 200 P SI. JOINTS SHALL BE IRON TO BRASS WITH GROUND BRASS FEMALE SEAT. BOX OF AS

205419 ELL GLV 2" STREET
ELL GLV 2" STREET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205427 TEE GLV 2" X 3/4"
TEE GLV 2" X 3/4" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205435 CROSS GLV 2"
CROSS GLV 2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205450 REDUCER GALV 2-1/2X2IN DELE
REDUCER GLV 2-1/2X2IN DELE GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205468 PLUG GLV 3/4"
PLUG GLV 3/4" GALVANIZED FITTINGS,PLUGS,BUSHINGS & LOCK NUTS SHALL CONFORM TO ANSI STANDARD B16.14 (FERROUS PLUGS, BUSHINGS & LOCK NUTS WITH PIPE THREADS). FITTINGS SHALL BE GALVANIZED INSIDE & OUTSIDE WIT

205492 SILCOCK ANGLE-TYPE 3/4"
SILCOCK ANGLE-TYPE 3/4"

NIBCO	63CL
TANNER	901

205518 SADDLE SERV 2X3/4" CC-THREAD
SADDLE SERV 2X3/4" CC-THREAD STEEL PIPE SERVICE SADDLES SHALL BE SING LE STRAP TYPE WITH NEOPRENE GASKETS. TAP SHALL BE ANSI/AWWA STANDARD C-800-89 OR LATEST REVISION, TAPERED THREAD.

CASCADE WATERWORKS	CDS-1
FORD METER BOX CO	F101-250 CC3
MUELLER	H10475
ROMAC INDUSTRIES INC	101
SMITH-BLAIR INC	N/A

205542 ELL GLV 2" PLAIN
ELL GLV 2" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FIRNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205575 TEE GLV 2"
TEE GLV 2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205583 COUPLING GLV 1/2" DRESSER 38
COUPLING GLV 1/2" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE 1/2 " THRU 2" SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 2-BOLT STYLE. COUPLINGS

COUPLING SYSTEMS INC	E 058
DRESSER MFG	STYLE 38
FORD METER BOX CO	
SMITH-BLAIR INC	411

205591 ELL GLV 3/4" PLAIN
ELL GLV 3/4" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205609 ELL GLV 3/4" STREET
ELL GLV 3/4" STREET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

205625 VALVE GATE BRASS 2"
VALVE GATE BRASS 2" BRONZE GATE VALVES SHALL BE FOR 150 PSI WATER WORKING PRESSURE,WITH BRONZE BODIES, SCREWED ENDS, RISING STEMS AND OPERATING WHEEL TURNING CLOCKWISE TO CLOSE. OPERATING VALVES SHALL BE

AMERICAN VALVE MFG CORP	4FG
CRANE VALVE CO	428
HAMMOND VALVE CO	IB640
KITZ CORP	24-200
LUNKENHEIMER	2127
MILWAUKEE VALVE	148
STOCKHAM VALVES & FITTINGS	B-100

205633 COUPLING GLV 2" DRESSER 38
COUPLING GLV 2" DRESSER 38 DRESSER COUPLING SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE & SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TYPE.

DRESSER MFG	STYLE 38
FORD METER BOX CO	STYLE FC3
SMITH-BLAIR INC	411-00023801-003

205641 COUPLING GLV 1-1/2" DRESSER
COUPLING GLV 1-1/2" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE, SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TYP

DRESSER MFG	STYLE 38
FORD METER BOX CO	STYLE FC3-190-5
SMITH-BLAIR INC	411

205658 COUPLING GLV 1-1/4" DRESSER
COUPLING GLV 1-1/4" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE, SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE W/150 PSI WORKING PRESSURE & SHALL BE 2 BOLT STYLE. COUPLINGS SHALL BE HEAVY

DRESSER MFG	STYLE 38
FORD METER BOX CO	STYLE FS3
SMITH-BLAIR INC	411

205666 COUPLING GLV 1" DRESSER 38
COUPLING GLV 1" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE, SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TYPE

DRESSER MFG	STYLE 38
FORD METER BOX CO	STYLE FC3-132-5
SMITH-BLAIR INC	411

205674 COUPLING GLV 3/4" DRESSER 38
COUPLING GLV 3/4" DRESSER 38 DRESSER TYPE COUPLING FOR STEEL PIPE, SHALL BE DESIGNED TO CONNECT PLAIN END GALVANIZED STEEL WATER PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 2-BOLT STYLE. COUPLINGS SHALL BE HEAVY DUTY TYP

COUPLING SYSTEMS INC	E 078
DRESSER MFG	STYLE 38

	FORD METER BOX CO	FC3
	SMITH-BLAIR INC	411
205765	SOWER SEED CYCLONE #46990	
	SOWER SEED CYCLONE #46990	
	TRUE TEMPER	1A1
205773	SPRAY WASP-KILLER	
	SPRAY INSECT NATL CHEMSRCH	
	TEC LAB	DEET2A
206144	SHEARS PRUNING	
	SHEARS PRUNING	
	GILMOUR MANUFACTURING	19T
206326	BOLT MACH 1/2X 2"	
	BOLT MACH 1/2X 2" W/ HEX NUT BLACK STEEL MACHINE BOLTS 1/2" THRU 3/4" WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1(SQUARE AND HEXAGON BOLTS AND NUTS). BOLTS & NUTS SHALL	
	ALBANY FASTENERS	N/A
	FASTENERS OF TENNESSEE	N/A
	KNOXVILLE BOLT & SCREW CO	N/A
206342	BOLT MACH 1/2X 2-1/2"	
	BOLT MACH 1/2X 2-1/2" W/ HEX NUT BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1(SQ UARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	
	ALBANY FASTENERS	N/A
	FASTENERS OF TENNESSEE	N/A
	KNOXVILLE BOLT & SCREW CO	N/A
206367	BOLT MACH 1/2X3"	
	BOLT MACH 1/2X3" W/ HEX NUT BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1(SQ UARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH	
	ALBANY FASTENERS	N/A
	FASTENERS OF TENNESSEE	N/A
	KNOXVILLE BOLT & SCREW CO	N/A
206391	ROPE 1/4 POLYPROP	
	ROPE 1/4 POLYPROP	
206508	BOLT MACH 5/8X 2-1/4"	
	BOLT MACH 5/8X 2-1/4" HEX BLK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1(SQ UARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	
	ALBANY FASTENERS	N/A
	FASTENERS OF TENNESSEE	N/A
	KNOXVILLE BOLT & SCREW CO	N/A
206524	BOLT MACH 5/8X 2-1/2"	
	BOLT MACH 5/8X 2-1/2" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H	
	ALBANY FASTENERS	N/A
	FASTENERS OF TENNESSEE	N/A
	KNOXVILLE BOLT & SCREW CO	N/A

206540 BOLT MACH 5/8X 2-3/4"
BOLT MACH 5/8X 2-3/4" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H

ALBANY FASTENERS	N/A
FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206565 BOLT MACH 5/8X 3" HEX BLACK-ST
BOLT MACH 5/8X 3" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H

ALBANY FASTENERS	N/A
FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206649 BOLT MACH 3/4X 3"
BOLT MACH 3/4X 3" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H

ALBANY FASTENERS	N/A
FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206664 BOLT MACH 3/4X 3-1/2"
BOLT MACH 3/4X 3-1/2" HEX BLACK-STL BLACK STEEL MACHINE BOLTS WITH NUTS SHALL BE CUT THREAD CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 (S QUARE & HEXAGON BOLTS & NUTS). BOLTS & NUTS SHALL BE FURNISHED WITH HEXAGON H

ALBANY FASTENERS	N/A
FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206748 BOLT STUD 5/8X2-1/2" W/NUT
BOLT STUD 5/8X2-1/2" W/NUT BLACK IRON STUD BOLTS & NUTS 5/8" THRU 3 /4" SHALL BE BOLT GRADE B-7 CUT THREAD MACHINE BOLTS WITH AMERICAN STANDARD THREADS. THE STUDS SHALL BE FURNISHED WITH TWO HEXAGON HEAD NUTS.

FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206763 BOLT STUD 5/8X3" W/NUT
BOLT STUD 5/8X3" W/NUT BLACK IRON STUD BOLTS & NUTS SHALL BE BOLT GRADE B-7 CUT THREAD MACHINE BOLTS WITH AMERICAN STANDARD THREADS. THE STUD S SHALL BE FURNISHED WITH TWO HEXAGON HEAD NUTS.

HOUSE OF THREADS	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206789 BOLT STUD 3/4X3" W/NUT
BOLT STUD 3/4X3" W/NUT BLACK IRON STUD BOLTS & NUTS SHALL BE BO LT GRADE B-7 CUT THREAD MACHINE BOLTS WITH AMERICAN STANDARD THREADS. THE STUD S SHALL BE FURNISHED WITH TWO HEXAGON HEAD NUTS.

FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206821 NUT HEX 5/8"
NUT HEX 5/8" HEXAGON OR SQUARE STEEL NUTS 5/8" & 3/4" SHALL BE SEMI-FINISHED STEEL CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2.1 SQUARE & HEXAGON BOLTS & NUTS.

FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206839 TEE GLV 3X2"

TEE GLV 3X2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

206847 NUT HEAVY-HEX 3/4"

NUT HEAVY-HEX 3/4"

FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

206862 ELL GLV 1-1/4" STREET

ELL GLV 1-1/4" STREET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

206953 SADDLE SERV 2" TAP 1" STL PIPE

SADDLE SERV 2" TAP 1" STL PIPE STEEL PIPE SERVICE SADDLES SHALL BE SING LE STRAP TYPE WITH NEOPRENE GASKETS. WITH NEOPRENE GASKETS. TAP SHALL BE ANSI /AWWA STANDARD C-800-89 OR LATEST REVISION, TAPERED THREAD.

CASCADE WATERWORKS	CDS-1
FORD METER BOX CO	
MUELLER	H10475
ROMAC INDUSTRIES INC	101
SMITH-BLAIR INC	N/A

206961 SADDLE SERV 8" TAP 1" DI&AC
SADDLE SERV 8" TAP 1" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DI BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE ANSI/AWWA

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	202-979-XCC4
JAMES JONES CO	J948
JCM IND	402-0963
MUELLER	H10530
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

206987 SADDLE SERV 4" TAP 1" DI&AC
SADDLE SERV 4" TAP 1" DI&AC SERVICE SADDLES FOR CI, DI & AC PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT STRAPS. TAP SHALL BE

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	202
JAMES JONES CO	J979
JCM IND	402-0545
MUELLER	H-10522
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

207043 SADDLE SERV 6" TAP 2" DI&AC
SADDLE SERV 6" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	
DRESSER MFG	291
FORD METER BOX CO	202
JAMES JONES CO	J979
JCM IND	402-0745
MUELLER	H10526
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

207068 ELL GLV 3" PLAIN
ELL GLV 3" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

207084 COUPLING METER 1-1/2" LOK-PAK
COUPLING METER 1-1/2" LOK-PAK #CF35-66 LOK-PAK METER COUPLING, 1-1/2, FLANGED, BRONZE **** THIS IS A SPECIAL ITEM MADE BY FORD METER BOX FOR KUB - UNIT PRICE MUST INCLUDE THE COUPLING, FLANGES, NIPPLES A

FORD METER BOX CO	CF35-66

207100 COUPLING METER 2" LOK-PAK
COUPLING METER 2" LOK-PAK #CF38-77 LOK-PAK METER COUPLING, 2, FLANGED, BRONZE, ***INCLUDE ITEMS LISTED BELOW*** **** THIS IS A SPECIAL ITEM MADE BY FORD METER BOX FOR KUB - UNIT PRICE MUST INCLUDE THE COUPLING # CF38-77

FORD METER BOX CO	N/A

207126 TEE GLV 3"
TEE GLV 3" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED

WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

207167 VALVE GATE BRASS 1"
VALVE GATE BRASS 1" BRONZE GATE VALVES SHALL BE FOR 150 PSI WATER WORKING PRESSURE, WITH BRONZE BODIES, SCREWED ENDS, RISING STEMS AND OPERATING WHEEL TURNING CLOCKWISE TO CLOSE. OPERATING VALVES SHALL BE

AMERICAN VALVE MFG CORP	4FG
CRANE VALVE CO	428
HAMMOND VALVE CO	
KITZ CORP	24-100
LUNKENHEIMER	2127
MILWAUKEE VALVE	148
STOCKHAM VALVES & FITTINGS	B-100

207183 VALVE GATE BRASS 3/4"
VALVE GATE BRASS 3/4" BRONZE GATE VALVES SHALL BE FOR 150 PSI WATER WORKING PRESSURE, WITH BRONZE BODIES, SCREWED ENDS, RISING STEMS AND OPERATING WHEEL TURNING CLOCKWISE TO CLOSE. OPERATING VALVES SHALL

AMERICAN VALVE MFG CORP	4FG
CRANE VALVE CO	428
HAMMOND VALVE CO	IB640
KITZ CORP	24-034
LUNKENHEIMER	2127
MILWAUKEE VALVE	148
STOCKHAM VALVES & FITTINGS	B-100

207209 SADDLE SERV 4" TAP 2" DI&AC
SADDLE SERV 4" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	202
JAMES JONES CO	J979
JCM IND	402-0545
MUELLER	H-10522
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

207225 COUPLING TRANS 4" DI&CI&AC
COUPLING TRANS 4" DI&CI&AC TRANSITION PIPE COUPLING 4" THRU 8" SHALL BE DESIGNED TO CONNECT CAST IRON AND DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER.

DRESSER MFG	162
SMITH-BLAIR INC	433

207241 SADDLE SERV 6" TAP 3/4" DI&AC
SADDLE SERV 6" TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	F202-760X-CC3
JAMES JONES CO	J 979
JCM IND	402-0745
MUELLER	H 10526
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

207266 SADDLE SERV 6" TAP 1" DI&AC

SADDLE SERV 6" TAP 1" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	F202-760X-CC3
JAMES JONES CO	J 979
JCM IND	402-0745
MUELLER	H-10526
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

207308 SADDLE SERV 4" TAP 3/4" DI&AC

SADDLE SERV 4" TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO CORROSION RESISTANT STRAPS

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	F-202-526 CC3
JAMES JONES CO	J-979 4X3/4 CC
JCM IND	402-0545
MUELLER	H-10522
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

207365 COUPLING TRANS 2" FOR CI PIPE

COUPLING TRANS 2" FOR CI PIPE TRANSITION PIPE COUPLING SHALL BE DESIGNED TO CONNECT CAST IRON & DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER.

DRESSER MFG	162
SMITH-BLAIR INC	433

207480 VALVE AIR&VAC 2" CRISPIN

VALVE AIR&VAC 2" CRISPIN AIR VALVES 2" SHALL BE DOUBLE PURPOSE TYPE TO VENT LARGE AIR FLOWS IN AND OUT ON FILLING AND DRAINING PIPE SYSTEMS AND TO CONSTANTLY RELEASE ACCUMULATED AIR ON PRESSURIZED SYSTEMS.

ARI	D-040
BERMAD	2" 4415
MULTIPLEX MFG CO	CRISPIN UL-20
VALVE & PRIMER CORP	2" APCO MODEL 145C

207506 VALVE GATE BRASS 1-1/2"

VALVE GATE BRASS 1-1/2" BRONZE GATE VALVES SHALL BE FOR 150 PSI WATER WORKING PRESSURE, WITH BRONZE BODIES, SCREWED ENDS, RISING STEMS AND OPERATING WHEEL TURNING CLOCKWISE TO CLOSE. OPERATING VALVES HAVE A

AMERICAN VALVE MFG CORP	4FG
CRANE VALVE CO	428
HAMMOND VALVE CO	IB640
KITZ CORP	24-112
LUNKENHEIMER	2127
MILWAUKEE VALVE	148
STOCKHAM VALVES & FITTINGS	

207704 SADDLE SERV 3" TAP 3/4" DI&AC

SADDLE SERV 3" TAP 3/4" DI&AC SERVICE SADDLE FOR DUCTILE IRON SHALL BE SINGLE STRAP TYPE WITH NEOPRENE GASKET. TAP SHALL BE ANSI/AWWA STANDARD C-800-89 OR LATEST REVISION, TAPERED THREADS.

FORD METER BOX CO	
MUELLER	H10478 X 3/4
ROMAC INDUSTRIES INC	101
SMITH-BLAIR INC	N/A

207720 SADDLE SERV 3IN TAP 1IN STEEL
SADDLE SERV 3IN TAP 1IN STEEL DELETE SERVICE SADDLE FOR STEEL PIPE SHALL BE S INGLE STRAP TYPE WITH CEMENTED NEOPRENE GASKET. TAP SHALL BE ANSI/AWWA STANDARD C-800-89 OR LATEST REVISION, WITH TAPERED THREADS.

FORD METER BOX CO	N/A
MUELLER	H10477
ROMAC INDUSTRIES INC	101
SMITH-BLAIR INC	N/A

207886 SADDLE SERV 10" TAP 2" DI&AC
SADDLE SERV 10" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED, WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	F202, FS202, FC202
JAMES JONES CO	J948
JCM IND	
MUELLER	H-10533
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

210187 BOLT STUD 3/4X3-1/2" W/NUT
BOLT STUD 3/4X3-1/2" W/NUT BLACK IRON STUD BOLTS & NUTS SHALL BE BO LT GRADE B-7 CUT THREAD MACHINE BOLTS WITH AMERICAN STANDARD THREADS. THE STUD S SHALL BE FURNISHED WITH TWO HEXAGON HEAD NUTS.

FASTENERS OF TENNESSEE	N/A
KNOXVILLE BOLT & SCREW CO	N/A

210567 VALVE ANGLE INVERTED 3/4"
VALVE ANGLE INVERTED 3/4" KEY-TYPE#KV-2 FORD STYLE ANGLE INVERTED KEY SERVICE VALVE WITH INLET PACK JOINT FOR COPPER OR PLASTIC TUBE, AND OUTLET FEMALE IRON PIPE THREADS. VALVE SHALL CONFORM TO AWWA C-800.

FORD METER BOX CO	AV41-333W

210609 #1 COPPERHORN FEMALE-FITTING 4
#1 COPPERHORN FEMALE-FITTING

A Y MC DONALD MFG CO	40-F3

210690 VALVE ANGLE INVERTED
VALVE ANGLE INVERTED KEY-TYPE#AV21-333 ANGLE VALVE SHALL BE INVERTED KEY TYPE WITH COMPRESSION INLET AND INSIDE PIPE THREAD OUTLET. INVERTED KEY .

FORD METER BOX CO	AV21-333

210708 ADAPTER CU-TO-CU 5/8 X 3/4"
ADAPTER CU-TO-CU 5/8 X 3/4" EXTRA STRONG LEAD FLANGE ADAPTER SHALL B E A STRAIGHT COUPLING WITH GASKET FOR EXTRA STRONG LEAD FLANGE. INLET SHALL BE LEAD FLANGE AND OUTLET SHALL BE COPPER TUBING FLARE CONNECTION. THREADS SHALL C

A Y MC DONALD MFG CO	
HAYES MFG CO	5340
JAMES JONES CO	J1555 (J1561 GASKET)
MUELLER	H15505

210732 VALVE BALL STRAIGHT 5/8"

VALVE BALL 5/8" STRAIGHT 5/8 STRAIGHT BALL SERVICE VALVE SHALL BE DESIGNED TO OPERATE AS INLET VALVE IN A METER INSTALLATION & BE FURNI SHED WITH A 3/4 COMPRESSION TYPE INLET DESIGNED FOR COPPER TUBING & 3/4"

A Y MC DONALD MFG CO	6102T
FORD METER BOX CO	B41-233
JAMES JONES CO	J2021

210781 BOLT MACH 5/8X 3" SILICON-BRON

BOLT MACH 5/8X 3" SILICON-BRONZE SILICON BRONZE BOLTS WITHOUT NUTS SHALL BE AMERICAN STANDARD REGULAR WITH STANDARD THREADS. BOLT MATERIAL SHALL BE DURONZE PMG OR APPROVED EQUAL MATERIAL & BE OF THE FINISHED

ALBANY FASTENERS	N/A
H M HARPER CO	N/A
KNOXVILLE BOLT & SCREW CO	N/A

210799 NUT SILICON-BRONZE 5/8" HEX

NUT SILICON-BRONZE 5/8" HEX HEXAGON NUTS, SILICON BRONZE, SHALL BE O F THE FINISHED TYPE MADE OF DURONZE, PMG OR APPROVED EQUAL MATERIAL & SHALL H AVE AMERICAN STANDARD THREADS.

ALBANY FASTENERS	N/A
H M HARPER CO	N/A
KNOXVILLE BOLT & SCREW CO	N/A

210823 SADDLE SERV 6"X1-1/2" DI&AC

SADDLE SERV 6"X1-1/2" DI&AC 6.84-7.60 SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

BAKER	4181-745-1-1/2CC
CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	F202-760#CC6
JAMES JONES CO	J948
JCM IND	402-0745
MUELLER	
ROCKWELL	313-76013
ROMAC INDUSTRIES INC	202

210849 COUPLING TRANS 6" DI&CI&AC

COUPLING TRANS 6" DI&CI&AC TRANSITION PIPE COUPLING SHALL BE DESGIN ED TO CONNECT CAST IRON AND DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER.

DRESSER MFG	162
FORD METER BOX CO	FC2A
SMITH-BLAIR INC	433

210906 COUPLING TRANS 6" DI&CI

COUPLING TRANS 6" DI&CI DRESS 162 TRANSITION PIPE COUPLING SHALL BE DESGIN ED TO CONNECT CAST IRON AND DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEM ENT PIPE OF THE SAME NOMINAL DIAMETER.

DRESSER MFG	162
FORD METER BOX CO	FC2A
ROCKWELL	441
SMITH-BLAIR INC	433

210922 SADDLE SERV 8" TAP 2" DI&AC

SADDLE SERV 8" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION

RESISTANT S

CASCADE WATERWORKS	
DRESSER MFG	291
FORD METER BOX CO	F-202-979-XCC7
JAMES JONES CO	J948
JCM IND	402-0963
MUELLER	H-10530
ROCKWELL	313
ROMAC INDUSTRIES INC	202

210948 #1 COPPERHORN MALE- 40-M3
#1 COPPERHORN MALE-40-M3

A Y MC DONALD MFG CO	40-M3

211128 COUPLING TRANS 8" DI&CI&AC
COUPLING TRANS 8" DI&CI&AC TRANSITION PIPE COUPLING SHALL BE DESGIN ED TO CONNECT CAST IRON AND DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEM ENT PIPE OF THE SAME NOMINAL DIAMETER. LENGTH OF COUPLING TO BE 10

DRESSER MFG	162
SMITH-BLAIR INC	441

211144 BOLT TIE 3/4"
BOLT TIE 3/4" 3/4 JOINT RESTRAINER BOLT SHALL MEET THE REQUIREMENTS OF ASTM A242 TYPE 2, PLAIN AND ASTM A325, TYPE 3D, 60 ,000 LB. TENSILE STRENGTH. STAR FIGURE 7 W/O NUTS.

STAR NATIONAL PRODUCTS	SST-7

211243 SADDLE SERV 8" TAP 1-1/2 DI&AC
SADDLE SERV 8" TAP 1-1/2 DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED, WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	202-979-CC6
JAMES JONES CO	J979
JCM IND	402-0963
MUELLER	H-10517 THRU 10537
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

211748 GLAND DI MJ 10" W/ SET SCREWS
GLAND DI MJ 10" W/ SET SCREWS DUCTILE IRON MECHANICAL JOINT RETAINER G LANDS, SHALL BE DUCTILE IRON STANDARD MECHANICAL JOINT GLANDS FITTED WITH CUP POINT, SQUARE HEAD SET SCREWS & BE CLOW F1058 OR EQUAL.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
EBBA IRON INC	MEGALUG
ROMAC INDUSTRIES INC	GRIP-RING 4"TO 12"
SIGMA/NAPPCO/RUSSELL	RMG
STAR PIPE PRODUCTS	N/A
U S PIPE & FOUNDRY CO	N/A
UNION FOUNDRY	N/A

211821 GLAND DI MJ 4" W/ SET SCREWS
GLAND DI MJ 4" W/ SET SCREWS DUCTILE IRON MECHANICAL JOINT RETAINER G LANDS, SHALL BE DUCTILE IRON STANDARD MECHANICAL JOINT GLANDS FITTED WITH CUP POINT, SQUARE HEAD SET SCREWS & BE CLOW F1058 OR EQUAL.

AMERICAN DUCTILE IRON PIPE CO	N/A

CLOW CORP	
EBBA IRON INC	MEGALUG
ROMAC INDUSTRIES INC	GRIP-RING 4"TO 12"
SIGMA/NAPPCO/RUSSELL	RMG
STAR PIPE PRODUCTS	N/A
U S PIPE & FOUNDRY CO	N/A
UNION FOUNDRY	N/A

212423 ELL GLV 1/2" PLAIN
ELL GLV 1/2" PLAIN GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

212449 ELL GLV 1/2" STREET
ELL GLV 1/2" STREET GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

212464 TEE GLV 1/2"
TEE GLV 1/2" GALVANIZED FITTINGS SHALL CONFORM TO ANS I STANDARD B16.3 (MALLEABLE IRON SCREWED FITTINGS 150 LBS). FITTINGS SHALL BE FURNISHED WITH RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY

212498 BUSHING BRASS 3/4X1/2"
BUSHING BRASS 3/4X1/2"

LEE BRASS	N/A
MERIT BRASS CO	N/A

212506 BUSHING BRASS 1X3/4"
BUSHING BRASS 1X3/4"

LEE BRASS	N/A
MERIT BRASS CO	N/A

212514 BUSHING BRASS 1-1/2X3/4"
BUSHING BRASS 1-1/2X3/4"

LEE BRASS	N/A
MERIT BRASS CO	N/A

212522 BUSHING BRASS 1-1/2X1"
BUSHING BRASS 1-1/2X1"

LEE BRASS	N/A
MERIT BRASS CO	N/A

212530 BUSHING BRASS 2X1-1/2"
BUSHING BRASS 2X1-1/2"

LEE BRASS	N/A
MERIT BRASS CO	N/A

212548 BUSHING BRASS 2X1"
BUSHING BRASS 2X1"

LEE BRASS	N/A
MERIT BRASS CO	N/A

212555 ELL BRASS 3/4" PLAIN
ELL BRASS 3/4" PLAIN

LEE BRASS	N/A
MERIT BRASS CO	N/A

212563 ELL BRASS 3/4" STREET
ELL BRASS 3/4" STREET

LEE BRASS	N/A
MERIT BRASS CO	N/A

212571	ELL BRASS 1" PLAIN	
	ELL BRASS 1" PLAIN	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
212589	ELL BRASS 1" STREET	
	ELL BRASS 1" STREET	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
212597	ELL BRASS 1" 45DEG	
	ELL BRASS 1" 45DEG	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
212605	ELL BRASS 1-1/2" PLAIN	
	ELL BRASS 1-1/2" PLAIN	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
212613	ELL BRASS 1-1/2" STREET	
	ELL BRASS 1-1/2" STREET	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
212621	ELL BRASS 1-1/2" 45DEG	
	ELL BRASS 1-1/2" 45DEG	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
212639	TEE BRASS 3/4"	
	TEE BRASS 3/4"	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
212738	ELL BRASS 3/4" MALE-TH	
	ELL BRASS 3/4" MALE-TH	
	LEE BRASS	N/A
	MERIT BRASS CO	N/A
212746	O-RING COVER M73	
	O-RING COVER M73	
	AMERICAN DARLING CO	73-2-1
212753	NUT OPERATING HYDT M73	
	NUT OPERATING HYDT M73	
	AMERICAN DARLING CO	N/A
212761	HOUSING O-RING HYDT M73	
	HOUSING O-RING HYDT M73 AMERICAN-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HOUSING O-RI NG, REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE HYDRANT	
	AMERICAN DARLING CO	73-2-2
212779	GASKET COVER M73	
	GASKET COVER M73	
	AMERICAN DARLING CO	73-13
212787	GASKET HYDT M73 AMER DARLING	
	GASKET HYDT M73 AMER DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502.	

HOUSING GASKET, REPLACEMENT PART FOR AMERICAN DARLING MARK 73 FIRE
AMERICAN DARLING CO 73-14

212795 ROD COUPLING HYDRANT M73
ROD COUPLING HYDRANT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. ROD COUPLING S, REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE
AMERICAN DARLING CO 73-29-30

212803 PIN COUPLING HYDRANT M73
PIN COUPLING HYDRANT M73
AMERICAN DARLING CO 73-29-31

212811 FLANGE BARREL SAFETY FLANGE
FLANGE BARREL SAFETY FLANGE
AMERICAN DARLING CO 73-29-45

212829 SEAT HYDRANT M73 AMER-DARLING
SEAT HYDRANT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HYDRANT SEAT , REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE
AMERICAN DARLING CO 73-35-02

212837 SEAT O-RING HYDRANT M73
SEAT O-RING HYDRANT M73 AMERICAN-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HYDRANT SEAT O-RING, REPLACEMENT PART FOR AMERICAN DARLING MARK-73 FIRE HYDRANT.
AMERICAN DARLING CO 73-36-1

212845 GASKET DRAIN RING HYDT M73
GASKET DRAIN RING HYDT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. DRAIN RING GASKET, REPLACEMENT PART FOR AMERICAN DARLING MARK-73
AMERICAN DARLING CO 73-38

212852 GASKET BARREL HYDT 73 DARLING
GASKET BARREL HYDT 73 DARLING
AMERICAN DARLING CO 73-38-1

212860 VALVE TOP HYDT M73 AMER-DARLIN
VALVE TOP HYDT M73 AMER-DARLIN HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. VALVE TOP, R EPLACEMENT PART FOR AMERICAN- DARLING MARK-73 FIRE HYDRANT.
AMERICAN DARLING CO 73-40

212886 VALVE HYDRANT M73 AMER-DARLING
VALVE HYDRANT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HYDRANT VALVE, REPLACEMENT PART FOR AMERICAN- DARLING MARK-73 FIRE HYDRANT.
AMERICAN DARLING CO 73-41

212894 VALVE BOTTOM HYDT M73
VALVE BOTTOM HYDT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. VALVE BOTTOM , REPLACEMENT PART FOR AMERICAN- DARLING MARK-73 FIRE
AMERICAN DARLING CO 73-42

212910 CAP STEAMER HYDRANT M73 NST 1
CAP STEAMER HYDRANT M73 AMERICAN-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-

502. STEAMER CAP, REPLACEMENT PART FOR AMERICAN- DARLING MARK-73 FIRE
AMERICAN DARLING CO 73-26

212928 HOSE CAP HYDRANT M73 NST 1 1/2
HOSE CAP HYDRANT M73 AMERICAN-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502.
HOSE CAP, RE PLACEMENT PART FOR AMERICAN- DARLING MARK-73 FIRE HYDRANT.
AMERICAN DARLING CO 73-21

213009 GASKET METER 1-1/2" COUPLING
GASKET METER 1-1/2" COUPLING

213025 GASKET METER 2" COUPLING
GASKET METER 2" COUPLING

213033 PANTS RAIN YELLOW MEDIUM
PANTS RAIN YELLOW MEDIUM W/ KUB LOGO PANTS, RAINSUIT, MEDIUM WITH KUB LOGO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH LEG 6" UP FROM TH E CUFF. STANDARD PACKAGING - 1 UNIT PER PACKAGE, TOTAL STOCKING
NEESE 56 SERIES
RAINFAIR INC 1700-4002
VALLEN SAFETY 535BTM

213041 PANTS RAIN YELLOW LARGE
PANTS RAIN YELLOW LARGE W/ KUB LOGO PANTS, RAINSUIT, LARGE WITH KUB LOGO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH LEG 6" UP FROM TH E CUFF. STANDARD PACKAGING - 1 UNIT PER PACKAGE, TOTAL STOCKING
NEESE 56 SERIES
RAINFAIR INC 1700-4002
VALLEN SAFETY 535BTL

213058 PANTS RAIN YELLOW X-L
PANTS RAIN YELLOW X-L W/ KUB LOGO PANTS, RAINSUIT, EXTRA LARGE WITH KUB LO GO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH LEG 6" UP FROM TH E CUFF. STANDARD PACKAGING - 1 UNIT PER PACKAGE, TOTAL STOCKING
NEESE 56 SERIES
RAINFAIR INC 1700-4002
VALLEN SAFETY 535BTXL

213066 BOOTS KNEE RUBBER SIZE-9
BOOTS RUBBER SIZE 9 KNEE
BOSS 2KS6430
LA CROSS 101019

213074 BOOTS KNEE RUBBER SIZE-10
BOOTS RUBBER SIZE 10 KNEE
BOSS 2KS6430
LA CROSS 1010110

213082 BOOTS KNEE RUBBER SIZE-11
BOOTS RUBBER SIZE 11 KNEE
BOSS 2KS6430
LA CROSS 1010111

213090 BOOTS KNEE RUBBER SIZE-12
BOOTS RUBBER SIZE 12 KNEE
BOSS 2KS6430
LA CROSS 1010112

213108	BOOTS RUBBER SIZE 13 KNEE	
	BOOTS RUBBER SIZE 13 KNEE	
	BOSS	2KS6430
	LA CROSS	1010113
213116	BOOTS RUBBER SIZE 9 HIP	
	BOOTS RUBBER SIZE 9 HIP	
	BOSS	2HF6231
	LA CROSS	1009019
213124	BOOTS HIP RUBBER SIZE-10	
	BOOTS RUBBER SIZE 10 HIP	
	BOSS	2HF6231
	LA CROSS	10090110
213132	BOOTS HIP RUBBER SIZE-11	
	BOOTS RUBBER SIZE 11 HIP	
	BOSS	2HF6231
	LA CROSS	10090111
213140	BOOTS HIP RUBBER SIZE-12	
	BOOTS RUBBER SIZE 12 HIP	
	BOSS	2HF6231
	LA CROSS	10090112
213157	BOOTS HIP RUBBER SIZE-13	
	BOOTS RUBBER SIZE 13 HIP	
	BOSS	2HF6231
	LA CROSS	10090113
213173	CLAMP UG 4" FIG #380	
	CLAMP UG 4" FIG #380	
213181	CLAMP UG 6" FIG #380	
	CLAMP UG 6" FIG #380	
213199	CLAMP UG 8" FIG #380	
	CLAMP UG 8" FIG #380	
213215	CLAMP UG 12" FIG #380	
	CLAMP UG 12" FIG #380	
213223	CLAMP UG 14" FIG #380	
	CLAMP UG 14" FIG #380	
213231	CLAMP UG 16" FIG #380	
	CLAMP UG 16" FIG #380	
213249	CLAMP UG 20" FIG #380	
	CLAMP UG 20" FIG #380	
213256	CLAMP UG 24" FIG #380	
	CLAMP UG 24" FIG #380	

213264	HANDLE HAMMER STRIKING 36"	
	HANDLE HAMMER STRIKING 36"	
	TURNER-DAY	HS 616-36-001-30
213280	ROD ALL-THREAD 3/4X12"	
	ROD ALL-THREAD 3/4X12" ALL THREADED RODS SHALL BE SAE 1020 LOW CARBON STEEL W/A TENSILE STRENGTH OF 77,000 PSI. THREADS SHALL BE ANSI STD B 18.1.2 STANDARD MACHINE THREADS. RODS SHALL BE FURNISHED IN 3/4" DIAMETER	
	B & G INDUSTRIES	N/A
	CONTINENTAL INDUSTRIES	N/A
	SIGMA/NAPPCO/RUSSELL	N/A
	VULCAN FOUNDRY	
213298	SHOVEL ROUND-POINT WOOD-HANDLE	
	SHOVEL ROUND-POINT WOOD HANDLE	
	UNION TOOLS INC	45-520
213306	SHOVEL SQUARE-PT FBGL-HANDLE	
	SHOVEL SQUARE-POINT FIBERGLASS	
	AMES	13095
213348	PICK RAILROAD 5-LB W/ HANDLE	
	PICK RAILROAD 5LB W/ HANDLE	
	MADISON - MILLS	945
	UNION TOOLS INC	30127
213363	HANDLE PICK RAILROAD	
	HANDLE PICK RAILROAD	
	TURNER-DAY	HS 288-36
	UNION TOOLS INC	30142
213371	DIGGING-BAR 1"X6' LONG	
	DIGGING-BAR 1" DIA X 6' LONG	
	OSHKOSH	1063
	WARWOOD	26450
213389	DIGGING-BAR 1-1/4"X6' LONG	
	DIGGING-BAR 1-1/4" X 6' LONG	
	BRUNNER & LAY	GF 23072 EH
	OSHKOSH	4278
	WARWOOD	16497
213405	BLADE ASPHALT 1-1/4X5"	
	BLADE ASPHALT 1-1/4X5"	
	BRUNNER & LAY	B 40500
213421	BROOM STREET 16"	
	BROOM STREET 16"	
	RUBBERMAID	ALBX06101
213439	HANDLE BROOM STREET	
	HANDLE BROOM STREET	
	EMPIRE BRUSH CO.	28-9024
	MILWAUKEE	N/A
	SEQUATCHIE	22-278
	WRIGHT BURNETT	860
213447	COOLER WATER 2-GAL METAL	
	COOLER WATER 2 GAL METAL	
	IGLOO COOLER CO.	321

213454 COOLER WATER 5-GAL
COOLER WATER 5-GAL
IGLOO COOLER CO. 451

213462 COOLER WATER 15-GAL
COOLER WATER 15-GAL

213470 CONTAINER FOR FUEL 2-GAL
SAFETY CAN FOR FUEL 2-GAL
EAGLE MFG U1 20S

213488 CONTAINER FOR FUEL 5-GAL
SAFETY CAN FOR FUEL 5-GAL
EAGLE MFG U1 50S

213496 KEEN-KUTS 1-1/4"
KEEN-KUTS 1-1/4"

213512 HOSE AIR BRAIDED 50'
HOSE AIR 50' BRAIDED

213538 JOINT-RUNNER W/ CLAMP PART #2
JOINT-RUNNER W/ CLAMP PART #2
JOSEPH G POLLARD CO PG3802

213587 JOINT-RUNNER W/ CLAMP PART #7
JOINT-RUNNER W/ CLAMP PART #7
JOSEPH G POLLARD CO PG3807

213629 HAND-PUMP FOR METER WELL
HAND-PUMP FOR MTR WELLS

213637 MALL-POINT 1-1/4X18"
MALL-POINT 1-1/4X18"

213744 CLEANER GLASS UTILITY
CLEANER UTILITY

215004 CLAMP 10" TAP 1" DI&AC
CLAMP 10" TAP 1" DI&AC SERV REPAIR SERVICE REPAIR CLAMPS SHALL FIT ALL CLASSES CI & AC PIPE, BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLTS LUGS & HIGH HIGH CORROSION RESISTANT ALLOY STEEL
DRESSER MFG 361 WIDE RANGE
FORD METER BOX CO STYLE FS1
SMITH-BLAIR INC STYLE 238 SUPERRANGE

215012 CLAMP 12" TAP 1" DI&AC
CLAMP 12" TAP 1" DI&AC SERV REPAIR SERVICE REPAIR CLAMPS SHALL FIT ALL CLASSES CI & AC PIPE, BE SINGLE PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL B
CLOW CORP STYLE 3131 SS NO. B
DRESSER MFG

FORD METER BOX CO	STYLE FS1
ROCKWELL	STYLE 238 SUPERRANGE

215020 CLAMP 12" TAP 2" DI&AC
CLAMP 12" TAP 2" DI&AC SERV REPAIR SERVICE REPAIR CLAMPS SHALL FIT ALL CLASSES CI & AC PIPE, BE MULTI-PANEL STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS.

DRESSER MFG	361 WIDE RANGE
FORD METER BOX CO	STYLE FS1
SMITH-BLAIR INC	STYLE 238 SUPERRANGE

215038 VALVE CHECK 10" CI MJ
VALVE CHECK 10" CI MJ

215061 BEND O/S DI MJ 8" 24" DROP
BEND O/S DI MJ 8" 24" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS 3 " THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE W

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

215079 SLEEVE TAPPING 30X 6IN SS OD 3
SLEEVE TAPPING 30X 6IN SS OD 3 DELETE TAPPING SLEEVES, STEEL BODY, SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPA ROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, & WASHERS SHALL BE MADE OF 18-8 S

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

215087 SLEEVE TAPPING 30X12IN SS OD 3
SLEEVE TAPPING 30X12IN SS OD 3 DELETE TAPPING SLEEVES, STEEL BODY, SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPA ROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, & WASHERS SHALL BE MADE OF 18-8 S

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	663

215392 COUPLING TRANS 10" DI&CI
COUPLING TRANS 10" DI&CI TRANSITION PIPE COUPLING SHALL BE DESIGNED TO CONNECT CAST IRON & DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER. LENGTH OF COUPLING SHALL BE 10 INCHES.

DRESSER MFG	162
SMITH-BLAIR INC	431

215400 COUPLING TRANS 12" DI&CI
COUPLING TRANS 12" DI&CI DRESS 162 TRANSITION PIPE COUPLING SHALL BE DESIGNED TO CONNECT CAST IRON & DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER. LENGTH OF COUPLING

DRESSER MFG	441
SMITH-BLAIR INC	431

215418 COUPLING TRANS 16" DI&CI
COUPLING TRANS 16" DI&CI DRESS 162 TRANSITION PIPE COUPLING SHALL BE

DESIGNED TO CONNECT CAST IRON & DUCTILE IRON MAIN TO ROUGH BARREL ASBESTOS CEMENT PIPE OF THE SAME NOMINAL DIAMETER. LENGTH OF COUPLING

DRESSER MFG	162
MUELLER	1728
SMITH-BLAIR INC	431

215434 CLAMP REPAIR CI 16"
CLAMP REPAIR CI 16"

SMITH-BLAIR INC	228-2017-1515-000

215459 BEND O/S DI MJ 12" 24" DROP
BEND O/S DI MJ 12" 24" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAN IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

215467 WASHER SQUARE 2-1/4" W/ 13/16"
WASHER SQUARE 2-1/4" W/ 13/16"

215475 BUSHING NYLON 1X3/4"
BUSHING NYLON 1X3/4"

215483 HAMMER STRIKING 10-LB
HAMMER STRIKING 10LB

MADISON - MILLS	910

215491 CLEANER HAND NAPA-MACS5000
CLEANER HAND MACS-5000 NAPA

215509 PADS KNEE
PADS KNEE

ALTA	56223
GOLD BLATT	0617MZ
JUDSEN RUBBER WORKS	913J

215525 INNER-LINER WHITE FOR GLOVES
GLOVE INNER LINER WHITE

KNOXVILLE GLOVE CO.	L 792
VALLEN SAFETY	7700
WELLS-LAMONT	Y 5014-L

215533 HAMMER BLACKSMITH 3-LB
HAMMER BLACKSMITH 3 LB

MADISON - MILLS	909
OLMPIA INDUSTRIAL TOOLS	DHT-3H

215541 HAMMER BALL PEIN 8 OZ
HAMMER BALL PEIN 8 OZ

ALLEN INDUSTRIAL HAND TOOLS	25702
MADISON - MILLS	1514

215558	HAMMER BALL-PEIN 12-OZ	
	HAMMER BALL PEIN 12 OZ	
	MADISON - MILLS	1515
215566	HAMMER BRICK	
	HAMMER BRICK	
	PLUMB	11-491
	UNION TOOLS INC	30562
215574	SCREWDRIVER SLOTTED 3"	
	SCREWDRIVER SLOTTED 3"	
	CRESCENT TOOLS	2143-3
215582	SCREWDRIVER SLOTTED 4"	
	SCREWDRIVER SLOTTED 4"	
	CRESCENT TOOLS	2343-4
215590	SCREWDRIVER SLOTTED 6"	
	SCREWDRIVER SLOTTED 6"	
	CRESCENT TOOLS	2143-6
215608	SCREWDRIVER SLOTTED 8"	
	SCREWDRIVER SLOTTED 8"	
	CRESCENT TOOLS	2143-8
215616	SCREWDRIVER PHILLIPS 2-1/2" #0	
	SCREWDRIVER PHILLIPS #0 2-1/2"	
	STANLEY	65-320
215624	SCREWDRIVER PHILLIPS #1 3/16"	
	SCREWDRIVER PHILLIPS #1 3/16"	
	CRESCENT TOOLS	SDDP34V
215632	SCREWDRIVER PHILLIPS #3 6"LO	
	SCREWDRIVER PHILLIPS #3 6"LO	
	CRESCENT TOOLS	2503
215657	SLING NYLON 3'X2" 5600LB	
	SLING NYLON 3'X2" 5600LB	
	WEAR FLEX SLINGS	EE2-0302
	WESTERN WIRE ROPE	EE2-0902X3
215665	SLING NYLON 6'X2" 5600LB	
	SLING NYLON 6'X2" 5600LB	
	SUPERIOR ROPE & SLING	EE2-802
	WEAR FLEX SLINGS	EE2-0602
	WESTERN WIRE ROPE	EE2-902
215673	SLING NYLON 9'X2" 5600LB	
	SLING NYLON 9'X2" 5600LB	
	SUPERIOR ROPE & SLING	EE2-0802X9
	WEAR FLEX SLINGS	EE2-0902
	WESTERN WIRE ROPE	EE2-0902X9
215699	SANDPAPER 9X11" 280A	
	SANDPAPER 9X11" 280A	
215707	SANDPAPER 9X11" 320A	
	SANDPAPER 9X11" 320A	

215715	WRENCH PIPE ALUMINUM 8"	
	WRENCH PIPE 8" ALUMINUM	
	RIDGID TOOLS	808
215723	WRENCH PIPE ALUMINUM 10"	
	WRENCH PIPE 10" ALUMINUM	
	RIDGID TOOLS	810
215731	WRENCH PIPE ALUMINUM 12"	
	WRENCH PIPE 12" ALUMINUM	
	RIDGID TOOLS	812
215749	WRENCH PIPE ALUMINUM 14"	
	WRENCH PIPE 14" ALUMINUM	
	RIDGID TOOLS	814
215756	WRENCH PIPE ALUMINUM 24"	
	WRENCH PIPE 24" ALUMINUM	
	RIDGID TOOLS	824
215871	WRENCH PIPE SPRING 10"	
	WRENCH PIPE SPRING 10"	
	RIDGID TOOLS	31620
215889	WRENCH PIPE SPRING 12"	
	WRENCH PIPE SPRING 12"	
	RIDGID TOOLS	31640
215897	PLIERS LINEMAN 8-1/2"	
	PLIERS LINEMAN 8 1/2"	
	CHANNELLOCK	348
	KLEIN	1950C
215921	RATCHET LONG-HANDLE 1/2"DRIVE	
	RACHET 1/2" DRIVE LONG-HANDLE	
	ALLEN INDUSTRIAL HAND TOOLS	12802
215939	RATCHET 1/2" DRIVE SHORT-HANDL	
	RATCHET 1/2" DRIVE SHORT-HANDLE	
	ALLEN INDUSTRIAL HAND TOOLS	12800
215954	WRENCH CRESCENT 8"	
	WRENCH CRESCENT 8"	
	CRESCENT TOOLS	AC18V
215962	WRENCH CRESCENT 10"	
	WRENCH CRESCENT 10"	
	CRESCENT TOOLS	AC110V
215970	WRENCH CRESCENT 12"	
	WRENCH CRESCENT 12"	
	CRESCENT TOOLS	AC112V
215988	PLIERS LONG-NOSE 8"	
	PLIERS LONGNOSE 8"	
	STANLEY	84-102

215996	PLIERS WIRE COMBINATION 6" LON	
	PLIERS WIRE COMBINATION 6" LON	
	CHANNELLOCK	526
216002	PLIERS ADJUSTABLE 2-1/2" 12" L	
	PLIERS ADJUSTABLE 2-1/2" 12" L	
	CHANNELLOCK	440
216010	PLIERS ADJUSTABLE 1-1/2"CAPACI	
	PLIERS ADJUSTABLE 1-1/2",	
	CHANNELLOCK	420
216028	PLIERS ADJUSTABLE 7/8"CAPACITY	
	PLIERS ADJUSTABLE 7/8"	
	CHANNELLOCK	426
216036	BLADE HACKSAW	
	BLADE HACKSAW	
	STARRETT	B$1218-BGT
	VERMONT AMERICAN	48225
216044	BRUSH WIRE BOW-HANDLE	
	BRUSH WIRE BOW HANDLE	
	EMPIRE BRUSH CO.	67-3027
	OSBORNE	1775
	WRIGHT BURNETT	1940
216069	BRUSH SASH ROUND #10	
	BRUSH SASH #10 ROUND	
	OSBORNE	71220
216085	CLOTH EMORY FINE	
	CLOTH EMORY FINE	
216101	BLADE METAL CUT HOMELITE	
	BLADE METAL CUT HOMELITE	
	HOMELITE/TEXTRON	1664597S
216127	BLADE METAL CUT STIHL	
	BLADE METAL CUT STIHL	
	STIHL	16A30
216135	BLADE MASONRY-CUT STIHL	
	BLADE MASONARY CUT STIHL	
216143	OIL #77 T EAGLE-HARVESTER	
	OIL #77 T EAGLE-HARVESTER	
216150	CUP DRINKING PAPER 4-OZ	
	CUPS, DRINKING 4 OZ. ** STANDARD PACKAGING - 5,000 CUPS PER CASE **	
	RUBBERMAID	
	SOLO	4SS
	SWEETHEART CUP	CS204
	VORTEX	154
216168	TROWEL CLEMENT #33-11	

	TROWEL CEMENT #33-11	
	MARSHALL TOWN	33-11
216176	VISE BENCH CHAIN	
	VISE BENCH CHAIN	
	RIDGID TOOLS	40185
216184	GEAPHONE P512	
	GEAPHONE P512	
	JOSEPH G POLLARD CO	P512
216218	FRAME HACKSAW ADJUSTABLE 12"	
	HACKSAW FRAME 12" ADJUSTABLE	
	LENOX	20918-4012
	MILLER FALLS	300-01
	STANLEY	15-265
216226	KNIFE PUTTY STIFF 1-1/4"	
	PUTTY KNIFE SIZE 1-1/4" STIFF	
	HYDE MFG. CO.	2050
	RED DEVIL INC.	4201
216234	OIL LUBRICATING SPRAY 12-OZ	
	OIL LUBRICATING 12 OZ SPRAY	
216275	CRAYON LUMBER 521 BLUE	
	CRAYON LUMBER 521 BLUE	
216283	TWINE NYLON #21 430'	
	TWINE NYLON #21 430'	
	WELLINGTON-PURITAN	10495
216291	PROPANE 14-OZ CAN	
	PROPANE 14 OZ CAN	
	BENZOMATIC	N/A
216317	CUTTER TUBING 3/4" TO 1"	
	CUTTER TUBING 3/4 TO 1"	
	RIDGID TOOLS	32910
216333	CUTTER TUBING RIDGID #20	
	CUTTER TUBING #20 RIDGID	
	RIDGID TOOLS	32930
216341	CUTTER PIPE RIDGID #42A	
	PIPE CUTTER 42A RIGID	
	RIDGID TOOLS	32870
216358	FILE ROUND BASTARD 4"	
	FILE ROUND BASTARD 4"	
216374	FILE MILL FLAT 8"	

	FILE FLAT MILL 8" BASTARD	
	SIMONDS	71-145500
216382	FILE MILL FLAT 10"	
	FILE FLAT MILL 10" BASTARD	
	SIMONDS	71-147500
216390	FILE MILL FLAT 12"	
	FILE FLAT MILL 12" BASTARD	
	SIMONDS	73-149500
216408	FILE SLIM-TAPERED 6"	
	FILE SLIM TAPERED 6"	
	NICHOLSON	14224
216416	FILE SLIM-TAPERED 8"	
	FILE SLIM TAPERED 8"	
	NICHOLSON	14290
216424	PIPE-DIES 1-1/4" TO 2" ASSORT	
	PIPE DIES 1-1/4" TO 2" ASSORT	
	RIDGID TOOLS	SEE DESCRIPTION
216432	BIT DRILL 3/8"	
	BIT DRILL 3/8"	
	MORSE CUTTING TOOLS	80153
216440	BIT DRILL 23/64"	
	BIT DRILL 23/64"	
	MORSE CUTTING TOOLS	80152
216457	PIPE-DIES 1/2" TO 1" ASSORTED	
	PIPE DIES 1/2" TO 1" ASSORT	
	RIDGID TOOLS	SEE DESCRIPTION
216465	LEVEL TORPEDO ALUMINUM	
	LEVEL TORPEDO ALUMINUM	
	STANLEY	42-264
216531	TAPE MEAS POWERLOCK 3/4"X12'	
	TAPE MEAS 3/4 X12' POWERLOCK,	
	STANLEY	33-312
216549	RULE FOLDING 6'	
	RULE FOLDING 6'	
	LUFKIN	X46
216572	WRENCH COMBINATION 1-1/16"	
	WRENCH COMBINATION 1-1/16"	
	ALLEN INDUSTRIAL HAND TOOLS	20483
216580	NUT DRIVER 5/16"	
	NUT DRIVER 5/16"	
	STANLEY	61-807
216598	NUT DRIVER 3/8"	
	NUT DRIVER 3/8"	

	STANLEY	61-809
216606	WRENCH COMBINATION 7/16"	
	WRENCH COMBINATION 7/16"	
	ALLEN INDUSTRIAL HAND TOOLS	20473
216614	CONE TRAFFIC ORANGE	
	CONE TRAFFIC ORANGE FLURESCENT ORANGE TRAFFIC CONE, HEIGHT 2 8 INCHES, 1 PIECE CONSTRUCTION, POLYVINYL CHLORIDE, PERMANENT REFLECTORI ZED STRIPING IN ACCORDANCE WITH FEDEREAL SAFETY STANDARD EFFECTIVE 1990	
	ALLSAFE	2196205
	EASTERN METAL / USA SIGN	TC-28FC
	RADIATOR SPECIALITY CO.	
	S M C	TC-28-W
	WORK AREA	28PVCS
216622	WRENCH COMBINATION 1/2"	
	WRENCH COMBINATION 1/2"	
	ALLEN INDUSTRIAL HAND TOOLS	20474
216630	WRENCH COMBINATION 9/16"	
	WRENCH COMBINATION 9/16"	
	ALLEN INDUSTRIAL HAND TOOLS	20475
216648	WRENCH COMBINATION 5/8"	
	WRENCH COMBINATION 5/8"	
	ALLEN INDUSTRIAL HAND TOOLS	20476
216655	WRENCH COMBINATION 11/16"	
	WRENCH COMBINATION 11/16"	
	ALLEN INDUSTRIAL HAND TOOLS	20477
216663	WRENCH COMBINATION 3/4"	
	WRENCH COMBINATION 3/4"	
	ALLEN INDUSTRIAL HAND TOOLS	20478
216671	WRENCH COMBINATION 13/16"	
	WRENCH COMBINATION 13/16"	
	ALLEN INDUSTRIAL HAND TOOLS	20479
216689	WRENCH COMBINATION 7/8"	
	WRENCH COMBINATION 7/8	
	ALLEN INDUSTRIAL HAND TOOLS	20480
216697	WRENCH COMBINATION 15/16"	
	WRENCH COMBINATION 15/16"	
	ALLEN INDUSTRIAL HAND TOOLS	20481
216705	WRENCH COMBINATION 1"	
	WRENCH COMBINATION 1"	
	ALLEN INDUSTRIAL HAND TOOLS	20482
216713	WRENCH COMBINATION 1-1/8"	
	WRENCH COMBINATION 1-1/8"	
	ALLEN INDUSTRIAL HAND TOOLS	20484
216721	WRENCH COMBINATION 1-1/4"	
	WRENCH COMBINATION 1-1/4"	

	ALLEN INDUSTRIAL HAND TOOLS	20485
216762	FLASHLIGHT 2-CELL	
	FLASHLIGHT 2-CELL	
216770	FLASHLIGHT 3-CELL	
	FLASHLIGHT 3-CELL	
	BRIGHT STAR	2224
216788	BATTERY ALKALINE D-CELL 1.5V	
	BATTERY ALKA D CELL 1.5V	
	BRIGHT STAR	N/A
	BURGESS	N/A
	DURACELL	
	EVEREADY	EN95
	RAY-O-VAC	AL/D
216812	BIT FOR JACKS 2-1/2"	
	BIT FOR JACKS 2-1/2"	
216820	COUPLING AIR-HOSE MALE	
	COUPLING AIR-HOSE MALE	
216838	COUPLING AIR-HOSE FEMALE	
	COUPLING AIR-HOSE FEMALE	
	DIXON	GJ55
216861	FLANGING-TOOL 3/4"	
	FLANGING-TOOL 3/4" MUELLER	
216887	BAND SWEAT	
	BAND SWEAT	
	BULLARD	TT2
216895	NUT COUPLING 3/4"	
	NUT COUPLING 3/4" HEXAGON OR SQUARE STEEL NUTS SHALL BE SE MI-FINISHED STEEL CONFORMING TO THE REQUIREMENTS OF ANSI STANDARD B18.2. 1 SQUARE & HEXAGON BOLTS & NUTS.	
	FASTENERS OF TENNESSEE	N/A
	KNOXVILLE BOLT & SCREW CO	N/A
216911	PACKING VALVE 5/32"	
	PACKING VALVE 5/32"	
	SEPCO	5028
216929	GLOVES WORK SHORT-CUFF	
	GLOVE WORK SHORT-CUFF	
	KNOXVILLE GLOVE CO.	1749S OR 6939SI
	VALLEN SAFETY	GDR23B?
	WELLS-LAMONT	Y 3014-L
216945	GLOVES BROWN-JERSEY PLAIN	
	GLOVE BROWN JERSEY PLAIN	
	CAROLINA GLOVE	125

KNOXVILLE GLOVE CO.	193
MEMPHIS GLOVE	7100
VALLEN SAFETY	BJ9KW
WELLS-LAMONT	Y-7201

216946 PIPE, HDPE WATER 8" DIPS
PIPE, HDPE WATER 8" DIPS SDR 11, HDPE 3408 FOR POTABLE WATER, MEETS OR EXCEEDS ALL AWWA, NSF AND ASTM STANDARDS, HEAT INDENTED DATA LINES TO INCLUDE TYPE OF MATERIAL SIZE APPLICABLE STANDARDS AND CERTIFICATIONS AND DATE AND LOCATION OF MANUFACTURER;

AMERIPLAST INCORPORATED	N/A
ARNCO CORP	
PERFORMANCE PIPE	
RINKER MATERIALS	N/A

216947 PIPE, HDPE WATER 6" DIPS
PIPE, HDPE WATER 6" DIPS SDR 11, HDPE 3408 FOR POTABLE WATER, MEETS OR EXCEEDS ALL AWWA, NSF AND ASTM STANDARDS, HEAT INDENTED DATA LINES TO INCLUDE TYPE OF MATERIAL SIZE APPLICABLE STANDARDS AND CERTIFICATIONS AND DATE AND LOCATION OF MANUFACTURER;

AMERIPLAST INCORPORATED	N/A
RINKER MATERIALS	N/A

216949 PIPE, HDPE WATER 1" CTS
PIPE, HDPE WATER 1" CTS SDR 11, HDPE 3408 FOR POTABLE WATER, MEETS OR EXCEEDS ALL AWWA, NSF AND ASTM STANDARDS, HEAT INDENTED DATA LINES TO INCLUDE TYPE OF MATERIAL SIZE APPLICABLE STANDARDS AND CERTIFICATIONS AND DATE AND LOCATION OF MANUFACTURER;

216952 BIT DRILL 1/64"
BIT DRILL 1/64"

MORSE CUTTING TOOLS	11353

216960 BIT DRILL 1/32"
BIT DRILL 1/32"

MORSE CUTTING TOOLS	11365

216978 BIT DRILL 3/64"
BIT DRILL 3/64"

MORSE CUTTING TOOLS	11378

216986 BIT DRILL 29/64
BIT DRILL 29/64"

MORSE CUTTING TOOLS	80158

216994 BIT DRILL 15/32"
BIT DRILL 15/32"

MORSE CUTTING TOOLS	80159

217000 BIT DRILL 31/64"
BIT DRILL 31/64"

MORSE CUTTING TOOLS	80160

217018 BIT DRILL 1/16"
BIT DRILL 1/16"

MORSE CUTTING TOOLS	80133

217026 BIT DRILL 5/64"
BIT DRILL 5/64"

	MORSE CUTTING TOOLS	80134
217034	BIT DRILL 3/32" BIT DRILL 3/32"	
	MORSE CUTTING TOOLS	80135
217042	BIT DRILL 7/64" BIT DRILL 7/64"	
	MORSE CUTTING TOOLS	80136
217059	BIT DRILL 1/8" BIT DRILL 1/8"	
	MORSE CUTTING TOOLS	80137
217067	BIT DRILL 9/64" BIT DRILL 9/64"	
	MORSE CUTTING TOOLS	80138
217075	BIT DRILL 5/32" BIT DRILL 5/32"	
	MORSE CUTTING TOOLS	80139
217083	BIT DRILL 11/64" BIT DRILL 11/64"	
	MORSE CUTTING TOOLS	80140
217091	BIT DRILL 3/16" BIT DRILL 3/16"	
	MORSE CUTTING TOOLS	80141
217109	BIT DRILL 13/64" BIT DRILL 13/64"	
	MORSE CUTTING TOOLS	80142
217117	BIT DRILL 7/32" BIT DRILL 7/32"	
	MORSE CUTTING TOOLS	80143
217125	BIT DRILL 15/64" BIT DRILL 15/64"	
	MORSE CUTTING TOOLS	80144
217133	BIT DRILL 1/4" BIT DRILL 1/4"	
	MORSE CUTTING TOOLS	80145
217141	BIT DRILL 17/64" BIT DRILL 17/64"	
	MORSE CUTTING TOOLS	80146
217158	BIT DRILL 9/32" BIT DRILL 9/32"	
	MORSE CUTTING TOOLS	80147
217166	BIT DRILL 19/64" BIT DRILL 19/64"	
	MORSE CUTTING TOOLS	80148

217174	BIT DRILL 5/16" BIT DRILL 5/16"	
	MORSE CUTTING TOOLS	80149
217182	BIT DRILL 21/64" BIT DRILL 21/64"	
	MORSE CUTTING TOOLS	80150
217190	BIT DRILL 11/32" BIT DRILL 11/32"	
	MORSE CUTTING TOOLS	80151
217208	BIT DRILL 25/64" BIT DRILL 25/64"	
	MORSE CUTTING TOOLS	80154
217216	BIT DRILL 13/32" BIT DRILL 13/32"	
	MORSE CUTTING TOOLS	80155
217224	BIT DRILL 27/64" BIT DRILL 27/64"	
	MORSE CUTTING TOOLS	80156
217232	BIT DRILL 7/16" BIT DRILL 7/16"	
	MORSE CUTTING TOOLS	80157
217240	BIT DRILL 1/2" BIT DRILL 1/2"	
	MORSE CUTTING TOOLS	80161
217265	HANDLE BLACKSMITH-HAMMER HANDLE BLACKSMITH-HAMMER	
	TURNER-DAY	HS776-14S 430-30
217281	WRENCH PIPE ALUMINUM 18" WRENCH PIPE 18" ALUMINUM	
	RIDGID TOOLS	818
217315	SADDLE SERV 12 TAP 1-1/2 DI&AC SADDLE SERV 12 TAP 1-1/2 DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT ST	
	CASCADE WATERWORKS	CDS-2
	DRESSER MFG	291
	FORD METER BOX CO	
	JAMES JONES CO	J979
	JCM IND	402-1426
	MUELLER	H10517-37
	ROMAC INDUSTRIES INC	202
	SMITH-BLAIR INC	STYLE 313
217323	CHISEL 3/4" X 12" WITH/GUARIAN CHISEL 3/4" X 12" WITH/GUARIAN	
	BALTIMORE TOOL WORKS	12205

217349 RAKE ASPHALT
RAKE ASPHALT
RAKE ASPHALT

217356 HAT HARD WIDE-BRIM
HAT HARD WIDE-BRIM
BULLARD 303R ESRTSL

217364 HAT HARD CAP-TYPE
HAT HARD CAP-TYPE
BULLARD 3000R ESRTSL

217372 SUSPENSION HARD HAT
SUSPENSION HARD HAT
BULLARD ESRTSL

217398 SAFETY GLASSES CLEAR-LENS
SAFETY GLASSES CLEAR-LENS SAFETY GLASSES WITH CLEAR LENS STANDARD PACKAGING - 1 PAIR PER BOX STOCKING REQUIREMENT - 20 BOXES
BERING SALES INC (GOGGLES) BL6148CP B-LINE
BOUTON 5907-000
CESCO SAFETY PRODUCTS 16296
U S SAFETY 16296
UVEX SAFETY GENESIS S3200X
WILSON (SAFETY PRODUCTS) N/A

217406 SAFETY GOGGLES SOFTSIDES
SAFETY GOGGLES SOFTSIDES
ENCON EYE 5068204

217414 TOE-GUARD STEEL
TOE-GUARD STEEL
SANKEY 200

217422 LINER HARD HAT WINTER
LINER HARD HAT WINTER
GUARD LINE GL2

217430 VEST FLAGMAN LIME-GREEN
TRAFFIC VEST HIGH-VISIBILITY LIME GREEN, ANSI 107-1999; CLASS 2, VELCRO CLOSURE, STOCK TWO TYPES: NON-SYNTHETIC FABRIC AND FIRE RETARDANT AND ARC RESISTANT.
CAROLINA SAFETY SPORT LHV-UTL-A

217448 KIT FIRST AID VEHICLE STOCKED
KIT, FIRST AID FOR VEHICLES STANDARD PACKAGING - FULLY STOCKED SEE ADDITIONAL SPECS 013111-4536 >>>
NORTH MED SUPPLY 013111-4536

217455 RESPIRATOR DISPOSABLE
RESPIRATOR DISPOSABLE
SCOTCH 3M CO. 8210

217458 KIT FIRST AID WORKPLACE FULLY
KIT FIRST AID WORKPLACE FULLY STOCKED SEE ADDITIONAL SPECS>>
NORTH MED SUPPLY 013110-4536

217463 PACKING VALVE 7/32"
PACKING VALVE 7/32" PACKING, VALVE 7/32NDS. PACKING SHALL BE OF HIGH GRADE

EXTRA LONG FIBRE FLAX OF GREAT STRENGTH, FREE FROM JUTS, HEMP OR OTHER ADULTERANTS, AND CONTAIN ONLY HIGH GRADE LUBRICANTS.
SEPCO 5028

217471 ICE FOE
ICE FOE

217489 FLANGING-TOOL 1"
FLANGING-TOOL 1" MUELLER

217505 SOCKET DEEP-WELL 3/4"
SOCKET 3/4 DEEP-WELL
ALLEN INDUSTRIAL HAND TOOLS 12264

217521 CLEANER HAND POWDER #0-48
CLEANER HAND POWDER #0-48

217539 PAINT MARKER BLUE
PAINT BLUE MARKER
SEYMOUR OF SYCAMORE, INC 16-653

217547 HANDLE EASY-MARKER 24"
HANDLE EASY-MARKER 24"

217554 SOCKET SHALLOW 3/8"
SOCKET SHALLOW 3/8"
ALLEN INDUSTRIAL HAND TOOLS 12208

217562 SOCKET SHALLOW 1/2"
SOCKET SHALLOW 1/2"
ALLEN INDUSTRIAL HAND TOOLS 12210

217570 SOCKET SHALLOW 7/16"
SOCKET SHALLOW 7/16"
ALLEN INDUSTRIAL HAND TOOLS 12209

217588 SOCKET SHALLOW 9/16"
SOCKET SHALLOW 9/16"
ALLEN INDUSTRIAL HAND TOOLS 12211

217596 SOCKET SHALLOW 3/4"
SOCKET SHALLOW 3/4"
ALLEN INDUSTRIAL HAND TOOLS 12214

217604 SOCKET SHALLOW 5/8"
SOCKET SHALLOW 5/8"
ALLEN INDUSTRIAL HAND TOOLS 12212

217612 FLAGGING BLUE
FLAGGING BLUE

217620 SOCKET SHALLOW 11/16"
SOCKET SHALLOW 11/16"

	ALLEN INDUSTRIAL HAND TOOLS	12213
217638	SOCKET SHALLOW 13/16" SOCKET SHALLOW 13/16"	
	ALLEN INDUSTRIAL HAND TOOLS	12215
217646	SOCKET SHALLOW 7/8" SOCKET SHALLOW 7/8"	
	ALLEN INDUSTRIAL HAND TOOLS	12216
217653	SOCKET SHALLOW 15/16" SOCKET SHALLOW 15/16"	
	ALLEN INDUSTRIAL HAND TOOLS	12217
217661	SOCKET SHALLOW 1" SOCKET SHALLOW 1"	
	ALLEN INDUSTRIAL HAND TOOLS	12218
217679	SOCKET SHALLOW 1-1/8" SOCKET SHALLOW 1-1/8"	
	ALLEN INDUSTRIAL HAND TOOLS	12220
217687	SOCKET SHALLOW 1-1/4" SOCKET SHALLOW 1-1/4"	
	ALLEN INDUSTRIAL HAND TOOLS	12222
217752	SOCKET SHALLOW 1-3/8" SOCKET SHALLOW 1-3/8"	
	ARMSTRONG INDUSTRIAL TOOLS	12044
217760	SOCKET SHALLOW 1-7/16" SOCKET SHALLOW 1-7/16"	
	ARMSTRONG INDUSTRIAL TOOLS	12146
217778	SOCKET SHALLOW 1-1/2" SOCKET SHALLOW 1-1/2"	
	ALLEN INDUSTRIAL HAND TOOLS	12226
217786	SOCKET DEEP-WELL 1/2" SOCKET 1/2" DEEP-WELL	
	ALLEN INDUSTRIAL HAND TOOLS	12260
217794	SOCKET DEEP-WELL 9/16" SOCKET 9/16" DEEP-WELL	
	ALLEN INDUSTRIAL HAND TOOLS	12261
217802	SOCKET DEEP-WELL 5/8" SOCKET 5/8 DEEP-WELL	
	ALLEN INDUSTRIAL HAND TOOLS	12262
217810	SOCKET DEEP-WELL 11/16" SOCKET 11/16" DEEP-WELL	
	ALLEN INDUSTRIAL HAND TOOLS	12263
217828	SOCKET DEEP-WELL 13/16" SOCKET 13/16" DEEP-WELL	
	ALLEN INDUSTRIAL HAND TOOLS	12265

217836 SOCKET DEEP-WELL 7/8"
SOCKET 7/8" DEEP-WELL
ALLEN INDUSTRIAL HAND TOOLS 12266

217844 SOCKET DEEP-WELL 15/16"
SOCKET 15/16" DEEP-WELL
ALLEN INDUSTRIAL HAND TOOLS 12267

217851 SOCKET DEEP-WELL 1"
SOCKET 1" DEEP-WELL
ALLEN INDUSTRIAL HAND TOOLS 12268

217869 SOCKET DEEP-WELL 1-1/8"
SOCKET 1-1/8 DEEP-WELL
ALLEN INDUSTRIAL HAND TOOLS 12270

217877 SOCKET DEEP-WELL 1-1/4"
SOCKET 1-1/4 DEEP-WELL
ARMSTRONG INDUSTRIAL TOOLS 12-340

217885 SOCKET DEEP-WELL 1-1/16"
SOCKET 1-1/16 DEEP-WELL
ALLEN INDUSTRIAL HAND TOOLS 12269

217893 EXTENSION SOCKET 3"
EXTENSION SOCKET 3"
ALLEN INDUSTRIAL HAND TOOLS 12805

217901 EXTENSION SOCKET 6"
EXTENSION SOCKET 6"
ALLEN INDUSTRIAL HAND TOOLS 12810

217950 JACKET RAIN YELLOW SMALL
JACKET RAIN YELLOW SMALL W/ KUB LOGO JACKET, RAINSUIT, SMALL WITH KUB LOGO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH SLEEVE 5 1/2" FRO M CUFF, 1 ON BACK 14" FROM BOTTOM OF JACKET. STANDARD PACKAGING - 1
NEESE 56 SERIES
RAINFAIR INC 1100-4001
VALLEN SAFETY 535SJS

217968 JACKET RAIN YELLOW MEDIUM
JACKET RAIN YELLOW MEDIUM W/ KUB LOGO JACKET, RAINSUIT, MEDIUM WITH KUB LOGO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH SLEEVE 5 1/2" FRO M CUFF, 1 ON BACK 14" FROM BOTTOM OF JACKET. STANDARD PACKAGING - 1
NEESE 56 SERIES
RAINFAIR INC 1100-4001
VALLEN SAFETY 535SJM

217976 JACKET RAIN YELLOW LARGE
JACKET RAIN YELLOW LARGE W/ KUB LOGO JACKET, RAINSUIT, LARGE WITH KUB LOGO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH SLEEVE 5 1/2" FRO M CUFF, 1 ON BACK 14" FROM BOTTOM OF JACKET. STANDARD PACKAGING - 1
NEESE 56 SERIES
RAINFAIR INC 110-4001
VALLEN SAFETY 535SJL

217984 JACKET RAIN YELLOW X-L
JACKET RAIN YELLOW X-L W/ KUB LOGO JACKET, RAINSUIT, EXTRA LARGE WITH KUB LOGO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH SLEEVE 5 1/2" FRO M

CUFF, 1 ON BACK 14" FROM BOTTOM OF JACKET. STANDARD PACKAGING - 1 UNIT P

NEESE	56 SERIES
RAINFAIR INC	1100-4001
VALLEN SAFETY	535SJXL

217992 PANTS RAIN YELLOW SMALL

PANTS RAIN YELLOW SMALL W/ KUB LOGO PANTS, RAINSUIT, SMALL WITH KUB LOGO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH LEG 6" UP FROM TH E CUFF. STANDARD PACKAGING - 1 UNIT PER PACKAGE, TOTAL STOCKING REQUIRE

NEESE	56 SERIES
RAINFAIR INC	1700-4002
VALLEN SAFETY	535BTS

219121 STAKE WOOD 3/4" X 1-3/4" X 18"

STAKE WOOD 3/4" X 1-3/4" X 18"

219139 STAKE WOOD 2"X2"X48"

STAKE WOOD 2 X 2 X 48"

219147 PAINT BLACK #717

PAINT BLACK #717

KOPPERS CO., INC.	UC 46646

219626 HANDSAW GENERAL-USE 26" 8-PT

SAW HAND 26" GENERAL-USE 8-PT

STANLEY	15-300

219683 TOWELS TERI-WIPES

TOWEL TERI WIPES

KIMBERLY CLARK	34790
TUFCO TECHNOLOGIES	ECC4P150-6

219691 ADAPTER UNI-FLANGE 3"

ADAPTER UNI-FLANGE 3" FLANGE ADAPTER FOR JOINING PLAIN END DUCTILE IRON PIPE TO ANSI B16.1 125 LB FLANGES. FURNISHED WITH STANDARD MECHAN ICAL JOINT TYPE GASKET IN ACCORDANCE WITH ANSI A21.11 AND CUP POINT SCREWS FO

MCWANE CAST IRON PIPE CO	N/A
SIGMA/NAPPCO/RUSSELL	SERIES ZF
UNIFLANGE CO	SERIES 200

219709 ADAPTER UNI-FLANGE 4"

ADAPTER UNI-FLANGE 4" FLANGE ADAPTER FOR JOINING PLAIN END DUCTILE IRON PIPE TO ANSI B16.1 125LB FLANGES. FURNISHED WITH STANDARD MECHANI CAL JOINT TYPE GASKET IN ACCORDANCE WITH ANSI A21.11 AND CUP POINT SCREWS FO

MCWANE CAST IRON PIPE CO	N/A
SIGMA/NAPPCO/RUSSELL	SERIES ZF
UNIFLANGE CO	SERIES 200

219725 ADAPTER UNI-FLANGE 6"

ADAPTER UNI-FLANGE 6" FLANGE ADAPTER FOR JOINING PLAIN END DUCTILE IRON PIPE TO ANSI B16.1 125LB. FLANGES. FURNISHED WITH STANDARD MECHANI CAL JOINT TYPE GASKET IN ACCORDANCE WITH ANSI A21.11 AND CUP POINT SCREWS FO

MCWANE CAST IRON PIPE CO	N/A
SIGMA/NAPPCO/RUSSELL	SERIES ZF
UNIFLANGE CO	SERIES 200

219733 ADAPTER UNI-FLANGE 8"

ADAPTER UNI-FLANGE 8" FLANGE ADAPTER FOR JOINING PLAIN END DUCTILE IRON

PIPE TO ANSI B16.1 125 LB FLANGES. FURNISHED WITH STANDARD MECHANICA L JOINT TYPE GASKET IN ACCORDANCE WITH ANSI A21.11 AND CUP POINT SCREWS

MCWANE CAST IRON PIPE CO	N/A
SIGMA/NAPPCO/RUSSELL	SERIES ZF
UNIFLANGE CO	SERIES 200

219758 SIGN LEFT LANE CLOSED
SIGN LEFT LANE CLOSED

EASTERN METAL / USA SIGN	REGULAR REFLECTIVE
RADIATOR SPECIALITY CO.	JRU 36R
SERVICE & MATERIALS	SR-36X36 (RB-36)
WORK AREA	

219816 SADDLE SERV 10 TAP 3/4" DI&AC
SADDLE SERV 10 TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	202-1212-XCC3
JAMES JONES CO	J 979
JCM IND	402-1125
MUELLER	H10517-37
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

219824 SADDLE SERV 4" TAP 3/4" PVC
SADDLE SERV 4" TAP 3/4" PVC PIPE SERVICE SADDLES 3", 4", 6", 8", SHALL BE SMITH-BLAIR STYLE 313 OR APPROVED EQUAL WITH 3/4 TAP HAVING ANSI/ AWWA STANDARD C-800-89 OR LATEST REVISION, TAPERED THREADS.

DRESSER MFG	N/A
FORD METER BOX CO	
MUELLER	N/A
SMITH-BLAIR INC	313 045507 000-6"

219840 SADDLE SERV 6" TAP 3/4" PVC
SADDLE SERV 6" TAP 3/4" PVC PIPE SERVICE SADDLES SHALL BE SMITH- BLAIR STYLE 313 OR APPROVED EQUAL WITH 3/4 TAP HAVING ANSI/AWWA STANDARD C-800-89 OR LATEST REVISION, TAPERED THREADS.

DRESSER MFG	N/A
FORD METER BOX CO	N/A
MUELLER	
SMITH-BLAIR INC	313 045507-6"

219865 CLAMP REPAIR PVC 4"
CLAMP REPAIR PVC 4" CLAMPS FOR PVC PIPE REPAIR 4" SHALL BE S INGLE BAND, FULL CIRCLE TYPE, SMITH-BLAIR STYLE 226 OR APPROVED EQUAL. WIDTH SHALL BE 12.5 INCHES.

FORD METER BOX CO	F1-473 X 12
SMITH-BLAIR INC	226-045012

219873 CLAMP REPAIR PVC 6"
CLAMP REPAIR PVC 6" CLAMPS FOR PVC PIPE REPAIR SHALL BE SING LE BAND, FULL CIRCLE TYPE, SMITH=BLAIR STYLE 226 OR APPROVED EQUAL. WIDTH SHALL BE 12.5 INCHES.

FORD METER BOX CO	F1-696 X 12
SMITH-BLAIR INC	226-066312

219881 CLAMP REPAIR PVC 8"
CLAMP REPAIR PVC 8" CLAMPS FOR PVC PIPE REPAIR, 8", SHALL BE SINGLE BAND,

FULL CIRCLE TYPE, SMITH-BLAIR STYLE 226 OR AN APPROVED EQU AL. SDR-21 WIDTH SHALL BE 12.5 INCHES

FORD METER BOX CO	F1-894 X 12
SMITH-BLAIR INC	226-0863-12

219899 GASKET TRANSITION 4" SDR #21
GASKET TRANSITION 4" SDR #21

219907 GASKET TRANSITION 6" SDR #21
GASKET TRANSITION 6" SDR #21

219915 GASKET TRANSITION 8" SDR #21
GASKET TRANSITION 8" SDR #21

219956 BATTERY AUTOMOTIVE V-6
BATTERY AUTOMOTIVE 6-V

BRIGHT STAR	466
BURGESS	600
DURACELL	N/A
EVEREADY	
RAY-O-VAC	GP6V

219980 FLASHER SAFETY LIGHT BLUE CASE
FLASHER SAFETY LIGHT BLUE CASE FLASHER SAFETY LIGHT BLUE CASE WITH YELLOW LENS, BLINKING LIGHT, PHOTOCELL, ON/OFF SWITCH STANDARD PACKAGING - 10 UNITS PER CASE TOTAL STOCKING REQUIREMENT FOR SAFETY FL

EASTERN METAL / USA SIGN	EM-100-PC
NIGHT-FLASHER	5001
SERVICE & MATERIALS	2005793
WORK AREA	800PC-PYRALITE

220004 VALVE CHECK 1" IN-LI DUAL BZ
VALVE CHECK 1" IN-LI DUAL BZ IN&OUT-IPT CHECK VALVES, (1") IN-LINE DUAL, SHALL BE STANDARD BRONZE BODY TYPE WITH ALL INTERNAL PARTS ACCESSIBLE FOR REPAIR PURPOSES. INLET AND OUTLET CONNECTIONS SHALL BE I. P. THREAD

MUELLER	H-14243

220012 VALVE CHECK 1-1/2" IN-LINE
VALVE CHECK 1-1/2" IN-LINE DUAL BZ IN&O CHECK VALVES, (1-1/2") IN-LINE DUAL, SHALL BE STANDARD BRONZE BODY TYPE WITH ALL INTERNAL PARTS ACCESSIBLE FOR REPAIR PURPOSES. INLET AND OUTLET CONNECTIONS SHALL BE I. P. THREAD

MUELLER	H-14243

220020 VALVE CHECK 2" IN-LI DUAL BZ
VALVE CHECK 2" IN-LI DUAL BZ IN&OUT-IPT CHECK VALVES, (2") IN-LINE DUAL SHALL BE STANDARD BRONZE BODY TYPE WITH ALL INTERNAL PARTS ACCESSIBLE FOR REPAIR PURPOSES. INLET AND OUTLET CONNECTIONS SHALL BE I. P. THREAD

MUELLER	H-14243

222307 COUPLING FOR 16" CI DRESSER 38
COUPLING FOR 16" CI DRESSER 38 COUPLING, DRESSER STYLE 38 OR EQUIVALENT . FOLLOWER SHALL MEET ANSI STANDARD C-1012 WITH MIDDLE RING MEETING ASTM A51 3. BOLTS SHALL MEET AWWA C-111/ANSI A21.11.

DRESSER MFG	38
ROCKWELL	431

222323 COUPLING FOR 24" CI DRESSER 38

COUPLING FOR 24" CI DRESSER 38 COUPLING, DRESSER STYLE 38 OR EQUIVALENT . FOLLOWER SHALL MEET ANSI STANDARD C-1012 WITH MIDDLE RING MEETING ASTM A51 3. BOLTS SHALL MEET AWWA C-111/ANSI A21.11.

DRESSER MFG	38
ROCKWELL	431

240010 AXE SINGLE-BIT 3-1/2 LB
AXE 3 1/2 LBS, SINGLE-BIT

MADISON - MILLS	1901

240051 HOOK GRASS
HOOK GRASS

AMES	23-003

240093 RAKE GARDEN
RAKE GARDEN

AMES	18863

240101 RAKE 22"HEAD W/ 48"HANDLE
RAKE 22" HEAD W/ 48" HANDLE

AMES	1935900

240119 SCOOP ALUMINUM
SCOOP ALUMINUM

TRUE TEMPER	1681200

240127 SHEARS HEDGE
SHEARS HEDGE TRUE-TEMPER

TRUE TEMPER	AT85

240135 SHEARS LOPPING
SHEARS LOPPING

AMES	2308330

240168 SPRAYER SS #1749 3-GAL
SPRAYER SS 3-GAL 1749 HUDSON

240655 POLYETHYLENE BLACK 10'X100'
POLYETHYLENE BLACK 10'X100'

SUNBELT PLASTICS	N/A

290015 TEE DI FJ 4" 125LB
TEE DI FJ 4" 125LB DUCTILE IRON FITTINGS, FLANGED JOINT 3" THRU 8" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

290023 TEE DI FJ 3" 5-1/2" CTR-TO-
TEE DI FJ 3" 5-1/2" CTR-TO- FACE DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORD

AMERICAN DUCTILE IRON PIPE	N/A

CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DF
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

290031 VALVE CHECK 3" CI FJ

VALVE CHECK 3" CI FJ CAST IRON FLANGED SWING CHECK VALVES SHALL HAVE CAST IRON BODIES & BE FULLY BRONZE MOUNTED. ENDS ARE TO BE FACED & DRILLED IN ACCORDANCE WITH ANSI STANDARD B16.1, CLASS 125. VALVES SHALL

AMERICAN DARLING CO	52SC
HAMMOND VALVE CO	IR1124
KENNEDY VALVE MFG CO	106
M & H VALVE CO	59-02
MUELLER	A2600-6 OR A2120-6

290049 VALVE SWING-CHECK 4" CI FJ

VALVE SWING-CHECK 4" CI FJ CAST IRON FLANGED SWING CHECK VALVES SHALL HAVE CAST IRON BODIES & BE FULLY BRONZE MOUNTED. ENDS ARE TO BE FACED & DRILLED IN ACCORDANCE WITH ANSI STAND- ARD B16.1, CLASS 125. VALVES SHALL

AMERICAN DARLING CO	
HAMMOND VALVE CO	IR1124
KENNEDY VALVE MFG CO	106
M & H VALVE CO	59-02
MUELLER	A2600-6 OR A2120-6

290056 VALVE GATE 4" FJ

VALVE GATE 4" FJ RESILIENT-SEATED FLANGED JOINT VALVES SHALL CONFORM TO ANSI/AWWA STD. C-509-87 OR LATEST REVISION WITH FLANGED ENDS CONFORMING TO ANSI B16.1 CLASS 125,NON-RISING STEM TURNING CLOCKW

AMERICAN VALVE & HYDRANT DIV	AMERICAN 80 CRS
CLOW CORP	F-6102
KENNEDY VALVE MFG CO	
M & H VALVE CO	3067-02
MUELLER	A2370-6
STOCKHAM VALVES & FITTINGS	W-134
U S PIPE & FOUNDRY CO	5100
WATEROUS CO	SERIES 500

290064 SLEEVE TAPPING 6X6" SS OD 7.10

SLEEVE TAPPING 6X6" SS OD 7.10-7.50 AC TAPPING SLEEVES FOR 6", 8", & 10" PIPE SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS & WASHERS

DRESSER MFG	620
FORD METER BOX CO	FAST
MUELLER	H619
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

290080 BEND DI FJ 3" 90-D 125LB

BEND DI FJ 3" 90-D 125LB DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A

AMERICAN DUCTILE IRON PIPE CO	
SIGMA/NAPPCO/RUSSELL	DF
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

290098 BEND DI FJ 4" 90-D

BEND DI FJ 4" 90-D DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DF
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

290114 CLAMP 30" SJ CLASS-C DRESS

CLAMP 30" SJ CLASS-C DRESS #60 &160 BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.

DRESSER MFG	STYLE 60, 160
SMITH-BLAIR INC	274

290130 CLAMP 16" SJ DRESSER #60&160

CLAMP 16" SJ DRESSER #60&160 BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.

DRESSER MFG	STYLE 60, 160
SMITH-BLAIR INC	274

290213 CLAMP 16" SJ DRESSER #60-S
CLAMP 16" SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.

DRESSER MFG	STYLE 60-S

290270 CLAMP 30" SJ CLASS-D DRESSER
CLAMP 30" SJ CLASS-D DRESSER #60 BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.

DRESSER MFG	STYLE 60, 160
SMITH-BLAIR INC	274

290288 CLAMP 10" CI SJ DRESSER
CLAMP 10" CI SJ DRESSER #60&160 BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.

DRESSER MFG	STYLE 60, 160
SMITH-BLAIR INC	274

290296 CLAMP 12" CI SJ DRESSER
CLAMP 12" CI SJ DRESSER #60&160 BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.

DRESSER MFG	STYLE 60, 160
SMITH-BLAIR INC	274

290338 CLAMP 24" SJ CLASS-C DRESSER
CLAMP 24" SJ CLASS-C DRESSER #60 BELL JOINT CLAMPS, BELL & SPIGOT TYPE JOINT, SHALL BE DRESSER STYLE 60, 160 OR EQUAL FOR REPAIRING CAST IRON BELL AND SPIGOT JOINTS.

DRESSER MFG	STYLE 60, 160
SMITH-BLAIR INC	274

290346 SLEEVE TAPPING 16X4"
SLEEVE TAPPING 16X4" SS C&D CI 150 TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	663

290361 SLEEVE TAPPING 12X4"
SLEEVE TAPPING 12X4" SS 13.10-13.50 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	663

290387 PLUG DI MJ 4" SOLID
PLUG DI MJ 4" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S 3" THRU 24" SHALL CONFORM TO ANSI/ AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTERIOR OR EXTERIOR SURFACES SHALL BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMP

	STAR PIPE PRODUCTS	N/A
	TYLER/UNION	
	U S PIPE & FOUNDRY CO	N/A

290403 PACKING SHEET 3/32X36" WIDE
PACKING SHEET 3/32X36" WIDE

KNOXVILLE RUBBER & GASKET CO	N/A
SIGNAL	N/A

290411 CLAMP 30" SJ DRESSER #60-S
CLAMP 30" SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.

DRESSER MFG	STYLE 60-S

290429 CLAMP 36" SJ DRESSER #60-S
CLAMP 36" SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.

DRESSER MFG	STYLE 60-S

290437 BEND DI MJ 12" 45 D
BEND DI MJ 12" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STAMDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

290478 VALVE GATE 3" CI MJ VERT
VALVE GATE 3" CI MJ VERT RESILIENT-SEATED MJ VALVES 3"THRU 12"SHALL CONFORM TO ANSI/AWWA STD C-509-87 OR LATEST REVISION, WITH MJ ENDS, NON-RISIN G STEM TURN CLOCKWISE TO OPEN.O-RING STEM & SEALS FITTED WITH A STD

AMERICAN AVK COMPANY	SERIES 25/40
AMERICAN VALVE & HYDRANT DIV	AMERICAN-80 CRS
CLOW CORP	F6100
KENNEDY VALVE MFG CO	1571XR
M & H VALVE CO	3067-01
MUELLER	A-2360-20
STOCKHAM VALVES & FITTINGS	
U S PIPE & FOUNDRY CO	5460
WATEROUS CO	SERIES 500

290510 BEND DI FJ 6" 45 D
BEND DI FJ 6" 45 D DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DF
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

290551 VALVE GATE 6" CI MJ VERT

VALVE GATE 6" CI MJ VERT RESILIENT-SEATED M.J. VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION, WITH M.J. ENDS, NON-RISING STE M, TURN CLOCKWISE TO OPEN, 0-RING,STEM SEALS, AND FITTED WITH A STD. WRENCH NUT

AMERICAN AVK COMPANY	SERIES 25/40
AMERICAN VALVE & HYDRANT DIV	
CLOW CORP	F6100
KENNEDY VALVE MFG CO	1571XR
M & H VALVE CO	3067-01
MUELLER	A2360-20
U S PIPE & FOUNDRY CO	5460
WATEROUS CO	SERIES 500

290601 EXTENSION 12" MUELL

EXTENSION 12" MUELL FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS 6", 12", 18", SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2" ORI GINAL DEPTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

HYDRANT REPAIR PARTS INC	N/A
MUELLER	A319-010

290650 TUBING CU 1" 60' COIL

TUBING CU 1" 60' COIL COPPER TUBING, SHALL BE TYPE K ANNEALED & SHALL CONFORM TO ASTM STANDARD B88 & SHALL BE FURNISHED IN 60' COILS.

BRIDGEPORT BRASS CO	
CERRO COPPER	N/A
LEE RAN	N/A
MUELLER	N/A
READING TUBE	N/A

290668 PIPE CU 2" 20' LONG

PIPE CU 2" 20' LONG COPPER TUBING, SHALL BE TYPE K, ANNEAL ED & SHALL CONFORM TO ASTM STANDARD B88, & SHALL BE FURNISHED IN 20 ' STRAIGHT

BRIDGEPORT BRASS CO	N/A
CERRO COPPER	N/A
LEE RAN	N/A
MUELLER	
READING TUBE	N/A

290676 PIPE CU 1-1/2" 20' LONG

PIPE CU 1-1/2" 20' LONG COPPER TUBING, SHALL BE TYPE K, ANNEAL ED & SHALL CONFORM TO ASTM STANDARD B88, & SHALL BE FURNISHED IN 20 ' STRAIGHT LENGTHS. SOFT

BRIDGEPORT BRASS CO	N/A
CERRO COPPER	N/A
LEE RAN	N/A
MUELLER	
READING TUBE	N/A

290718 SLEEVE TAPPING 10X8" SS 11.75-

SLEEVE TAPPING 10X8" SS 11.75-12.15 AC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR

DRESSER MFG	620
FORD METER BOX CO	FAST
MUELLER	
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

290742 PIPE DI SJ 6"

PIPE DI SJ 6" SHALL CONFORM TO ANSI/AWWA STANDARD C-15 1/A21.51-86 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED W/ SLIP JOINT & BE CEMENT LINED & COATED INSIDE & OUTSIDE W

AMERICAN CAST IRON PIPE CO	N/A
GRIFFIN FOUNDRY	
MCWANE CAST IRON PIPE CO	N/A
U S PIPE & FOUNDRY CO	N/A

290759 VALVE GATE 6" FJ

VALVE GATE 6" FJ RESILIENT-SEATED FLANGED JOINT VALVES SHALL CONFORM TO ANSI/AWWA STD. C-509-87 OR LATEST REVISION WITH FLANGED ENDS CONFORMING TO ANSI B16.1 CLASS 125,NON-RISING STEM TURNING CLOCKW

AMERICAN VALVE & HYDRANT DIV	AMERICAN AFC 2500
CLOW CORP	F-6102
KENNEDY VALVE MFG CO	1561XR
M & H VALVE CO	3067-02
MUELLER	
STOCKHAM VALVES & FITTINGS	W-134
U S PIPE & FOUNDRY CO	5100
WATEROUS CO	SERIES 500

290767 TEE DI FJ 6" 8" CTR-TO-

TEE DI FJ 6" 8" CTR-TO- FACE DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DF
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

290775 BEND DI FJ 6" 90-D 8"

BEND DI FJ 6" 90-D 8" CTR-TO-FACE DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI /AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

290783 BRICK COMMON

BRICK COMMON CLAY OR SHALE BRICK SHALL BE MADE TO CONFORM TO ASTM STANDARD C62, GRADE SW. NO SALMON BRICK WILL BE ACCEPTED. SAMPLI NG AND TESTING SHALL CONFORM TO ASTM STANDARD C67.

GENERAL SHALE PRODUCTS CORP	N/A

290809 BEND DI MJ 10" 11-1/4 D

BEND DI MJ 10" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB

STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

290890 VALVE GATE 3" FJ

VALVE GATE 3" FJ RESILIENT-SEATED FLANGED JOINT VALVES SHALL CONFORM TO ANSI/AWWA STD. C-509-87 OR LATEST REVISION, WITH FLANGE D ENDS CONFORMING TO ANSI B16.1 CLASS 125,NON-RISING STEM TURNING CLOCKW

AMERICAN VALVE & HYDRANT DIV	AMERICAN 80 CRS
CLOW CORP	
KENNEDY VALVE MFG CO	1561XR
M & H VALVE CO	3067-02
MUELLER	A2370-6
STOCKHAM VALVES & FITTINGS	W-134
U S PIPE & FOUNDRY CO	5100
WATEROUS CO	SERIES 500

290932 CLAMP DI&AC 4" SS-BANDS

CLAMP DI&AC 4" SS-BANDS 12"-WI CLAMPS SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON AND ASBESTOS-CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE BOLT STYL

DRESSER MFG	362 WIDE RANGE
FORD METER BOX CO	F2-557X12.5
JCM IND	102 EXT RGE,LG WDTH
MUELLER	
ROMAC INDUSTRIES INC	CL2-557X12
SMITH-BLAIR INC	227-48012

291013 EXTENSION 6" MUELL

EXTENSION 6" MUELL FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

HYDRANT REPAIR PARTS INC	N/A
MUELLER	A319-006

291062 BOLT MJ T-HEAD 3/4X3-1/2"

BOLT MJ T-HEAD 3/4X3-1/2" (MCWANE) BOLT SHALL CONFORM TO ASTM A407 MADE OF DUCTILE IRON 60-42-10 WITH A MINIMUM TENSILE AND YIELD STRENGTH OF 60000# AND 40000#. 10% MINIMUM ELONGATION.

EBBA IRON INC	N/A

291112 PLUG DI MJ 10" SOLID

PLUG DI MJ 10" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291229 BOLT MJ PIPE 3/4X4"

BOLT MJ PIPE 3/4X4" BOLT SHALL CONFORM TO ASTM A307 MADE OF DUCTILE IRON 60-42-10 WITH A MINIMUM TENSILE AND YIELD STRENGTH OF 60000# AND 40000#. 10% MINIMUM ELONGATION.

EBBA IRON INC	N/A

291237 REDUCER DI MJ 12X6" BE&BE

REDUCER DI MJ 12X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL

CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMR
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

291245 SLEEVE DI MJ 12" LONG-BODY

SLEEVE DI MJ 12" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA C153/A21.53-88 OR LATEST REVISION FOR CO MPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACES

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
MCWANE CAST IRON PIPE CO	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A

291252 SLEEVE TAPPING 16X6"

SLEEVE TAPPING 16X6" SS 17.40-17.80 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
JCM IND	432-1740X6
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	663

291260 CROSS DI MJ 12"

CROSS DI MJ 12" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMC
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291278 PLUG DI MJ 12" SOLID

PLUG DI MJ 12" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

291286 BEND DI MJ 12" 22-1/2" D

BEND DI MJ 12" 22-1/2" D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR

COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291310 VALVE TAPPING-GATE 4" MJ

VALVE TAPPING-GATE 4" MJ TAPPING,RESILIENT SEATED, MJ VALVES 3", 4", 6", 8", SHALL CONFORM TO ANSI/AWWA STD C509-87 OR LATEST REVISION, FLANGED WITH RAISED FACE TO MATCH GROOVE ON ONE END & MJ ON OTHER END. NON-RISING S

AMERICAN VALVE & HYDRANT DIV	
CLOW CORP	F6114
KENNEDY VALVE MFG CO	1572X,SPEC FLANGE
M & H VALVE CO	3751NRS
MUELLER	H687
WATEROUS CO	500

291328 VALVE TAPPING-GATE 3" MJ

VALVE TAPPING-GATE 3" MJ TAPPING,RESILIENT SEATED, MJ VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION, FLANGED WITH RAISED FACE TO MATCH GROOVE ON ONE END & MJ ON OTHER END. NON-RISING STEM TURNING

AMERICAN VALVE & HYDRANT DIV	80CRS,SPEC FLANGE
CLOW CORP	F6114
KENNEDY VALVE MFG CO	1572X,SPEC FLANGE
M & H VALVE CO	3751NRS
MUELLER	
WATEROUS CO	500

291369 EXTENSION 6" M&H

EXTENSION 6" M&H FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

HYDRANT REPAIR PARTS INC	N/A
M & H VALVE CO	401129-6

291401 BEND O/S DI MJ 6" 24" DROP

BEND O/S DI MJ 6" 24" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291617 EXTENSION 12" M&H SM

EXTENSION 12" M&H SM FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

HYDRANT REPAIR PARTS INC	N/A
M & H VALVE CO	401129-12

291625 EXTENSION 18" M&H SM

EXTENSION 18" M&H SM FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

HYDRANT REPAIR PARTS INC	N/A
M & H VALVE CO	401129-18

291641 CLAMP 12IN AC SJ (SPECIAL ORDE

CLAMP 12IN AC SJ DRESSER #60-S DELETE BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.

DRESSER MFG	STYLE 60-S

291724 BLOCK H-S 6X8X16"

BLOCK H-S 6X8X16" CONCRETE BLOCKS SHALL COMPLY WITH ASTM STANDARD C90 AND KNOXVILLE BUILDING CODE. AGGREGATE SHALL COMPLY WITH ASTM STANDARD

ACME CEMENT	N/A
KNOX CONCRETE PRODUCTS	N/A
SOUTHERN CAST STONE CO	N/A

291757 PLUG DI MJ 6" SOLID

PLUG DI MJ 6" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
HYDRANT REPAIR PARTS INC	N/A
SIGMA/NAPPCO/RUSSELL	DMP
STAR PIPE PRODUCTS	N/A
U S PIPE & FOUNDRY CO	N/A

291765 PLUG DI MJ 6" TAP 2"

PLUG DI MJ 6" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C-110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DTP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

291781 PLUG DI MJ 12" TAP 2"

PLUG DI MJ 12" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DTP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291799 BEND DI MJ 6" 11-1/4 D

BEND DI MJ 6" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53 OR LATEST REVISION FOR COMPACT F ITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A

SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

291807 BEND DI MJ 12" 11-1/4 D BE&BE

BEND DI MJ 12" 11-1/4 D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291823 BEND DI MJ 6" 22-1/2" D BE&BE

BEND DI MJ 6" 22-1/2" D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR CP,"AC T FOTTOMGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291831 BEND DI MJ 6" 45 D BE&BE

BEND DI MJ 6" 45 D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291849 BEND O/S DI MJ 12"18" DROP

BEND O/S DI MJ 12"18" DROP BE&SE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

291856 CROSS DI MJ 6"

CROSS DI MJ 6" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMC
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291864 SADDLE SERV DI&AC 8" W/ 3/4"TP
SADDLE SERV 8" TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	
DRESSER MFG	291
FORD METER BOX CO	F-202-979-XCC3
JAMES JONES CO	J 979
JCM IND	402-0963
MUELLER	DE2A0854CC
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

291872 SLEEVE DI MJ 6" LONG-BODY
SLEEVE DI MJ 6" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DML
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291880 TEE DI MJ 10X6" BE&BE
TEE DI MJ 10X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291906 BEND DI MJ 6" 90-D BE&BE
BEND DI MJ 6" 90-D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

291914 BEND DI MJ 12" 90-D BE&BE
BEND DI MJ 12" 90-D BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL

CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291922 BEND O/S DI MJ 6" 12" DROP

BEND O/S DI MJ 6" 12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291930 BEND O/S DI MJ 6" 18" DROP

BEND O/S DI MJ 6" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291948 TEE DI MJ 6" BE&BE

TEE DI MJ 6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

291955 TEE DI MJ 12" BE&BE

TEE DI MJ 12" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

291971 VALVE GATE 8" CI MJ VERT

VALVE GATE 8" CI MJ VERT RESILIENT-SEATED MJ VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-89 OR LATEST REVISION OR C515, WITH MJ ENDS, NON-RISING STEM, TURN CLOCKWISE TO OPEN, O-RING, STEM SEALS, & FITTED WITH A STD WRENCH NUT.

AMERICAN AVK COMPANY	SERIES 25/40
AMERICAN VALVE & HYDRANT DIV	AMERICAN-80 CRS
CLOW CORP	F16100
KENNEDY VALVE MFG CO	1571XR
M & H VALVE CO	3067-01
MUELLER	
U S PIPE & FOUNDRY CO	5460
WATEROUS CO	SERIES 500

292052 REDUCER DI MJ 12X10" PE&BE

REDUCER DI MJ 12X10" PE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

292094 SLEEVE TAPPING 10X6" SS 11.75-

SLEEVE TAPPING 10X6" SS 11.75-12.15 AC TAPPING SLEEVE SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR

DRESSER MFG	620
FORD METER BOX CO	FAST
MUELLER	H619
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

292193 CLAMP 4" TAP 3/4" DI&AC SS

CLAMP 4" TAP 3/4" DI&AC SS SERVICE REPAIR CLAMPS 4", 6", 8", SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS, & HIGH CORROSION RESISTANT ALLOY STEEL

FORD METER BOX CO	
MUELLER	512
ROMAC INDUSTRIES INC	SS2
SMITH-BLAIR INC	TYPE 239 SUPER RANGE

292607 SLEEVE TAPPING 6X4"

SLEEVE TAPPING 6X4" SS OD 6.90-7.30 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAP AROUND TYPE. BOD Y,NUTS,BOLTS, AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	
JCM IND	432-0720-X4
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

292615 SLEEVE TAPPING 6X6" SS OD 6.90

SLEEVE TAPPING 6X6" SS OD 6.90-7.30 CI TAPPING SLEEVES SHALL BE DESIGNED TO

BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. BOD Y,NUTS,BOLTS AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	663

292623 SLEEVE TAPPING 6X3"

SLEEVE TAPPING 6X3" SS OD 6.90-7.30 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. BOD Y,NUTS,BOLTS, & WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

292649 SLEEVE TAPPING 8X4"

SLEEVE TAPPING 8X4" SS OD 9.05-9.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. BOD Y,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

292656 SLEEVE TAPPING 8X6" SS OD 9.05

SLEEVE TAPPING 8X6" SS OD 9.05-9.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR APPROVED

DRESSER MFG	620
FORD METER BOX CO	FAST-945-6A
JCM IND	432-0905-X6
ROMAC INDUSTRIES INC	SST-9.45
SMITH-BLAIR INC	662-09050600-000

292680 SLEEVE TAPPING 10X4"

SLEEVE TAPPING 10X4" SS 11.06-11.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

292698 SLEEVE TAPPING 10X6" SS 11.06-

SLEEVE TAPPING 10X6" SS 11.06-11.45 CI TAPPING SLEEVE SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
JCM IND	432-1110X6
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	663

292706 SLEEVE TAPPING 10X8" SS 11.06-

SLEEVE TAPPING 10X8" SS 11.06-11.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

292730 SLEEVE TAPPING 12X6"

SLEEVE TAPPING 12X6" SS 13.10-13.50 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
JCM IND	432-1320X6
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	663

292748 SLEEVE TAPPING 12X8"

SLEEVE TAPPING 12X8" SS 13.10-13.50 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	663

292763 SLEEVE TAPPING 16X8"

SLEEVE TAPPING 16X8" SS 17.40-17.80 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY WILL BE A WRAPAROUND TYPE. THE BODY,NUTS,BOLTS,AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

292904 VALVE GATE 10" CI MJ VERT

VALVE GATE 10" CI MJ VERT RESILIENT-SEATED MJ VALVES SHALL CONFORM TO ANSI/AWWA STD.C509-87 OR LATEST REVISION, WITH MJ ENDS, NON-RISING STEM, TURN CLOCKWISE TO OPEN. O-RING,STEM SEALS, & FITTED WITH A STD. WRENCH

AMERICAN AVK COMPANY	SERIES 25/40
AMERICAN VALVE & HYDRANT DIV	80CRS,SPEC FLANGE
CLOW CORP	F6114
KENNEDY VALVE MFG CO	1572,SPEC FLANGE
M & H VALVE CO	3751NRS
MUELLER	H687
WATEROUS CO	500

292920 BROOM 5-TIE-STRAW 32-LB

BROOM 32 LB 5 TIE STRAW

CHICKASAW BROOM MFG.	JANITOR S
CRYSTAL LAKES	JANITOR
KEL SAN	SELECT 5 TIE

292946 CLOTH RAG 2 UTILITY RAG

CLOTH RAG 2 UTILITY RAG

292961 REDUCER DI MJ 10X6" BE&BE

REDUCER DI MJ 10X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMR
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

292979 TEE DI MJ 10X8" BE&BE

TEE DI MJ 10X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

292987 EXTENSION 18" MUELLER

EXTENSION 18" MUELLER FOR 4-1/2" HYDT FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

HYDRANT REPAIR PARTS INC	N/A
MUELLER	A319-016

293001 LEAD CAULKING ASTM B-29

LEAD CAULKING ASTM B-29 CAULKING LEAD SHALL COMPLY WITH THE REQUIREMENTS OF THE LATEST REVISION OF ASTM STANDARD B29 FOR PIG LEAD. THE LEAD SHALL BE COMMON DESILVERED LEAD REFINED FROM ORE OR OTHER

EVAN TARASET	N/A
MAYFIELD	N/A
TARACOAT	
WILLARD	N/A

293019 VALVE TAPPING-GATE 6" MJ

VALVE TAPPING-GATE 6" MJ TAPPING RESILIENT SEATED MJ VALVES SHALL CONFORM TO ANSI/AWWA STD C509-87 OR LATEST REVISION, FLANGED WITH RAISED FACE TO MATCH GROOVE ON ONE END & MJ ON OTHER END. NON-RISING STEM TURNING C

AMERICAN VALVE & HYDRANT DIV	80CRS,SPEC FLANGE
CLOW CORP	F6114
KENNEDY VALVE MFG CO	1572X.SPEC FLANGE
M & H VALVE CO	3751NRS
MUELLER	H687
WATEROUS CO	500

293027 VALVE TAPPING-GATE 8" MJ

VALVE TAPPING-GATE 8" MJ TAPPING,RESILIENT SEATED, MJ VALVES SHALL CONFORM TO ANSI/AWWA STD C509-87 OR LATEST REVISION, FLANGED WITH RAISED FAC E TO MATCH GROOVE ON ONE END & MJ ON OTHER END. NON-RISING STEM TURNING CW

AMERICAN VALVE & HYDRANT DIV	80CRS,SPEC FLANGE
CLOW CORP	
KENNEDY VALVE MFG CO	1950X

M & H VALVE CO	3751-01
MUELLER	H687
WATEROUS CO	500

293050 VALVE SWING-CHECK 6" CI FJ

VALVE SWING-CHECK 6" CI FJ CAST IRON FLANGED SWING CHECK VALVES SHALL HAVE CAST IRON BODIES & BE FULLY BRONZE MOUNTED. ENDS ARE TO BE FACED & DRILLED IN ACCORDANCE WITH ANSI STAND- ARD B16.1, CLASS 125. VALVES SHALL

AMERICAN DARLING CO	52SC
HAMMOND VALVE CO	IR1124
KENNEDY VALVE MFG CO	106
M & H VALVE CO	59-02
MUELLER	A2600-6 OR A2120-6

293084 SLEEVE TAPPING 8X6" SS OD 9.20

SLEEVE TAPPING 8X6" SS OD 9.20-9.60 AC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR

DRESSER MFG	620
FORD METER BOX CO	FAST
MUELLER	
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

293118 HYDT 4-1/2"-OPEN & 4-1/2'-

HYDT 4-1/2"-OPEN & 4-1/2'- BURY MJ SPECIAL SPECS FIRE HYDRANTS, TRAFFIC TYPE, MECHANICAL JOINT INLET

AMERICAN AVK COMPANY	SERIES 27
AMERICAN DARLING CO	MARK 73
CLOW CORP	2500
M & H VALVE CO	129
MUELLER	A421

293191 REDUCER DI MJ 16X8" BE&BE

REDUCER DI MJ 16X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

293266 PLUG DI MJ 4" TAP 2"

PLUG DI MJ 4" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DTP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

293290 TEE DI MJ 12X6" BE&BE

TEE DI MJ 12X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM

TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

293308 TEE DI MJ 12X8" BE&BE

TEE DI MJ 12X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

293357 PLUG DI MJ 8" SOLID

PLUG DI MJ 8" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

293746 TEE DI MJ 6X4" BE&BE

TEE DI MJ 6X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

293951 BEND DI MJ 16" 11-1/4 D

BEND DI MJ 16" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION AND SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

293977 UPPER-SECTION D&R METER BOX

UPPER-SECTION D&R METER BOX

ACHESON FOUNDRY	N/A

	GRIFFIN FOUNDRY	N/A
293985	FRAME FOR SQUARE METER BOX	
	FRAME FOR SQUARE METER BOX METER BOX FRAMES & COVER SHALL BE CAST IRON CONFORMING TO ASTM A48-76 AND/OR KUB DRAWING B-154, SPECIAL SPEC # W021	
	ACHESON FOUNDRY	N/A
	EAST JORDAN IRON WORKS INC	
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	N/A
294009	LOWER-SECTION D&R METER BOX	
	LOWER-SECTION D&R METER BOX	
	ACHESON FOUNDRY	N/A
	GRIFFIN FOUNDRY	N/A
294017	LID FOR D&R METER BOX	
	LID FOR D&R METER BOX	
	ACHESON FOUNDRY	N/A
	GRIFFIN FOUNDRY	N/A
294025	LID FOR SQ METER BOX FRAME	
	LID FOR SQ METER BOX FRAME SQUARE METER BOX FRAMES & LIDS SHALL BE CAST IRON CONFORMING TO ASTM A48-76 AND /OR EQUAL KNOXVILLE UTILITIES BOARD SPECIAL SPEC # W021	
	ACHESON FOUNDRY	N/A
	EAST JORDAN IRON WORKS INC	V-8441
	SIGMA/NAPPCO/RUSSELL	
	TYLER	N/A
294041	GATE BOX UPPER SECTION	
	GATE BOX UPPER SECTION	
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	OPELIKA FOUNDRY	4906
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	
294058	GATE BOX LOWER SECTION	
	GATE BOX LOWER SECTION	
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	OPELIKA FOUNDRY	4906
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	18D-6860
294066	CROSS DI MJ 8X6"	
	CROSS DI MJ 8X6" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION,FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH	
	AMERICAN DUCTILE IRON PIPE CO	N/A
	CLOW CORP	N/A
	SIGMA/NAPPCO/RUSSELL	DMC
	STAR PIPE PRODUCTS	
	TYLER/UNION	N/A
	U S PIPE & FOUNDRY CO	N/A
294074	BASE GATE BOX 32LB	
	BASE GATE BOX 32LB	
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	OPELIKA FOUNDRY	4906

	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	

294082 LID GATE BOX
LID GATE BOX

CAPITOL FOUNDRY OF VIRGINA INC	N/A
OPELIKA FOUNDRY	4906
SIGMA/NAPPCO/RUSSELL	N/A
TYLER	

294116 BEND DI MJ 16" 22-1/2 D
BEND DI MJ 16" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OF LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

294124 BEND DI MJ 16" 45 D
BEND DI MJ 16" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

294132 BEND DI MJ 16" 90-D
BEND DI MJ 16" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BIRUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

294165 SADDLE SERV 24" TAP 2" DI&AC
SADDLE SERV 24" TAP 2" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

DRESSER MFG	291
FORD METER BOX CO	202
JAMES JONES CO	J979
JCM IND	402-
MUELLER	H-105
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

294231 VALVE GATE 4" CI MJ VERT

VALVE GATE 4" CI MJ VERT RESILIENT-SEATED MJ VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION, WITH MJ ENDS, NON-RISING STEM, TURN CLOCKWISE TO OPEN, O-RING, STEM SEALS, & FITTED WITH A STD WRENCH NUT. V

AMERICAN AVK COMPANY	SERIES 25/40
AMERICAN VALVE & HYDRANT DIV	AMERICAN-80 CRS
CLOW CORP	F6102
KENNEDY VALVE MFG CO	1571XR
M & H VALVE CO	
MUELLER	A-2360-20
STOCKHAM VALVES & FITTINGS	N/A
U S PIPE & FOUNDRY CO	5460
WATEROUS CO	SERIES 500

294249 HYDT 4-1/2"-OPEN & 3-1/2'-

HYDT 4-1/2"-OPEN & 3-1/2'- BURY MJ SPECIAL SPECS FIRE HYDRANTS, TRAFFIC TYPE, MECHANICAL JOINT INLET

AMERICAN AVK COMPANY	
AMERICAN DARLING CO	MARK 73
CLOW CORP	MEDALLION HYDRANT
M & H VALVE CO	129T
MUELLER	A421

294355 VALVE BUTTERFLY 12" MJ

VALVE BUTTERFLY 12" MJ SPECIAL SPECS NOTE; DISCS AND INTERNAL WATERWAY SHALL BE EPOXY COATED.

AMERICAN DARLING CO	AWWA C504
CLOW CORP	STYLE F5370,10&LARGR
HENRY PRATT	GROUNDHOG
KENNEDY VALVE MFG CO	30-C
M & H VALVE CO	
MUELLER	LINESEAL III/MB 3211

294546 REDUCER DI MJ 6X3" BE&BE
REDUCER DI MJ 6X3" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMR
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

294587 VALVE BUTTERFLY 16" MJ
VALVE BUTTERFLY 16" MJ SPECIAL SPECS NOTE: DISCS AND INTERNAL WATERWAY SHALL BE EPOXY COATED.

AMERICAN DARLING CO	CL150B
CLOW CORP	STYLE F5370,10&LARGR
HENRY PRATT	GROUNDHOG
KENNEDY VALVE MFG CO	30C
M & H VALVE CO	450-01
MUELLER	

294744 CEMENT PORTLAND TYPE-1
CEMENT PORTLAND TYPE I CEMENT SHALL BE IN ACCORDANCE WITH ASTM STANDARD C150, TYPE I, 94 POUND BAG, PALLETIZED WITH EACH PALLE T NOT TO

294751 TUBING CU 3/4" 60' COIL
TUBING CU 3/4" 60' COIL COPPER TUBING, SHALL BE TYPE K ANNEALED & SHALL CONFORM TO ASTM STANDARD B88 & SHALL BE FURNISHED IN 60' COILS. *** DOMESTIC MANUFACTORS ONLY ***

BRIDGEPORT BRASS CO	N/A
CERRO COPPER	N/A
LEE RAN	
MUELLER	N/A
READING TUBE	N/A

294769 PIPE GLV 3/4" MALE-TH
PIPE GLV 3/4" MALE-TH 21' W/ COUPLG GALVANIZED PIPE SHALL BE STANDARD A53 WEIGHT WELDED OR SEAMLESS STEEL CONFORMING TO LATEST REVISION OF ASTM STANDARD A120. THE PIPE SHALL BE FURNISHED IN 21' LENGTHS. EACH LENGTH S

294777 PIPE GLV 1" MALE-TH
PIPE GLV 1" MALE-TH W/ COUPLING 21' GALVANIZED PIPE SHALL BE STANDARD A53 WEIGHT WELDED OR SEAMLESS STEEL CONFORMING TO LATEST REVISION OF ASTM STANDARD A120. THE PIPE SHALL BE FURNISHED IN 21' LENGTHS. EACH LENGTH S

294785 PIPE GLV 1-1/2" MALE-TH
PIPE GLV 1-1/2" MALE-TH W/ COUPLG 21' GALVANIZED PIPE SHALL BE STANDARD A53 WEIGHT WELDED OR SEAMLESS STEEL CONFORMING TO LATEST REVISION OF ASTM STANDARD A120. THE PIPE SHALL BE FURNISHED IN 21' LENGTHS. EACH LENGTH S

294801 TEE DI MJ 12X10" BE&BE
TEE DI MJ 12X10" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A

SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

294819 PIPE GLV 2" MALE-TH

PIPE GLV 2" MALE-TH W/ COUPLING 21' GALVANIZED PIPE SHALL BE STANDARD A53 WEIGHT WELDED OR SEAMLESS STEEL CONFORMING TO LATEST REVISION OF ASTM STANDARD A120. THE PIPE SHALL BE FURNISHED IN 21' LENGTHS. EACH LENGTH S

294835 TEE DI MJ 10" BE&BE

TEE DI MJ 10" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER	N/A
U S PIPE & FOUNDRY CO	
UNION FOUNDRY	N/A

294868 BEND DI MJ 10" 22-1/2 D

BEND DI MJ 10" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

294918 BEND DI MJ 10" 45 D

BEND DI MJ 10" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

294926 REDUCER DI MJ 8X4" BE&BE

REDUCER DI MJ 8X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMR
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

294983 PIPE DI SJ 10"

PIPE DI SJ 10" SHALL CONFORM TO ANSI/AWWA STD C151/A21. 51-86 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN

AMERICAN CAST IRON PIPE CO	
GRIFFIN FOUNDRY	N/A
MCWANE CAST IRON PIPE CO	N/A
U S PIPE & FOUNDRY CO	N/A

295006 PIPE DI SJ 4"

PIPE DI SJ 4" SHALL CONFORM TO ANSI/AWWA STANDARD C151 /A21.51-86 OR LATEST REVIVION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN

AMERICAN CAST IRON PIPE CO	N/A
GRIFFIN FOUNDRY	N/A
MCWANE CAST IRON PIPE CO	
U S PIPE & FOUNDRY CO	N/A

295014 PIPE DI SJ 3"

PIPE DI SJ 3" SHALL CONFORM TO ANSI/AWWA STANDARD C151 /A21.51-86 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN

AMERICAN CAST IRON PIPE CO	N/A
GRIFFIN FOUNDRY	N/A
MCWANE CAST IRON PIPE CO	
U S PIPE & FOUNDRY CO	N/A

295055 CLAMP 8" TAP 1" DI&AC SS

CLAMP 8" TAP 1" DI&AC SS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS, & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C

FORD METER BOX CO	STYLE FS2
SMITH-BLAIR INC	TYPE 239 SUPER RANGE

295063 REDUCER DI MJ 24X16" BE&BE

REDUCER DI MJ 24X16" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR IN BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

295089 REDUCER DI MJ 24X12" SE&BE

REDUCER DI MJ 24X12" SE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

295162 CROSS DI MJ 10X8"

CROSS DI MJ 10X8" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT

FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

295170 PIPE DI SJ 24"

PIPE DI SJ 24" 24¿ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A

AMERICAN CAST IRON PIPE CO	N/A
CLOW CORP	
GRIFFIN FOUNDRY	N/A
MCWANE CAST IRON PIPE CO	N/A
U S PIPE & FOUNDRY CO	N/A

295204 BEND O/S DI MJ 8" 12" DROP

BEND O/S DI MJ 8" 12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTING & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA C104

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

295212 BEND O/S DI MJ 8" 18" DROP

BEND O/S DI MJ 8" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA C104

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

295261 TEE DI MJ 16X8" BE&BE

TEE DI MJ 16X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION AND SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH A

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

295279 PIPE DI SJ 8"

PIPE DI SJ 8" SHALL CONFORM TO ANSI/AWWA STANDARD C151 /A21.51-86 OR LATEST REVISION, WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED

WITH SLIP JOINT & BE CEMENT LINED & COATED IN

AMERICAN CAST IRON PIPE CO	N/A
GRIFFIN FOUNDRY	N/A
MCWANE CAST IRON PIPE CO	N/A
U S PIPE & FOUNDRY CO	

295287 PIPE DI SJ 16"

PIPE DI SJ 16" SHALL CONFORM TO ANSI/AWWA STANDARD C151 /A21.51-86 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN

AMERICAN CAST IRON PIPE CO	N/A
GRIFFIN FOUNDRY	N/A
MCWANE CAST IRON PIPE CO	
U S PIPE & FOUNDRY CO	N/A

295337 PIPE DI SJ 12"

PIPE DI SJ 12" SHALL CONFORM TO ANSI/AWWA C151/A21.51-8 6 OR LATEST REVISION, WITH MINIMUM PRESSURE CLASS OF 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT & BE CEMENT LINED & COATED IN

AMERICAN CAST IRON PIPE CO	N/A
GRIFFIN FOUNDRY	
MCWANE CAST IRON PIPE CO	N/A
U S PIPE & FOUNDRY CO	N/A

295352 TEE DI MJ 12X4" BE&BE

TEE DI MJ 12X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION, FOR C OMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AW

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

295618 BEND O/S DI MJ 12" 12" DROP PE

BEND O/S DI MJ 12" 12" DROP PE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

295626 TEE DI MJ 24X8" BE&BE

TEE DI MJ 24X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

295675 BEND DI MJ 24" 45 D

BEND DI MJ 24" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

295873 BOX METER PLASTIC 15"X18"

BOX METER PLASTIC 15 x 18

295899 PIPE PVC 2" CLASS-200 BE

PIPE PVC 2" CLASS-200 BE 20' LONG PVC PIPE SHALL BE CLASS 200, BEAR THE NS F SEAL OF APPROVAL & MEET REQUIREMENTS OF PS-22-70 & ASTM D-2441. TYPE 1, 2000 PSI DESIGN STRESS COMPOUNDS MEETING ASTM D-1784 SPECIFICAT

AMERICAN PIPE & PLASTICS	N/A
QUAIL	N/A

295915 BEND O/S DI MJ 3" 12" DROP

BEND O/S DI MJ 3" 12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION, (AWWA C-1 53) FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE W

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

295923 BEND 0FFSET DI MJ 3"

BEND 0FFSET DI MJ 3" W/ 18"-DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI STANDARD A21.53 (AWWA C-153) FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI STANDARD

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
MCWANE CAST IRON PIPE CO	N/A
SIGMA/NAPPCO/RUSSELL	DMO\XMO
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

295931 TUBING HDPE 1" YARDLEY #3406

TUBING HDPE 1" YARDLEY #3406 300' ROLL SPECIAL SPECS WS-88 POLYETHYLENE TUBING 1", FOR WATER SERVIC E PIPING

295956 BEND O/S DI MJ 4" 12" DROP

BEND O/S DI MJ 4" 12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STAMDARD C153 /A21.53-88 OR LATEST REVISION. (AWWA C- 153) FOR COMPACT & SHALL BE WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

295972 TEE DI MJ 8X4" BE&BE

TEE DI MJ 8X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION. FOR COMP ACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AW

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296079 SLEEVE DI MJ 3" LONG-BODY

SLEEVE DI MJ 3" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR

AMERICAN DUCTILE IRON PIPE CO	N/A

CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DML
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296087 SLEEVE DI MJ 4" LONG-BODY

SLEEVE DI MJ 4" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296095 SLEEVE DI MJ 8" LONG-BODY

SLEEVE DI MJ 8" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DML
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

296103 SLEEVE DI MJ 10" LONG-BODY

SLEEVE DI MJ 10" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 3" THRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C153/A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DML
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

296111 SLEEVE DI MJ 16" LONG-BODY

SLEEVE DI MJ 16" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " & ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACES SHALL

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296129 CROSS DI MJ 10"

CROSS DI MJ 10" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS& SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A

SIGMA/NAPPCO/RUSSELL	DMC
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

296145 VALVE GATE 8" VERT FJ

VALVE GATE 8" VERT FJ DOUBLE-DISK RESILIENT-SEATED FLANGED JOINT VALVE SHALL CONFORM TO ANSI/AWWA STD.C-509-87 OR LATEST REVISION WITH FLANGED ENDS CONFORMING TO ANSI B16.1 CLASS 125, NON-RISING STEM TURNING

AMERICAN VALVE & HYDRANT DIV	N/A
M & H VALVE CO	67-02
MUELLER	A2380-6

296178 EXTENSION 12" HYDT M73

EXTENSION 12" HYDT M73 AMERICAN-DARLING FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

AMERICAN VALVE & HYDRANT DIV	MARK 73
HYDRANT REPAIR PARTS INC	N/A

296186 EXTENSION 18" HYDT M73

EXTENSION 18" HYDT M73 AMERICAN-DARLING FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

AMERICAN VALVE & HYDRANT DIV	MARK 73
HYDRANT REPAIR PARTS INC	N/A

296343 BEND DI MJ 8" 11-1/4 D

BEND DI MJ 8" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

296350 BEND DI MJ 8" 22-1/2 D

BEND DI MJ 8" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTING & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296368 BEND DI MJ 8" 45 D

BEND DI MJ 8" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A

CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

296376 TEE DI MJ 8X6" BE&BE

TEE DI MJ 8X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296392 CLAMP REPAIR FULL-CIRCLE 3"

CLAMP REPAIR FULL-CIRCLE 3" PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 THRU 7 1/2 INCHES.

ADAMS PIPE REPAIR PRODUCTS	
DRESSER MFG	STYLE 360
FORD METER BOX CO	
SMITH-BLAIR INC	226

296491 CLAMP DI&AC 3" SS-BANDS

CLAMP DI&AC 3" SS-BANDS 12"-WI CLAMPS SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON AND ASBESTOS-CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE BOLT STYL

DRESSER MFG	
JCM IND	102 EXT RGE,LG WDTH
MUELLER	XTRA RANGE FULL SEAL
SMITH-BLAIR INC	227 SUPER RANGE

296509 CLAMP 8" TAP 2" DI&AC SS-BANDS

CLAMP 8" TAP 2" DI&AC SS-BANDS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, CORROSION RESISTANT ALLOY STEEL BOLTS. C LAMP WIDTHS SHALL BE 12-1/2.

CLOW CORP	STYLE 3132 SS NO. B
FORD METER BOX CO	STYLE FS2
SMITH-BLAIR INC	TYPE 239 SUPER RANGE

296517 CLAMP 10" TAP 2" DI&AC

CLAMP 10" TAP 2" DI&AC SERV REPAIR SERVICE REPAIR SHALL FIT ALL CLASSES CI & AC PIPE, BE MULTI PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS.

DRESSER MFG	361 WIDE RANGE
FORD METER BOX CO	STYLE FS1
SMITH-BLAIR INC	STYLE 238 SUPERRANGE

296533 PLUG DI MJ 24" SOLID

PLUG DI MJ 24" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMP24

STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296541 SLEEVE DI MJ 24X15" LONG-BODY

SLEEVE DI MJ 24X15" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " & ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACES SHALL BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	XML
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

296558 TEE DI MJ 24X12" BE&BE

TEE DI MJ 24X12" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

296665 BEND DI MJ 30" 45 D

BEND DI MJ 30" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

296673 BEND DI MJ 30" 22-1/2 D

BEND DI MJ 30" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
U S PIPE & FOUNDRY CO	N/A

296681 BEND DI MJ 30" 11-1/4 D

BEND DI MJ 30" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A

	TYLER/UNION	N/A
	U S PIPE & FOUNDRY CO	

296699 BEND DI MJ 30IN 5-5/8DEG DE

BEND DI MJ 30IN 5-5/8DEG DE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296707 SLEEVE DI MJ 30" LONG-BODY

SLEEVE DI MJ 30" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " & ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-89 OR LATEST REVISION & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIOR SURFACES SHALL

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	XML
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296723 BEND DI MJ 10" 90-D

BEND DI MJ 10" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296749 BEND O/S DI MJ 10" 18" DROP

BEND O/S DI MJ 10" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296756 BEND DI MJ 8" 90-D

BEND DI MJ 8" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A

TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296764 PLUG DI MJ 8" TAP 2"

PLUG DI MJ 8" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DTP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296772 TEE DI MJ 8" BE&BE

TEE DI MJ 8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

296798 BEND DI FJ 8" 90-D

BEND DI FJ 8" 90-D SHORT-RADIUS DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI STANDARD A 21.10 (AWWA C-110). FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH ANSI STANDARD A21.4

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
DRESSER MFG	N/A
MCWANE CAST IRON PIPE CO	N/A
SIGMA/NAPPCO/RUSSELL	DF
U S PIPE & FOUNDRY CO	

296806 PLUG DI MJ 10" TAP 2"

PLUG DI MJ 10" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DTP
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296814 REDUCER DI MJ 16X12" BE&BE

REDUCER DI MJ 16X12" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLAINCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A

	TYLER/UNION	N/A
	U S PIPE & FOUNDRY CO	N/A

296822 REDUCER DI MJ 16X6" BE&BE
REDUCER DI MJ 16X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296848 REDUCER DI MJ 12X8" BE&BE
REDUCER DI MJ 12X8" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMR
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

296863 TEE DI MJ 16X16" BE&BE
TEE DI MJ 16X16" BE&BE

296871 ANCHORING-TEE DI MJ 8X6"
ANCHORING-TEE DI MJ 8X6"

CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SSB/DMH/SSA
TYLER/UNION	N/A

296897 TEE DI MJ 16X6" BE&BE
TEE DI MJ 16X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMTXXXXX
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296905 CLAMP 6" TAP 1" DI&AC SS-BANDS
CLAMP 6" TAP 1" DI&AC SS-BANDS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED CAPTIVE BOLT LUGS, & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS.

FORD METER BOX CO	STYLE FS2
SMITH-BLAIR INC	TYPE 239 SUPER-RANGE

296913 CROSS DI MJ 16X16" BE&BE
CROSS DI MJ 16X16" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS 1 4" AND ABOVE SHALL CONFORM TO ANSI/ AWWA STD.C110/A21.10-87 OR LATEST REVISION &

SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296921 PLUG DI MJ 16" SOLID

PLUG DI MJ 16" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES SHALL BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

296939 CROSS DI MJ 16X12"

CROSS DI MJ 16X12" DUCTILE IRON MECHANICAL JOINT FITTINGS 1 4" AND ABOVE SHALL CONFORM TO ANSI/ AWWA STD. C110/A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & A BITUMASTIC SEALCOAT IN COMPLI

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296947 CROSS DI MJ 16X 8"

CROSS DI MJ 16X 8" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI STANDARD C110/A21. 10-87 OR LATEST REVISION & SHALL BE LINE D WITH CEMENT MORTAR & BITUMASTIC SEALCOST IN COMPLIANCE WITH ANSI/AWWA S

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

296954 CROSS DI MJ 8"

CROSS DI MJ 8" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMC
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

296962 CLAMP TAP 6" 3/4" DI&AC

CLAMP TAP 6" 3/4" DI&AC SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER,SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C

FORD METER BOX CO	F2

MUELLER	512
ROMAC INDUSTRIES INC	
SMITH-BLAIR INC	TYPE 239

296988 CLAMP 8" TAP 3/4" DI&AC SS-B

CLAMP 8" TAP 3/4" DI&AC SS-B SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER, SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C

FORD METER BOX CO	STYLE FS2
SMITH-BLAIR INC	TYPE 239 SUPER RANGE

296996 CLAMP 8" TAP 3/4" DI&AC SS

CLAMP 8" TAP 3/4" DI&AC SS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER, SLOTTED CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C

FORD METER BOX CO	F2
MUELLER	512
ROMAC INDUSTRIES INC	SS2
SMITH-BLAIR INC	239

297069 REDUCER DI MJ 8X6" BE&BE

REDUCER DI MJ 8X6" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	DMR
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297101 ANCHORING-ELBOW DI MJ 6"

ANCHORING-ELBOW DI MJ 6"

CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SSB/DMH/SSA
TYLER/UNION	N/A

297127 CLAMP 6" TAP 2" DI&AC SS

CLAMP 6" TAP 2" DI&AC SS SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGER SLOTTED, CAPTIVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C

FORD METER BOX CO	N/A
SMITH-BLAIR INC	N/A

297135 CLAMP 6" TAP 1-1/2" DI&AC SS-B

CLAMP 6" TAP 1-1/2" DI&AC SS-B SERVICE REPAIR CLAMPS, SHALL FIT ALL CLASSES CI & AC PIPE, & BE MULTI-PANEL, STAINLESS STEEL BANDS, SLIDING FINGERS, SLOTTED CAPITVE BOLT LUGS & HIGH CORROSION RESISTANT ALLOY STEEL BOLTS. C

FORD METER BOX CO	STYLE FS2
SMITH-BLAIR INC	TYPE 239 SUPER RANGE

297143 BEND DI MJ 4" 11-1/4 D

BEND DI MJ 4" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	

U S PIPE & FOUNDRY CO	N/A

297150 BEND DI MJ 4" 22-1/2 D

BEND DI MJ 4" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STANDARD C104/

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297168 BEND DI MJ 4" 90-D

BEND DI MJ 4" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

297176 BEND DI MJ 4" 45 D

BEND DI MJ 4" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297184 TEE DI MJ 4" BE&BE

TEE DI MJ 4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

297218 REDUCER DI MJ 8X4" PE&BE

REDUCER DI MJ 8X4" PE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMR
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A

U S PIPE & FOUNDRY CO	N/A

297234 REDUCER DI MJ 6X4" BE&BE

REDUCER DI MJ 6X4" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMR
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297341 BEND O/S DI MJ 16" 18" DROP

BEND O/S DI MJ 16" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297374 CROSS DI MJ 12X8"

CROSS DI MJ 12X8" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297382 VALVE SWING-CHECK 8" CI FJ

VALVE SWING-CHECK 8" CI FJ CAST IRON FLANGED SWING CHECK VALVES SHALL HAVE CAST IRON BODIES & BE FULLY BRONZE MOUNTED. ENDS ARE TO BE FACED & DRILLED IN ACCORDANCE WITH ANSI STAND- ARD B16.1, CLASS 125. VALVES SHALL

AMERICAN DARLING CO	
HAMMOND VALVE CO	IR1124
KENNEDY VALVE MFG CO	106
M & H VALVE CO	59-02
MUELLER	A2600-6

297432 CLAMP FOR 2-1/2" PIPE 6"-WIDE

CLAMP FOR 2-1/2" PIPE 6"-WIDE PIPE REPAIR CLAMPS FOR STEEL PIPE SHALL BE MALLEABLE IRON OR STAINLESS STEEL WITH CEMENTED NEOPRENE GASKETS AND TWO HIGH CORROSION RESISTANT BOLTS. CLAMP WIDTH SHALL BE 6 INCHES.

ADAMS PIPE REPAIR PRODUCTS	220 PIPE SAVER
DRESSER MFG	STYLE 118
FORD METER BOX CO	
SMITH-BLAIR INC	245 REDI-CLAMP

297549 CLAMP REPAIR FULL-CIRCLE 2"

CLAMP REPAIR FULL-CIRCLE 2" FULL CIRCLE REPAIR CLAMPS FOR STEEL PIPE OR CAST IRON PIPE. O.D. RANGE 2.35- 2.63. CLAMP WIDTH SHALL BE 7.5 INCHES.

SPECIAL SPECIFICATION.

FORD METER BOX CO	F1-263 X 7.5
SMITH-BLAIR INC	226-023807

297580 VALVE GATE 12" CI MJ VERT

VALVE GATE 12" CI MJ VERT RESILIENT-SEATED, M.J. VALVES SHALL CONFORM TO ANSI/AWWA STD. C509-87 OR LATEST REVISION OR C515, WITH M.J. ENDS, NON-RISING STE M, TURN CLOCKWISE TO OPEN. O-RING,STEM SEALS, AND FITTED WITH A STD. WRENCH NUT

AMERICAN VALVE & HYDRANT DIV	
CLOW CORP	F6114
KENNEDY VALVE MFG CO	1572X,SPEC FLANGE
M & H VALVE CO	3751NRS
MUELLER	H687
WATEROUS CO	500

297630 PIPE BRASS 2" MALE-THREAD

PIPE BRASS 2" MALE-THREAD 12' BRASS PIPE SHALL CONFORM TO ASTM STANDARD B43 FROM REGULAR SEAMLESS RED BRASS PIPE & B251 FOR GENERAL PHYSICAL R EQUIREMENTS. THE PIPE SHALL BE SUPPLIED WITH NATIONAL STANDARD THREADS

LEE BRASS	N/A
MERIT BRASS CO	N/A

297648 PLUG DI MJ 3" SOLID

PLUG DI MJ 3" SOLID DUCTILE IRON MECHANICAL JOINT SOLID PLUG S, SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION. INTE RIOR & EXTERIOR SURFACES BE TAR COATED.

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297655 PLUG DI MJ 3" TAP 2"

PLUG DI MJ 3" TAP 2" DUCTILE IRON MECHANICAL JOINT PLUGS 3" T HRU 12" SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION & SHALL BE TAPPED & THREADED WITH 2 I.P.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DTP
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

297697 REDUCER DI MJ 4X3" BE&BE

REDUCER DI MJ 4X3" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297705 BEND O/S DI MJ 4" 18" DROP

BEND O/S DI MJ 4" 18" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA C104

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

297713 BEND O/S DI MJ 10"12" DROP

BEND O/S DI MJ 10"12" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMO/XMO
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

297747 CLAMP DI&AC 6" SS-BANDS

CLAMP DI&AC 6" SS-BANDS 12"-WI CLAMPS SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON & ASBESTOS-CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE BOLT STYL

DRESSER MFG	362 WIDE RANGE
FORD METER BOX CO	F2-764-12
JCM IND	102 EXT RGE,LG WDTH
MUELLER	
ROMAC INDUSTRIES INC	CL2-764X12
SMITH-BLAIR INC	227-69012

297754 CLAMP DI&AC 8" SS-BANDS

CLAMP DI&AC 8" SS-BANDS 12"-WI CLAMPS SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON AND ASBESTOS CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE BOLT STYL

DRESSER MFG	362 WIDE RANGE
FORD METER BOX CO	STYLE F2-979-12.5
JCM IND	102 EXT RGE,LG WDTH
MUELLER	XTRA RANGE FULL SEAL
ROCKWELL	227-090812-000
ROMAC INDUSTRIES INC	

297762 SLEEVE TAPPING 8X8" SS OD 9.20

SLEEVE TAPPING 8X8" SS OD 9.20-9.60 AC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, AND WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR

DRESSER MFG	620
FORD METER BOX CO	FAST
MUELLER	H619
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

297770 SLEEVE TAPPING 8X8" SS OD 9.05

SLEEVE TAPPING 8X8" SS OD 9.05-9.45 CI TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A

WRAPAROUND TYPE. BOD Y, NUTS, BOLTS, AND WASHERS SHALL BE OF 18-8 STAINLESS STEEL OR APPROVED EQUAL.

DRESSER MFG	620
FORD METER BOX CO	
JCM IND	432-0940X8
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

297796 TEE DI MJ 8X3" BE&BE

TEE DI MJ 8X3" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

297804 PIPE DI SJ 30"

PIPE DI SJ 30" 30¿ DI SJ GAUGED PIPE SHALL CONFORM TO ANSI/AWWA STANDARD C151/A21.51 OR LATEST REVISION WITH MINIMUM PRESSURE CLASS 350 PSI. PIPE SHALL BE FURNISHED WITH SLIP JOINT AND BE CEMENT LINED AND COATED INSIDE AND OUTSIDE WITH A

AMERICAN CAST IRON PIPE CO	N/A
GRIFFIN FOUNDRY	
MCWANE CAST IRON PIPE CO	N/A
U S PIPE & FOUNDRY CO	N/A

297812 COUPLING TRANS 30" CI

COUPLING TRANS 30" CI

SMITH-BLAIR INC	41050006397194

297903 CLAMP 6" SJ DRESSER #60-S

CLAMP 6" SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.

DRESSER MFG	STYLE 60-S

297911 CLAMP 8" SJ DRESSER #60-S

CLAMP 8" SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.

DRESSER MFG	STYLE 60-S

297929 CLAMP 10" SJ DRESSER #60-S

CLAMP 10" SJ DRESSER #60-S

297937 CLAMP 12" CI SJ DRESSER #60-S

CLAMP 12" CI SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.

DRESSER MFG	STYLE 60-S
SMITH-BLAIR INC	274

297945 CLAMP 24" SJ DRESSER #60-S

CLAMP 24" SJ DRESSER #60-S BELL JOINT CLAMPS, SLIP JOINT TYPE, SHALL BE DRESSER STYLE 60-S OR EQUAL, ADJUSTABLE BELL JOINT CLAMPS FOR REPAIRING SLIP JOINT BELLS.

DRESSER MFG	STYLE 60-S

297952 GLAND DI MJ 16" W/ SET SCREWS

GLAND DI MJ 16" W/ SET SCREWS DUCTILE IRON MECHANICAL JOINT RETAINER G LANDS, SHALL BE DUCTILE IRON STANDARD MECHANICAL JOINT GLANDS FITTED WITH CUP POINT, SQUARE HEAD SET SCREWS & BE CLOW F1058 OR EQUAL.

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	F1058
EBBA IRON INC	MEGALUG
ROMAC INDUSTRIES INC	GRIP-RING 4"TO 12"
SIGMA/NAPPCO/RUSSELL	RMG
STAR PIPE PRODUCTS	N/A
U S PIPE & FOUNDRY CO	
UNION FOUNDRY	N/A

298000 CROSS DI MJ 12X6"

CROSS DI MJ 12X6" DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMC
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

298018 VALVE BUTTERFLY 24" MJ

VALVE BUTTERFLY 24" MJ SPECIAL SPECS NOTE: DISCS AND INTERNAL WATERWAY SHALL BE EPOXY COATED.

AMERICAN DARLING CO	
CLOW CORP	STYLE F5370,8&LARGER
HENRY PRATT	GROUNDHOG
KENNEDY VALVE MFG CO	30C
M & H VALVE CO	450-01
MUELLER	LINESEAL III

298067 TEE DI MJ 24" BE&BE

TEE DI MJ 24" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMSTIC SEALCOAT IN COMPLIANCE WITH ANSI/AWWA ST

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
STAR PIPE PRODUCTS	N/A
TYLER/UNION	
U S PIPE & FOUNDRY CO	N/A

298075 COUPLING TRANS 24" CI

COUPLING TRANS 24" CI (26.32)-STL(25.80) COUPLING SHALL BE DESIGNED TO CONNECT PL AIN END CAST IRON PIPE TO PLAIN END STEEL PIPE WITH A WORKING PRESSURE OF 15 0 PSI. COUPLING SHALL HAVE 14 BOLTS AND BE HEAVY DUTY

DRESSER MFG	62 TYPE 1
MUELLER	MAXIFIT 2575
SMITH-BLAIR INC	413

298083 CLAMP DI&CI 10" SS-BANDS

CLAMP DI&CI 10" SS-BANDS 15"-WI CLAMPS, PIPE REPAIR, 10" SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON AND ASBESTOS-CEMENT

PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE

DRESSER MFG	361 WIDE RANGE
FORD METER BOX CO	F2-1224 X 15
JCM IND	102 EXT RNGE,LG WDTH
MUELLER	XTRA RANGE FULL SEAL
ROMAC INDUSTRIES INC	CL2-1184X15
SMITH-BLAIR INC	

298091 CLAMP DI&CI 12" SS-BANDS

CLAMP DI&CI 12" SS-BANDS 15"-WI CLAMPS, PIPE REPAIR, SHALL BE ADEQUATE TO FIT THE OUTSIDE DIAMETER OF ALL CLASSES CAST IRON AND ASBESTOS-CEMENT PIPE WITHIN THE NOMINAL PIPE SIZE WITH STAINLESS STEEL BANDS, CAPTIVE

DRESSER MFG	361 WIDE RANGE
FORD METER BOX CO	STYLE F2
JCM IND	
MUELLER	XTRA RANGE FULL SEAL
ROMAC INDUSTRIES INC	CL2-1395X15
SMITH-BLAIR INC	227 SUPER RANGE

298109 VALVE BUTTERFLY 10" MJ

VALVE BUTTERFLY 10" MJ SPECIAL SPECS DISC & INTERNAL WATERWAY SHALL BE EPOXY COATED

AMERICAN DARLING CO	AWWA C504
CLOW CORP	STYLE F5370,10&LARGR
HENRY PRATT	
KENNEDY VALVE MFG CO	30C
MUELLER	LINESEAL III/MB 3211

298141 COUPLING 24" DRESSER 38

COUPLING 24" DRESSER 38 COUPLING SHALL BE DESIGNED TO CONNECT PL AIN END CAST IRON PIPE WITH 150 PSI WORKING PRESSURE AND SHALL BE 15 BOLTS S TYLE. THE OUTSIDE DIAMETER SHALL BE 25.80".

DRESSER MFG	38
SMITH-BLAIR INC	431

298158 BEND DI MJ 3" 22-1/2 D

BEND DI MJ 3" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	

298166 BEND DI MJ 3" 45 D

BEND DI MJ 3" 45 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STANDARD C104/

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

298174 BEND DI MJ 3" 90-D

BEND DI MJ 3" 90-D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO

ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

298182 BEND O/S DI MJ 3" 24" DROP

BEND O/S DI MJ 3" 24" DROP DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH ANSI/AWWA STAN

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

298299 BEND DI MJ 3" 11-1/4 D

BEND DI MJ 3" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C153 /A21.53-88 OR LATEST REVISION FOR COMPACT FITTINGS & SHALL BE LINED WITH CEMENT MORTAR IN ACCORDANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	SERIES DMB
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A
UNION FOUNDRY	

298505 TEE DI FJ 8"

TEE DI FJ 8" DUCTILE IRON FITTINGS, FLANGED JOINT, SHALL CONFORM TO ANSI/AWWA STANDARD C110/ A21.10-87 OR LATEST REVISION. FITTINGS SHALL BE LINED WITH MORTAR & A BITUMASTIC SEALCOAT IN ACCORDANCE WITH A

AMERICAN DUCTILE IRON PIPE CO	
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	DF
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

298513 SLAB PRECAST METER BOX 9'-6" X

SLAB PRECAST METER BOX 9'-6" X

298521 SLAB PRECAST METER BOX 11'-6"

SLAB PRECAST METER BOX 11'-6"

298539 ADAPTER #12

ADAPTER #12

FORD METER BOX CO	12 S, M, L.

298547 ADAPTER #14

	ADAPTER #14	
	FORD METER BOX CO	A14
298554	ADAPTER #46	
	ADAPTER #46	
	FORD METER BOX CO	A46
298562	ADAPTER #47	
	ADAPTER #47	
	FORD METER BOX CO	A47
298570	ADAPTER #67 FOR 1-1/2IN METER	
	ADAPTER #67 FOR 1-1/2IN METER	
	FORD METER BOX CO	A67
298737	SLEEVE DI MJ 36" LONG-BODY	
	SLEEVE DI MJ 36" LONG-BODY DUCTILE IRON MECHANICAL JOINT SLEEVES 14 " & ABOVE SHALL CONFORM TO ANSI/AWWA STANDARD C110/A21.10-87 OR LATEST REVISION, & SHALL BE LONG BODY STYLE. INTERIOR & EXTERIO SURFACES SHALL	
	AMERICAN DUCTILE IRON PIPE CO	N/A
	CLOW CORP	
	SIGMA/NAPPCO/RUSSELL	XML
	STAR PIPE PRODUCTS	N/A
	TYLER/UNION	N/A
	U S PIPE & FOUNDRY CO	N/A
298745	BEND DI MJ 24" 22-1/2 D	
	BEND DI MJ 24" 22-1/2 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BIRUMASTIC SEALCOST IN COMPLIANCE WITH	
	AMERICAN DUCTILE IRON PIPE CO	N/A
	CLOW CORP	
	SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
	STAR PIPE PRODUCTS	N/A
	TYLER/UNION	N/A
	U S PIPE & FOUNDRY CO	N/A
298752	BEND DI MJ 24" 11-1/4 D	
	BEND DI MJ 24" 11-1/4 D DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & A BITUMASTIC SEALCOAT IN COMPLIANCE WITH A	
	AMERICAN DUCTILE IRON PIPE CO	N/A
	CLOW CORP	
	SIGMA/NAPPCO/RUSSELL	DMB/DMC/DMR/DMT
	TYLER/UNION	N/A
	U S PIPE & FOUNDRY CO	N/A
298802	YARNING IRON 1/8" THICK	
	YARNING IRON 1/8" THICK	
	JOSEPH G POLLARD CO	P-630-1
	MEPHISTA	30029

298836 SADDLE SERV 16" TAP 1-1/2"
SADDLE SERV 16" TAP 1-1/2" DOUBL-STRAP SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	CDS-2
DRESSER MFG	291
FORD METER BOX CO	F202, FS202, FC202
JAMES JONES CO	J948
JCM IND	402
MUELLER	N/A
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

298844 SADDLE SERV 16" TAP 2" DI&ACC
SADDLE SERV 16" TAP 2" DI&ACC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE DOUBLE STRAPPED, WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT S

CASCADE WATERWORKS	CDS-2
DRESSER MFG	181
FORD METER BOX CO	F202, FS202, FC202
JAMES JONES CO	J948
JCM IND	402-
MUELLER	N/A
ROMAC INDUSTRIES INC	202
SMITH-BLAIR INC	313

298851 SIGN MEN-WORKING
SIGN MEN-WORKING

EASTERN METAL / USA SIGN	
RADIATOR SPECIALITY CO.	JRU 36R
S&S SIGNS AND SAFETY EQUIPMENT INC	C-36-SB-SR-HD-KUB-MW
SERVICE & MATERIALS	SR-36 (RB-36)
WORK AREA	REFLEXITE-36

298869 SIGN UTILITY-CONSTRUCTION
SIGN UTILITY-CONSTRUCTION

EASTERN METAL / USA SIGN	
RADIATOR SPECIALITY CO.	JRU 36R
SERVICE & MATERIALS	SR-36X36 (RB-36)
WORK AREA	REFLEXITE-36

298901 SIGN MERGE-RIGHT
SIGN MERGE-RIGHT

EASTERN METAL / USA SIGN	REG. REFLECTIVE
RADIATOR SPECIALITY CO.	
SERVICE & MATERIALS	SR 36X36 (RB-36)
WORK AREA	REFLEXITE-36

298919 SIGN MERGE-LEFT
SIGN MERGE-LEFT

EASTERN METAL / USA SIGN	REG. REFLECTIVE
RADIATOR SPECIALITY CO.	
SERVICE & MATERIALS	SR 36X36 (RB-36)
WORK AREA	REFLEXITE-36

298927 METER BOX SLAB
METER BOX SLAB

298935 TOOL PILOT-SHUT-OFF #65
TOOL PILOT SHUT-OFF #65

298943 EXTENSION 6" HYDT M73
EXTENSION 6" HYDT M73 GND-LINED AMER-D FIRE HYDRANT EXTENSIONS SHALL BE COMPLETE WITH STEMS FOR HYDRANTS HAVING A 4-1/2 VALVE OPENING, 3-1/2 ORIGINAL DE PTH OF BURY & CLOCKWISE DIRECTION OF OPENING.

AMERICAN VALVE & HYDRANT DIV	MARK 73

299073 TOOL CURB-STOP SHUT-OFF 4'
TOOL CURB-STOP SHUT-OFF 4'
TRUMBULL #367-4294

299081 KIT AMLOK HOSE NOZZEL 2-1/2"
KIT AMLOK HOSE NOZZEL 2-1/2"

AMERICAN DARLING CO	N/A

299099 KIT AMLOK STEAMER NOZZEL
KIT AMLOK STEAMER NOZZEL

AMERICAN DARLING CO	N/A

299107 O-RING STEAMER NOZZEL
O-RING STEAMER NOZZLE FOR 4-1/2" HYDT HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. STEAMER NOZZLE ORING FOR 4-1/2", MARK-73, AMERICAN- DARLING FIRE HYDRANT, T-MODEL.

AMERICAN DARLING CO	73-25-4

299115 NOZZLE O-RING HOSE HYDT M73
NOZZLE O-RING HOSE HYDT M73 AMER-DARLING HYDRANTS AND HYDRANT PARTS AND ACCESSORIES SHALL BE MADE AND TESTED IN ACCORDANCE WITH AWWA C-502. HOSE NOZZLE ORING FOR 4-1/2", MARK-73, AMERICAN- DARLING FIRE HYDRANT,

AMERICAN DARLING CO	73-20-4

299131 VALVE DUAL-CHECK BACKFLOW 1"
VALVE DUAL-CHECK BACKFLOW 1" PREVENTER DUAL CHECK BACKFLOW PREVENTER, SHALL CONSIST OF TWO INDEPENDENTLY ACTING CHECK VALVES ASSEMBLED IN A SINGLE HOUSING. CHECKS SHALL BE READILY REMOVABLE FOR

WATTS REGULATOR	N/A

299149 VALVE DUAL-CHECK BACKFLOW 3/4"
VALVE DUAL-CHECK BACKFLOW 3/4" PREVENTER DUAL CHECK BACKFLOW PREVENTER, SHALL CONSIST OF TWO INDEPENDENTLY ACTING CHECK VALVES ASSEMBLED IN A SINGLE HOUSING. CHECKS SHALL BE READILY REMOVABLE FOR

WATTS REGULATOR	N/A

299156 TEE DI MJ 16X12" BE&BE
TEE DI MJ 16X12" BE&BE DUCTILE IRON MECHANICAL JOINT FITTINGS SHALL CONFORM TO ANSI/AWWA STANDARD C110 /A21.10-87 OR LATEST REVISION & SHALL BE LINED WITH CEMENT MORTAR & BITUMASTIC SEALCOAT IN COMPLIANCE WITH

AMERICAN DUCTILE IRON PIPE CO	N/A
CLOW CORP	N/A
SIGMA/NAPPCO/RUSSELL	
STAR PIPE PRODUCTS	N/A
TYLER/UNION	N/A
U S PIPE & FOUNDRY CO	N/A

299164 ADAPTER VALVE BOX 1"

ADAPTER VALVE BOX 1"

ACHESON FOUNDRY	SERIES A-8500
SIGMA/NAPPCO/RUSSELL	N/A

299172 ADAPTER VALVE BOX 1-1/2"
ADAPTER VALVE BOX 1-1/2"

ACHESON FOUNDRY	SERIES A-8500
SIGMA/NAPPCO/RUSSELL	N/A

299180 ADAPTER VALVE BOX 2"
ADAPTER VALVE BOX 2"

ACHESON FOUNDRY	SERIES A-8500
SIGMA/NAPPCO/RUSSELL	N/A

299198 BRACE TRENCH #T-1-10-21
BRACE TRENCH T-1-10-21

299206 SIGN ONE-LANE-CLOSED
SIGN ONE-LANE-CLOSED

EASTERN METAL / USA SIGN	REG. REFLECTIVE
RADIATOR SPECIALITY CO.	
SERVICE & MATERIALS	SR 36X36 (RB-36)
WORK AREA	REFLEXITE-36

299230 PAINT MARKER GREEN
PAINT GREEN MARKER

FOX VALLEY MARKING SYSTEM	MP-MG1
SEYMOUR OF SYCAMORE, INC	16-668

299255 LANTERN BRIGHT-STAR #2206
LANTERN 2206 BRIGHT-STAR

BRIGHT STAR	2206
EVEREADY	459
GARRITY	60070
RAY-O-VAC	KFL

299420 SADDLE SERV 8" TAP 3/4" PVC
SADDLE SERV 8" TAP 3/4" PVC 7.69-8.72 PVC PIPE SERVICE SADDLE SHALL BE SMITH-B LAIR INC STYLE 311 OR APPROVED EQUAL WITH 3/4" TAP HAVING ANSI/AWWA STANDARD C800-89 OR LATEST REVISION, TAPERED THREADS.

DRESSER MFG	291
FORD METER BOX CO	F101
MUELLER	H-105
SMITH-BLAIR INC	311

299438 LUG DI C-65
LUG DI C-65 LUGS SHALL BE DUCTILE IRON TO MEET ASTM A536-80. LUGS SHALL BE DESIGNED TO FACILITATE THE RESTRAINING OF PIPE JOINT S.

ASTRAL CORP	S 14
CONTINENTAL EASTERN CORP	DUCTILE LUG
ROMAC INDUSTRIES INC	
SIGMA/NAPPCO/RUSSELL	DUCTILE LUG

299461 LID STEEL FOR METER BOX
LID STEEL FOR CONC METER BOX LIDS, METER, STEEL, SHALL BE FABRICATED FROM 3/16 ROLLED STEEL FLOOR PLATE WITH RAISED LUGS TO DIMENSIONS SHOWN ON DRAWING 32-B. WELDED REINFORCING RING TO BE 1/4 X 1 ROLLED

ACHESON FOUNDRY	N/A
B W BYRD METAL FABRICATORS	N/A
BULL RUN METAL	N/A

EBBA IRON INC	N/A
PRECIOUS WOODS AND METALS	
TEC-FAB INC	N/A
TYLER	N/A

299479 SLEEVE TAPPING 6X6" SS-BODY FO

SLEEVE TAPPING 6X6" SS-BODY FOR PVC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, & WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

299487 SLEEVE TAPPING 8X6" SS-BODY FO

SLEEVE TAPPING 8X6" SS-BODY FOR PVC TAPPING SLEEVES SHALL BE DESIGNED TO BE USED WITH ANY STANDARD TAPPING VALVE. THE BODY SHALL BE A WRAPAROUND TYPE. THE BODY, FLANGE, NUTS, BOLTS, & WASHERS SHALL BE MADE OF 18-8 STAINLESS STEEL OR

DRESSER MFG	620
FORD METER BOX CO	FAST
ROMAC INDUSTRIES INC	SST
SMITH-BLAIR INC	663

299495 JACKET RAIN YELLOW XX-L

JACKET RAIN YELLOW XX-L W/ KUB LOGO RAIN JACKET, EXTRA EXTRA LARGE WITH KUB LOGO, REFLECTIVE STRIPPING 1 1/2" WIDE) LOCATION: 1 EACH SLEEVE 5 1 /2" FROM CUFF, 1 ON BACK 14" FROM BOTTOM OF JACKET. STANDARD PACKAGIN

NEESE	56 SERIES
RAINFAIR INC	1100-4001
VALLEN SAFETY	535SJXXL

299503 PANTS RAIN YELLOW XX-L

PANTS RAIN YELLOW XX-L W/ KUB LOGO PANTS, RAINSUIT, EXTRA EXTRA LARGE WITH KUB LOGO, REFLECTIVE STRIPPING (1 1/2" WIDE) LOCATION: 1 EACH LEG 6" UP FROM THE CUFF. STANDARD PACKAGING - 1 UNITPER PACKAGE, TOTAL STOCKING REQUIR

NEESE	56 SERIES
RAINFAIR INC	1700-4002
VALLEN SAFETY	535TXXL

299602 HOOD FOR RAIN SUIT JACKETS

HOOD FOR RAIN SUIT JACKETS

NEESE	5000 SERIES
RAINFAIR INC	2800-4009
VALLEN SAFETY	E535

299610 WRENCH TORQUE 1/2"DRIVE

WRENCH TORQUE 1/2" DRIVE

ALLEN INDUSTRIAL HAND TOOLS	3265

299628 RIBS SIGN TO FIT SR 36 SIGNS

RIBS SIGN TO FIT SR 36 SIGNS

SERVICE & MATERIALS	RB36

299636 SADDLE SERV 3" TAP 3/4" PVC

SADDLE SERV 3" TAP 3/4" PVC 0194 DRESSER PVC SERVICE SADDLES, 3", 4", 6", 8" SHALL BE SMITH-BLAIR STYLE 313 OR APPROVED EQUAL WITH 3/4" TAP HAVING ANSI /AWWA STD C800-89 OR LATEST REVISION. TAPERED THREADS.

DRESSER MFG	
FORD METER BOX CO	N/A

	MUELLER	N/A
	SMITH-BLAIR INC	313
299644	SADDLE SERV 12" TAP 3/4" DI&AC	
	SADDLE SERV 12" TAP 3/4" DI&AC SERVICE SADDLES FOR CAST IRON, DUCTILE IRON & ASBESTOS-CEMENT PIPE SHALL BE WITH MALLEABLE IRON OR DUCTILE IRON BODIES, CEMENTED NEOPRENE GASKETS & TWO HIGH CORROSION RESISTANT	
	DRESSER MFG	291
	FORD METER BOX CO	F202-1438X-CC3
	JAMES JONES CO	J 979
	MUELLER	H 10517-37
	SMITH-BLAIR INC	313
299651	SIGN ROAD-CLOSED	
	SIGN ROAD-CLOSED	
	EASTERN METAL / USA SIGN	REG. REFLECTIVE
	RADIATOR SPECIALITY CO.	
	SERVICE & MATERIALS	SR 36X36 (RB-36)
	WORK AREA	REFLEXITE-36
299669	TAPE MEAS 3/4" X 25' POWER LOC	
	TAPE MEAS 3/4" X 25' POWER LOC	
	LUFKIN	2325
299677	RASP PLAIN HALF-FILE 14" FARRI	
	RASP PLAIN HALF-FILE 14" FARRI	
	SIMONDS	75-756970
299693	PLUG DI MJ 16IN TAP 2IN DE	
	PLUG DI MJ 16IN TAP 2IN DE	

Gas Material

300000	ELECTROFUSION TEE 1-1/4" IPS ELECTROFUSION TEE 1-1/4" IPS PE 100/3408
300001	ELECTROFUSION TEE 2" IPS PE 10 ELECTROFUSION TEE 2" IPS PE 100/3408
300002	ELECTROFUSION TEE 4" IPS PE100 ELECTROFUSION TEE 4" IPS PE100/3408
300003	ELECTROFUSION TEE 6" IPS PE100 ELECTROFUSION TEE 6" IPS PE100/3408
300004	ELECTROFUSION TEE 8" IPS PE 10 ELECTROFUSION TEE 8" IPS PE 100/3408
300005	ELECTROFUSION TEE 12" IPS PE 1 ELECTROFUSION TEE 12" IPS PE 100/3408
300006	ELECTROFUSION REDUCING TEE 4" ELECTROFUSION REDUCING TEE 4" X 2" IPS PE 100/3408
300007	ELECTROFUSION REDUCING TEE 6" ELECTROFUSION REDUCING TEE 6" X 4" IPS PE 100/3408
300008	ELECTROFUSION REDUCING TEE 8" ELECTROFUSION REDUCING TEE 8" X 4" IPS PE100/3408
300009	ELECTROFUSION REDUCING TEE 8" ELECTROFUSION REDUCING TEE 8" X 6" IPS PE100/3408
300010	ELECTROFUSION REDUCING TEE 12" ELECTROFUSION REDUCING TEE 12" X 8" IPS PE100/3408
300011	ELECTROFUSION 90 2" IPS PE 100 ELECTROFUSION 90 2" IPS PE 100/3408

300012 ELECTROFUSION 90 4" IPS PE 100
ELECTROFUSION 90 4" IPS PE 100/3408

300013 ELECTROFUSION 90 6" IPS PE 100
ELECTROFUSION 90 6" IPS PE 100/3408

300014 ELECTROFUSION 90 8" IPS PE 100
ELECTROFUSION 90 8" IPS PE 100/3408

300015 ELECTROFUSION 90 12" IPS PE 10
ELECTROFUSION 90 12" IPS PE 100/3408

300016 ELECTROFUSION 45 4" IPS PE 100
ELECTROFUSION 45 4" IPS PE 100/3408

300017 ELECTROFUSION 45 6" IPS PE 100
ELECTROFUSION 45 6" IPS PE 100/3408

300018 ELECTROFUSION 45 8" IPS PE 100
ELECTROFUSION 45 8" IPS PE 100/3408

300019 ELECTROFUSION REDUCER 4" X 2"
ELECTROFUSION REDUCER 4" X 2" IPS PE 100/3408

300020 ELECTROFUSION REDUCER 6" X 4"
ELECTROFUSION REDUCER 6" X 4" IPS PE100/3408
M T DEASON COMPANY INC

300021 ELECTROFUSION REDUCER 8" X 4"
ELECTROFUSION REDUCER 8" X 4" IPS PE 100/3408

300022 ELECTROFUSION REDUCER 8" X 6"
ELECTROFUSION REDUCER 8" X 6" IPS PE100/3408
M T DEASON COMPANY INC

300023 ELECTROFUSION CAP 2" IPS PE100
ELECTROFUSION CAP 2" IPS PE100/3408
M T DEASON COMPANY INC

300024 ELECTROFUSION CAP 4" IPS PE 10
ELECTROFUSION CAP 4" IPS PE 100/3408
M T DEASON COMPANY INC TRI0510

300025 ELECTROFUSION CAP 6" IPS PE 10
ELECTROFUSION CAP 6" IPS PE 100/3408
M T DEASON COMPANY INC

300026 ELECTROFUSION CAP 8" IPS PE 10
ELECTROFUSION CAP 8" IPS PE 100/3408
M T DEASON COMPANY INC

300027 ELECTROFUSION REPAIR SADDLE 2"
ELECTROFUSION REPAIR SADDLE 2" IPS PE 100/3408
M T DEASON COMPANY INC TRI0535

300028 ELECTROFUSION REPAIR SADDLE 4"
ELECTROFUSION REPAIR SADDLE 4" IPS PE 100/3408
M T DEASON COMPANY INC TRI0545

300029 ELECTROFUSION REPAIR SADDLE 6"
ELECTROFUSION REPAIR SADDLE 6" IPS PE 100/3408
M T DEASON COMPANY INC TRI0550

300030 ELECTROFUSION REPAIR SADDLE 8"
ELECTROFUSION REPAIR SADDLE 8" IPS PE 100/3408
M T DEASON COMPANY INC TRI0562

300031 ELECTROFUSION H V TAPP TEE 2"
ELECTROFUSION H V TAPP TEE 2" X 2" IPS PE 100/3408
M T DEASON COMPANY INC TRI0955

300032 ELECTROFUSION H V TAPP TEE 4"
ELECTROFUSION H V TAPP TEE 4" X 2" IPS PE 100/3408
M T DEASON COMPANY INC TRI0975

300033 ELECTROFUSION H V TAPP TEE 6"
ELECTROFUSION H V TAPP TEE 6" X 2" IPS PE 100/3408
M T DEASON COMPANY INC TRI0985

300034 ELECTROFUSION H V TAPP TEE 8"
ELECTROFUSION H V TAPP TEE 8" X 2" IPS PE 100/3408
M T DEASON COMPANY INC TRI0995

300035 ELECTROFUSION H V TAPP TEE 12"
ELECTROFUSION H V TAPP TEE 12" X 2" IPS PE 100/3408
M T DEASON COMPANY INC TRI1015

300036 ELECTROFUSION BRANCH SADDLE 4"
ELECTROFUSION BRANCH SADDLE 4" X 2" IPS PE 100/3408
M T DEASON COMPANY INC

300037 ELECTROFUSION BRANCH SADDLE 4"
ELECTROFUSION BRANCH SADDLE 4" X 4" IPS PE 100/3408
M T DEASON COMPANY INC

300038 ELECTROFUSION BRANCH SADDLE 6"
ELECTROFUSION BRANCH SADDLE 6" X 2" IPS PE 100/3408
M T DEASON COMPANY INC

300039 ELECTROFUSION BRANCH SADDLE 6"
ELECTROFUSION BRANCH SADDLE 6" X 4" IPS PE 100/3408
M T DEASON COMPANY INC

300040 ELECTROFUSION BRANCH SADDLE 6"

ELECTROFUSION BRANCH SADDLE 6" X 6" IPS PE 100/3408
M T DEASON COMPANY INC

300041 ELECTROFUSION BRANCH SADDLE 8"
ELECTROFUSION BRANCH SADDLE 8" X 4" IPS PE100/3408
M T DEASON COMPANY INC TRI1180

300042 ELECTROFUSION BRANCH SADDLE 8"
ELECTROFUSION BRANCH SADDLE 8" X 6" IPS PE 100/3408
M T DEASON COMPANY INC

300043 ELECTROFUSION BRANCH SADDLE 12
ELECTROFUSION BRANCH SADDLE 12" X 4" IPS PE 100/3408
M T DEASON COMPANY INC

300044 ELECTROFUSION BRANCH SADDLE 12
ELECTROFUSION BRANCH SADDLE 12" X 6" IPS PE 100/3408
M T DEASON COMPANY INC

300045 ELECTROFUSION BRANCH SADDLE 12
ELECTROFUSION BRANCH SADDLE 12" X 8" IPS PE 100/3408
M T DEASON COMPANY INC

300046 ELECTROFUSION POLY TAPP VALVE
ELECTROFUSION POLY TAPP VALVE 2" IPS PE 100/3408
M T DEASON COMPANY INC

300047 ELECTROFUSION POLYTAPP VALVE 4
ELECTROFUSION POLYTAPP VALVE 4" IPS PE100/3408
M T DEASON COMPANY INC TRI1100

300048 ELECTROFUSION POLY TAPP VALVE
ELECTROFUSION POLY TAPP VALVE 6" IPS PE 100/3408
M T DEASON COMPANY INC

300362 TRACER WIRE #12 COPPER-CLAD HI
#12 AWG REINFORCED TRACER WIRE, 500' SPOOLS: DIRECT BURIAL #12 AWG SOLID (.0808" CONDUCTOR DIAMETER), 21% CONDUCTIVITY ANNEALED COPPER-CLAD HIGH CARBON STEEL HIGH STRENGTH TRACER WIRE,
COPPERHEAD INDUSTRIES, 1230Y-HS-500
KRIS-TECH WIRE COMPANY

360022 RISER METER ANODELESS 3/4 X PE
RISER METER ANODELESS 3/4 X PE 2406 1/2 WITH COUPLING INLET PIGTAIL 1/2 IPS PLASTIC PE 2406 SD R 9.3 MINI.WALL .090 MARLEX TR-418 .OUTLET 3/4 ASTM A53 SCH 40 STEEL PIPE COATED W/CORBOND OR EQUAL.THREADED MIPS.ANODELESS,GROUND LEVEL METER RISER,
PERFECTION 79043

360033 COUPLING REPAIR MDPE COMP 2"
COUPLING PLAS COMP REPR 2" IPS
PERFECTION PERMASERT 50301

360044 COUPLING REPR MDPE COMP 1-1/4"
COUPLING PLAS COMP REPR 1-1/4"
PERFECTION PERMASERT 50320

360132 MAP BOOK

MAP BOOK KNOXVILLE AND KNOX CNTY KNOXVILLE AND KNOX COUNTY MAP BOOK, LATEST EDITION *** JSP MAP STORE ***

360154 STUB BLINDEND PERMASRT 1/2"CTS
STUB BLIND-END PERMASERT 1/2"
PERFECTION 50012

360165 STUB BLIND-END PERMASERT 1"
STUB BLIND-END PERMASERT 1"
PERFECTION 50610

360198 CAP BLIND-END PERMASRT 1/2"IPS
CAP BLIND-END PERMASERT
PERFECTION 50715

360231 PIPE EPOXY COATED 6"
PIPE EPOXY COATED 6" PIPE 6.625 IN.OD X 0.188 IN.WALL THICKNESS,API-5L-X42 ERW,DOUBLE RADOM LENGTH PLAIN ENDS BEVELED FOR WELDING,FUSION BO NDED EPOXY COATED 12 MIL MIN.14 MIL AVERAGE WITH SCOTHKOTE 206N FAST.

360253 PIPE EPOXY-COATED 4"X40'
PIPE EPOXY COATED 4" PIPE 4.500 IN.OD X 0.188 IN.WALL THICKNESS,API-5L-X42 ERW,DOUBLE RANDOM LENGTH,PLAIN ENDS BEVELED FOR WELDING,FU SION BONDED EPOXY COATED 12 MIL MIN. 14 MIL AVERAGE WITH SCOTHKOTE 206N FAST.

360264 PIPE EPOXY COATED 2"
PIPE EPOXY COATED 2" PIPE 2.375 IN.OD X 0.154 IN.WALL THICKNESS,API-5L-X21 ERW,UNIFORM LENGTH,PLAIN ENDS BEVELED FOR WELDING,FUSION B ONDED EPOXY COATED 12MIL MIN.14MIL AVERAGE WITH SCOTHKOTE 206N FAST.

360275 PIPE EPOXY-COATED 8"X40'
PIPE EPOXY COATED 8" PIPE 8.6250 OD X 0.188 IN.WALL THICKNESS ,API-5L-X42 ERW,DOUBLE RANDOM LENGTH ,PLAIN ENDS BEVELED FOR WELDING,FUSION B ONDED EPOXY COATED 12 MIL MIN.14 MIL AVERAGE WITH SCOTHKOTE 206N FAST.

360286 RISER SRRAIGHT ANODELESS 2"
RISER SRRAIGHT ANODELESS 2"
PERFECTION 79039
R W LYALL KUB200200-A

360297 STAND FOR CONSTRUCTION SIGNS
STAND FOR CONSTRUCTION SIGNS
AMERICAN SAFETY C232
TRAFFIX DEVICES INC. 22000

360319 PIPE EPOXY-COATED 12"X40'
PIPE EPOXY COATED 12" PIPE 12.750 OD X 0.250 IN. WALL THICKNES S,API-5L-X42 ERW,DOUBLE RANDOM LENGTH, PLAIN ENDS BEVELED FOR WELDING, FUSION BONDED EPOXY COATING 12 MIL, 14 MIL AVERAGE, WITH SCOTHKOTE 206N

360330 PIPE EPOXY-COATED 1"X20'
PIPE EPOXY COATED 1" PIPE 1.315 ID X0.133IN.WALL THICKNESS AP I-5L X 42ERW 21FT.UNIFORM LENGTHS PLAIN ENDS BEVELED FOR WELDING FUSION BO NDED EPOXY COATED 12MIL MIN.14 MIL AVERAGE WITH SCOTHKOTE 206N FAST.

360354 PLUG BLACK 3/4"
PLUG BLACK 3/4" BLACK BANDED MALLEABLE IRON PIPE FITTING . AS PER AMERICAN STANDARDS: DIMENSIONS ASA-B16.3, THREADS ASA-B2.1, MATERIAL ASTM-A197.

360374 COUPLING REPAIR MDPE COMP 1/2"
COUPLING PLAS COMP REPR 1/2"

	PERFECTION	PERMASERT 50740
360385	ADAPTER W/ FLANGE 4"PE X 4"STL	
	ADAPTER 4 PLAS X 4 ST W/FLNG W/FLANGE ADAPTER (TRANSITION FITTING) FROM SCH 4 0 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE	
	CENTRAL PLASTICS	N/A
	PERFECTION	N/A
	PERFORMANCE PIPE	
	UPONOR	N/A
360407	HEAD TOWING REAR-EYE 2"	
	HEAD TOWING REAREYE 2"	
	STEVE VICK INC.	71-401061
360429	PLUG PRESSURE-TEST 1/8 NPT	
	PRESSURE TEST PLUG 1/8 N.P.T.	
360440	VALVE BOX MIDDLE NO 60-B	
	VALVE BOX MIDDLE NO 60-B	
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	OPELIKA FOUNDRY	60-B
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	
360451	BOX VALVE TOP NO.54-B	
	BOX VALVE TOP NO.54-B	
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	OPELIKA FOUNDRY	
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	6855-10T
360473	VALVE POLYETHYLENE FUL-BORE 4"	
	VALVE POLYETHYLENE 4 FULL BORE POLYETHYLENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HE AD ADAPTOR, SDR 11, COLOR - ORANGE OR YELLOW, FULL OPEN PORT BORE VA	
	BROEN INC	BALLOMAX
	KEROTEST	N/A
	NORDSTROM	
	PERFECTION	47000
	R W LYALL	N/A
360550	FLAG KUB HAND DIG	
	FLAG KUB HAND DIG	
	USA BLUE BOOK	47198
360572	BOOTS RUBBER OVERBOOT MED	
	BOOTS RUBBER OVERBOOT MED	
	BATA	86030M
	TINGLEY	35141M
360583	BOOTS RUBBER OVERBOOT LG	
	BOOTS RUBBER OVERBOOT LG	
	BATA	86030L
	TINGLEY	35141L
360594	BOOTS RUBBER OVERBOOT X-LG	

	BOOTS RUBBER OVERBOOT X-LG	
	BATA	86030XL
	TINGLEY	35141XL
360605	BOOTS RUBBER OVERBOOT XX-LG	
	BOOTS RUBBER OVERBOOT XX-LG	
	BATA	86030XXL
	TINGLEY	35141XXL
360616	RISER STRAIGHT ANODELESS 2"	
	RISER STRAIGHT ANODELESS 2" WITH BYPASS SCH 40 STEEL PIPE RISER FOR NATURAL GAS USE IN ACCORDANCE ASTM A35, BY-PASS NIPPLE SHALL BE 2" NPT X 3" SCH 40 STEEL PIPE, ELECTROSTATICLY APPLIED GRAY 3 MIL TO 10 MIL THICH EPOXY COATED, MECH	
	PERFECTION	79888
360627	RISER METER ANODELESS 1-1/4"	
	RISER METER ANODELESS 1-1/4" WITH BYPASS SCH 40 STEEL PIPE RISER FOR NATURAL GAS USE IN ACCORDANCE ASTM A35, BY-PASS NIPPLE SHALL BE 3/4" NPT X 3" SCH 40 STEEL PIPE, ELECTROSTATICLY APPLIED GRAY 3 MIL TO 10 MIL THICK EPOXY COATING, MEC	
	PERFECTION	79781
360671	TAPECOAT GRAY #H50 2"WIDE	
	TAPECOAT GRAY NO H50 2"	
	TAPECOAT	H-50
360682	TAPECOAT GRAY #H50 4"WIDE	
	TAPECOAT GRAY NO H50 4"	
	TAPECOAT	H-50
360693	VALVE POLYETHYLENE FUL-BORE 6"	
	VALVE POLYETHYLENE 6 FULL BORE POLYETHYLENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HE AD ADAPTER, SDR11, COLOR BLACK OR YELLOW, FULL OPEN PORT VALVE	
	BROEN INC	BALLOMAX
	KEROTEST	N/A
	NORDSTROM	
	PERFECTION	48001
	R W LYALL	N/A
360704	GLOVES WORK LEATHER SMALL	
	GLOVE LEATHER SMALL	
	KNOXVILLE GLOVE CO.	B-948
	VALLEN SAFETY	2021SOS
360726	GLOVES WORK LEATHER MEDIUM	
	GLOVE LEATHER MEDIUM	
	KNOXVILLE GLOVE CO.	B-958
	VALLEN SAFETY	2021SOM
360737	GLOVES WORK LEATHER LARGE	
	GLOVE LEATHER LARGE	
	KNOXVILLE GLOVE CO.	B-968
	VALLEN SAFETY	2021SOL
360748	GLOVES WORK LEATHER X-LARGE	
	GLOVE LEATHER X-LARGE	
	KNOXVILLE GLOVE CO.	B-978
	VALLEN SAFETY	2021SOXL
360770	PADDLE STOP/SLOW PLASTIC	

PADDLE STOP/SLOW PLASTIC
VALLEN SAFETY 2058805

360781 PROTECTANT ARMOR-ALL 8-OZ
ARMOR ALL PROTECTANT 8OZ.

360792 LIQUID DISHWASHING JOY 28-OZ
DISHWASHING LIQ 28 OZ JOY

360800 COMPOUND PIPE THREAD SEALANT W
COMPOUND PIPE THREAD SEALANT W
LA-CO SLIC-TITE PART NO.42029
RECTORSEAL 23431

360803 PIPE MDPE 4"X550'COIL
PIPE PLASTIC 4 INCH IPS SDR 11.5 550 FT.COILS PIPE, 2406 POLYETHYLENE, 4-INCH IPS, SDR 11.5, 550 FT COILS, SPECIAL SPEC GS-3. PIPE SHOULD COME IN COILS NOT ON REELS.
PERFORMANCE PIPE N/A

360814 POST-AND-ANCHOR 48" ABOVE GND
POST AND ANCHOR 48" ABOVE Warning Gas Pipeline Before digging in this area call 1-800-351-1111 or 1-865-524-2911, there are 3 decals per post . SD-5358K
CARSONITE N/A
REPNET N/A
UTICOM SYSTEMS INC UTIPOST

360825 EXCESS FLOW VALVE 1/2" IPS STA
EXCESS FLOW VALVE 1/2" IPS STAB EFV 400
PERFECTION 50581

360836 COUPLING MDPE COMP 1/2"
COUPLING PLASTIC COMP 1/2 IPS
PERFECTION 51848

360847 EXCESS FLOW VALVE 1/2" CTS EFV
EXCESS FLOW VALVE 1/2" CTS EFV 400
PERFECTION 51473

360858 EXCESS FLOW VALVE 1" IPS STAB
EXCESS FLOW VALVE 1" IPS STAB EFV 800
PERFECTION 51795

360869 EXCESS FLOW VALVE 1" IPS STAB
EXCESS FLOW VALVE 1" IPS STAB EFV 1800
PERFECTION 51383

360880 PIPE MDPE 12"X40'
PIPE PLASTIC 12 IPS SDR 13.5
PERFORMANCE PIPE 1007003
UPONOR N/A

360891 TEE TAPPING MDPE 12" W/ 2"TAP
TEE TAPPING PLASTIC 12 X 2 W/1
PERFORMANCE PIPE 1047278

360902	TEE TAPPING MDPE 12" W/ 1"TAP	
	TEE TAPPING PLASTIC 12 X 1 W/.	
	PERFORMANCE PIPE	1069824
360913	TEE TAPPING PLASTIC 12 X 1 1/4	
	TEE TAPPING PLASTIC 12 X 1 1/4	
	PLEXCO	N/A
360924	TEE TAPPING MDPE 12" W/ 1/2"TP	
	TEE TAPPING PLASTIC 12 X 1/2 W	
	PLEXCO	N/A
360935	SADDLE BRANCH 12 X 4	
	SADDLE BRANCH 12 X 4	
	PERFORMANCE PIPE	1012181
360946	ADAPTER 12"MDPE X 12"STL W/ FL	
	ADAPTER 12 PLASTIC X 12 STL. W	
	PERFECTION	N/A
	PERFORMANCE PIPE	1065934
360957	ADAPTER 12"MDPE X 12"STL	
	ADAPTER 12 PLASTIC X 12 STL.	
	PERFECTION	704715
	PERFORMANCE PIPE	1009056
	UPONOR	1.23E+11
360968	CAP MDPE BUTT-FUSION 12"	
	CAP PLASTIC 12 IPS BUTT	
	PERFORMANCE PIPE	1050716
	UPONOR	5.15E+11
360979	COUPLING ELECTROFUSION 12" IPS	
	COUPLING ELECTROFUSION 12" IPS	
	CENTRAL PLASTICS	5751058
	M T DEASON COMPANY INC	TRI 0195
360990	ELL MDPE BUTT 45-DEG 12"	
	ELL PLASTIC 45 12 IPS BUTT	
	CENTRAL PLASTICS	6910960
	PERFORMANCE PIPE	1015952
	UPONOR	5.11E+11
361001	ELL MDPE BUTT 90-DEG 12"	
	ELL PLASTIC 90 12 IPS BUTT	
	CENTRAL PLASTICS	6910958
	PERFORMANCE PIPE	1011645
	UPONOR	5.12E+11
361012	REDUCER MDPE BUTT-FUSION 12"X8	
	REDUCER PLASTIC 12 X 8 IPS BUT	
	PERFORMANCE PIPE	1064705
361023	TEE MDPE BUTT-FUSION 12"X12"	
	TEE PLASTIC 12 IPS BUTT	
	CENTRAL PLASTICS	6910956
	PERFORMANCE PIPE	1011780
	UPONOR	5.13E+11
361034	VALVE POLYETHYLENE FULL-BORE 8	

VALVE POLYETHYLENE 8" FULL BORE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HE AD ADAPTER, SDR11, COLOR BLACK OR YELLOW, FULL OPEN PORT VALVE, MINIMUM PORT OPENING 6.6 "

BROEN INC	BALLOMAX
KEROTEST	POLYBALL
NORDSTROM	
R W LYALL	POLYTEC

361045 VALVE POLYETHYLENE 12"
VALVE POLYETHYLENE 12" FULL BORE WITH GEAR OPERATOR, MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVE TO HAVE 2 INCH SQUARE HE AD ADAPTER, SDR11, COLOR BLACK OR YELLOW, FULL OPEN PORT VALVE, MINIMUM PORT SIZE 9.5"

BROEN INC	BALLOMAX
NORDSTROM	N/A

361243 ICE-CHEST 48-QT
ICE CHEST 48 QT

361254 WIRE SOLID #10CU YELLOW
WIRE SOLID YELLOW #10

361265 COUPLING REPAIR MDPE STAB 2"
COUPLING STAB REPAIR 2"
PERFECTION 50307

361276 REDUCER MDPE STAB 1"X1/2"
REDUCER STAB 1 X 1/2 IPS
PERFECTION 50621

361287 CHAFFERING TOOL 1/2 IPS X 1/2
CHAFFERING TOOL 1/2 IPS X 1/2
PERFECTION 51020

361298 CHAFFERING-TOOL 1"X3/4"
CHAFFERING TOOL 1 X 3/4 IPS
PERFECTION 51008

361309 CHAFFERING-TOOL 1-1/4"
CHAFFERING TOOL 1 1/4 IPS
PERFECTION 51028

361320 CHAFFERING-TOOL 2"
CHAFFERING TOOL 2 IPS
PERFECTION 51040

361331 SPRAY-PAINT ASPHALT BLACK
SPRAY PAINT ASPHALT BLACK

361342 SPRAYER 3.0 GALLON POLYETHYLEN
SPRAYER 3.0 GALLON POLYETHYLEN

361353 VASELINE PETROLEUM JELLY

VASELINE
NORTH MED SUPPLY

361364 WHEEL MEASURING IN FEET
MEASURING WHEEL

361375 COUPLING PLASTIC COMP 1/2 CTS
COUPLING PLASTIC COMP 1/2 CTS
PERFECTION N/A

361386 EXCESS FLOW VALVE 1/2" IPS FUS
EXCESS FLOW VALVE 1/2" IPS FUSION EFV
PERFECTION 51128

361397 COUPLING PLASTIC COMP 1/2 IPS
COUPLING PLASTIC COMP 1/2 IPS
PERFECTION N/A

361408 COUPLING PLASTIC COMP 1 IPS PO
COUPLING PLASTIC COMP 1 IPS PO
PERFECTION N/A

361419 COUPLING PLASTIC COMP 1 IPS PO
COUPLING PLASTIC COMP 1 IPS PO
PERFECTION N/A

361477 COCK METER 175LB-WOG 3/4"
COCK METER 175 # WOG 3/4"
DRESSER MFG 175
HAYES 7478
MCDONALD 560-B
MUELLER
ROCKFORD ECLIPSE 802309-53

361507 MULTI-PURPOSE VALVE LUBE SEALA
MULTI-PURPOSE VALVE LUBE SEALANT

361543 THREAD-O-LET 3/4"X3"
THREAD-O-LET 3/4 X 3"

361551 CLAMP FULL CIRCLE 6" X 20" ST
CLAMP FULL CIRCLE 6" X 20" STAINLESS STEEL 6.84 -7.24 CAST IRON PIPE , SINGLE BAND STAINLESS STEEL TYPE 304, LUGS: HIGH STRENGTH DUCTILE IRON ASTM A536, GASKET: NITRILE (BUNA N), BRIDGE PLATE: STAINLESS STEEL RECESSED FLUSH AND BONDED INTO GASKET,
SMITH-BLAIR INC 2251006902000

361562 CLAMP FULL CIRCLE 8" X 20" STA
CLAMP FULL CIRCLE 8" X 20" STAINLESS STEEL 8.99-9.39 CAST IRON PIPE , SINGLE BAND STAINLESS STEEL TYPE 304, LUGS: HIGH STRENGTH DUCTILE IRON ASTM A536, GASKET: NITRILE (BUNA N), BRIDGE PLATE: STAINLESS STEEL RECESSED FLUSH AND BONDED INTO GASKET,
SMITH-BLAIR INC 2251009052000

361573 CLAMP REPAIR 4" X 20" SS360 FO
CLAMP REPAIR 4" X 20" SS360 FOR CAST IRON
SMITH-BLAIR INC 225-10048020-000

361592	GASKET INS 1-1/4 CTSX1-1/4 IPS	
	GASKET INS 1-1/4 CTSX1-1/4 IPS	
	MUELLER	H-11499
361639	CAPS REPLACEMENT PLASTIC TAPPI	
	CAPS REPLACEMENT PLASTIC TAPPING TEE 65mm HVTT	
	PERFORMANCE PIPE	1048177
361642	BOLT MACH 5/8 X 2 1/2" HEX	
	BOLT MACH 5/8 X 2 1/2" HEX CARBON STEEL BOLTS, ASTM A-307 GRADE B. W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEA DS,WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI 18.2.2	
	KNOXVILLE BOLT & SCREW CO	N/A
	THE FASTENAL COMPANY	N/A
361659	THREAD-O-LET 1/4"X4"	
	THREAD-O-LET 1/4" X 4"	
361683	THREAD-O-LET 2" X 4"	
	THREAD-O-LET 2" X 4"	
361691	THREAD-O-LET 1/2"X4"	
	THREAD-O-LET 1/2" X 4"	
361709	THREAD-O-LET 1" X 4"	
	THREAD-O-LET 1" X 4"	
361716	COUPLING ELECTROFUSION 1-1/4"	
	COUPLING ELECTROFUSION 1-1/4"	
	CENTRAL PLASTICS	5760008
	M T DEASON COMPANY INC	TRI0105
361727	COUPLING ELECTROFUSION 2" IPS	
	COUPLING ELECTROFUSION 2" IPS	
	CENTRAL PLASTICS	5760012
	M T DEASON COMPANY INC	TRI 0120
361738	COUPLING COMP INS CI-STL 12"	
	COUPLING COMP INS CI-STL 12"	
	DRESSER MFG	39-62-0032-0007-208
361758	TEE VALVE WELD 2	
	TEE VALVE WELD 2	
	MUELLER	H-17650
361760	WELD REPAIR SLEEVE 2" FOR STEE	
	REPAIR SLEEVE 2" STEEL PIPE: SPLIT REINFORCING SLEEVE; WELD FULL CIRCLE; 2 2/8" OUTSIDE DIAMETER X 5/16" WALL THICKNESSS X 23 14/" OVERALL LENGTH	
	DRESSER MFG	STYLE 220; 0220-001-630
361782	BOLT MACH 5/8X 2-3/4 HEX	
	BOLT MACH 5/8X 2-3/4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL	

HEAD S, WITH USA STANDARD HEAVY HEAXAGONAL NUT, ALSO ANSI 18.2.1 & ANSI 18.2.2 COUR

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

361808 BOLT MACH 1/2X 2-1/4 HEX

BOLT MACH 1/2X 2-1/4 HEX W/NUT CARBON STEEL BOLTS, ASTM-A-307 GRADE B, W/O HEAT TREATMENT OTHER, THAN STRESS RELEIF.USA STANDARD HEAVY HEXAGONAL HEAD S,WITH USA STANDARD HEAVY HEXAGONAL NUT ALSO ANSI 18.2.1 & ANSI 18.2.2 COURSE TH

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

361816 BOLT MACH 5/8X 2" HEX

BOLT MACH 5/8X 2" HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEA DS, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

361824 BOLT MACH 1/2X 1-3/4 HEX

BOLT MACH 1/2X 1-3/4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEADS , WITH USA STANDARD HEAVY HEXAGONAL NUTS, ALSO ANSI 18.2.1 & ANSI 18.2.2 COURS

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

361832 BOLT MACH 5/8X 1-3/4 HEX

BOLT MACH 5/8X 1-3/4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B. W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEA DS, WITH USA STANDARD HEAVY HEXAGONAL NUT. ALSO ANSI 18.2.1 & ANSI 18.2.2 COAR

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

361840 BOLT MACH 5/8 X 2 1/4 HEX

BOLT MACH 5/8 X 2 1/4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S,WITH USA STANDARD HEAVY HEXAGONAL NUT, ALSO ANSI 18.2.1 & ANSI 18.2.2 COUR

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

361857 BOLT MACH 5/8 X 3 HEX

BOLT MACH 5/8 X 3 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

361865 BOLT MACH 3/4X 2" HEX

BOLT MACH 3/4X 2" HEX W/NUT CARBON STEEL BOLTS, ASTM-A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S,WITH USA STANDARD HEAVY HEXAGONAL NUT ASLO ANSI 18.2.1 & ANSI 18.2.2 COURSE TH

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

361873 BOLT MACH 3/4X 3 HEX

BOLT MACH 3/4X 3 HEX W/NUT CARBON STEEL BOLTS, ASTM-A-307 GRADE B. W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S,WITH USA STANDARD HEAVY HEXAGONAL NUT ALSO ANSI 18.2.1 & 18.2.2 COARSE

THREADS
KNOXVILLE BOLT & SCREW CO N/A
THE FASTENAL COMPANY N/A

361881 BOLT MACH 3/4X 3-1/2" HEX
BOLT MACH 3/4X 3-1/2" HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S, WITH USA STANDARD HEAVY HEXAGONAL NUT.ALSO ANSI 18.2.1 & ANSI 18.2.2 COURS
KNOXVILLE BOLT & SCREW CO N/A
THE FASTENAL COMPANY N/A

361892 EXCESS FLOW VALVE 1/2 CTS FUSI
EXCESS FLOW VALVE 1/2 CTS FUSI
PERFECTION N/A

361903 RISER METER ANODELESS 3/4 X1/2
RISER METER ANODELESS 3/4 X1/2 CTS INLET PIGTAIL 1/2" CTS PLASTIC PE2306 SDR 9.3 MIN. WALL .090" MARLEX TR-418. OUTLET 3/4" ASTM A53 SCHEDULE 40 STEEL P PIPE COATED W/CORBOND OR EQUAL. THREADED MIPS. ANODELESS, GROUND LEVEL M

361914 TEE TAPPING PLAS 1-1/4" X 1/2"
TEE TAPPING PLAS 1-1/4" X 1/2" CTS TAPPING TEE, 2406 POLYETHYLENE, 1-1/4" X 1/2" CTS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 1-1/4" SIDE, SDR-9.3 ON 1/2" SIDE
CENTRAL PLASTICS N/A

361925 TEE TAPPING PLAS 2" X 1/2" C
TEE TAPPING PLAS 2" X 1/2" CTS TAPPING TEE, 2406 POLYETHYLENE, 2" X 1/2" CTS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 2" SIDE, SDR-9.3 ON 1/2" SIDE
CENTRAL PLASTICS N/A

361936 TEE TAPPING PLAS 4" X 1/2" C
TEE TAPPING PLAS 4" X 1/2" CTS TAPPING TEE, 2406 POLYETHYLENE, 4" X 1/2" CTS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 4" SIDE, SDR-9.3 ON 1/2" SIDE
CENTRAL PLASTICS N/A

361947 TEE TAPPING PLAS 6" X 1/2" C
TEE TAPPING PLAS 6" X 1/2" CTS TAPPING TEE, 2406 POLYETHYLENE, 6" X 1/2" CTS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 6" SIDE, SDR-9.3 ON 1/2" SIDE
CENTRAL PLASTICS N/A

361958 TEE TAPPING PLAS 8" X 1/2" C
TEE TAPPING PLAS 8" X 1/2" CTS TAPPING TEE, 2406 POLYETHYLENE, 8" X 1/2" CTS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 8" SIDE, SDR-9.3 ON 1/2" SIDE
CENTRAL PLASTICS N/A

361969 TEE TAPPING PLAS 12" X 1/2"
TEE TAPPING PLAS 12" X 1/2" CTS TAPPING TEE, 2406 POLYETHYLENE, 12" X 1/2" CTS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 12" SIDE, SDR-9.3 ON 1/2" SIDE
CENTRAL PLASTICS N/A

361980 TRACER WIRE CLAMP 3/4" x 8" fo
TRACER WIRE CLAMP 3/4" SERVICE

361991 EXCESS FLOW VALVE 1/2" CTS STA

	EXCESS FLOW VALVE 1/2" CTS STA	
	PERFECTION	N/A
362002	SERVICE SADDLE 2" ST X 1/2" CT	
	SERVICE SADDLE 2" ST X 1/2" CT	
362013	EXCESS FLOW VALVE 1/2" IPS FUS	
	EXCESS FLOW VALVE 1/2" IPS FUS	
	PERFECTION	N/A
362024	TEE VALVE 1"STEEL X 1/2" CTS P	
	TEE VALVE 1"STEEL X 1/2" CTS P	
362035	SERVICE SADDLE 2" ST X 2" IPS	
	SERVICE SADDLE 2" ST X 2" IPS	
362046	EXCESS FLOW VALVE 1/2" CTS FUS	
	EXCESS FLOW VALVE 1/2" CTS FUS	
	PERFECTION	N/A
362057	EXCESS FLOW VALVE 1" IPS FUSIO	
	EXCESS FLOW VALVE 1" IPS FUSION EFV 800	
	PERFECTION	N/A
362068	EXCESS FLOW VALVE 1" IPS FUSIO	
	EXCESS FLOW VALVE 1" IPS FUSION EFV 1800	
	PERFECTION	N/A
362079	TEE STAB 1/2" CTS STAB	
	TEE STAB 1/2" CTS STAB	
362090	TEE STAB 1" IPS STAB	
	TEE STAB 1" IPS STAB	
362101	CAP 1/2" CTS FUSION	
	CAP 1/2" CTS FUSION	
362112	TRACER WIRE CLAMP 1-1/4" x 8"	
	TRACER WIRE CLAMP 1-1/4" SERVI	
362123	TRACER WIRE CLAMP 2" x 8" for	
	TRACER WIRE CLAMP 2" SERVICE R	
362134	CONNECTOR WATERPROOF FOR TRACE	
	CONNECTOR WATERPROOF FOR TRACER WIRE--LISTED FOR DIRECT BURIAL ACCORDING TO UL 486D TEST STANDARD, CSA CERTIFIED AS BOTH PRESSURE TYPE AND DIRECT BURY, WIRE TYPE COPPER/COPPER, WIRE RANGE MIN #22/MAX#8,	
362167	VALVE METER 3/4"	

VALVE METER, 3/4" BRASS BALL VALVE; 175 PSIG WOG; LOCK WING; 3/4" FPT INLET X 3/4"FPT INSULATED UNION OUTLET

362178 VALVE METER 1"
VALVE METER, 1" BRASS BALL VALVE; 175 PSIG WOG; LOCK WING; 1"FPT INLET X 1" FPT OUTLET

362189 VALVE METER 1 1/4"
VALVE METER, 1 1/4" BRASS BALL VALVE; 175 PSIG WOG; LOCK WING; 1 1/4" FPT INLET X 1 1/4" INSULATED UNION OUTLET

362200 VALVE METER 2"
VALVE METER, 2" BRASS BALL VALVE; 175 PSIG WOG; LOCK WOG; LOCK WING; 2;" FPT INLET X 2" FPT OUTLET

362211 VALVE METER 1 1/4" BYPASS
VALVE METER, 1 1/4" BRASS BALL VALVE; 175 PSIG WOG; LOCK WING; 1 1/4" FPT INLET X 1 1/4" FPT OUTLET

362233 REDSKIN PIG 4"
REDSKIN PIG 4"
T D WILLIAMSON 01-1472-0437-07

362244 REDSKIN PIG 6"
REDSKIN PIG 6"
T D WILLIAMSON 01-1472-0650-07

362255 REDSKIN PIG 8"
REDSKIN PIG 8"
T D WILLIAMSON 01-1472-0856-07

362266 REDSKIN PIG 2"
REDSKIN PIG 2"
T D WILLIAMSON 01-1472-0225-07

362277 CAP REPL FOR 10M TAPPING-TEE
CAP REPLACEMENT 10m STD T/T
PERFORMANCE PIPE 1073428

362335 THREAD-O-LET 2" X 2"
THREAD-O-LET 2" X 2"

362343 SERVICE SADDLE 12" ST X 2" IPS
SERVICE SADDLE 12" ST X 2" IPS
DRESSER MFG 0091-1195-001

362354 COUPLING COMP INS 8" CAST X 8"
COUPLING COMP INS 8" CAST X 8"
DRESSER MFG 0032-0030-208

362365 SLEEVE BELL-PACK 4"
SLEEVE BELL PACK 4"
DRESSER MFG 0126 0004 003

362376 SLEEVE BELL-PACK 6"

	SLEEVE BELL PACK 6"	
	DRESSER MFG	0126 0006 003
362387	SLEEVE BELL-PACK 8"	
	SLEEVE BELL PACK 8"	
	DRESSER MFG	0126 0008 003
362398	TEST CAP REPLACEMENT HIGH VOLU	
	TEST CAP REPLACEMENT HIGH VOLUME	
	PERFORMANCE PIPE	1048242
362409	TEST CAP REPLACEMENT REGULAR T	
	TEST CAP REPLACEMENT REGULAR TAPPING TEE	
	PERFORMANCE PIPE	1048176
362508	CUTTER WHEEL RIDGID E3469 CUT	
	CUTTER WHEEL RIDGID E3469 CUTTER WHEEL	
	RIDGID TOOLS	33185
362519	CAP WELD STEEL 12"	
	WELD CAP STEEL 12"	
362530	CAP WELD STEEL 4"	
	WELD CAP STEEL 4"	
362552	LID GATE-BOX HEAVY-DROP "GAS"	
	LID GATE BOX HEAVY DROP *GAS*	
	EAST JORDAN IRON WORKS INC	68000045
362574	CLAMP SS 360 FOR 6" CI (GAS) 1	
	CLAMP SS 360 FOR 6" CI (GAS) 12" LENGTH	
	SYTLE 225 6.84-7.24	
	SMITH-BLAIR INC	225-069012
362590	GASKET INS 1" CTSX3/4 CTS	
	GASKET INS 1" CTSX3/4 CTS	
	MUELLER	H-11499
362608	TEE VALVE TAPPING MPT X 1"WELD	
	TEE VALVE SCR/PE 1	
	CONTINENTAL INDUSTRIES	1420-11-0814
362657	TEE VALVE WELD STEEL 1"X1"	
	TEE VALVE WELD 1	
	MUELLER	H-17650
362681	CAP COMPANION LOCK 1"	
	CAP COMP-LOCK 1"	
	DRESSER MFG	90-0861-086
362699	ELL COMPANION 90-DEG 1"	
	ELL COMP 1" 90-DEG	
	DRESSER MFG	90-0242-086
362706	CLAMP REPAIR C.I. 8" X 12 1/2"	

CLAMP REPAIR C.I. 8" X 12 1/2" (GAS) 8.99-9.39
SMITH-BLAIR INC 2251009051200

362717 REPAIR CLAMP C.I. 4" X 12 1/2"
REPAIR CLAMP C.I. 4" X 12 1/2" (GAS) 4.74-5.14
SMITH-BLAIR INC 22510048012000

362749 COCK METER 175LB-WOG 1"
COCK METER 175 # WOG 1"
DRESSER MFG 175
HAYES 7478
MCDONALD 560-B
MUELLER H-11175
ROCKFORD ECLIPSE 802311-53

362761 REPAIR CLAMP FULL CIRCLE 2" X
REPAIR CLAMP FULL CIRCLE 2" X 12 1/2"
SMITH-BLAIR INC 22510023812000

362764 COUPLING COMPANION STEEL 1"
COUPLING COMP STL 1"
DRESSER MFG 90-0002-086

362814 PLUG BLACK 1"
PLUG BLACK 1" BLACK BANDED MALLEABLE IRON PIPE FITTING . AS PER AMERICAN STANDARDS: DIMENSIONS ASA-B16.3, THREADS ASA-B2.1, MATERIAL ASTM-A197.

362816 CHAMFER-TOOL DEPTH-GAUGE 3/4"
CHAMFER TOOL, DEATH GAUGE 3/4" IPS, McELROY MANUFACTURING
MCELROYMANUFACTURING SW08709

362827 CHAMFER TOOL, DEPTH GAUGE 1/2"
CHAMFER TOOL, DEPTH GAUGE 1/2" IPS
MCELROYMANUFACTURING SW08711

362838 CHAMFER TOOL, DEPTH GAUGE 1/2"
CHAMFER TOOL, DEPTH GAUGE 1/2" CTS, McEROY MANUFACTURING
MCELROYMANUFACTURING SW08719

362849 CHAMFER TOOL, DEPTH GAUGE 1" I
CHAMFER TOOL, DEPTH GAUGE 1" IPS, McELROY MANUFACTURING
MCELROYMANUFACTURING SW08707

362860 CHAMFER TOOL, DEPTH GAUGE 1 1/
CHAMFER TOOL, DEPTH GAUGE 1 1/4", McELROY MANUFACTURING
MCELROYMANUFACTURING SW08705

362871 CHAMFER TOOL, DEPTH GAUGE 2" I
CHAMFER TOOL, DEPTH GAUGE 2" IPS, McELROY MANUFACTURING
MCELROYMANUFACTURING SW08701

362882 HOLESAW 2"
HOLESAW 2"
STARRETT VH0200

362959 EXPANSION PLUG 1/2" TYPE 0A WI
EXPANSION PLUG 1/2" TYPE OA WHICH FITS INTO THE BOTTOM OF THE SERVICE TEE

OR FITS INSIDE GAS PIPE AND IS QUICKLY EXPANDED BY TURNING THE WING NUT, WHICH SECURELY SHUTS OFF ALL GAS.
GOODMAN MAIN STOPPER TYPE 0A 1/2"

362962 SLEEVE THERMOWELD #A200
THERMOWELD SLEEVE #A-200
THERMOWELD #A-200

362970 POWDER THERMOWELD #15P
THERMOWELD POWDER #15P
THERMOWELD SIZE 15P

362996 SLEEVE INS FLANGE FLAT-FACE 6"
SLEEVE INSUL FLANGE 6 FF
PIPELINE SEAL & INSULATOR N/A

363002 SLEEVE INSUL FLANGE 4 FF
SLEEVE INSUL FLANGE 4 FF
PIPELINE SEAL & INSULATOR N/A

363028 SLEEVE INS FLANGE FLAT-FACE 2"
SLEEVE INSUL FLANGE 2 FF
PIPELINE SEAL & INSULATOR N/A

363069 TRACER WIRE #10 COPPER-CLAD HI
#10 AWG REINFORCED TRACER WIRE, 500' SPOOLS: DIRECT BURIAL #10 AWG SOLID (.0808" CONDUCTOR DIAMETER), 21% CONDUCTIVITY ANNEALED COPPER-CLAD HIGH CARBON STEEL HIGH STRENGTH TRACER WIRE,
COPPERHEAD INDUSTRIES, #10
KRIS-TECH WIRE COMPANY

363091 TEE 3-WAY SHERICAL TDW 12"X12"
TDW SPHERICAL 3-WAY TEE
T D WILLIAMSON 06-7227-0000

363201 VALVE TEE 1 X 3/4", MUELLER NO
VALVE TEE 1 X 3/4", MUELLER NO-BLO; MIP THREADED INLET; FIP THREADED OUTLET; FORGED STEEL BODY--ASTM A105; MEETS DOT/CFR 49 PART 192; MAXIMUM WORKING PRESSURE 250 PSIG.
MUELLER H17724

363212 VALVE TEE 2" X 2" MUELLER NO
VALVE TEE 2" X 2" MUELLER NO BLO; MIP THREADED INLET; FIP THREADED OUTLET; FORGED STEEL BODY--ASTM A 105; MEETS DOT /CFR49 PART 192; MAXIMUM WORKING PRESSURE 250 PSIG
MUELLER H17724

363223 VALVE TEE 1" X 1" WELD INLET M
VALVE TEE 1" X 1" WELD INLET; MUELLER NO-BLO; OUTLET PREPARED FOR BUTT WELD SAME SIZE AS OUTLET; FORGED STEEL BODY--ASTM A105; MEETS DOT /CFR49 PART 192; MAXIMUM WORKING PRESSURE 250 PSIG.
MUELLER H17650

363234 VALVE TEE 2" X 2" WELD INLET;
VALVE TEE 2" X 2" WELD INLET; MUELLER NO-BLO;OUTLET PREPARED FOR BUTT WELD SAME SIZE AS OUTLET; FORGED STEEL BODY--ASTM A105; MEETS DOT /CFR49 PART 192; MAXIMUM WORKING PRESSURE 250 PSIG.
MUELLER H17650

363245 TRANSITION FITTING 3/4' STEEL

TRANSITION FITTING 3/4' STEEL NPT X 1/2" IPS 2405 PLOYETHYLENE SDR9.3; MEETS REQUIREMENTS OF ASTM D-2513 CATEGORY 1 FITTING, ANSI B31.8, DOT /CFR49 PART
PERFECTION 700401

363256 TRANSITION FITTING 2" STEEL NP
TRANSITION FITTING 2" STEEL NPT X 2" IPS 2406 POLYETHYLENE SDR 11; MEETS REQUIREMENTS OF ASTM D-2513 CATEGORY 1 FITTING, ANSI B31.8, DOT /CFR 49 PART 192.
PERFECTION 702602

363267 LOOP METER LONG-RADIUS 2"
METER LOOPS 2" LONG RADIUS 34" X 8 1/2" X 8"
PERFECTION 35115

363278 LOOP METER SHORT-RADIUS 2"
METER LOOP 2" SHORT RADIUS 22 1/2" X 8 1/2" X 8"
PERFECTION 35114

363289 WELD-O-LET 2" WITH 3" NIPPLE M
WELD-O-LET 2" WITH 3" NIPPLE MALE OUTLET

363408 ELL MDPE SOCKET 90-DEG 1-1/4"
ELL PLAS 1-1/4 IPS 90-DEG
CENTRAL PLASTICS N/A
DURA LINE CORP N/A
PERFORMANCE PIPE 1005212
POLY PIPE INDUSTRIES
UPONOR N/A

363507 TEE PLUG TAPP MPT X 2" WELD
TEE PLUG SCR/PE 2
MUELLER H-17560

363509 PIPE STEEL PRE-TESTED 16"X20'
PRE-TESTED 16" STEEL PIPE

363520 PIPE STEEL PRE-TESTED 12"X20'
PRE-TESTED 12" STEEL PIPE

363531 PIPE STEEL PRE-TESTED 8"X20'
PRE-TESTED 8" STEEL PIPE

363542 PIPE STEEL PRE-TESTED 6"X20'
PRE-TESTED 6" STEEL PIPE

363553 PIPE STEEL PRE-TESTED 4"X20'
PRE-TESTED 4" STEEL PIPE

363564 PIPE STEEL PRE-TESTED 2"X20'
PRE-TESTED 2" STEEL PIPE

363575	PIPE STEEL PRE-TSTD 1-1/4"X20' PRE-TESTED 1 1/4 STEEL PIPE	
363586	PIPE STEEL PRE-TESTED 1"X20' PRE-TESTED 1" STEEL PIPE	
363598	REDUCER COMP 1-1/4" X 1" REDUCER COMP 1-1/4" X 1" DRESSER MFG	90-0582-086
363619	SWAGELOK UNION 7/8" CARBON STE SWAGELOK UNION 7/8" CARBON STEEL SWAGELOK	S-1410-6
363630	SWAGELOK CAP 7/8" STAINLESS ST SWAGELOK CAP 7/8" STAINLESS STEEL SWAGELOK	SS1410-C
363696	GAUGE 100# PSI GAUGE 100# PSI, 2 1/2" DIAL WITH 1/4" NPT,	
363697	TEE PLUG TAPP MPT X 1-1/4"WELD TEE VALVE SCR/PE 1-1/4 CONTINENTAL INDUSTRIES	1521-11-0815
363739	COUPLING COMPANION STEEL 1-1/4 COUPLING COMP STL 1-1/4" DRESSER MFG	90-0003-086
363747	COCK METER 175LB-WOG 1-1/4" COCK METER 175 # WOG 1-1/4" DRESSER MFG HAYES MCDONALD MUELLER ROCKFORD ECLIPSE	175 7478 560-B H-11175
363770	CAP COMPANION LOCK 1-1/4" CAP COMP-LOCK 1-1/4" DRESSER MFG	90-0862-086
363846	PLUG BLACK 1-1/4" PLUG BLACK 1-1/4" BLACK BANDED MALLEABLE IRON PIPE FITTING . AS PER AMERICAN STANDARDS: DIMENSIONS ASA-B16.3, THREADS ASA-B2.1, MATERIAL ASTM-	
364059	CAP COMPANION LOCK 2" CAP COMP-LOCK 2" DRESSER MFG	90-0864-086
364174	PLUG BLACK 2" PLUG BLACK 2" BLACK BANDED MALLEABLE IRON PIPE FITTING . AS PER AMERICAN STANDARDS: DIMENSIONS ASA-B16.3, THREADS ASA-B2. 1, MATERIAL ASTM-A197.	
364281	COUPLING COMPANION STEEL 2"	

	COUPLING COMP STL 2"	
	DRESSER MFG	90-0005-086
364406	GASKET FLANGE 1"	
	GASKET FLANGE 1" 150#	
	GARLOCK	N/A
364414	GASKET FLANGE 1-1/4"	
	GASKET FLANGE 1-1/4	
	GARLOCK	N/A
364422	GASKET FLANGE 2"	
	GASKET FLANGE 2	
	GARLOCK	N/A
364430	GASKET FLANGE 3"	
	GASKET FLANGE 3	
	GARLOCK	N/A
364448	GASKET FLANGE 4"	
	GASKET FLANGE 4	
	GARLOCK	N/A
364463	GASKET FLANGE 6"	
	GASKET FLANGE 6	
	GARLOCK	N/A
364471	GASKET FLANGE 8"	
	GASKET FLANGE 8	
	GARLOCK	N/A
364489	CLAMP HANDI-BAND 3/4"X3"	
	CLAMP HANDI-BAND 3/4 X 3	
	DRESSER MFG	118-0302-009
	ROCKWELL	245-10503-000
364497	CLAMP HANDI-BAND 1"X3"	
	CLAMP HANDI-BAND 1" X 3	
	DRESSER MFG	118-0304-009
	ROCKWELL	245-13103-000
364505	CLAMP HANDI-BAND 1-1/4"X3"	
	CLAMP HANDI-BAND 1-1/4 X 3	
	DRESSER MFG	118-0306-009
	ROCKWELL	245-16603-000
364620	CLAMP PIPE-JOINT 2"STL	
	CLAMP PIPE JOINT 2" ST	
	SPRAGUE	C0DE JCF 089860
364679	TEE PLUG WELD 2	
	TEE PLUG WELD 2	
	MUELLER	H-17500
364703	COCK METER 175LB-WOG 2"	
	COCK METER 175 # WOG 2"	
	HAYES	7478
	MCDONALD	560-B
	MUELLER	

	ROCKFORD ECLIPSE	802320-53
364760	SADDLE SERV 2"STL W/ 1"PE TAP SADDLE SERV 2 ST X 1"	
	DRESSER MFG	91-2001-001
364778	SADDLE SERV 2"STL W/ 1-1/4MDPE SADDLE SERV 2 ST X 1-1/4	
	DRESSER MFG	91-1003-001
365346	CLAMP SS 360 4.50 OD X 12"WIDE CLAMP 12" WIDE SS 360 4.50 OD	
	ROCKWELL	225-10044512-000
365353	CLAMP SS 360 6.625 OD X 12"W CLAMP 12" WIDE SS 360 6.625 OD	
	ROCKWELL	225-10066312-000
365361	CLAMP SS 360 8.625 OD X 12"W CLAMP 12" WIDE SS 360 8.625 OD	
	ROCKWELL	225-10086312-000
367078	SLEEVE INS FLANGE FLAT-FACE 8" SLEEVE INSUL FLANGE 8 FF	
	PIPELINE SEAL & INSULATOR	N/A
367110	FLANGE BLIND FLAT-FACE 8" FLANGE BLIND FF 8" 150 POUND ASA BLIND FLANGE, FLAT FACED. SPEC. ASTM-A181, MATERIAL FORGED CARBON STEEL ASTM-A181, DIMENSION, ASA-B 16.6, FLANGES TO BE MARKED AS PER ASTM SPEC. MADE IN USA.	
	WELDBEND	N/A
368021	BREATHER RESCUE BREATHER RESCUE W/ ONE WAY VALVE RESCUE BREATHER WITH ONE WAY VALVE STANDARD PACKAGING - 1 UNIT PER PACKAGE TOTAL STOCKING REQUIREMENT FOR RESCUE BR EATHER - 3 UNITS	
	NORTH MED SUPPLY	121055
369207	MATTOCK CUTTER 5-LB MATTOCK CUTTER 5 LB	
	TRUE TEMPER	202-5
	WARREN TOOL	22
369223	DIGGER POST-HOLE DIGGER POST HOLE	
	TRUE TEMPER	34
	UNION TOOLS INC	2050-6
369330	WRENCH OPEN-END 3/8"X7/16" WRENCH 3/8 X 7/16 OPENEND	
	SEARS CRAFTSMAN	9GT 44572
369348	WRENCH OPEN-END 1/2"X9/16" WRENCH 1/2" X 9/16 OPENEND	
	SEARS CRAFTSMAN	9GT 44579
369363	SCREWDRIVER CAB-TIP SCREWDRIVER CAB TIP	
	SEARS CRAFTSMAN	9HT 41582
	STANLEY	1008-6

369397	SCREWDRIVER SLOTTED 3/8"X12" SCREWDRIVER SLOTTED 12"	
	SEARS CRAFTSMAN	9HT 41588
369637	HAMMER CLAW STRAIGHT HAMMER STRAIGHT CLAW	
	SEARS CRAFTSMAN	9GT 38273
369645	KNIFE LINOLEUM KNIFE LINOLEUM	
	SEARS CRAFTSMAN	9RY 95394
369652	CUTTER PIPE 1-WHEEL CUTTER PIPE 1 WHEEL	
	REED	1-Feb
369702	TROWEL POINTING STEEL 5-1/2" TROWEL POINTING 5 1/2" STEEL	
	SEARS CRAFTSMAN	9RY 6581
369710	WHEEL FOR PIPE CUTTER #33105 WHEEL CUTTER	
	REED	2RB-HD
369751	RULER FOLDING LUFKIN 6' RULE FOLDING 066D LUFKIN 6'	
	LUFKIN	066D
369785	PUNCH CENTER 1/2"X5" PUNCH 1/2" X 5	
	SEARS CRAFTSMAN	9GT 42862
369793	FILE MILL HALF-ROUND 16" ELEC FILE HLF-RD BASTARD 16" ELECT	
	NICHOLSON	N/A
369801	FILE MILL FLAT 14" FILE MILL BASTARD 14"	
	NICHOLSON	N/A
369868	BRUSH SASH 2"X10" BRUSH SASH 2" 10	
369934	HANDLE FOR SLEDGE HAMMER HANDLE HAMMER SLEDGE	
369967	LANTERN PLASTIC 6-VOLT LANTERN 6V PLASTIC	
	BRIGHT STAR	#2206
	EVEREADY	#459
369983	REAMER PIPE REAMER PIPE	
	REED	Feb-71

370023 PAPER EMORY #50-GRIT IN ROLLS
PAPER EMORY #50 GRIT IN ROLLS

370106 TEE MDPE BUTT-FUSION 4"X4"
TEE PLAS 4 IPS BUTT

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005278
POLY PIPE INDUSTRIES	N/A
UPONOR	

370130 ELL MDPE BUTT 45-DEG 6"
ELL PLAS 6 IPS 45-DEG

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005287
POLY PIPE INDUSTRIES	N/A
UPONOR	N/A

370148 ELL MDPE SOCKET 90-DEG 1"
ELL PLAS 1" IPS 90-DEG

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005186
POLY PIPE INDUSTRIES	
UPONOR	N/A

370155 CAP MDPE SOCKET-FUSION 1"
CAP PLAS 1" IPS SOCKET

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005184
POLY PIPE INDUSTRIES	

370502 TEE WMSON 3-WAY TYPE 2 12
TEE WMSON 3-WAY TYPE 2 12

T D WILLIAMSON	06-7222-0000

370627 IVAREST ANTI ITCH GEL
IVAREST ZIRCREME STANDARD PACKAGING - 1 UNIT PER PACKAGE STOCKING REQUIREMENT - 1 UNIT

NORTH MED SUPPLY	2/11/1930
TEC LAB	FG10004

370676 BANDAGE ADHESIVE 1"
BANDAGE ADHESIVE 1" BANDAID 1" STANDARD PACKAGING - 10 BOXES PER PACK TOTAL STOCKING REQUIREMENT FOR LONG BAND AID - 60 BOXES

NORTH MED SUPPLY	020015

370718 SWAB PVP IODINE
SWAB PVP IODINE STANDARD PACKAGING - 10 BOXES PER PACK TOTAL STOCKING REQUIREMENT FOR IODINE SW AB - 10 BOXES

BULLARD	R 35 X
HART	410
NORTH MED SUPPLY	2/8/1960
SWIFT LAB INC	35-131 SM

370817 SWAB STING KILL
SWAB STING KILL STANDARD PACKAGING - 10 BOXES PER PACK TOTAL STOCKING REQUIREMENT FOR STING KILL SWAB - 20 BOXES

BULLARD	R 69 B

	HART	440
	NORTH MED SUPPLY	021045
	NORTH MED SUPPLY	16478
	SWIFT LAB INC	35-134 SS

370858 TAPE B ADHESIVE
TAPE B ADHESIVE ADHESIVE TAPE, 1/2 INCH X 90 INCH STANDARD PACKAGING - 1 ROLL TOTAL STOCKING REQUIREMENT FOR ADHESIVE TAPE - 1 ROLL

BULLARD	R 34
HART	212
NORTH MED SUPPLY	020615
NORTH MED SUPPLY	16472
SWIFT LAB INC	35-102 A

370874 KNUCKLE BAND B
KNUCKLE BANDAGE STANDARD PACKAGING - 10 BOXES PER PACK TOTAL STOCKING REQUIREMENT FOR KNUCKLE B ANDAID - 30 BOXES

BULLARD	R 3 K
HART	118
NORTH MED SUPPLY	
NORTH MED SUPPLY	20020
SWIFT LAB INC	35-101 K

370882 CUTTER TUBING MINATURE
CUTTER TUBING MINATURE

RIDGID TOOLS	103
SEARS CRAFTSMAN	9HT 5561

370890 SHORT CUTS/PLASTIC SNIPS
SHORT CUTS/PLASTIC SNIPS SHORT BANDAID, 3/8 INCH X 1 1/2 INCH STANDARD PACKAGING - 10 BOXES PER PACK TOTAL STOCKING REQUIREMENT FOR SHORT BANDAID - 10 BOXES

BULLARD	R-0003CMT
NORTH MED SUPPLY	20040
SWIFT LAB INC	35-105 S

370908 SPRAY DOG-HALT
DOG HALT IN SPRAY CAN

ARI	61011

371120 LINER STRETCH WINTERGARD
LINER (STRETCH) WINTERGARD

AMERICAN ALL SAFE	#AA-7

371187 SWEAT BAND
SWEAT BAND

BULLARD	TT2

371286 GREASE VALVE ROCKWELL SIZE-J
GREASE VALVE ROCKWELL SIZE J

ROCKWELL	1033

371468 FROTH-PAK KIT 12.0
FROTH-PAK KIT 12.0 FORTH-PAK #12.0 KIT FROTH-PAK INSTA-FOAM STANDARD FOAM 12 UNITS PER CARTON

TAPECOAT	N/A

371534 TAPE TERRA
TAPE TERRA

REEF IND. INC.	911356

	THOR ENTERPRISES	N/A
371708	VALVE POLYETHYLENE 1"	
	VALVE POLYETHYLENE 1" POLYETHLYENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVES TO HAVE 2 INCH SQUARE H EAD ADAPTER, SDR 11, COLOR - ORANGE OR YELLOW	
	KEROTEST	N/A
	PERFECTION	45098
	R W LYALL	LPV070Y-AT
371724	VALVE POLYETHYLENE 1-1/4"	
	VALVE POLYETHYLENE 1-1/4" POLYETHLYENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVES TO HAVE 2 INCH SQUARE H EAD ADAPTER, SDR 10, COLOR - ORANGE OR YELLOW	
	FRIALEN	F1252411
	KEROTEST	
	PERFECTION	45007
	R W LYALL	LPVO8OX-AT
371740	VALVE POLYETHYLENE 2"	
	VALVE POLYETHYLENE 2" POLYETHLYENE VALVE MADE FOR BUTT FUSION FROM PE-2406 MARLEX TR-418 COMPOUND, VALVES TO HAVE 2 INCH SQUARE HEAD ADAPTER, SDR 11, COLOR - YELLOW	
	BROEN INC	BALLOMAX
	FRIALEN	F22411
	KEROTEST	PP2011S
	NORDSTROM	
	PERFECTION	
	R W LYALL	LPV200Y-AT
371757	TEE WILLIAMSON 3-WAY 6"X2"	
	TEE WMSON 3-WAY TYPE 2 6	
	T D WILLIAMSON	06-7219-0000
371773	TEE WMSON 3-WAY TYPE 2 8	
	TEE WMSON 3-WAY TYPE 2 8	
	T D WILLIAMSON	06-7220-0000
371815	GASKET FLANGE 12"	
	GASKET FLANGE 12	
	GARLOCK	N/A
371831	BOLT MACH 3/4X 4 HEX	
	BOLT MACH 3/4X 4 HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI 18.2.2	
	KNOXVILLE BOLT & SCREW CO	N/A
	THE FASTENAL COMPANY	N/A
371856	TUBING MDPE 3/4"	
	TUBING PLASTIC 3/4 IPS	
	PERFORMANCE PIPE	1002239
371872	SADDLE SERV 8"STL W/ 1"MDPE TP	
	SADDLE SERV 8 ST X 1"	
	DRESSER MFG	91-1127-001
371898	BOLT MACH 5/8X 3-1/2" HEX	
	BOLT MACH 5/8X 3-1/2" HEX W/NUT CARBON STEEL BOLTS, ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL	

HEA DS, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI 18.2.2 COURS

KNOXVILLE BOLT & SCREW CO	N/A
THE FASTENAL COMPANY	N/A

371906 STOPPER PIPE PULL-UP 4"
STOPPER (PULL-UP) 4

GOODMAN MAIN STOPPER	GOODMAN-PEDEN
SAFETY GAS MAIN STOPPER	GOODMAN-PEDEN

371914 CAP WELD STEEL 8"
8" CAP WELD SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPEC. AMERICAN MADE STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A

WELDBEND	N/A

371922 STOPPER PIPE PULL-UP 6"
STOPPER (PULL-UP) 6

GOODMAN MAIN STOPPER	GOODMAN-PEDEN
SAFETY GAS MAIN STOPPER	GOODMAN-PEDEN

371930 SLEEVE INS FLANGE FLAT-FACE 1"
SLEEVE INSUL FLANGE 1" FF

PIPELINE SEAL & INSULATOR	N/A

371955 SLEEVE INSUL FLANGE 1-1/4 FF
SLEEVE INSUL FLANGE 1-1/4 FF

PIPELINE SEAL & INSULATOR	N/A

372003 PLUG PIPE X-PANDER 3/4"
PLUG PIPE X-PANDER 3/4

M. E. BARBAR	TYPE C
MULCARE ENGINEERING	TYPE C

372029 PLUG PIPE X-PANDER 1"
PLUG PIPE X-PANDER 1

M. E. BARBAR	TYPE C
MULCARE ENGINEERING	TYPE C

372037 CAP MDPE SOCKET-FUSION 3/4"
CAP PLAS 3/4 IPS SOCKET

CENTRAL PLASTICS	N/A
DURA LINE CORP	
PERFORMANCE PIPE	1005170
POLY PIPE INDUSTRIES	N/A

372045 PLUG PIPE X-PANDER 1-1/4"
PLUG PIPE X-PANDER 1-1/4

M. E. BARBAR	TYPE C
MULCARE ENGINEERING	TYPE C

372052 CAP MDPE BUTT-FUSION 6"
CAP PLAS 6 IPS BUTT

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005285
POLY PIPE INDUSTRIES	N/A
UPONOR	N/A

372060 PLUG PIPE X-PANDER 1-1/2"
PLUG PIPE X-PANDER 1-1/2

	M. E. BARBAR	TYPE C
	MULCARE ENGINEERING	TYPE C
372078	COUPLING PLAS 3/4 IPS SOCKET	
	COUPLING PLAS 3/4 IPS SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005268
	POLY PIPE INDUSTRIES	
372086	PLUG PIPE X-PANDER 2"	
	PLUG PIPE X-PANDER 2	
	M. E. BARBAR	TYPE C
	MULCARE ENGINEERING	TYPE C
372094	REDUCER MDPE SOCKET 1"X3/4"	
	REDUCER PLAS 1"X 3/4 IPS SOCKET REDUCER, 2406 POLYETHYLENE, 1 X 3/4 INCH IPS, SOCKET SPECIAL SPEC GS-3, SDR-10 ON 1" SIDE, SD R-11 ON 3/4" SIDE	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005374
	POLY PIPE INDUSTRIES	N/A
	UPONOR	
372102	WRENCH X-PANDER PLUG	
	TOOL X-PANDER PLUG WRENCH	
	MULCARE ENGINEERING	N/A
372110	REDUCER MDPE BUTT-FUSION 6"X4"	
	REDUCER PLAS 6 X 4 IPS BUTT REDUCER, 2406 POLYETHYLENE, 6 X 4 INCH IPS, BUTT SPECIAL SPEC GS-3, SDR-11.5 ON BOTH SIDE S	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005452
	POLY PIPE INDUSTRIES	
	UPONOR	N/A
372136	TEE MDPE SOCKET-FUSION 1"X1"	
	TEE PLAS 1" IPS SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005187
	POLY PIPE INDUSTRIES	
372144	PLUG SLD RUBBER EXPANDABLE 6"	
	PLUG SLD RUBBER EXPANDABLE 6"	
	GOODMAN MAIN STOPPER	N/A
	SAFETY GAS MAIN STOPPER	N/A
372145	SERVICE REPAIR COUPLING 7/8" O	
	SERVICE REPAIR COUPLING 7/8" O.D. X-TRUDE STEEL (INSULATED) X 1/2" CTS PLASTIC (SDR7:0.090 WALL THICKNESS WITH BUILT IN STIFFENER) CHICAGO FITTINGS CORPORATION PART NO. M789C43S090	
372193	TEE TAPPING MDPE 2" W/ 2"TAP	
	TEE TAPPING PLAS 2" X 2"	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1047330
	POLY PIPE INDUSTRIES	

372201	PLUG SLD RUBBER EXPANDABLE 12"	
	PLUG SLD RUBBER EXPANDABLE 12"	
	GOODMAN MAIN STOPPER	TYPW A
	SAFETY GAS MAIN STOPPER	TYPE A
372227	GLASSES SAFETY CLEAR	
	GLASSES SAFETY CLEAR	
	NORMAC	#18000
	UVEX SAFETY	GENESIS S3200X
372284	CLAMP SS 360 12-3/4"OD X 12"W	
	CLAMP 12 WIDE SS 360 12.750 OD	
	ROCKWELL	225-10127012-000
372318	CLAMP SS 360 FOR 12"STL	
	CLAMP SS 360 FOR 12ST	
	ROCKWELL	225-10127007-000
372367	RHULIGEL ANTI ITCH GEL	
	RHULIGEL STANDARD PACKAGING - 1 UNIT PER BOX STOCKING REQUIREMENT - 6	
	TEC LAB	FG10004
372383	CREAM BARRIER	
	CREAM BARRIER STANDARD PACKAGING - 1 UNIT PER PACKAGE STOCKING REQUIREMENT - 1 UNIT	
	NORTH MED SUPPLY	27-22-04
372409	ALCOHOL RUBBING	
	ALCOHOL	
	NORTH MED SUPPLY	21047
372417	COUPLING PLASTI-LOK 1"	
	COUPLING PLASTI-LOK 1" SDR	
	DRESSER MFG	0090-5104-636
372425	SOCKET 21-PC SET 1/4"DRIVE	
	SOCKET SET 1/4 DRIVE	
	SEARS CRAFTSMAN	9HT 44022
372433	COUPLING PLASTI-LOK 1-1/4"	
	COUPLING PLASTI-LOK 1-1/4" SDR	
	DRESSER MFG	0090-5105-636
372458	COUPLING PLASTI-LOK 2"	
	COUPLING PLASTI-LOK 2" SDR	
	DRESSER MFG	0090-5110-636
372516	CAP COMPANION LOCK 3/4"	
	CAP COMP-LOCK 3/4"	
	DRESSER MFG	90-0860-086
372672	CUTTER TUBING SUPER-SNIPPER	
	CUTTER TUBING SUPER SNIPPER	
	WHEELER	7290
372680	INSERT 1/2" 0.90	
	INSERT 1/2" IPS .090	
	DRESSER MFG	2088-0305-009

372698 CUTTER TUBING SNIPPER #5290
CUTTER TUBING 5290 SNIPPER
WHEELER 5290

372821 WAX-TAPE COLD-APPLIED 4"WIDE
TAPE COLD APPLIED WAX 4" TAPE COLD APPLIED 4 INCH WIDTH WAX-TAPE FOR BELOW GROUND METAL SURFACE APPLICATION, 9' MINIMUM LENGTH, 70 MIL M INIMUM THICKNESS, 24 MONTHS SHELF LIFE MINIMUM
TRENTON #1 WAX-TAPE

372847 WAX-TAPE PRIMER
WAX-TAPE PRIMER
TRENTON WAX-TAPE PRIMER

373019 HOLESAW 3/4"
HOLE SAW 3/4

373035 HOLESAW 1-1/8"
HOLE SAW 1-1/8

373050 HOLESAW 7/8"
HOLE SAW 7/8

373076 HOLESAW 1-7/8"
HOLE SAW 1-7/8

373092 HOLESAW 5/8"
HOLE SAW 5/8

373118 HOLESAW 9/16"
HOLE SAW 9/16

373134 HOLESAW 1-1/2"
HOLE SAW 1-1/2

373159 HOLESAW 3"
HOLE SAW 3

373175 HOLESAW 3-1/2"
HOLE SAW 3-1/2

373191 HOLESAW 4"
HOLE SAW 4

373217 WHEEL FOR PIPE CUTTER HS-4
WHEEL CUTTER REED HS-4
REED HS-4

373233	WHEEL FOR PIPE CUTTER HS-6	
	WHEEL CUTTER REED HS-6	
	REED	HS-6
373258	WHEEL FOR PIPE CUTTER HS8-12	
	WHEEL CUTTER REED HS8-12	
	REED	HS-12
373274	WHEEL FOR PIPE CUTTER H-14	
	WHEEL CUTTER REED H-14	
	REED	H-14
373332	WHEEL FOR PIPE CUTTER 03639H/D	
	WHEEL CUTTER REED 03639 H/D	
	REED	3639
373456	ARBOR LENOX 2L FOR HOLESAW	
	ARBOR LENOX 2L	
373472	ARBOR LENOX 1L FOR HOLESAW	
	ARBOR LENOX 1L	
373498	BIT PILOT	
	BIT PILOT	
373514	GAUGE 400 ASHCROFT	
	GAUGE 400 ASHCROFT	
	LEINARTS	25-1000-02L-400
373530	GAUGE MANIFOLD 300 RIBINAIR	
	GAUGE MANIFOLD 300 RIBINAIR	
373555	EXTENSION ARBOR LENOX 12"	
	EXTENSION LENOX 12"	
	LENOX	EDP30847
373597	BOLT MACH 7/8X 4 HEX	
	BOLT MACH 7/8X 4 HEX W/NUT CARBON STEEL BOLTS,ASTM A-307 GRADE B, W /O HEAT TREATMENT OTHER THAN STRESS RELIEF. USA STANDARD HEAVY HEXAGONAL HEA DS, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI 18.2.2	
	KNOXVILLE BOLT & SCREW CO	N/A
	THE FASTENAL COMPANY	N/A
373613	BOLT MACH 7/8X 5 HEX	
	BOLT MACH 7/8X 5 HEX W/NUT CARBON STEEL BOLTS , ASTM A-307 GRADE B, W/O HEAT TREATMENT OTHER THAN STRESS RELIEF.USA STANDARD HEAVY HEXAGONAL HEAD S, WITH USA STANDARD HEAVY HEXAGONAL NUT,ALSO ANSI 18.2.1 & ANSI	
	KNOXVILLE BOLT & SCREW CO	N/A
	THE FASTENAL COMPANY	N/A
373654	COUPLING COMP PVC 3/4"	
	COUPLING COMP PVC 3/4"	

373670	COUPLING COMP PVC 1"	
	COUPLING COMP PVC 1"	
373696	COUPLING COMP PVC 1-1/4"	
	COUPLING COMP PVC 1-1/4"	
373712	COUPLING COMP PVC 2"	
	COUPLING COMP PVC 2"	
373878	TEE TAPPING PLAS 1-1/4 X 1-1/4	
	TEE TAPPING PLAS 1-1/4 X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 1 1/4 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON BOTH SIDES	
	CENTRAL PLASTICS	
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005120
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
373910	SLING NYLON EEF-2-901	
	SLING NYLON EEF-2-901	
	COMMERCIAL SUPPLY	N/A
373936	GRIP EYE PULLING KELLEM	
	GRIP EYE PULLING KELLEM	
	KELLEM - DIV. OF HUBBELL	033-01-025
373993	ELL MDPE 90-DEG BUTT-FUSION 4"	
	ELL PLAS 4 IPS 90-DEG BUTT	
	CENTRAL PLASTICS	
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005275
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
374017	CAP MDPE BUTT-FUSION 4"	
	CAP PLAS 4 IPS BUTT	
	CENTRAL PLASTICS	
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005271
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
374108	COUPLING MDPE COMP 1-1/4"	
	COUPLING PLAS COMP 1-1/4" IPS	
	PERFECTION	PERMASERT 50035
374124	COUPLING MDPE COMP 1"	
	COUPLING PLAS COMP 1" IPS POLY	
	PERFECTION	PERMASERT 50600
374140	COUPLING MDPE COMP 1/2"	
	COUPLING PLAS COMP 1/2" IPS	
	PERFECTION	PERMASERT 50701
374165	COUPLING MDPE COMP 2"	

	COUPLING PLAS COMP 2" IPS POLY		
	PERFECTION	PERMASERT 50300	
374199	PLUG PRESSURE-TEST 1/4 NPT		
	PRESSURE TEST PLUG 1/4 N.P.T		
374215	GAUGE ADAPTER #230195201		
	GUAGE ADAPTER 230-1952-01		
374298	COUPLING RUBR 4" TARA X4" PVC		
	COUPLING RUBR 4" TARA X4" PVC		
374314	COUPLING RUBR 4" CI X 4" PVC		
	COUPLING RUBR 4" CI X 4" PVC		
374355	COUPLING RUBR 6" TARA X6" PVC		
	COUPLING RUBR 6" TARA X6" PVC		
374363	WRENCH PENTAGON		
	WRENCH PENTAGON		
374371	COUPLING RUBR 6" CI X 6" PVC		
	COUPLING RUBR 6" CI X 6" PVC		
374405	STRIPPER WIRE MODEL #T5		
	WIRE STRIPPER MODEL T-5		
	IDEAL INDUSTRIES	45-120	
374439	COUPLING ELECTROFUSION 4" IPS		
	COUPLING ELECTROFUSION 4" IPS		
	CENTRAL PLASTICS	5750044	
	M T DEASON COMPANY INC	TRI 0140	
374454	COUPLING ELECTROFUSION 6" IPS		
	COUPLING ELECTROFUSION 6" IPS		
	CENTRAL PLASTICS	5750045	
	M T DEASON COMPANY INC	TRI 0160	
374512	COUPLING PLAS COMP 2" IPS ALLO		
	COUPLING PLAS COMP 2" IPS ALLO		
	CONTINENTAL INDUSTRIES	4157-52-1017-00	
374520	SNIPS TIN		
	TIN SNIPS		
	SEARS CRAFTSMAN	942773	X
374538	HOLESAW 1"		
	HOLE SAW 1		

374546	KNIFE UTILITY STANLEY	
	KNIFE UTILITY STANLEY	
	STANLEY	10-099
374553	HOLE SAW 1-1/16	
	HOLE SAW 1-1/16	
374579	HOLESAW 2-7/8"	
	HOLE SAW 2-7/8	
374587	HOLESAW 2-1/4"	
	HOLE SAW 2-1/4	
	LENOX	N/A
374595	ADAPTER 6"MDPE X 6"STL	
	ADAPTER 6 PLAS X 6 ST ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	
	CENTRAL PLASTICS	N/A
	PERFECTION	
	PERFORMANCE PIPE	1005487
374603	HOLESAW 1-3/4"	
	HOLE SAW 1-3/4	
	LENOX	N/A
374629	HOLESAW 2-3/4"	
	HOLE SAW 2-3/4	
	LENOX	N/A
374637	CONCRETE QUICKCRETE 60LB-BAG	
	CONCRETE 60 LB BAG QUICKCRETE	
374678	PIPE MDPE 8"X40'	
	PIPE PLAS 8 IPS 40'	
	PERFORMANCE PIPE	1071013
374686	COUPLING ELECTROFUSION 8" IPS	
	COUPLING ELECTROFUSION 8" IPS YELLOW OR BLACK	
	CENTRAL PLASTICS	5750078
	M T DEASON COMPANY INC	TRIFUSION TRI 0180
374694	TEE MDPE BUTT-FUSION 8"X8"	
	TEE PLAS 8 IPS BUTT	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	
	PERFORMANCE PIPE	1048958
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
374702	SADDLE BRANCH 8" X 4"	
	SADDLE BRANCH 8" X 4"	
	PERFORMANCE PIPE	N/A
374710	REDUCER MDPE BUTT-FUSION 8"X6"	
	REDUCER PLAS 8 X 6 IPS BUTT REDUCER, 2406 POLYETHYLENE, 8 X 6 INCH IPS, BUTT	

	SPECIAL SPEC GS-3, SDR-13.5 ON 8", SDR 1 1.5 ON 6"	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	
	PERFORMANCE PIPE	1005462
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
374728	SADDLE BRANCH 6" W/ 4"TAP	
	SADDLE BRANCH 6" X 4"	
	PERFORMANCE PIPE	N/A
374736	ELL MDPE BUTT-FUSION 90-DEG 8"	
	ELL PLAS 8 IPS 90-DEG	
	CENTRAL PLASTICS	
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005314
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
374744	REDUCER MDPE SOCK 1/2"X1/2"CTS	
	REDUCER PLAS 1/2-" IPS X1/2"	
	PERFORMANCE PIPE	N/A
374751	ELL MDPE BUTT-FUSION 45-DEG 8"	
	ELL PLAS 8 IPS 45-DEG	
	DURA LINE CORP	
	PERFORMANCE PIPE	N/A
	POLY PIPE INDUSTRIES	N/A
374769	COUPLING MDPE SOCKET 1/2"CTS	
	COUPLING PLAS 1/2" CTS	
	PERFORMANCE PIPE	N/A
374777	CAP MDPE BUTT-FUSION 8"	
	CAP PLAS 8 IPS BUTT	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005311
	POLY PIPE INDUSTRIES	
	UPONOR	N/A
374785	TEE MDPE SOCK 1/2"CTS X 1/2CTS	
	TEE PLAS 1/2" CTS	
	PERFORMANCE PIPE	N/A
374793	ADAPTER 8"MDPE X 8"STL W/ FLAN	
	ADAPTER 8 PLAS X 8 ST W/FLNG W/FLANGE ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	
	CENTRAL PLASTICS	N/A
	PERFECTION	N/A
	PERFORMANCE PIPE	1007520
374819	ADAPTER 8"MDPE X 8"STL	
	ADAPTER 8 PLAS X 8 ST ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	
	CENTRAL PLASTICS	N/A
	PERFECTION	

	PERFORMANCE PIPE	1005495
	UPONOR	N/A

374835 TEE TAPPING PLAS 8 X 2
TEE TAPPING PLAS 8 X 2 W/1.880 TAPPING TEE, 2406 POLYETHYLENE, 8 X 2 INCH IPS, W/1.880 CUTTER SPECIAL SPEC GS-3, SDR-13.5 ON 8" SIDE, SDR-11 ON 2" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1047397
POLY PIPE INDUSTRIES	N/A
UPONOR	

374850 TEE TAPPING MDPE 8" W/ 1/2"TAP
TEE TAPPING PLAS 8 X 1/2 W/.500 TAPPING TEE, 2406 POLYETHYLENE, 8 X 1/2 INCH IPS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-13.5 ON 8" SIDE, SDR-9.3 ON 1/2" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1049061
POLY PIPE INDUSTRIES	N/A
UPONOR	

374876 TEE TAPPING MDPE 8" W/ 1"TAP
TEE TAPPING PLAS 8 X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 8 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-13.5 ON 8" SIDE SDR-10 ON 1" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1049701
POLY PIPE INDUSTRIES	
UPONOR	N/A

374892 TEE TAPPING PLAS 8 X 1-1/4
TEE TAPPING PLAS 8 X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 8 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-13.5 ON 8" SIDE, SDR-11 ON 1 1/4" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005117
POLY PIPE INDUSTRIES	
UPONOR	N/A

374918 COUPLING MDPE COMP 1/2"CTS
COUPLING PLAS COMP 1/2" CTS

PERFECTION	PERMASERT 50034

374926 SCREWDRIVER POCKET
SCREWDRIVER POCKET

STANLEY	66-101

374934 ADAPTER SERV-HEAD 1/2" CTS X1"
ADAPTER SERV-HEAD 1/2" CTS X1"

PERFECTION	71166

374942 GLOVE LEATHER LARGE STYLE 99L
GLOVE LEATHER LARGE STYLE 99L

KNOXVILLE GLOVE CO.	99 L

374959 REDUCER MDPE STAB 1/2"X1/2"CTS
REDUCER PLAS 1/2 CTS X 1/2 IPS

	PERFECTION	50751
374975	ADAPTER SERV-HEAD 1/2" CTS X1"	
	ADAPTER SERV-HEAD 1/2" CTS X1"	
	PERFECTION	71170
374983	FLANGE BLIND FLAT-FACE 1"	
	FLANGE BLIND FF 1"	
	WELDBEND	N/A
380071	SLEEVE PIPE 6 5/8	
	SLEEVE PIPE 6 5/8	
	RAYCHEM	TPS 6625-18
380097	ANODE MAGNESIUM 3-LB	
	ANODE MAGNESIUM 3 LB HIGH POTENTIAL	
	ALLIED CORROSION INDUSTRIES	HP-O3-D3 GBS
	SOUTHERN CROSS CORPORATION	N/A
380139	ANODE MAGNESIUM 9-LB	
	ANODE MAGNESIUM 9 LB HIGH POTENTIAL	
	ALLIED CORROSION INDUSTRIES	HP-09-D3 GBS
	SOUTHERN CROSS CORPORATION	N/A
380295	ELL PLAS 4 IPS 90-DEG SOCKET	
	ELL PLAS 4 IPS 90-DEG SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005266
	POLY PIPE INDUSTRIES	
	UPONOR	N/A
380303	ELL MDPE SOCKET 45-DEG 4"	
	ELL PLAS 4 IPS 45-DEG	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005273
	POLY PIPE INDUSTRIES	N/A
	UPONOR	
380311	TEE TAPPING MDPE 4" W/ 2"TAP	
	TEE TAPPING PLAS 4 X 2 W/1.880 TAPPING TEE, 2406 POLYETHYLENE, 4 X 2 INCH IPS, W/1.880 CUTTER SPECIAL SPEC GS-3, SDR-11.5 ON 4" SIDE, SDR-11 ON 2" SIDE	
	CENTRAL PLASTICS	
	PERFORMANCE PIPE	1005436
	POLY PIPE INDUSTRIES	N/A
380337	ADAPTER 4 PLAS X 4 ST	
	ADAPTER 4 PLAS X 4 ST ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	
	CENTRAL PLASTICS	N/A
	PERFECTION	N/A
	PERFORMANCE PIPE	1050863
	UPONOR	N/A

380352	REDUCER MDPE BUTT-FUSION 4"X2"	
	REDUCER PLAS 4 X 2" IPS BUTT REDUCER, 2406 POLYETHYLENE, 4 X 2 INCH IPS, SOCKET SPECIAL SPEC GS-3, SDR-11.5 ON THE 4", S DR-11 ON THE 2"	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	
	PERFORMANCE PIPE	1005433
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
380485	MATCHES FIRECHIEF POCKET SIZE	
	MATCHES FIRECHIEF POCKET SIZE	
380493	DETECTOR LEAK 1 GAL	
	DETECTOR LEAK 1 GAL	
380808	PIPE MDPE 6"X40'	
	PIPE PLAS 6 IPS	
	PERFORMANCE PIPE	1002367
380816	ADAPTER 6 PLAS X 6 ST W/FLNG	
	ADAPTER 6 PLAS X 6 ST W/FLNG W/FLANGE ADAPTER (TRANSITION FITTING) FROM SCH 40 STEEL PIPE TO PLASTIC PIPE, PLASTIC PIPE MUST MEET ASTM D2513 FOR POLYETHYLE NE PIPE AND BE MFG FROM APPROVED RESIN, STEEL PIPE MUST BE COATED WITH CO	
	CENTRAL PLASTICS	
	PERFECTION	N/A
	PERFORMANCE PIPE	1050863
	UPONOR	N/A
380824	TEE MDPE BUTT-FUSION 6"X6"	
	TEE PLAS 6 IPS BUTT	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	
	PERFORMANCE PIPE	1005291
	POLY PIPE INDUSTRIES	N/A
380832	ELL MDPE BUTT-FUSION 90-DEG 6"	
	ELL PLAS 6 IPS 90-DEG	
	CENTRAL PLASTICS	
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005289
	POLY PIPE INDUSTRIES	N/A
380840	TEE TAPPING MDPE 6" W/ 2"TAP	
	TEE TAPPING PLAS 6 X 2 W/.1.880 TAPPING TEE, 2406 POLYETHYLENE, 6 X 2 INCH IPS, W/1.880 CUTTER SPECIAL SPEC GS-3, SDR-11.5 ON 6" SIDE, SDR-11 ON 2" SIDE	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1047386
	POLY PIPE INDUSTRIES	N/A
	UPONOR	
380923	SADDLE SERV 1-1/4 ST X 1"	
	SADDLE SERV 1-1/4 ST X 1"	
	ROCKWELL	313-0001,9208-00
380931	REDUCER MDPE SOCKET 1"X1/2"	

REDUCER PLAS 1" X 1/2" IPS SOCKET REDUCER, 2406 POLYETHYLENE, 1 X 1/2 INCH IPS, SOCKET SPECIAL SPEC GS-3, SDR-10 ON THE 1", SDR -9.3 ON THE 1/2"

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005371
POLY PIPE INDUSTRIES	

380949 TEE TAPPING MDPE 2" W/ 1"TAP
TEE TAPPING PLAS 2" X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 2 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11 ON 2" SIDE SDR-10 ON 1" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005075
POLY PIPE INDUSTRIES	
UPONOR	N/A

380956 TEE TAPP MDPE 4" W/ 1-1/4"TAP
TEE TAPPING PLAS 4 X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 4 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 4" SIDE, SDR-11 ON 1 1/4" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005102
POLY PIPE INDUSTRIES	N/A
UPONOR	N/A

380964 TEE TAPPING MDPE 4" W/ 1"TAP
TEE TAPPING PLAS 4 X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 4 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 4" SIDE, SDR-10 ON 1" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	
PERFORMANCE PIPE	1005099
POLY PIPE INDUSTRIES	N/A

380972 TEE TAPPING MDPE 4" W/ 1/2"TAP
TEE TAPPING PLAS 4 X 1/2 W/.500 TAPPING TEE, 2406 POLYETHYLENE, 4 X 1/2 INCH IPS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 4" SIDE, SDR-9.3 ON 1/2" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005093
POLY PIPE INDUSTRIES	N/A
UPONOR	

380980 TEE TAPP MDPE 2" W/ 1-1/4"TAP
TEE TAPPING PLAS 2" X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 2 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11 ON BOTH SIDES

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005078
POLY PIPE INDUSTRIES	N/A

380998 PIPE MDPE 4"X40'
PIPE PLAS 4 IPS

PERFORMANCE PIPE	1002349

381152 TEE MDPE COMP 1/2"X1/2"
TEE PLAS COMP 1/2" IPS

	PERFECTION	PERMASERT 50730
381160	TUBING MDPE 2"	
	TUBING PLASTIC 2" IPS	
	PERFORMANCE PIPE	1002284
381228	FLANGE BLIND FLAT-FACE 3"	
	FLANGE BLIND FF 3" 150 POUND ASA BLIND FLANGE, FLAT FACED. SPEC. ASTM-A181, MATERIAL FORGED CARBON STEEL ASTM-A181, DIMENSION, ASA-B16.5, FLANGES TO BE MARKED AS PER ASTM SPEC.	
	WELDBEND	N/A
381236	FLANGE BLIND FLAT-FACE 4"	
	FLANGE BLIND FF 4" 150 POUND ASA BLIND FLANGE, FLAT FACED. SPEC. ASTM-A181, MATERIAL FORGED CARBON STEEL ASTM-A181. DIMENSION, ASA-B 16.5, FLANGES TO BE MARKED AS PER ASTM SPEC.	
	WELDBEND	N/A
381244	FLANGE BLIND FLAT-FACE 6"	
	FLANGE BLIND FF 6" 150 POUND ASA BLIND FLANGE, FLAT FACED. SPEC. ASTM-A181M MATERIAL FORGED CARBON STEEL ASTM-A181, DIMENSION, ASA-B16.5, FLANGES TO BE MARKED AS PER ASTM SPEC.	
	WELDBEND	N/A
381251	FLANGE BLIND FLAT-FACE 2"	
	FLANGE BLIND FF 2" 150 POUND ASA BLIND FLANGE. FLAT FACED. SPEC. ASTM-A181, MATERIAL FORGED CARBON STEEL ASTM-A181, DIMENSION, ASA-B16.5, FLANGES TO BE MARKED AS PER ASTM SPEC.	
	WELDBEND	N/A
381368	SLEEVE INS FLANGE FLAT-FACE 12	
	SLEEVE INSUL FLANGE 12 FF	
	PIPELINE SEAL & INSULATOR	N/A
381442	VALVE FLGD LUB PLUG 200# 3" W/	
	VALVE FLGD LUB PLUG 200# 3" W/LOCK 3" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH LOCKING DEVICE. VALVE TO B E USED ON NATURAL GAS AT 200 LBS. WORKING PRESSURE. ABOVE & BELOW GROUND U	
	HOMESTEAD	612
	MILLIKEN	171M
	NORDSTROM	143
381491	TUBING MDPE 1/2"CTS	
	TUBING PLASTIC 1/2" CTS	
	PERFORMANCE PIPE	102432
381509	ELL WELD STEEL 90-DEG LR 1"	
	ELL WELD 90 LR 1 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A	
	WELDBEND	N/A
381517	ELL WELD STEEL 45-DEG LR 1"	
	ELL WELD 45 LR 1 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE . STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A	
	WELDBEND	N/A
381525	TEE WELD STEEL 1"X1"	
	TEE WELD 1 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO	

SPECIFICATIONS: ASA-B16.9, A
WELDBEND N/A

381533 FLANGE WELD-NECK FLAT-FACE 1"
FLANGE WELD-NECK FF 1 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS ASTM -
WELDBEND N/A

381558 TUBING MDPE 1/2"
TUBING PLASTIC 1/2" IPS
PERFORMANCE PIPE 1002234

381582 ELL WELD STEEL 90-DEG LR 2"
ELL WELD 90 LR 2 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381608 TEE WELD STEEL 2"X2"
TEE WELD 2 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381624 FLANGE WELD-NECK FLAT-FACE 2"
FLANGE WELD-NECK FF 2 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.
WELDBEND N/A

381657 TEE WELD STEEL 3"X3"
TEE WELD 3 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381665 FLANGE WELD-NECK FLAT-FACE 6"
FLANGE WELD-NECK FF 6 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.
WELDBEND N/A

381673 FLANGE WELD-NECK FLAT-FACE 4"
FLANGE WELD-NECK FF 4 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.
WELDBEND N/A

381681 ELL WELD STEEL 90-DEG LR 4"
ELL WELD 90 LR 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9 ,A MADE IN USA.
WELDBEND N/A

381699 ELL WELD 45 LR 4
ELL WELD 45 LR 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPEC. ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381707 TEE WELD STEEL 4"X4"
TEE WELD 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO

SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381723 REDUCER WELD CONCENTRIC 4"X2"
REDUCER WELD CONC 4 X 2 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381731 REDUCER WELD CONCENTRIC 4"X3"
REDUCER WELD CONC 4 X 3 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381756 ELL WELD STEEL 90-DEG LR 6"
ELL WELD 90 LR 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9,A MADE IN USA.
WELDBEND N/A

381764 ELL WELD 45 LR 6
ELL WELD 45 LR 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9,A MADE IN USA.
WELDBEND N/A

381780 REDUCER WELD CONCENTRIC 6"X4"
REDUCER WELD CONC 6 X 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381798 REDUCER WELD CONC 6 X 3
REDUCER WELD CONC 6 X 3 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381814 ELL WELD 90 LR 8
ELL WELD 90 LR 8 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9,A MADE IN USA.
WELDBEND N/A

381822 ELL WELD 45 LR 8
ELL WELD 45 LR 8 SA-B16/25. AST,-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9,A MADE IN USA.
WELDBEND N/A

381830 TEE WELD 8
TEE WELD 8 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381848 REDUCER WELD CONCENTRIC 8"X6"
REDUCER WELD CONC 8 X 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND NA

381855 REDUCER WELD CONC 8 X 4
REDUCER WELD CONC 8 X 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381889 FLANGE WELD-NECK FF 8
FLANGE WELD-NECK FF 8 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.
WELDBEND N/A

381913 REDUCER WELD CONCENTRIC 3"X2"
REDUCER WELD CONC 3 X 2 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

381947 TEE WELD 6
TEE WELD 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.
WELDBEND N/A

382085 SADDLE SERV 4 ST X 1"
SADDLE SERV 4 ST X 1"
DRESSER MFG 91-2005-001

382093 SADDLE SERV 4"CI W/ 1"MDPE TAP
SADDLE SERV 4 CI X 1"
DRESSER MFG 91-1060-001

382127 SADDLE SERV 4"STL W/ 2"MDPE TP
SADDLE SERV 4 ST X 2
DRESSER MFG 91-1050-001

382135 SADDLE SRV 4"CI W/ 2"MDPE TAP
SADDLE SERV 4 CI X 2
DRESSER MFG 91-1063-001

382150 SADDLE SERV 6"STL W/ 1"MDPE TP
SADDLE SERV 6 ST X 1"
DRESSER MFG 91-2007-001

382168 SADDLE SERV 6"CI W/ 1"MDPE TAP
SADDLE SERV 6 CI X 1"
DRESSER MFG 91-1101-001

382184 SADDLE SERV 6 CI X 1-1/4
SADDLE SERV 6 CI X 1-1/4
DRESSER MFG 91-1102-001

382192 SADDLE SERV 6"STL W/ 2"MDPE TP
SADDLE SERV 6 ST X 2
DRESSER MFG 91-1091-001

382200 SADDLE SERV 6"CI W/ 2"MDPE TAP
SADDLE SERV 6 CI X 2
DRESSER MFG 91-1104-001

382259	SADDLE SERV 8"CI W/ 1"MDPE TAP	
	SADDLE SERV 8 CI X 1"	
	DRESSER MFG	91-1140-001
382283	SADDLE SERV 8"STL W/ 2"MDPE TP	
	SADDLE SERV 8 ST X 2	
	DRESSER MFG	91-1130-001
382291	SADDLE SERV 8"CI W/ 2"MDPE TAP	
	SADDLE SERV 8 CI X 2	
	DRESSER MFG	91-1143-001
382325	SADDLE SERV 10"STL W/ 1"MDPE T	
	SADDLE SERV 10 ST X 1"	
	DRESSER MFG	91-1166-001
382366	SADDLE SERV 12"STL W/ 1"MDPE T	
	SADDLE SERV 12 ST X 1"	
	DRESSER MFG	91-1192-001
382499	COUPLING COMPANION STEEL 3"	
	COUPLING COMP STL 3"	
	DRESSER MFG	38-0187-202
382549	COUPLING COMPANION STEEL 4"	
	COUPLING COMP STL 4"	
	DRESSER MFG	38-0036-202
382598	REDUCER MDPE SOCKET 1-1/4"X1"	
	REDUCER PLAS 1" 1/4 X 1" IPS SOCKET REDUCER, 2406 POLYETHYLENE, 1 1/4 X 1 INCH IPS, SOCKET SPECIAL SPEC GS-3, SDR-11 ON THE 1 1/4", SDR-10 ON THE 1"	
	CENTRAL PLASTICS	
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005378
	POLY PIPE INDUSTRIES	N/A
382606	COUPLING COMPN INSUL CI-STL 4"	
	COUPLING COMP INS CI-STL 4"	
	DRESSER MFG	39-62-0026-208
382622	COUPLING COMPANION STEEL 6"	
	COUPLING COMP STL 6"	
	DRESSER MFG	38-0057-202
382689	REDUCER MDPE SOCKET 2"X1-1/4"	
	REDUCER PLAS 2" X 1-1/4 IPS	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005397
	POLY PIPE INDUSTRIES	N/A
	UPONOR	
382705	BOX VALVE LID GAS W/LOCK	
	BOX VALVE LID GAS W/LOCK	
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	OPELIKA FOUNDRY	4904-L
	SIGMA/NAPPCO/RUSSELL	
	TYLER	#6860 W/PENT. LOCK

382713 COUPLING COMPN INSUL CI-STL 6"
COUPLING COMP INS CI-STL 6"
DRESSER MFG 39-62-0028-208

382739 TEE MDPE SOCKET 1-1/4"X1-1/4"
TEE PLAS 1-1/4 IPS SOCKET
CENTRAL PLASTICS
DURA LINE CORP N/A
PERFORMANCE PIPE 1005213
POLY PIPE INDUSTRIES N/A

382796 COUPLING COMP STL 8"
COUPLING COMP STL 8"
DRESSER MFG 38-0073-202

382846 FLANGE COMPANION 1-1/4"
FLANGE COMPANION 1-1/4" 150 POUND ASA SCREWED FLANGES. FLAT FACE D SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL CARBON FORGED STEEL ASTM-A181. MADE IN
WELDBEND N/A

382861 FLANGE COMPANION 2"
FLANGE COMPANION 2" 150 POUND ASA SCREWED FLANGES. FLAT FACE D. SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL CARBON FORGED STEEL ASTM-A181. MADE IN
WELDBEND N/A

382865 PVP IODINE WIPE
PVP IODINE WIPE STANDARD PACKAGING - 10 BOXES PER PACK TOTAL STOCKING REQUIREMENT FOR IODINE WI PES - 10 BOXES
NORTH MED SUPPLY 021201

382873 OINTMENT TRIPLE ANTIBIOTIC
OINTMENT TRIPLE ANTIBIOTIC STANDARD PACKAGING - 10 BOXES PER PACK TOTAL STOCKING REQUIREMENT FOR OINTMENT - 20 BOXES
NORTH MED SUPPLY 020125

382887 FLANGE COMPANION 4"
FLANGE COMPANION 4" 150 POUND ASA SCREWED FLANGES. FLAT FACE D, SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL, CARBON FORGED STEEL ASTM-A181. MADE IN
WELDBEND N/A

382907 BANDAGE TRIANGULAR TYVEK
BANDAGE TRIANGULAR TYVEK STANDARD PACKAGING - 1 UNIT PER PACK TOTAL STOCKING REQUIREMENT FOR TYVEK BANDAGE - 1 UNIT
NORTH MED SUPPLY 020372

382911 FLANGE COMPANION REDUCE FF 2"X
FLANGE COMPANION REDUCE FF 2"X 7-1/2" 150 POUND ASA SCREWED FLANGES. FLAT FACE D SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL, CARBON FORGED STEEL ASTM-A181 MADE IN USA.
WELDBEND N/A

382915 GLOVE NITRILE 100% (4 MIL) SM
GLOVE NITRILE 100% (4 MIL) 100% NITRILE (4 MIL) GLOVE STANDARD PACKAGING - 1 PAIR PER BOX TOTAL STOCKING REQUIREMENT FOR NITRILE GLOVES - 1 BOX
NORTH MED SUPPLY 2/16/1940
VALLEN SAFETY VLN4S

382923 ANALGESIC BURN JEL TOPICAL
TOPICAL ANALGESTIC BURN JEL STANDARD PACKAGING - 1 UNIT PER BOX TOTAL STOCKING REQUIREMENT FOR BURN JEL - 3 BOXES
NORTH MED SUPPLY 021020

382929	FLANGE COMPANION REDUCE FF 2"X FLANGE COMPANION REDUCE FF 2"X 9" 150 POUND ASA SCREWED FLANGES. FLAT FACE D, SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL. CARBON FORGED STEEL ASTM-A181. MADE IN USA.	
	WELDBEND	N/A
382945	FLANGE COMPANION 1" FLANGE COMPANION 1" 150 POUND ASA SCREWED FLANGES. FLAT FACE D, SPEC. ASTM-A181 AND ASA-B16.5, MATERIAL CARBON FORGED STEEL ASTM-A181. MADE IN	
	WELDBEND	N/A
382952	ELL MDPE SOCKET 90-DEG 2" ELL PLAS 2" IPS 90-DEG	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005236
	POLY PIPE INDUSTRIES	N/A
	UPONOR	
382960	TEE MDPE SOCKET 1/2"X1/2" TEE PLAS 1/2" IPS SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005154
	POLY PIPE INDUSTRIES	N/A
382978	TEE MDPE SOCKET-FUSION 2" TEE PLAS 2" IPS SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005238
	POLY PIPE INDUSTRIES	N/A
383166	CLAMP HANDI-BAND 2"X3" CLAMP HANDI-BAND 2" X 3	
	DRESSER MFG	118-0310-009
383174	CLAMP HANDI-BAND 2"X6" CLAMP HANDI-BAND 2" X 6	
	DRESSER MFG	0118-0311-009
383182	CLAMP SS 360 FOR CI&STL 2" CLAMP SS 360 FOR 2" C/S	
	ROCKWELL	225-10023807-000
383190	CLAMP SS 360 FOR STEEL 4" CLAMP SS 360 FOR 4 ST	
	ROCKWELL	225-10045-007
383208	CLAMP SS 360 FOR CAST-IRON 4" CLAMP SS 360 FOR 4 CI	
	ROCKWELL	225-10048007-000
383216	CLAMP SS 360 FOR STEEL 6" CLAMP SS 360 FOR 6 ST	
	ROCKWELL	225-10066307-000
383224	CLAMP SS 360 FOR CAST-IRON 6" CLAMP SS 360 FOR 6 CI	

	ROCKWELL	225-069007
383232	CLAMP SS 360 FOR CAST-IRON 8" CLAMP SS 360 FOR 8 CI	
	ROCKWELL	225-0090507
383257	CLAMP SS 360 FOR 12CI CLAMP SS 360 FOR 12CI	
	ROCKWELL	225-10131007-000
383398	BOX VALVE LID GAS BOX VALVE LID GAS	
	CAPITOL FOUNDRY OF VIRGINA INC	
	OPELIKA FOUNDRY	4906-5 1/4
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	#6860 W/1 1/2 SKIRT
383448	WIRE TRACER SOLID-COPPER 12AWG WIRE 12 SOLID CU (TRACER)	
383455	VALVE FLANGE W/ LUB PLUG 1" VALVE FLGD LUB PLUG 200# 1" 1" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	
	HOMESTEAD	612
	NORDSTROM	143
383463	VALVE FLANGE W/ LUB PLUG 1-1/4 VALVE FLGD LUB PLUG 200# 1.25" 1 1/4" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CL 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	
	HOMESTEAD	612
	MILLIKEN	171M
	NORDSTROM	143
383471	VALVE FLANGE W/ LUB PLUG 2" VALVE FLGD LUB PLUG 200# 2" 2" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	
	HOMESTEAD	612
	MILLIKEN	171M
	NORDSTROM	143
383489	VALVE FLANGE W/ LUB PLUG 3" VALVE FLGD LUB PLUG 200# 3" 3" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP	
	HOMESTEAD	612
	MILLIKEN	171M
	NORDSTROM	143
383497	VALVE FLGD LUB PLUG 200# 4" VALVE FLGD LUB PLUG 200# 4" 4" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTO R AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE	

INSTALLED BY SUP

HOMESTEAD	612
MILLIKEN	171M
NORDSTROM	143

383505 VALVE FLANGE W/ LUB PLUG 6"
VALVE FLGD LUB PLUG 200# 6" 6" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFROM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTOR AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP

HOMESTEAD	612
MILLIKEN	171M
NORDSTROM	143

383513 VALVE FLANGE W/ LUB PLUG 8"
VALVE FLGD LUB PLUG 200# 8" 8" FLANGED LUBRICATED IRON PLUG VALVE. FLANGES CONFORM TO ANSI 16.1 CLASS 125. SUPPLIED WITH 2" SQUARE OPERATING ADAPTOR AND GIANT BUTTON HEAD GREASE FITTING. OPERATING ADAPTOR TO BE INSTALLED BY SUP

HOMESTEAD	612
MILLIKEN	171M
NORDSTROM	143

383646 CAP MDPE SOCKET-FUSION 2"
CAP PLAS 2" IPS SOCKET

CENTRAL PLASTICS	N/A
DURA LINE CORP	
PERFORMANCE PIPE	1005234
POLY PIPE INDUSTRIES	N/A

383745 CLAMP SS 360 FOR 3 ST
CLAMP SS 360 FOR 3 ST

ROCKWELL	225-10035007-000

383752 CLAMP SS 360 FOR STEEL 8"
CLAMP SS 360 FOR 8 ST

ROCKWELL	225-10086307-000

383760 CLAMP HANDI-BAND 3"X3"
CLAMP HANDI-BAND 3 X 3

DRESSER MFG	118-0029-007
ROCKWELL	245-35003-000

383778 CLAMP HANDI-BAND 4"X3"
CLAMP HANDI-BAND 4 X 3

DRESSER MFG	0118-0320-009
ROCKWELL	245-45003-000

383786 CLAMP HANDI-BAND 6"X3"
CLAMP HANDI-BAND 6 X 3

DRESSER MFG	118-0045-007
ROCKWELL	245-66303-000

383794 CLAMP HANDI-BAND 8"X3"
CLAMP HANDI-BAND 8 X 3

DRESSER MFG	118-0049-007
ROCKWELL	245-86303-000

383802 CAP MDPE SOCKET-FUSION 1/2"
CAP PLAS 1/2" IPS SOCKET

CENTRAL PLASTICS	N/A

	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005152
	POLY PIPE INDUSTRIES	N/A
383810	COUPLING MDPE SOCKET 2"	
	COUPLING PLAS 2" IPS SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005232
	POLY PIPE INDUSTRIES	N/A
	UPONOR	
383828	COUPLING MDPE SOCKET 1/2"	
	COUPLING PLAS 1/2" IPS SOCKET	
	CENTRAL PLASTICS	
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005150
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
383877	TEE VALVE TAPP 1"STL W/ 1/2"PE	
	TEE VALVE 1" ST X 1/2" PLAS	
	CONTINENTAL INDUSTRIES	1416-12-1012-00
	DRESSER MFG	0090-1564-504
383901	TAPE HOT-APPLIED 3"X75'	
	TAPE 3 HOT APPLIED 75'	
	TAPECOAT	#200031
383968	COUPLING PLAS COMP 1/2" IPS AL	
	COUPLING PLAS COMP 1/2" IPS AL	
384008	PLUG MECHANICAL-JOINT 4"	
	PLUG M-J 4 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC., TO BE COATED OUTSIDE O NLY FOR GAS SERVICE. TO HAVE CORTEN BOLTS AND NEOPRENE GASKETS. 250 LBS. WOR	
	ALABAMA PIPE CO	N/A
	AMERICAN CAST IRON PIPE CO	
	CLOW CORP	N/A
	MCWANE CAST IRON PIPE CO	N/A
	U S PIPE & FOUNDRY CO	N/A
384016	PLUG MECHANICAL-JOINT 6"	
	PLUG M-J 6 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC. TO BE COATED OUTSIDE ON LY FOR GAS SERVICE. TO HAVE CORTEN BOLTS AND NEOPRENE GASKETS. 250 LBS. WOR	
	ALABAMA PIPE CO	N/A
	AMERICAN CAST IRON PIPE CO	N/A
	CLOW CORP	
	MCWANE CAST IRON PIPE CO	N/A
	U S PIPE & FOUNDRY CO	N/A
384032	COUPLING MDPE SOCKET 1-1/4"	
	COUPLING PLAS 1-1/4 IPS SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005209
	POLY PIPE INDUSTRIES	

384057 RISER METER ANODELESS 3/4 X P

RISER METER ANODELESS 3/4 X PE2306 SD 1/2 INLET PIGTAIL 1/2" IPS PLASTIC PE2306 SD R 9.3 MIN. WALL .090" MARLEX TR-418. OUTLET 3/4" ASTM A53 SCHEDULE 40 STEEL P IPE COATED W/CORBOND OR EQUAL. THREADED MIPS. ANODELESS, GROUND

CENTRAL PLASTICS	636-0018
PERFECTION	79042
R W LYALL	60050
UPONOR	N/A

384115 TEE TAPPING MDPE 2" W/ 1/2"TAP

TEE TAPPING PLAS 2" X 1/2" W/.500 TAPPING TEE, 2406 POLYETHYLENE, 2 X 1/2 INCH IPS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 2" SIDE, SDR-9.3 ON 1/2" SIDE

CENTRAL PLASTICS	
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005068
POLY PIPE INDUSTRIES	N/A

384180 TEE WELD 6 X 6 X 4

TEE WELD 6 X 6 X 4 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT, BUTT WELD FITTINGS CONFORMING TO SPECIFICATIONS: ASA-B16.9, A MADE IN USA.

WELDBEND	N/A

384461 CAP MECHANICAL-JOINT 4"

CAP M-J 4 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC., TO BE COATED OUTSIDE O NLY FOR GAS SERVICE. TO HAVE CORTEN BOLTS AND NEOPRENE GASKETS. 250 L

ALABAMA PIPE CO	N/A
AMERICAN CAST IRON PIPE CO	N/A
CLOW CORP	
MCWANE CAST IRON PIPE CO	N/A
U S PIPE & FOUNDRY CO	N/A

384479 CAP MECHANICAL-JOINT 6"

CAP M-J 6 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC. TO BE COATED OUTSIDE ON LY FOR GAS SERVICE. TO HAVE CORTEN BOTLS AND NEOPRENE GASKETS. 250 LBS. WOR

ALABAMA PIPE CO	N/A
AMERICAN CAST IRON PIPE CO	
CLOW CORP	N/A
MCWANE CAST IRON PIPE CO	N/A
U S PIPE & FOUNDRY CO	N/A

384487	CAP MECHANICAL-JOINT 8"	
	CAP M-J 8 C.I.P. CAST IRON MECHANICAL JOINT BEND. AS PER ASA-A21.10, CLASS 250. ASA-A21.11 SPEC. TO BE COATED OUTSIDE ON LY FOR GAS SERVICE. TO HAVE CORTEN BOLTS & NEOPRENE GASKETS. 250 LBS. WORKI	
	ALABAMA PIPE CO	N/A
	AMERICAN CAST IRON PIPE CO	N/A
	CLOW CORP	N/A
	MCWANE CAST IRON PIPE CO	N/A
	U S PIPE & FOUNDRY CO	
384495	CAP WELD STEEL 6"	
	CAP WELD 6 SA-B16.25, ASTM-A234. FITTINGS MARKED AS PER ASTM SPECS. AMERICAN MADE. STANDARD WEIGHT , BUTT WELD FITTINGS CONFORMING TO SPECS. ASA-B16.9, A MADE IN USA.	
	WELDBEND	N/A
384941	ADAPTER COMP 1/2PE X 1"STL FPT	
	ADAPTER COMP 1/2" IPS PL X 1"	
	CONTINENTAL INDUSTRIES	1242-00-0814
385013	COUPLING MDPE SOCKET-FUSION 1"	
	COUPLING PLAS 1" IPS SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1005782
	POLY PIPE INDUSTRIES	N/A
	UPONOR	
385062	TAPE HOT-APPLIED 6"X75'	
	TAPE 6 HOT APPLIED 75'	
	TAPECOAT	200061
385112	SHORTSTOPP WILLIAMSON WELD 2"	
	SHORTSTOPP WMSON WELD 2	
	T D WILLIAMSON	06-4196-0000
385146	SHORTSTOPP WMSON WELD 6	
	SHORTSTOPP WMSON WELD 6	
	T D WILLIAMSON	06-7214-0000
385153	SHORTSTOPP WILLIAMSON WELD 8"	
	SHORTSTOPP WMSON WELD 8	
	T D WILLIAMSON	06-7215-0000
385161	SHORTSTOPP WMSON CIMJ 4	
	SHORTSTOPP WMSON CIMJ 4	
	T D WILLIAMSON	06-6586-0000
385211	SPADE DITCHING DS-14	
	SPADE DITCHING DS-14	
	TRUE TEMPER	DS-14
385559	TEE WMSON 3-WAY TYPE 2 4	
	TEE WMSON 3-WAY TYPE 2 4	
	T D WILLIAMSON	06-7218-0000
385583	TEE WMSON 3-WAY TYPE 2 2	
	TEE WMSON 3-WAY TYPE 2 2	
	T D WILLIAMSON	06-6727-0000

385617	FLANGE WELD-NECK FLAT-FACE 3"	
	FLANGE WELD NECK FF 3 ASA-B16.5. FLANGES TO BE MARKED AS PER ASTM SPEC. 150 POUND ASA WELDING NECK FLANGES, FLAT FACED. SPECIFICATIONS: ASTM-A181, AST. MADE IN USA.	
	WELDBEND	N/A
385658	INSULATOR CASING PL 8 X 12	
	INSULATOR CASING PL 8 X 12	
	PSI	MODEL PE
385864	SHORTSTOPP WILLIAMSON WELD 4"	
	SHORTSTOPP WMSON WELD 4	
	T D WILLIAMSON	06-7213-0000
385872	SHORTSTOPP WILLIAMSON CI MJ 6"	
	SHORTSTOPP WMSON CIMJ 6	
	T D WILLIAMSON	06-6587-0000
385948	BOX TERMINAL CATHODIC 2-WIRE	
	BOX CATHODIC TERMINAL 2 WIRE	
	HANDLEY IND.	T2-P-S-2
386003	TUBING MDPE 1-1/4"	
	TUBING PLASTIC 1-1/4 IPS	
	PERFORMANCE PIPE	1002263
386011	CAP MDPE SOCKET-FUSION 1-1/4"	
	CAP PLAS 1-1/4 IPS SOCKET	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	
	PERFORMANCE PIPE	1005211
	POLY PIPE INDUSTRIES	N/A
386029	TEE TAPP MDPE 1-1/4" W/ 1/2TAP	
	TEE TAPPING PLAS 1-1/4 X 1/2 W/.500 TAPPING TEE, 2406 POLYETHYLENE, 1 1/4 X 1/2 INCH IPS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 1 1/4" SIDE, SDR-9.3 ON 1/2" SIDE	
	CENTRAL PLASTICS	
	DURA LINE CORP	N/A
	PERFORMANCE PIPE	1049025
	POLY PIPE INDUSTRIES	N/A
386052	TEE TAPP MDPE 1-1/4" W/ 1"TAP	
	TEE TAPPING PLAS 1-1/4 X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 1 1/4 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11 ON 1 1/4" SIDE, SDR-10 ON 1" SIDE	
	CENTRAL PLASTICS	N/A
	DURA LINE CORP	
	PERFORMANCE PIPE	1005065
	POLY PIPE INDUSTRIES	N/A
	UPONOR	N/A
386060	TUBING PLASTIC 1" IPS	
	TUBING PLASTIC 1" IPS	
	PERFORMANCE PIPE	1002249
386680	PAINT YELLOW INVERTED	
	PAINT YELLOW INVERTED	
	FOX VALLEY MARKING SYSTEM	N/A

386698 GLOVES WORK BROWN-JERSEY
GLOVE WORK BROWN JERSEY

KNOXVILLE GLOVE CO.	264
VALLEN SAFETY	BJ9KW

386748 RISER PAVING CAST-IRON 3"
RISER PAVING 3"

ACHESON FOUNDRY	AVAR-30

386755 RISER PAVING CAST-IRON 4"
RISER PAVING 4"

ACHESON FOUNDRY	AVAR-40

386771 TEE TAPPING MDPE 6" W/ 1/2"TAP
TEE TAPPING PLAS 6 X 1/2 W/.500 TAPPING TEE, 2406 POLYETHYLENE, 6 X 1/2 INCH IPS, W/.500 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE , SDR-11.5 ON 6" SIDE, SDR 9.3 ON 1/2" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005105
POLY PIPE INDUSTRIES	N/A
UPONOR	

386789 TEE TAPPING MDPE 6" W/ 1"TAP
TEE TAPPING PLAS 6 X 1 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 6 X 1 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 6" SIDE, SDR-10 ON 1" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	
PERFORMANCE PIPE	1005108
POLY PIPE INDUSTRIES	N/A

386797 TEE TAPPING PLAS 6 X 1-1/4
TEE TAPPING PLAS 6 X 1-1/4 W/.800 TAPPING TEE, 2406 POLYETHYLENE, 6 X 1 1/4 INCH IPS, W/.800 CUTTER SPECIAL SPEC GS-3 WITH PROTECTIVE SLEEVE, SDR-11.5 ON 6" SIDE, SDR-11 ON 1 1/4" SIDE

CENTRAL PLASTICS	N/A
DURA LINE CORP	N/A
PERFORMANCE PIPE	1005110
POLY PIPE INDUSTRIES	

Waste Water Material

800010	FRAME MANHOLE STANDARD K U B	
	FRAME MANHOLE STANDARD K U B	
	ACHESON FOUNDRY	N/A
	CAPITOL FOUNDRY OF VIRGINA INC	
	EAST JORDAN IRON WORKS INC	N/A
	JOHN BOUCHARD & SONS	N/A
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	N/A
800020	LID MANHOLE STANDARD KUB 140#	
	LID MANHOLE STANDARD KUB 140#	
	ACHESON FOUNDRY	A-1201
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	EAST JORDAN IRON WORKS INC	N/A
	JOHN BOUCHARD & SONS	N/A
	OPELIKA FOUNDRY	N/A
	SIGMA/NAPPCO/RUSSELL	
	TYLER	N/A
800030	RISER MANHOLE 2"	
	RISER MANHOLE 2"	
800040	RISER MANHOLE 1-1/2"	
	RISER MANHOLE 1-1/2"	
800050	BEND PVC 8" 1/16 3034 SDR-35	
	BEND PVC 8" 1/16 3034 SDR-35	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800060	BEND PVC 4" 1/8 3034 SDR-35	
	BEND PVC 4" 1/8 3034 SDR-35	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800070	BEND PVC 6" 1/16 3034 SDR-35	
	BEND PVC 6" 1/16 3034 SDR-35	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800080	BEND PVC 6" 1/8 3034 SDR 35	
	BEND PVC 6" 1/8 3034 SDR 35	
	HARCO	N/A
	PLASTIC-TREND	N/A

	VASSALLO	N/A
800085	CLEANER HAND ANTISEPTIC	
	CLEANER HAND ANTISEPTIC	
	GOJO	814506
800090	BEND PVC 4" 1/16 3034 SDR-35	
	BEND PVC 4" 1/16 3034 SDR-35	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800100	BEND PVC 4" 1/8 3034 SDR-35	
	BEND PVC 4" 1/8 3034 SDR-35	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800130	COUPLING 18" PVC TO 18" PVC	
	COUPLING 18" PVC TO 18" PVC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800140	COUPLING 15" PVC TO 15" CONC	
	COUPLING 15" PVC TO 15" CONC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800150	COUPLING 4" PVC TO 4" CONC	
	COUPLING 4" PVC TO 4" CONC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800160	COUPLING 10" PVC TO 10" PVC	
	COUPLING 10" PVC TO 10" PVC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800170	COUPLING 12" PVC TO 12" PVC	
	COUPLING 12" PVC TO 12" PVC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800180	COUPLING 15" PVC TO 15" PVC	
	COUPLING 15" PVC TO 15" PVC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800190	COUPLING 6" PVC TO 6" PVC	
	COUPLING 6" PVC TO 6" PVC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800200	COUPLING 12" PVC TO 12" CONC	
	COUPLING 12" PVC TO 12" CONC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800210	COUPLING 18 PVC TO 18 CONC	
	COUPLING 18 PVC TO 18 CONC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A

800220	COUPLING 6 PVC TO 6 CONC	
	COUPLING 6 PVC TO 6 CONC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800230	COUPLING 8 PVC TO 8 CONC	
	COUPLING 8 PVC TO 8 CONC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800240	COUPLING 8 PVC TO 8 PVC	
	COUPLING 8 PVC TO 8 PVC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800250	DONUT CONN 6" PLAS - 4" SW	
	DONUT CONN 6" PLAS - 4" SW	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800260	DONUT CONC 6" PVC - 6"	
	DONUT CONN 6" PVC - 6"	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800270	DONUT FOR 4" FAST SADDLE	
	DONUT FOR 4" FAST SADDLE	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800280	DONUT 6" CONC TO 4" PVC BORE	
	DONUT 6" CONC TO 4" PVC BORE	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800290	EPOXY GLUE KIT	
	EPOXY GLUE KIT	
800300	FRAME MANHOLE CITY OFKNOXVILLE	
	FRAME MANHOLE CITY OF KNOXVILLE STANDARD STANDARD TRAFFIC BEARING MANHOLE FRAME MADE OF CAST IRON. FRAME SHALL WEIGH 235 LBS. *** WASTEWATER ***	
	ACHESON FOUNDRY	A -2101
	CAPITOL FOUNDRY OF VIRGINA INC	
	EAST JORDAN IRON WORKS INC	N/A
	JOHN BOUCHARD & SONS	1200
	OPELIKA FOUNDRY	N/A
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	N/A

800310 FRAME MANHOLE WATERTITE CITY
FRAME MANHOLE WATERTITE CITY CITY OF KNOXVILLE FRAME, MANHOLE, WATERTIGHT, NON-TRAFFIC BEARING, CAST IRON. INSCRIBED "SANITARY SEWER". WEIGHT 130 LBS ** CIT Y OF KNOXVILLE **

ACHESON FOUNDRY	A-1201
CAPITOL FOUNDRY OF VIRGINA INC	
EAST JORDAN IRON WORKS INC	N/A
JOHN BOUCHARD & SONS	1175
OPELIKA FOUNDRY	N/A
SIGMA/NAPPCO/RUSSELL	N/A
TYLER	N/A

800320 GASKET MATERIAL BUTYL TITE
GASKET MATERIAL BUTYL TITE

800330 BUSHING INCREASER 6" X 4" PVC
BUSHING INCREASER 6" X 4" PVC

800340 LID MANHOLE STANDARD CITY
LID MANHOLE STANDARD CITY

ACHESON FOUNDRY	A-2101
CAPITOL FOUNDRY OF VIRGINA INC	N/A
EAST JORDAN IRON WORKS INC	
JOHN BOUCHARD & SONS	1200
OPELIKA FOUNDRY	N/A
SIGMA/NAPPCO/RUSSELL	N/A
TYLER	N/A

800350 LID MANHOLE WATERTITE CITY
LID MANHOLE WATERTITE CITY CITY OF KNOXVILLE 120 LBS WATERTIGHT, NON-TRAFFIC BEARING MANHOLE COVER SHALL BE CAST IRON. THE COVER SHALL WEIGH 120 LBS ** KNOXVILLE UTILITIES BOARD **

ACHESON FOUNDRY	A-2101
CAPITOL FOUNDRY OF VIRGINA INC	N/A
EAST JORDAN IRON WORKS INC	
JOHN BOUCHARD & SONS	1175
OPELIKA FOUNDRY	N/A
SIGMA/NAPPCO/RUSSELL	N/A
TYLER	N/A

800400 PIPE PVC 18 L 13' W/GASKET
PIPE PVC 18 L 13' W/GASKET PVC GRAVITY SEWER PIPE, 18" THRU 27", SHALL MEET SPECIFICATION OF ASTM F-679 SDR-35 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT. SEALING RING SHALL MEET SPECIFICATION OF CAPCO

EXTRUSION TECHNOLOGY INC	N/A
J M MFG CO INC	N/A
QUAIL	N/A

800410 PIPE PVC 4 L 13' W/GASKET
PIPE PVC 4 L 13' W/GASKET PVC GRAVITY SEWER PIPE, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR-35 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT. SEALING RING SHALL MEET SPECIFICATION OF

CAPCO	N/A

	EXTRUSION TECHNOLOGY INC	N/A
	J M MFG CO INC	N/A
	QUAIL	

800440 PLUG 6 CLEAN-OUT
PLUG 6 CLEAN-OUT FITTING FOR PVC SEWER PIPE SHALL MEET TH E REQUIREMENT OF ASTM D-3034 SDR-35 PVC 3034 SDR-35 TO FIT OUTSIDE SPIGOT EN D SEWER PIPE

	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A

800450 PLUG PVC 6" 3034 SDR-35
PLUG PVC 6" 3034 SDR-35

	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A

800460 PLUG PVC 8" 3034 SDR-35
PLUG PVC 8" 3034 SDR-35

	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A

800470 PLUG PRECO
PLUG PRECO

800490 TEE WYE PVC 15" X 15" X 6"
TEE WYE PVC 15" X 15" X 6"

	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A

800500 TEE WYE PVC 8" X 8" X 8"
TEE WYE PVC 8" X 8" X 8"

	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A

800510 TEE WYE PVC 4" X 4" X 4"
TEE WYE PVC 4" X 4" X 4"

	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A

800520 TEE WYE PVC 10" X 10" X 6"
TEE WYE PVC 10" X 10" X 6"

	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A

800530 TEE WYE PVC 12" X 12" X 6"
TEE WYE PVC 12" X 12" X 6"

	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A

800550 TEE WYE PVC 8" X 8" X 6"
TEE WYE PVC 8" X 8" X 6"

	HARCO	N/A
	PLASTIC-TREND	N/A

	VASSALLO	N/A
800560	TRANSITE WATER STOP 10" FERNCO	
	TRANSITE WATER STOP 10" FERNCO	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800570	TRANSITE WATER STOP 12" FERNCO	
	TRANSITE WATER STOP 12" FERNCO	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800580	TRANSITE WATER STOP 15" FERNCO	
	TRANSITE WATER STOP 15" FERNCO	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800590	TRANSITE WATER STOP 18" FERNCO	
	TRANSITE WATER STOP 18" FERNCO	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800600	TRANSITE WATER STOP 4" FERNCO	
	TRANSITE WATER STOP 4" FERNCO	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800610	TRANSITE WATER STOP 6" FERNCO	
	TRANSITE WATER STOP 6" FERNCO	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800620	TRANSITE WATER STOP 8" FERNCO	
	TRANSITE WATER STOP 8" FERNCO	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800630	WYE PVC 6" X 6" 3034 SDR-35	
	WYE PVC 6" X 6" 3034 SDR-35	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800640	WYE PVC 8 X 8 X 6 ASTM	
	WYE PVC 8 X 8 X 6 ASTM	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800650	COUPLING 4 PVC TO 4 PVC	
	COUPLING 4 PVC TO 4 PVC	
	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800660	BEND PVC 8" 1/8 3034 SDR-35	
	BEND PVC 8" 1/8 3034 SDR-35	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800670	COUPLING 10 PVC TO CONC	
	COUPLING 10 PVC TO CONC	

	FERNCO	N/A
	INDIANA SEALS MANU	N/A
800673	KIT BACKFLOW PREVENTER 3/4 X 1	
	KIT BACKFLOW PREVENTER 3/4 X 1	
	WATTS REGULATOR	887130
800674	KIT BACKFLOW PREVENTER 1 1/4 X	
	KIT BACKFLOW PREVENTER 1 1/4 X	
	WATTS REGULATOR	887144
800675	KIT BACKFLOW PREVENTER 2 1/2 X	
	KIT BACKFLOW PREVENTER 2 1/2 X	
	WATTS REGULATOR	887750
800676	KIT BACKFLOW PREVENTER 4	
	KIT BACKFLOW PREVENTER 4	
	WATTS REGULATOR	887151
800677	KIT BACKFLOW PREVENTER 6	
	KIT BACKFLOW PREVENTER 6	
	WATTS REGULATOR	887152
800680	PLUG PVC 4 PVC 3034 SDR-35	
	PLUG PVC 4 PVC 3034 SDR-35	
	HARCO	N/A
	PLASTIC-TREND	N/A
	VASSALLO	N/A
800681	PIPE POLY SEWER 1 1/4	
	PIPE POLY SEWER 1 1/4 PIPE 3408 HIGH DENSITY POLY 1 1/4 IPS SDR 11 500' COIL MANU. IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY	
	AMERIPLAST INCORPORATED	N/A
	RINKER MATERIALS	N/A
800682	PIPE POLY SEWER 2	
	PIPE POLY SEWER 2 PIPE 3408 HIGH DENSITY POLY 2 IPS SDR 11 500' COIL MANU. IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY	
	AMERIPLAST INCORPORATED	N/A
	RINKER MATERIALS	N/A
800683	PIPE POLY SEWER 3 ER	
	PIPE POLY SEWER 3 ER PIPE 3408 HIGH DENSITY POLY 3 IPS SDR 11 40' LENGTH MANU. IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY	
	AMERIPLAST INCORPORATED	N/A
	RINKER MATERIALS	N/A
800684	PIPE POLY SEWER 4	
	PIPE POLY SEWER 4 PIPE 3408 HIGH DENSITY POLY 4 IPS SDR 11 40' LENGTH MANU. IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY	
	AMERIPLAST INCORPORATED	N/A
	PERFORMANCE PIPE	N/A
	RINKER MATERIALS	N/A
800685	PIPE POLY SEWER 6 ER	
	PIPE POLY SEWER 6 ER PIPE 3408 HIGH DENSITY POLY 6 IPS SDR 11 40' LENGTH MANU. IN COMPLIANCE WITH ASTM F714 AND ASTM D3035 WITH A CO-EXTRUDED	

GREEN COVER OR EXTRUDED SOLID GREEN STRIPES (MINIMUM 3 EQUALLY
AMERIPLAST INCORPORATED N/A
PERFORMANCE PIPE N/A
RINKER MATERIALS N/A

800686 VALVE POLY 1 1/4 FULL BORE
VALVE POLY 1 1/4 FULL BORE POLY VALVE BUTT FUSION OUTLETS MADE FROM PE-3408 MARLEX TR418 COMPOUND VALVE TO HAVE 2" SQUARE HEAD ADAPTOR SDR 11 COLOR BLACK FULL OPEN PORT
NORDSTROM N/A

800687 VALVE POLY 2 FULL BORE
VALVE POLY 2 FULL BORE POLY VALVE BUTT FUSION OUTLETS MADE FROM PE-3408 MARLEX TR418 COMPOUND VALVE TO HAVE 2" SQUARE HEAD ADAPTOR SDR 11 COLOR BLACK FULL OPEN PORT
NORDSTROM N/A

800688 VALVE POLY 3 FULL BORE ER
VALVE POLY 3 FULL BORE ER POLY VALVE BUTT FUSION OUTLETS MADE FROM PE-3408 MARLEX TR418 COMPOUND VALVE TO HAVE 2" SQUARE HEAD ADAPTOR SDR 11 COLOR BLACK FULL OPEN PORT
NORDSTROM N/A

800689 VALVE POLY 4 FULL BORE
VALVE POLY 4 FULL BORE POLY VALVE BUTT FUSION OUTLETS MADE FROM PE-3408 MARLEX TR418 COMPOUND VALVE TO HAVE 2" SQUARE HEAD ADAPTOR SDR 11 COLOR BLACK FULL OPEN PORT
NORDSTROM N/A

800690 CAP POLY 1 1/4 BUTT
CAP POLY 1 1/4 BUTT
CENTRAL PLASTICS N/A
INDEPENDANT PIPE N/A
PERFORMANCE PIPE N/A

800691 CAP POLY 2 BUTT
CAP POLY 2 BUTT
CENTRAL PLASTICS N/A
INDEPENDANT PIPE N/A
PERFORMANCE PIPE N/A

800692 CAP POLY 3 BUTT ER
CAP POLY 3 BUTT ER
CENTRAL PLASTICS N/A
INDEPENDANT PIPE N/A
PERFORMANCE PIPE N/A

800693 CAP POLY 4 BUTT
CAP POLY 4 BUTT
CENTRAL PLASTICS N/A
INDEPENDANT PIPE N/A
PERFORMANCE PIPE N/A

800694 CAP POLY 1 1/4 SOCKET
CAP POLY 1 1/4 SOCKET
CENTRAL PLASTICS N/A
INDEPENDANT PIPE N/A
PERFORMANCE PIPE N/A

800695 CAP POLY 2 SOCKET
CAP POLY 2 SOCKET
CENTRAL PLASTICS N/A

	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800696	CAP POLY 3 SOCKET ER	
	CAP POLY 3 SOCKET ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800697	CAP POLY 4 SOCKET	
	CAP POLY 4 SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800698	TEE TAP PLASTIC 2 X 1 1/4	
	TEE TAP PLASTIC 2 X 1 1/4	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800699	TEE TAP PLASTIC 3 X 1 1/4 ER	
	TEE TAP PLASTIC 3 X 1 1/4 ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800700	MANHOLE RISER 1	
	MANHOLE RISER 1	
800701	RISER MANHOLE 1"	
	RISER MANHOLE 1"	
800702	MANHOLE RISER 1-1/2	
	MANHOLE RISER 1-1/2	
800704	MARKER SIGN FOR LOCATING	
	MARKER SIGN FOR LOCATING	
	CARSONITE	N/A
	REPNET	N/A
	UTICOM SYSTEMS INC	UTIPOSTS
800705	TEE TAP PLASTIC 4 X 1 1/4	
	TEE TAP PLASTIC 4 X 1 1/4	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800706	TEE TAP PLASTIC 6 X 1 1/4	
	TEE TAP PLASTIC 6 X 1 1/4	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800707	REDUCER PL 2 X 1 1/4 SOCKET	
	REDUCER PL 2 X 1 1/4 SOCKET	
	CENTRAL PLASTICS	N/A

	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800708	REDUCER PL 3 X 2 BUTT ER	
	REDUCER PL 3 X 2 BUTT ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800709	REDUCER PL 4 X 3 BUTT ER	
	REDUCER PL 4 X 3 BUTT ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800710	CEMENT PVC 1200 16 OZ CLEAR	
	CEMENT PVC 1200 16 OZ CLEAR	
800711	REDUCER PL 6 X 4 BUTT ER	
	REDUCER PL 6 X 4 BUTT ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800712	COUPLING PL 1 1/4 SOCKET	
	COUPLING PL 1 1/4 SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800713	COUPLING PL 2 SOCKET	
	COUPLING PL 2 SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800714	COUPLING PL 3 SOCKET ER	
	COUPLING PL 3 SOCKET ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800715	TEE PL 2 SOCKET	
	TEE PL 2 SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800716	TEE PL 3 SOCKET ER	
	TEE PL 3 SOCKET ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800717	TEE PL 2 BUTT	
	TEE PL 2 BUTT	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A

800718	TEE PL 3 BUTT ER	
	TEE PL 3 BUTT ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800719	TEE PL 4 BUTT	
	TEE PL 4 BUTT	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800720	LID MANHOLE WATERTITE STD 200#	
	LID MANHOLE WATERTITE STD 200#	
800721	ELL PL 1 1/4 90 DEG SOCKET	
	ELL PL 1 1/4 90 DEG SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800722	ELL PL 2 90 DEG SOCKET	
	ELL PL 2 90 DEG SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800723	ELL PL 3 90 DEG SOCKET ER	
	ELL PL 3 90 DEG SOCKET ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800724	ELL PL 1 1/4 90 DEG BUTT	
	ELL PL 1 1/4 90 DEG BUTT	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800725	ELL PL 2 90 DEG BUTT	
	ELL PL 2 90 DEG BUTT	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800726	ELL PL 3 90 DEG BUTT ER	
	ELL PL 3 90 DEG BUTT ER	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800727	ELL PL 4 90 DEG BUTT	
	ELL PL 4 90 DEG BUTT	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800728	ELL PL 6 90 DEG BUTT ER	
	ELL PL 6 90 DEG BUTT ER	
	CENTRAL PLASTICS	N/A

	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A

800729 TRANSITION FITTING 1 1/4 POLY
TRANSITION FITTING 1 1/4 POLY TO 1 1/4 STAINLESS TRANSITION FITTING FROM 1 1/4 IPS 3408 POLY SDR 11 TO 1 1/4 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6 INCHES

	POLY CAM	N/A

800730 FRAME MANHOLE STANDARD #1210
FRAME MANHOLE STANDARD #1210

800731 TRANSITION FITTING 2 POLY
TRANSITION FITTING 2 POLY TO 2 STAINLESS TRANSITION FITTING FROM 2 IPS 3408 POLY SDR 11 TO 2 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6 INCHES

	POLY CAM	N/A

800732 TRANSITION FITTING 3 POLY ER
TRANSITION FITTING 3 POLY ER TO 3 STAINLESS TRANSITION FITTING FROM 3 IPS 3408 POLY SDR 11 TO 3 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6

	POLY CAM	N/A

800733 SADDLE BRANCH 2 X 1 1/4
SADDLE BRANCH 2 X 1 1/4

	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A

800734 SADDLE BRANCH 3 X 1 1/4 ER
SADDLE BRANCH 3 X 1 1/4 ER

	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A

800735 SADDLE BRANCH 4 X 1 1/4
SADDLE BRANCH 4 X 1 1/4

	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A

800736 SADDLE BRANCH 6 X 1 1/4
SADDLE BRANCH 6 X 1 1/4

	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A

800737 VALVE BOX LID SEWER
VALVE BOX LID SEWER

	OPELIKA FOUNDRY	N/A
	TYLER FOUNDRY	N/A

800738 AIR RELEASE/AIR VACUUM VALVE
AIR RELEASE/AIR VACUUM VALVE COMBINATION SEWER NON-METALLIC CORROSION RESISTANT OPERATING MECHANISM WORKING PRESSURE 3 TO 150 PSI CONICAL SHAPED REINFORCED NYLON BODY WITH CAM LOCK BACK FLUSH

	A R I	D025

800739 SADDLE TAPPING PVC 2 X 1 1/2
SADDLE TAPPING PVC 2 X 1 1/2 SELF TAPPING PLASTIC SADDLE FOR 2" IPS PVC MAINS WITH 1 1/4 IPS COMPRESSION OUTLET AND 1 1/2 COUPON RETAINING PUNCH

	CONTINENTAL INDUSTRIES	5161-17-2515-00

800740 SADDLE TAPPING PVC 4 X 1 1/2
SADDLE TAPPING PVC 4 X 1 1/2 SELF TAPPING PLASTIC SADDLE FOR PVC 4" IPS MAINS WITH 1 1/4 IPS COMPRESSION OUTLET AND 1 1/2 COUPON RETAINING PUNCH
CONTINENTAL INDUSTRIES 5161-21-2515-00

800741 SADDLE TAPPING PVC 2 X 2
SADDLE TAPPING PVC 2 X 2 SELF TAPPING PLASTIC SADDLE FRO PVC 2" IPS MAINS WITH 2 IPS COMPRESSION OUTLET AND 1 1/2 COUPON RETAINING POUCH
CONTINENTAL INDUSTRIES 5161-17-2517-00

800742 KIT BACKFLOW FEBCO 3/4 X 1
KIT BACKFLOW FEBCO 3/4 X 1
FEBCO BACKFLOW PREVENTION 905111

800743 KIT BACKFLOW FEBCO 1 1/4 X 2
KIT BACKFLOW FEBCO 1 1/4 X 2
FEBCO BACKFLOW PREVENTION 905112

800744 TRANSITION FITTING 1 POLY TO 1
TRANSITION FITTING 1 POLY TO 1 STAINLESS TRANSITION FITTING FROM 1 IPS 3408 POLY SDR 9 TO 1 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 4 INCHES
POLY CAM N/A

800745 TRANSITION FITTING 1 POLYTO 3/
TRANSITION FITTING 1 POLYTO 3/4 STAINLES TRANSITION FITTING FROM 1 IPS 3408 POLY SDR 11 TO 3/4 STAINLESS STEEL, MALE PIPE THREAD MINIMUM LENGTH 6 INCHES
POLY CAM N/A

800749 LOTION MOISTURIZING
LOTION MOISTURIZING ZEP V.I.P. 17fl oz prod. 0979
ZEP MANUFACTURING 17 OZ. BOTTLE W/PUMP

800750 LID SEWER POLY-CONCRETE WITH L
LID SEWER POLY-CONCRETE WITH LIFT EYE
CARSONITE 1015

800751 BOX SEWER POLY CARSON 1015-12
BOX SEWER POLY CARSON 1015-12
CARSONITE 1015-12

800753 INFRA-RISER FLAT 1/4" 26" I
INFRA-RISER FLAT 1/4" 26" I

800754 INFRA-RISER FLAT 1/2" 26" I
INFRA-RISER FLAT 1/2" 26" I

800755 INFRA-RISER FLAT 1" 26" ID
INFRA-RISER FLAT 1" 26" ID

800756 INFRA-RISER FLAT 2" 26" ID
INFRA-RISER FLAT 2" 26" ID

800757 INFRA-RISER FLAT 3" 26" ID
INFRA-RISER FLAT 3" 26" ID

800758 INFRA-RISER TAPERED 1/2"--1"
INFRA-RISER TAPERED 1/2"--1"

800759 INFRA-RISER TAPERED 1"--1.5"
INFRA-RISER TAPERED 1"--1.5"

800760 INFRA-RISER TAPERED 1.5"--2"
INFRA-RISER TAPERED 1.5"--2"

800762 INFRA-RISER FLAT 1.5" 26" I
INFRA-RISER FLAT 1.5" 26" I

800768 DIRTBAG SEDIMENT FILTRATION BA
DIRTBAG SEDIMENT FILTRATION BAGS USED FOR FILTERING DIRTY MUDDY WATER (SIZE 5' X 5')

800769 GUTTER BUDDIES 6 FOOT
GUTTER BUDDIES 6 FOOT PREVENTS SILT AND OTHER DEBRIS FROM ENTERING STORM SEWERS AND CATCH BASINS

800770 GUTTER BUDDIES 8 FOOT
GUTTER BUDDIES 8 FOOT PREVENTS SILT AND OTHER DEBRIS FROM ENTERING STORM SEWERS AND CATCH BASINS

800771 GUTTER BUDDIES 12 FOOT
GUTTER BUDDIES 12 FOOT PREVENTS SILT AND OTHER DEBRIS FORM ENTERING STORM SEWER AND CATCH BASINS

800773 EPOXY KOP-COAT A-788
EPOXY KOP-COAT A-788 EPOXY POLYAMIDE, SOLVEN-FREE PATCHING COMPUND USED FOR REAIRING PITS, CRACKS AND VOIDS IN STEEL, CONCRETE, WOOD AND OTHER SURFACES HAS THE UNIQUE ABILITY TO BE MIXED, APPLIED AND CURED

800774 SADDLE TEE 10" X 6" SEWER
SADDLE TEE 10" X 6" SEWER SADDLE TEE GAKET BRANCH, GASKET SKIRT WITH STRAPS GPK PRODUCTS, INC. 136-0106

GPK PRODUCTS INC	136-0106

800776 LID MANHOLE *WATER* 1040AGS
LID MANHOLE *WATER* 1040AGS

ACHESON FOUNDRY	N/A
CAPITOL FOUNDRY OF VIRGINA INC	N/A
EAST JORDAN IRON WORKS INC	1040 AGS WATER
JOHN BOUCHARD & SONS	N/A
OPELIKA FOUNDRY	
SIGMA/NAPPCO/RUSSELL	N/A
TYLER FOUNDRY	N/A

800777 FRAME MANHOLE 1045 ZPT
FRAME MANHOLE 1045 ZPT STANDARD TRAFFIC BEARING MANHOLE FRAME MADE OF CAST IRON. FRAME EST. WEIGHT 165 LBS. 1045 ZPT 24" DIAMETER OPENING, 7" HEIGHT, 1 1/2" 26 1/4" DIAMETER LID

ACHESON FOUNDRY	N/A

	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	EAST JORDAN IRON WORKS INC	104509 1045ZPT
	JOHN BOUCHARD & SONS	N/A
	OPELIKA FOUNDRY	N/A
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER FOUNDRY	
800778	LID MANHOLE *WASTE WATER* BOL	
	LID MANHOLE *WASTE WATER* BOLT DOWN	
	ACHESON FOUNDRY	N/A
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	EAST JORDAN IRON WORKS INC	1040 APT WASTEWATER
	JOHN BOUCHARD & SONS	N/A
	OPELIKA FOUNDRY	N/A
	SIGMA/NAPPCO/RUSSELL	
	TYLER FOUNDRY	N/A
800779	TEE PL 1" SOCKET	
	TEE PL 1" SOCKET	
	CENTRAL PLASTICS	N/A
	INDEPENDANT PIPE	N/A
	PERFORMANCE PIPE	N/A
800780	BEND PVC 6" 1/8 3034 SDR 35	
	BEND PVC 6" 1/8 3034 SDR 35	
800786	FERNCO COUPLING 3" PVC X PVC	
	FERNCO COUPLING 3" PVC X PVC	
	FERNCO	1056-33
800789	SAFETY CAPS	
	SAFETY CAPS	
	#RSC-150-0002	
800790	TEE WYE PVC 8" X 8" X 6"	
	TEE WYE PVC 8" X 8" X 6"	
800792	ROUND CONCRETE SECTION 48" X 2	
	ROUND CONCRETE SECTION 48" X 24"	
800797	CLEANOUT BRASS 4"	
	CLEANOUT BRASS 4"	
800799	CLEANOUT BRASS 6"	
	CLEANOUT BRASS 6"	
800800	SADDLE SEWER 8-14.40X6	
	SADDLE SEWER 8-14.40X6 CB 6.66 UN.ROMAC SEWER SADDLE SHALL BE DUCTILE IRON CASTING TO MEET ASTM 536-80 WITH AN ADJUST- ABLE STAINLESS STEEL STRAP. THE GASKET SHALL HAVE AN INTERVAL STOP THAT PRE- VENTS THE LATERAL FROM PROTRUDING INTO T	
	ROMAC INDUSTRIES INC	STYLE CB

800801	COUPLING 8" PVC TO 8" CLAY FE COUPLING 8" PVC TO 8" CLAY FERNCO	
800802	COUPLING 8" PVC TO 6" PVC COUPLING 8" PVC TO 6" PVC FERNCO FERNCO	1006-88
800805	GRADE RINGS 3" CONCRETE GRADE RINGS 3" CONCRETE SHERMAN-DIXIE PART #KMHGR326	
800806	GRADE RINGS 4" CONCRETE GRADE RINGS 4" CONCRETE SHERMAN-DIXIE PART #KMHGR426	
800808	GRADE RINGS 6" CONCRETE GRADE RINGS 6" CONCRETE	
800810	SADDLE SEWER 14.40-25.80X6 SADDLE SEWER 14.40-25.80X6 CB 6.66 UN.ROMAC SEWER SADDLE SHALL BE DUCTILE IRON CASTING TO MEET ASTM 536-80 WITH AN ADJUST- ABLE STAINLESS STEEL STRAP. THE GASKET SHALL HAVE AN INTERVAL STOP THAT PRE- VENTS THE LATERAL FROM PROTRUDING INTO T ROMAC INDUSTRIES INC	STYLE CB
800811	PUMP HOSE AND SCREEN 2" PUMP HOSE AND SCREEN 2" KNOXVILLE RUBBER & GASKET CO	HOSE #113 & SCREEN #RHS-25
800812	SUCTION HOSE 1" X 15' SUCTION HOSE 1" X 15' GREEN PVC SUCTIN HOSE 2?1" FNPT X 1" KC AND 1" X 1 1/2" BUSH AND STRAINER SS CLAMP	
800813	CLEANOUT 2WAY W/ GSKTED HUB 6" CLEAN OUT 2 WAY 6" GASKETED HUB X GASKETED HUB X GASKETED HUB SHALL BE MANUFACTURED IN ACCORDANCE WITH ASTM D 3034, ASTM F 1336, AND CSA B A822. GASKETS SHALL BE MANUFACTURED IN ACCORDANCE WITH ASTM F477 OR ASTM PLASTIC-TREND	G 1006
800814	CLEANOUT LID FOR 2 WAY CLEANOU CLEANOUT LID WITH DURA-COATED CAST IRON BODY, WITH GAS AND WATERTIGHT ABS TAPERED THREAD PLUG, AND ROUND SCORIATED SECURED COVER AND FRAME ZURN INDUSTRIES INC WILKINS DIVISION	Z-1402 6NLZVP
800815	REBAR 1/2" X 18 1/2" LONG REBAR 1/2" X 18 1/2" LONG	
800819	ANTI-FREEZE RV & MARINE ANTI-FREEZE RV AND MARINE	
800820	COUPLING 6" PVC TO 4" PVC COUPLING 6" PVC TO 4" PVC FERNCO	N/A

INDIANA SEALS MANU N/A

800829 INSERTA-TEE 8" X 6" SDR26
INSERTA-TEE 8" X 6" SDR26 GASKETED BELL PIPE FITTING, BELL END ACCEPTS PIPE WITH SDR26, ASTMD 3034 OR EQUIVALENT O.D., SPIGOT END PVC SDR26, ASTM D

800830 PLUG PVC 4 CLEAN-OUT
PLUG PVC 4 CLEAN-OUT

800833 LID MANHOLE 23 1/4" WASTEWATE
LID MANHOLE 23 1/4" **WASTEWATER** STANDARD MANHOLE LID FOR V-1455 FRAME, KUB LOGO, LID SHALL HAVE TWO NON-PENETRATING PICKHOLES, EST. WEIGHT 154 LBS, LID SHALL BE MADE OF CAST IRON ASTMA48 CL35B. SEE STANDARDS SECTION #02530 AND KUB STANDARDS DRAWING
EAST JORDAN IRON WORKS INC V-1455 WASTEWATER

800834 LID MANHOLE 23 1/4" **WATER**
LID MANHOLE 23 1/4" *WATER* STANDARD MANHOLE LID FOR V-1455 FRAME, KUB LOGO, LID SHALL HAVE TWO NON-PENETRATING PICKHOLES, EST. WEIGHT 154 LBS, LID SHALL BE MADE OF CAST IRON ASTM A48 CL35B. SEE STANDARDS SECTION
EAST JORDAN IRON WORKS INC V-1455 WATER

800835 FRAME MANHOLE KUB V-1455
FRAME MANHOLE KUB V-1455 STANDARD TRAFFIC BEARING MANHOLE FRAME MADE OF CAST IRON ASTM A48 CL30B, FRAME EST. WEIGHT 260 LBS. SEE STANDARDS SECTION #02530.
EAST JORDAN IRON WORKS INC V-1455

800840 WYE PVC 4 X 4 X 4 3034 SDR-35
WYE PVC 4 X 4 X 4 3034 SDR-35

800841 ROOT CUTTER BLADES 6"
ROOT CUTTER BLADES 6"
CLOVERLEAF #C6CB

800842 ROOT CUTTER BLADES 8"
ROOT CUTTER BLADES 8"
CLOVERLEAF #C8CB

800843 ROOT CUTTER BLADES 10"
ROOT CUTTER BLADES 10"
CLOVERLEAF #C10CB

800844 ROOT CUTTER BLADES 12"
ROOT CUTTER BLADES 12"
CLOVERLEAF #C12CB

800845 ROOT CUTTER BLADES 15"
ROOT CUTTER BLADES 15"
CLOVERLEAF #C15CB

800846 ROOT CUTTER BLADES 18"
ROOT CUTTER BLADES 18"
CLOVERLEAF #C18CB

800847 TIGER TALES
TIGER TALES
#CH63 3" X 36"

800848 SEWER BOOMS #T270
SEWER BOOMS #T270

800850 MANHOLE BOOT 12X6 PVC
MANHOLE BOOT 12X6 PVC
PRESS SEAL PRESSBOOT 12-6

800851 LIME HYDRATED 50LB-BAG
LIME HYDRATED 50# BAG

800852 SUPER-SOCKS
SUPER SOCKS

800853 FRAME MANHOLE WATERTIGHT
FRAME MANHOLE WATERTIGHT, STANDARD WATERTIGHT MANHOLE FRMAE WITH INNER COVER, MADE OF CAST IRON ASTM 148 CL30B, FRAME EST. WEIGHT 400 LBS. SEE STANDARDS SECTION #02530.
U S PIPE & FOUNDRY CO 654-AY-ORS

800854 LID WATERTIGHT 29" **WASTEWATE
LID MANHOLE 29" WATERTIGHT **WASTEWATER** STANDARD WATERTIGHT MANHOLE LID FOR V-2150-3 FRAME, KUB LOGO, LID SHALL HAVE TWO NON-PENETRATING PICKHOLES, EST WEIGHT 190 LBS, LID SHALL BE MADE OF CAST IRON ASTM A48 CL35B. SEE STANDARDS SECTION #02530.
U S PIPE & FOUNDRY CO 654-AY-ORS

800855 FRAME MANHOLE 26 1/4" COVER OP
FRAME MANHOLE 1045 Z STANDARD TRAFFIC BEARING MANHOLE FRAME MADE OF CAST IRON. FRAME EST. WEIGHT 165 LBS. 1045 Z 24" DIAMETER OPENING, 7" HEIGHT, 1 1/2" 26 1/4" DIAMETER LID
EAST JORDAN IRON WORKS INC 104511

800856 LID MANHOLE 26" "WASTEWATER"
LID MANHOLE 26" **WASTEWATER** , STANDARD MANHOLE LID FOR V-1045 Z FRAME, KUB LOGO, LID SHALL HAVE TWO NON-PENETRATING PICKHOLES, EST. WEIGHT 145 LBS, LID SHALL BE MADE OF CAST IRON ASTM 148 CL35B. SEE STANDARDS SECTION
EAST JORDAN IRON WORKS INC 103917

800857 LID MANHOLE 26" **WATER**
LID MANHOLE 26" **WATER** STANDARD MANHOLE LID FOR V-1047 Z FRAME, KUB LOGO, LID SHALL HAVE TWO NON-PENETRATING PICKHOLES, EST WEIGHT 145 LBS, LID SHALL BE MADE OF CAST IRON ASTM A48 CL35B. SEE STANDARDS SECTION
EAST JORDAN IRON WORKS INC

800859 POLYURETHANE PREMIUM CONSTRUCT
POLYURETHANE PREMIUM CONSTRUCTION ADHESIVE

800860 MANHOLE BOOT 12" X 8 PVC
MANHOLE BOOT 12" X 8 PVC
PRESS SEAL PRESSBOOT 12-8

800867 SEWER OVERFLOW SIGNS W/ STANDS

SEWER OVERFLOW SIGNS W/ STANDS
FAST SIGNS

800870 MANHOLE CONCRETE PRECAST
MANHOLE CONCRETE PRECAST

800874 BOX METER MB-1
BOX METER MB-1 PLASTIC METER BOX WITH CAST IRON LOCK DOWN LID
SOUTHEASTERN COMPANY N/A

800881 TAPE "CAUTION SANITARY SEWER O
TAPE "CAUTION SANITARY SEWER O
EMPIRE LEVEL MANUFACTURING STY31

800888 DEODORANT CONTROL BLOCK
DEODORANT CONTROL BLOCK
GIFT 606

800890 COUPLING 1" SEWER CLEANER
COUPLING 1" SEWER CLEANER

800896 CEMENT PVC-PIPE 16-OZ GRAY
CEMENT PVC 1700 16 OZ GRAY

800898 PIPE SEWER 4 INCH SDR26
PIPE SEWER PVC 4 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT. SEALING RING SHALL MEET SPECIFICATION OF ASTM-477. GASKET

800899 PIPE SEWER PVC SDR-26 6"
PIPE SEWER PVC 6 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.

800900 PIPE SEWER PVC SDR-26 8"
PIPE SEWER PVC 8 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.

800901 PIPE SEWER PVC SDR-26 10"
PIPE SEWER PVC 10 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.

800902 PIPE SEWER PVC SDR-26 12"
PIPE SEWER PVC 12 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.

800903 WYE 6 INCH GASKETED SDR26
WYE 6 INCH GASKETED SDR26
HARCO 501-0606

800904 BEND 6 INCH 45 DEG. GASKETED S
BEND 6 INCH 45 DEG. GASKETED SDR26

HARCO 522-060

800905 BEND 6 INCH STREET 45 DEG. G &
BEND 6 INCH STREET 45 DEG. G & S SDR26
HARCO 523-060

800906 BEND 6 INCH 22 1/2 DEG. GASKET
BEND 6 INCH 22 1/2 DEG. GASKETED SDR26
HARCO 254-060

800907 BEND 6 INCH STREET 22 1/2 DEG.
BEND 6 INCH STREET 22 1/2 DEG. G & S SDR26
HARCO 525-060

800908 PLUG 6 INCH SDR26
PLUG 6 INCH SDR26
HARCO 544.060

800909 CAP 6 INCH GASKETED SDR26
CAP 6 INCH GASKETED SDR26
HARCO 549-060

800910 TEE-WYE 8 INCH X 6 INCH GASKET
TEE-WYE 8 INCH X 6 INCH GASKETED SDR26
HARCO 505-0806

800911 PIPE SEWER PVC SDR-26 15"
PIPE SEWER PVC 15 INCH SDR26, 13' LENGTH W/GASKET FOR GRAVITY SEWER, 4" THRU 15" SHALL MEET SPECIFICATION OF ASTM 3034 SDR26 WITH A "LOCKED IN" SEALING RING WHICH PROVIDES A TIGHT FLEXIBLE JOINT.

800912 PIPE DI 4 INCH PC350 CERAMIC E
PIPE DI 4 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND
MCWANE CAST IRON PIPE CO 4 INCH PROTECTO 401

800913 PIPE DI 6 INCH PC350 CERAMIC E
PIPE DI 6 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND
MCWANE CAST IRON PIPE CO 6 INCH PROCTECTO 401

800914 PIPE DI 8 INCH PC350 CERAMIC E
PIPE DI 8 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND
MCWANE CAST IRON PIPE CO 8 INCH PROTECTO 401

800915 PIPE DI 10 INCH PC350 CERAMIC
PIPE DI 10 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND
MCWANE CAST IRON PIPE CO 10 INCH PROTECTO 401

800916 PIPE DI 12 INCH PC350 CERAMIC
PIPE DI 12 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE

IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND
MCWANE CAST IRON PIPE CO 12 INCH PROTECTO 401

800917 PIPE DI 16 INCH PC350 CERAMIC
PIPE DI 16 INCH PC350 CERAMIC EPOXY LINED MADE OF GOOD QUALITY DUCTILE IRON IN CONFORMANCE WITH THE LATEST REVISION OF AWWA C151/A21.51. PUSH-ON JOINT WITH A MINIMUM PRESSURE CLASS OF 150PSI FOR PIPE SIZES 24 INCHES AND LARGER. CERAMIC EPOXY LINED AND
MCWANE CAST IRON PIPE CO 16 INCH PROTECTO 401

800918 SADDLE-TEE PVC SDR-35 8"X6"
SADDLE TEE SEWER 8 X 6 SDR35
GPK #G218-6

800920 MANHOLE LID LIFTER EZ-LIFT
MANHOLE LID LIFTER EZ-LIFT REMOVES LIDS THAT ARE FROM 22" TO 26" IN DIAMETER

801506 GREASE MULTI-PURPOSE HI-TEMP
GREASE MULTI-PURPOSE HI-TEMP CART ZENIPLEX ALUMINUM MUTI-PURPOSE GREASE, OPERATING RANGE 0 DEGREE F. TO 400 DEGREE F., 450 DEGREE INTERMITTENT USE. NET WEIGHT 14.1 OZ. CARTRIDGE TYPE FOR HAND OPERATED
KEYSTONE/PENWALT K 112420

801654 GREASE MULT-PURP WHITE LITHIUM
GREASE MULT-PURP WHITE LITHIUM
AMERICAN CONTINENTAL TECHLAB LITHOLUBE

803064 TOWEL HAND-CLEANER WATERLESS
TOWEL HAND CLEANER WATERLESS ROUGH TOUCH SCRUBS IN A BUCKET WATERLESS HAND CLEANER TOWELS CONTAINS 72 10-1/2" X 12-1/4" PREMOISTENED DEEP CLEAN NING MULTI-PURPOSE SCRUBS
DYMON C-422

803569 DEGREASER SPRAY
DEGREASER SPRAY 20 OZ CAN DEGREASER, DUAL SPRAY JET STREAM WILL SHOOT APPROXIMATELY 8 FT, NON-CONDUCTIVE, SELF RINSING, NON-CORROSIVE, NON-STAININ G AEROSOL CANS.
OXFORD CHEMICALS, INC. DG-66

803643 BUCKET PLASTIC 14-QT
BUCKET PLASTIC 14 QUART
RUBBERMAID JN7-26141

803957 TAPE ADHESIVE TEFLON 1/2"X520M
TAPE TEFLON 1/2" X 520" MIL

804062 FILTER CLOTH DOUBLE
FILTER CLOTH DOUBLE
CROSSIBLE FILTRATION INC. 43X250W/POW1703

804567 GREASE MULTI-PURPOSE RED
GREASE MULTI-PURPOSE RED PENETRATES AND LUBRICATES DIFFICULT SURF ACE {WIRE ROPE, CABLE, ETC.} AIR CURES TO AN EXTRA HEAVY DUTY GREASE THAT HOLDS UP UNDER WIDE EXTREMES OF TEMPERATURE -40F TO +500F AND EXTREMES
PURE CORP GREASE GUN RED

807776	COUPLING GLV 2" COUPLING GLV 2"
807842	TEE GLV 1" TEE GLV 1"
807859	TEE GLV 1-1/2" TEE GLV 1-1/2"
807917	REDUCER BUSH GLV 2" TO REDUCER BUSH GLV 2" TO
807941	COUPLING GLV 1/2" COUPLING GLV 1/2"
809368	PRIMER HI-TECH #8700 PRIMER 8700 HI-TECH
811091	REDUCER BELL GLV 1/2" X 1/4" REDUCER BELL GLV 1/2" X 1/4"
811109	REDUCER BELL GLV 3/8" X 1/4" REDUCER BELL GLV 3/8" X 1/4"
811117	REDUCER BELL GLV 3/4" X 1/4" REDUCER BELL GLV 3/4" X 1/4"
811125	REDUCER BELL GLV 3/4" X 1/2" REDUCER BELL GLV 3/4" X 1/2"
811166	REDUCER BUSH HEX GLV 1/2"X1/4" REDUCER BUSH HEX GLV 1/2"X1/4"
811174	REDUCER BUSH HEX GLV 3/4"X1/2" REDUCER BUSH HEX GLV 3/4"X1/2"
811182	REDUCER BUSH GLV 1" X 1/2" REDUCER BUSH GLV 1" X 1/2"
811190	REDUCER BUSH HEX GLV 1"X3/4" REDUCER BUSH HEX GLV 1"X3/4"

811331	CAP GLV 1" CAP GLV 1"
811356	CAP GLV 2" CAP GLV 2"
811372	TEE GLV 1/4" TEE GLV 1/4"
811398	TEE GLV 3/4" TEE GLV 3/4"
811430	ELL GLV 1/4" 90-DEG ELL GLV 1/4" 90-DEG
811448	ELL GLV 1/2" 45-DEG ELL GLV 1/2" 45-DEG
811521	PLUG GLV 3/4" PLUG GLV 3/4"
811539	PLUG GLV 1/2" PLUG GLV 1/2"
811547	PLUG GLV 1/4" PLUG GLV 1/4"
811554	PLUG GLV 1/8" PLUG GLV 1/8"
811596	STREET ELL GLV 3/4" STREET ELL GLV 3/4"
811604	STREET ELL GLV 1/2" STREET ELL GLV 1/2"
811612	STREET ELL GLV 1/4" STREET ELL GLV 1/4"
811646	UNION GLV 1/2" UNION GLV 1/2"

811679	COUPLING GLV 1" COUPLING GLV 1"
811851	NIPPLE GLV 1/4" CLOSE NIPPLE GLV 1/4" CLOSE
811869	NIPPLE GLV 1/4" X 2" NIPPLE GLV 1/4" X 2"
811877	NIPPLE GLV 1/4" X 3" NIPPLE GLV 1/4" X 3"
811885	NIPPLE GLV 1/4" X 4" NIPPLE GLV 1/4" X 4"
811893	NIPPLE GLV 1/4" X 5" NIPPLE GLV 1/4" X 5"
811901	NIPPLE GLV 1/4" X 6" NIPPLE GLV 1/4" X 6"
811919	NIPPLE GLV 1/2" CLOSE NIPPLE GLV 1/2" CLOSE
811927	NIPPLE GLV 1/2" X 2 NIPPLE GLV 1/2" X 2
811935	NIPPLE GLV 1/2" X 3" NIPPLE GLV 1/2" X 3"
811943	NIPPLE GLV 1/2" X 4" NIPPLE GLV 1/2" X 4"
811950	NIPPLE GLV 1/2" X 5" NIPPLE GLV 1/2" X 5"
811968	NIPPLE GLV 1/2" X 6" NIPPLE GLV 1/2" X 6"
811976	NIPPLE GLV 3/4" CLOSE NIPPLE GLV 3/4" CLOSE
811984	NIPPLE GLV 3/4" X 2"

NIPPLE GLV 3/4" X 2"

811992 NIPPLE GLV 3/4" X 3"
NIPPLE GLV 3/4" X 3"

812008 NIPPLE GLV 3/4" X 4"
NIPPLE GLV 3/4" X 4"

812016 NIPPLE GLV 3/4" X 5"
NIPPLE GLV 3/4" X 5"

812024 NIPPLE GLV 3/4" X 6"
NIPPLE GLV 3/4" X 6"

812040 NIPPLE GLV 1" X 2"
NIPPLE GLV 1" X 2"

812107 NIPPLE GLV 2" X CLOSE
NIPPLE GLV 2" X CLOSE

814392 REDUCER BUSH GLV
REDUCER BUSH GLV

820811 TAPE BARRICADE 2" X 200'
TAPE BARRICADE 2" X 200'

822046 MANHOLE RISER 3
MANHOLE RISER 3

828012 PIPE STEEL 1-1/4" SCH 160 A106
PIPE STEEL 1-1/4" SCH 160 A106

836213 DETERGENT LAUNDRY LIQUID TIDE
DETERGENT TIDE LAUNDRY LIQ
PROCTOR & GAMBLE TIDE 64 OZ BOTTLE

836627 CLEANER DEGREASER
CLEANER DEGREASER
CONTINENTAL RESEARCH CORP. SUPER-200 14 OZ

837823 ELL GLV 3/8" 90-DEG
ELL GLV 3/8" 90-DEG GALVANIZED FITTING SHALL CONFORM TO ANSI STANDARD B16.3 (MALLEABLE IRON SCREWED FITTING 150 LBS.) FITTING SHALL BE FURNI SHED WITH

RIBS & BE GALVANIZED INSIDE & OUTSIDE WITH ZINC BY HOT DIP PROCESS.

837856 NIPPLE GLV 3/8" CLOSE
NIPPLE GLV 3/8" CLOSE GALVANIZED NIPPLE SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAM- LESS STEEL PIPE CONFORMING TO ASTM STANDARD A120. NIPPLE MUST NOT BE PAINTED.

837864 NIPPLE GLV 3/8" X 3"
NIPPLE GLV 3/8" X 3" GALVANIZED NIPPLE SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAM- LESS STEEL PIPE CONFORMING TO ASTM STANDARD A120. NIPPLE MUST NOT BE PAINTED.

837872 NIPPLE GLV 3/8" X 4"
NIPPLE GLV 3/8" X 4" GALVANIZED NIPPLE SHALL BE MADE FROM STANDARD WEIGHT GALVANIZED WELDED OR SEAM- LESS STEEL PIPE CONFORMING TO ASTM STANDARD A120. NIPPLE MUST NOT BE PAINTED.

838078 DYE {TRACER} TABLET L-00295-16
DYE {TRACER} TABLET L-00295-16
COLE-PARMER INSTRUMENT L-00295-16

838086 DYE {TRACER} TABLET L-00295-17
DYE {TRACER} TABLET L-00295-17
COLE-PARMER INSTRUMENT L-00295-17

839142 APRON GREY DISPOSABLE
APRON GREY DISPOSABLE
DUPONT TY274S
KIMBERLY CLARK 36550500

839407 BATTERY AKLALINE AAA-CELL 1.5V
BATTERY ALKA AAA CELL 1.5V
EVEREADY EN92

839415 BATTERY ALKALINE AA-CELL 1.5V
BATTERY ALKA AA CELL 1.5V
EVEREADY EN91

839423 BATTERY AKLALINE C-CELL 1.5V
BATTERY ALKA C CELL 1.5V
EVEREADY EN93

839431 BATTERY ALKALINE 9V
BATTERY ALKA 9V
EVEREADY EN22

839597 VALVE BALL1/4" BRASS
VALVE BALL1/4" BRASS
PARKER HANNIFIN V500P-4

839605 VALVE BALL 3/8" BRASS
VALVE BALL 3/8" BRASS
PARKER HANNIFIN V500P-6

839613 VALVE BALL 1/2" BRASS
VALVE BALL 1/2" BRASS
PARKER HANNIFIN V500P-8

839621 VALVE BALL 3/4" BRASS
VALVE BALL 3/4" BRASS

	PARKER HANNIFIN	V500P-12
839639	VALVE BALL 1" BRASS VALVE BALL 1" BRASS	
	PARKER HANNIFIN	V500P-16
839647	VALVE BALL 1-1/4" BRASS VALVE BALL 1-1/4" BRASS	
	PARKER HANNIFIN	V500P-20
839654	VALVE BALL 1-1/2" BRASS VALVE BALL 1-1/2" BRASS	
	PARKER HANNIFIN	V500P-24
839662	VALVE BALL 2" BRASS VALVE BALL 2" BRASS	
	PARKER HANNIFIN	V500P-32
839951	CREAM HAND MOISTURIZING CREAM HAND MOISTURIZING	
	GOJO	815012
840701	FRAME MANHOLE STANDARD FRAME MANHOLE STANDARD	
	ACHESON FOUNDRY	N/A
	ATLAS UTILITY SUPPLY CO	N/A
	CAPITOL FOUNDRY OF VIRGINA INC	
	EAST JORDAN IRON WORKS INC	N/A
	JOHN BOUCHARD & SONS	N/A
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	N/A
840712	LID MANHOLE STANDARD KUB NEW S LID MANHOLE STANDARD KUB NEW S	
	ACHESON FOUNDRY	N/A
	CAPITOL FOUNDRY OF VIRGINA INC	N/A
	EAST JORDAN IRON WORKS INC	N/A
	JOHN BOUCHARD & SONS	N/A
	OPELIKA FOUNDRY	N/A
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	
840734	FRAME MANHOLE WATERTITE K U B FRAME MANHOLE WATERTITE K U B NEW STYLE FRAME, MANHOLE, WATERTIGHT, NON-TRAFFIC BEARING, CAST IRON. INSCRIBED "SANITARY SEWER" NEW STYLE ** KNOXVILLE UTILITIES BOARD **	
	ACHESON FOUNDRY	N/A
	CAPITOL FOUNDRY OF VIRGINA INC	
	EAST JORDAN IRON WORKS INC	N/A
	JOHN BOUCHARD & SONS	N/A
	OPELIKA FOUNDRY	N/A
	SIGMA/NAPPCO/RUSSELL	N/A
	TYLER	N/A

PS 09

900001 METER DIAPHRAM GAS 250
AC-250 GAS METER, 5# WP METER, WITH CONNECTIONS INCLUDED

AMERICAN REGULATORS	AC-250
EQUIMETER	R-275
SCHLUMBERGER	250

900002 METER DIAPHRAM GAS 425
AL-425 GAS METER, 10# WP, WITH CONNECTIONS INCLUDED

AMERICAN REGULATORS	AL-425

900005 METER ROOTS ROTORY 8C
METER ROOTS ROTORY 8C

900006 METER ROOTS ROTORY 11C
METER ROOTS ROTORY 11C

900007 METER ROOTS ROTORY 2M
METER ROOTS ROTORY 2M

900008 METER ROOTS ROTORY 3M
METER ROOTS ROTORY 3M

900009 METER ROOTS ROTORY 5M
METER ROOTS ROTORY 5M

900010 METER ROOTS ROTORY 7M
METER ROOTS ROTORY 7M

900011 METER ROOTS ROTORY 11M
METER ROOTS ROTORY 11M

DRESSER MFG	11M-B3

900012 METER ROOTS ROTORY 16M
METER ROOTS ROTORY 16M

900013 METER ROOTS ROTORY 23
METER ROOTS ROTORY 23

900015 METER ROOTS TURBINE T18
METER ROOTS TURBINE T18

900016 METER ROOTS TURBINE T30

METER ROOTS TURBINE T30

900017 METER ROOTS TURBINE T60
METER ROOTS TURBINE T60

900018 METER WATER 5/8
METER WATER 5/8
NEPTUNE TECHNOLOGIES ED2A31R8F1S069

900019 METER WATER 1
METER WATER 1
NEPTUNE TECHNOLOGIES ED2F11R8F1S069

900020 METER WATER 1 1/2
METER WATER 1 1/2
NEPTUNE TECHNOLOGIES ED2H11R8F2S069

900021 METER WATER 2
METER WATER 2
NEPTUNE TECHNOLOGIES ED2J11R8F2S069

900022 3" TRU/FLO W/T10 P/R
3" TRU/FLO W/T10 P/R
NEPTUNE TECHNOLOGIES EC3BR6F8S069

900023 4" TRU/FLO W/T10 P/R
4" TRU/FLO W/T10 P/R
NEPTUNE TECHNOLOGIES EC3CR6F8S069

900024 6" TRU/FLO W/T10 P/R
6" TRU/FLO W/T10 P/R
NEPTUNE TECHNOLOGIES EC3DR6F8S069

900025 2# REGULATOR SERVICE 1 1/4
1813C, 1 1/4" X 1 1/4" GAS REFULATOR, THREADED, 2 LB PSI, 1/4" ORIFICE, (42" - 2 LB PSI, RED-RED)
AMERICAN REGULATORS 1813C 1 1/4"
FISHER REGULATORS 102

900026 2# REGULATOR SERVICE 1
1813C, 1" X 1" GAS REGULATOR, THREADED, 2 LB PSI, 1/4" ORIFICE, (42" -2 LB PSI, RED-RED)
AMERICAN REGULATORS 1813C 1"
FISHER REGULATORS 102

900027 2# REGULATOR SERVICE 3/4
1813C, 3/4" X 3/4" GAS REGULATOR, THREADED, 2PSI, 3/16" ORIFICE, (42" - 2 PSI, RED-
AMERICAN REGULATORS 1813C 3/4"
FISHER REGULATORS 102

900028 REGULATOR FIELD 1 (SCREWED)
REGULATOR FIELD 1 (SCREWED)
EQUIMETER 046-2 INTERNAL RELIEF

900042 REGULATOR PILOT OPERATED 2 (FL
REGULATOR PILOT OPERATED 2 (FL

	FISHER REGULATORS	1098-EGR-6353
900043	REGULATOR PILOT OPERATED 3	
	REGULATOR PILOT OPERATED 3	
900044	REGULATOR PILOT OPERATED 3 (FL	
	REGULATOR PILOT OPERATED 3 (FL	
	FISHER REGULATORS	1098-EGR-6353
900045	REGULATOR PILOT OPERATED 4	
	REGULATOR PILOT OPERATED 4	
900046	REGULATOR PILOT OPERATED 4 (FL	
	REGULATOR PILOT OPERATED 4 (FL	
	FISHER REGULATORS	1098-EGR-6353
900047	REGULATOR PILOT OPERATED 6 (FL	
	REGULATOR PILOT OPERATED 6 (FL	
	FISHER REGULATORS	1098-EGR-6353
900049	REGULATOR SERVICE 1 1/4	
	1813CM 1 1/4" X 1 1/4" GAS REGULATOR, THREADED, 7" WC, 1/4" ORIFICE, (5.5-8-5,	
	AMERICAN REGULATORS	1813C
900050	REGULATOR SERVICE 1	
	1813C, 1" X 1" GAS REGULATOR, THREADED, 7" WC, 1/4" ORIFICE, (5.5-8.5, YELLOW)	
	AMERICAN REGULATORS	1813-C
	EQUIMETER	143-80
	FISHER REGULATORS	102
	SCHLUMBERGER	
900051	REGULATOR SERVICE FLANGE 2"	
	REGULATOR SERVICE 2 (FLANGED)	
	SCHLUMBERGER	B-34-R
900052	REGULATOR SERVICE SCREW 2"	
	REGULATOR SERVICE 2 (SCREWED)	
	SCHLUMBERGER	B-34-R
900053	REGULATOR SERVICE 3/4"	
	1813C, 3/4" X 3/4" GAS REGULATOR, THREADED, 7" WC, 3/16", (5.5-8.5, YELLOW)	
	AMERICAN REGULATORS	1813-C
	EQUIMETER	
	FISHER REGULATORS	102
	SCHLUMBERGER	B-39-11-R
900054	REGULATOR SERVICE PILOT 2 (FLA	
	REGULATOR SERVICE PILOT 2 (FLA	
	SCHLUMBERGER	CL-34-2
900055	REGULATOR SERVICE PILOT 2 (SCR	
	REGULATOR SERVICE PILOT 2 (SCR	
	SCHLUMBERGER	CL-34-2
900060	STRAINER FLANGE 2"	

	STRAINER (FLANGED) 2"	
	KECKLY	GA
900061	STRAINER SCREW 2"	
	STRAINER (SCREWED)	
	KECKLY	B
900062	VALVE AXIAL FLOW 2 (FLANGED)	
	2" AFV, 2" AXIAL FLOW VALVE, 300#, 100%, H-7 SLEEVE WITH CONTROL LOOP	
	AMERICAN REGULATORS	AFV-300 SERIES 2" AFV
900063	VALVE AXIAL FLOW 3 (FLANGED)	
	3" AFV, 3" AXIAL FLOW VALVE, 300#, 100%, H-7 SLEEVE	
	AMERICAN REGULATORS	AFV-300 SERIES 3" AFV
900064	VALVE AXIAL FLOW 4 (FLANGED)	
	4" AFV, 4" AXIAL FLOW VALVE, 300#, 100%, H-7 SLEEVE	
	AMERICAN REGULATORS	4" AFV 300 SERIES
900065	VALVE AXIAL FLOW 6 (FLANGED)	
	6" AFV, 6" AXIAL FLOW VALVE, 300#, 100%, H-7 SLEEVE	
	AMERICAN REGULATORS	6" AFV 300 SERIES
900066	VALVE RELIEF 1 (POP TYPE) 60 L	
	VALVE RELIEF 1 (POP TYPE) 60 L	
	FISHER REGULATORS	H203-60
900068	VALVE RELIEF 1 (SPRING-LOADED)	
	VALVE RELIEF 1 (SPRING-LOADED)	
	FISHER REGULATORS	289L
900069	VALVE RELIEF 2 (PILOT-OPERATED	
	VALVE RELIEF 2 (PILOT-OPERATED	
	FISHER REGULATORS	289P-6355
900071	VALVE RELIEF 2 (SAFETY)	
	VALVE RELIEF 2 (SAFETY)	
	EQUIMETER	CF 250-S
900072	VALVE RELIEF 2 (SPRING-LOADED)	
	VALVE RELIEF 2 (SPRING-LOADED)	
	FISHER REGULATORS	289H
900073	VALVE RELIEF 3 (SAFETY)	
	VALVE RELIEF 3 (SAFETY)	
	EQUIMETER	250-S
900074	VALVE RELIEF 4 (SAFETY)	
	VALVE RELIEF 4 (SAFETY)	
900075	METER WATER 8 W/T10 P/R	
	METER WATER 8 W/T10 P/R	
	NEPTUNE TECHNOLOGIES	EC3ER6F8S069
900076	METER WATER 10	
	METER WATER 10	

900080	MINI AT-PT GAS CORRECTOR OVER MINI AT-PT GAS CORRECTOR OVER	
900081	MINI AT-PT GAS CORRECTOR UNDER MINI AT-PT GAS CORRECTOR UNDER	
900083	VALVE RELIEF 1 (289H-41) VALVE RELIEF 1 (289H-41) FISHER REGULATORS	289H-41
900084	TRN PM 25KVA 13200GRDY/7620-48 TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,25KVA,13200GRDY/7620-480/240 VOLTS,WITHOUT HV TAPS,COMPARTMENTAL- TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT, AND W/BUSHING WELLS F	
900085	TRN PM 50KVA 13200GRDY/7620-48 TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,50KVA,13200GRDY/7620-480/ 240V,WITHOUT HV TAPS,COMPARTMENTAL- TYPE,LOOP FEED, FUSED PRIMARY,DEAD FRONT BUSHING WELLS FOR USE W/2	
900086	6" HP PROTECTUS PROREAD 6" HP PROTECTUS PROREAD NEPTUNE TECHNOLOGIES	EP4D1R6F8S069
900087	STRAINER WATER 3" STRAINER WATER 3" NEPTUNE TECHNOLOGIES	53107-000
900088	STRAINER WATER 4" STRAINER WATER 4" NEPTUNE TECHNOLOGIES	53107-100
900089	STRAINER WATER 6" COMPLETE STRAINER WATER 6" COMPLETE NEPTUNE TECHNOLOGIES	52000-201
900090	STRAINER WATER 8" STRAINER WATER 8" NEPTUNE TECHNOLOGIES	52000-304
900146	METER FIRE SERVICE 8" P/R METER FIRE SERVICE 8" P/R NEPTUNE TECHNOLOGIES	EP4E1R6F8S069
900147	MTR Z3F08 CL200 4W Y/D FM-16S Z3F08 CL200 4W Y/D FM16S 120-480V W/D METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND,CLASS 200,3PH,4W WYE AND DELTA,FORM 16S,AUTO ADJ 120-480V,30A TES T,SELF-CONTAINED,SOCKET 7 TERMINAL BASE, 6 DIGITAL DIRECT READ KWH X 1 & MA ABB POWER T & D CO GENERAL ELECTRIC LANDIS & GYR SCHLUMBERGER	 724X300001 EVX-4 4EOB0000-0000 AXS-4 34009 SV4SD
900148	LOOP METER 2M & 3M	

	LOOP METER 2M & 3M	
900149	LOOP METER 3A & 4A LOOP METER 3A & 4A	
900150	LOOP METER 5M & 7M LOOP METER 5M & 7M	
900151	LOOP METER 8C & 11C LOOP METER 8C & 11C	
900152	LOOP METER 3/4 LOOP METER 3/4	
900155	METER FIRE SERVICE 2" METER FIRE SERVICE 2" NEPTUNE TECHNOLOGIES	ET2BR8F1S069
900250	METER 5/8 T-10 P/R METER 5/8 T-10 P/R NEPTUNE TECHNOLOGIES	ED2A31R6F8S069
900251	METER 1" T-10 P/R METER 1" T-10 P/R NEPTUNE TECHNOLOGIES	ED2F11R6F8S069
900252	METER 1 1/2" T-10 P/R METER 1 1/2" T-10 P/R NEPTUNE TECHNOLOGIES	ED2H11R6F8S069
900253	METER 2" T-10 P/R METER 2" T-10 P/R NEPTUNE TECHNOLOGIES	ED2J11R6F8S069
900254	METER 3" HP TURBINE PROREAD METER 3" HP TURBINE PROREAD NEPTUNE TECHNOLOGIES	ET4BR6FS069
900255	METER 4" HP TURBINE PROREAD METER 4" HP TURBINE PROREAD NEPTUNE TECHNOLOGIES	ET4CR6F8SO69
900256	METER 6" HP TURBINE PROREAD METER 6" HP TURBINE PROREAD NEPTUNE TECHNOLOGIES	ET4DR6F8S069
900257	6" T/F UPGRADE TO P/R 6" T/F UPGRADE TO P/R NEPTUNE TECHNOLOGIES	6" T/F UME P/R
900258	4" T/F UPGRADE TO P/R	

	4" T/F UPGRADE TO P/R	
	NEPTUNE TECHNOLOGIES	4" T/F UME P/R
900259	3" T/F UPGRADE TO P/R	
	3" T/F UPGRADE TO P/R	
	NEPTUNE TECHNOLOGIES	3" T/F UME P/R
900265	TRANSFORMER, NETWORK 500 KVA 2	
	TRANSFORMER, NETWORK 500 KVA 2	
	CARTE	N/A
900266	TRANSFORMER, NETWORK 750 KVA 2	
	TRANSFORMER, NETWORK 750 KVA 2	
	CARTE	N/A
900267	TRANSFORMER, NETWORK 1000 KVA	
	TRANSFORMER, NETWORK 1000 KVA	
	CARTE	N/A
900268	TRANSFORMER, NETWORK 500 KVA 4	
	TRANSFORMER, NETWORK 500 KVA 4	
	CARTE	N/A
900270	TRANSFORMER, NETWORK 1000 KVA	
	TRANSFORMER, NETWORK 1000 KVA	
	CARTE	N/A
900271	TRANSFORMER, NETWORK 1500 KVA	
	TRANSFORMER, NETWORK 1500 KVA	
	CARTE	N/A
900273	TRANSFORMER, NETWORK 2500 KVA	
	TRANSFORMER, NETWORK 2500 KVA	
	CARTE	N/A
900300	TRN PM 75KVA 13200DELTA-208Y/1	
	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 75KVA, 13200DELTA-208Y/120V W/HV TAPS ABOVE @13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,	
900301	TRN PM 150KVA 13200DELTA-208Y/	
	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD- MOUNTED 60HZ, SELF-COOLED, 150KVA, 13200DELTA- 208Y/120V W/HV TAPS ABOVE @12860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,	
900302	TRN PM 300KVA 13200DELTA-208Y/	
	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED,300KVA, 13200DELTA-208Y/120V W/HV TAPS ABOVE @13860 & 13530 AND & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,	
900304	TRN PM 750KVA 13200DELTA-208Y/	
	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 750KVA,13200DELTA-208Y/120V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,	
900305	TRN PM 1000KVA 13200DELTA-208Y	
	TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 1000KVA, 13200DELTA-208Y/ 120V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE, LOO	

900306 TRN PM 75KVA 13200DELTA-480Y/2
TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 75KVA, 13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,

900307 TRN PM 150KVA 13200DELTA-480Y/
TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 150KVA,13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,

900308 TRN PM 300KVA 13200DELTA-480Y/
TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 300KVA,13200DELTA-480Y/277V W/HV TAPS ABOVE @13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,

900309 TRN PM 500KVA 13200DELTA-480Y/
TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED, 500KVA,13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,

900311 TRN PM 1000KVA 13200DELTA-480Y
TRANSFORMER, DISTRIBUTION, 3-PHASE, MINERAL-OIL-IMMERSED, PAD-MOUNTED 60HZ, SELF-COOLED,1000KVA,13200DELTA-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V W/O PRIMARY FUSES, COMPARTMENTAL-TYPE,

900312 TRANSFORMER NETWORK 750KVA 480
TRANSFORMER NETWORK 750KVA 480

900313 TRANSFORMER NETWORK 500KVA 208
TRANSFORMER NETWORK 500KVA 208 SHORT

900314 TRANSFORMER NETWORK 750KVA 208
TRANSFORMER NETWORK 750KVA 208 SHORT

900315 GAS SECURITY VALVE 2 INCH
2 INCH GAS SECURITY VALVE TYPE OSE / EZROSX SLAM-SHUT DEVICE DESIGNED TO TOTALLY AND RAPIDLY CUT THE FLOW OF GAS WHEN INLET OR OUTLET PRESSURE IN THE SYSTEM EITHER EXCEEDS OR DROPS BELOW SET POINTS

FISHER REGULATORS	FSOSE-2WF1/1BMF

900316 3" GAS SECURITY VALVE
3" GAS SECURITY VALVE

FISHER REGULATORS	FSOSE-3WF1/1BMF

900317 METER DIAPHRAM GAS 250 WITH ER
AC-250 GAS METER WITH ERT, 5# WP, METER. SPRAUGE 1A CONNECTION SET

AMERICAN REGULATORS	AC-250 WITH ERT
EQUIMETER	R-275 WITH ERT
SCHLUMBERGER	250 WITH ERT

900350 LOOP METER GAS 3/4"
LOOP METER 3/4" API 5L, SCH 40, 2 1/2" RADIUS, INSULATED 1A 5" X 10" CENTER TO END 180 DEGREE WITH WASHER AND 1A NUT INCLUDED, ZINC CHROMATE POWDER COATING PER ASTM B-633 WITH GREY POWDER COAT FINISH

900351 LOOP METER GAS 3A & 4A PAINTED
LOOP METER 3A & 4A, 1 1/4" API 5L, SCH40 PIPE, 3 1/4" RADIUS, THREADED, 180 DEGREE 1 1/4" X 18 1/2" X 6 1/8" CENTER TO END; 1" X 2 1/2" WELDED NIPPLE PER STNDARD DRAWING; ZINC CHROMATE POWDER COATING PER ASTM B-633 WITH GREY POWDER COAT FINISH AFTER

900352 LOOP METER GAS 8C & 11C PAINTE
LOOP METER 8C & 11C; 1 1/4" API 5L, SCH40 PIPE, 3 1/4" RADIUS, THREADED; 180 DEGREE, 1 1/4" X 23 1/2" X 6 1/8" CENTER TO END; 1" X 2 1/2" WELDED NIPPLE PER STNDARD DRAWING; ZINC CHROMATE POWDER COATING PER ASTM B-633 WITH GREY POWDER FINSH

901100 METER WATER SECONDARY 5/8"
METER WATER SECONDARY 5/8" -1/8 GPM @95%, ACCURACY RANGE + OR - 1.5%, 1/2-20GPM, CUSTOMER OWNED 5/8" METER EQUIPPED WITH NUTATING DISK AND LAVENDAR REGISTER LID.
NEPTUNE TECHNOLOGIES

901500 METER N2321 CL400 3W 1PH W/DMD
METER, N2E21, 4-TERMINAL BASE, SOCKET-TYPE, CLASS-400, 1-PHASE, 3-WIRE, 120 VOLTS, SOCKET-TYPE WITH DEMAND
ELSTER ELECTRICITY

901501 ADAPTER BOLTED FOR N2E21 METER
ADAPTER, METER, BOLTED-TYPE TO SOCKET-TYPE TO SOCKET-TYPE, FOR N2E21, CLASS-400, 1-PHASE, 3-WIRE, 120 VOLTS, 4-TERMAINAL BASE

901503 METER N1 (3)F21 CL400 4W Y W/D
METER, N1 (3)F21, 7-TERMINAL BASE, SOCKET-TYPE, CLASS-400, 3-PHASE, 4-WIRE, 120-277 VOLTS, SOCKET-TYPE, WITH DEMAND

901504 ADAPTER BOLTED FOR N1(3)F21 M
ADAPTER, METER, BOLTED-TYPE TO SOCKET-TYPE, FOR N1(3)F21, CLASS-400, 3-PHASE, 4-WIRE, 120-277 VOLTS, 7-TERMINAL BASE

901505 METER N1H21 CL400 3W D W/DMD
METER, N1H21, 7-TERMINAL BASE, SOCKET-TYPE, CLASS-400, 3-PHASE, 4-WIRE, 120 VOLTS, SOCKET-TYPE, WITH DEMAND

901506 METER ADAPTER FOR N1H21 METER
ADAPTER, METER, BOLTED-TYPE TO SOCKET-TYPE, FOR N1H21, CLASS-400, 3-PHASE, 3-WIRE, 120 VOLTS, 7-TERMINAL BASE

914521 SLEEVE DISCONNECT METER
SLEEVE METER DISCONNECT SLEEVE, METER DISCONNECT, BOOT FOR ELECT RICITY METER BLADE, 0.005 INCH THICK MYLAR FILM, END SEALED FOR STRONG CUT-TH ROUGH RESISTANCE, 3500 VOLT DIELECTRIC STRENGTH

ARI	TEST UPDATE
SEAL-RITE PLASTICS	MYLAR-1000

918295 TRN VOLTAGE OUTDOOR 288V 2.4:1
TRANS VOLT OUTD 288V 2.4:1 TRANSFORMER, VOLTAGE, METERING, OUTDOOR, 288VOLT, 10KV BIL, 2.4:1, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDENS W-X- M MINIMUM, VA= 300 @ 55C RISE / 30C AMBIENT, W/ MOUNTING FEET.

ABB POWER T & D CO	PPW 7526A04G02
ANDOVER	9708-8009
GENERAL ELECTRIC	760X034004
SCHLUMBERGER	

948841 COVER CONNECTOR AIRSEAL
COVER CONNECTOR AIRSEAL

CHANCE A B CO	M1930-2
KEARNEY	104742-2
SPATZ PAINT INDUSTRIES, INC.	599

970010 TRANS CURR INDR PMT 600V 600:5
TRANS CURR INDR PMT 600V 600:5 OW NO FT TRANSFORMER, CURRENT, METERING, INDOOR, 600VOLT, 10KV BIL, 600:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.5 MINIMUM, MINIMUM RF = 3.0 @ 55C RISE/ 30C AMBIENT, 3.5 X 4.5INCH OVA

ABB POWER T & D CO	CMV 7524A75G04
DURHAM INDUSTRIES (ASTRA)	605GB
GENERAL ELECTRIC	JAB-0 750X036206

970044 TRANS CURR INDR PMT 600V 1500:
TRANS CURR INDR PMT 600V 1500:5 W/FEET TRANSFORMER, CURRENT, METERING, INDOOR, 600VOLT, 10KV BIL, 1500:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.9 MINIMUM, MINIMUM RF = 2.0 @ 55C RISE/ 30C AMBIENT, 3.5 X 4.5INCH

ABB POWER T & D CO	CMV 7524A75G08
DURHAM INDUSTRIES (ASTRA)	609S
GENERAL ELECTRIC	JAB-0 750X036215

972418 RING SEALING METER SOCKET
RING SEALING METER SOCKET

EKSTROM SUB OF EJ BROOKS	109090

973795 RING SEALING METER LOCKING
RING SEALING METER LOCKING

973805 LOCK SEALING-RING
LOCK SEALING-RING

DEWALCH TECHNOLOGIES	1809

976421 TRN CURR OUTDR NW 1500:5 W/ FT
TRANS CURR OUTD NW 600V 1500:5 LW W/ FT TRANSFORMER, CURRENT, METERING, OUTDOOR, 600VOLT, 10KV BIL, 1500:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.9 MINIMUM, MINIMUM RF = 3.0 @ 55C RISE/ 30C AMBIENT, 8INCH

DURHAM INDUSTRIES (ASTRA)	ACL15-531F
GENERAL ELECTRIC	JAB-0 750X036215

978906 TRN VOLTAGE OUTDOOR 480V 4:1
TRANS VOLT OUTD 480V 4:1 TRANSFORMER, VOLTAGE, METERING, OUTDOOR, 480VOLT, 10KV BIL, 4:1 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN S W-X-M MINIMUM, MINIMUM VA = 150 OR 200 @ 55C RISE/ 30C AMBIENT, W/ MOUNTING

ABB POWER T & D CO	PPM 7526A04G04
SCHLUMBERGER	T6R 92357-401

980019 TRANS CURR OUTD OHT 600V 600:5
TRANS CURR OUTD OHT 600V 600:5 OW W/ FT TRANSFORMER, CURRENT, METERING, OUTDOOR, 600VOLT, 10KV BIL, 600:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.5 MINIMUM, MINIMUM RF = 3.0 @ 55C RISE/ 30C AMBIENT, 3.5 X

ABB POWER T & D CO	CMV 7524A73G04 WITH
DURHAM INDUSTRIES (ASTRA)	605-S

980035 TRANS CURR OUTD OHT 600V 300:5
TRANS CURR OUTD OHT 600V 300:5 OW W/ FT TRANSFORMER, CURRENT, METERING, OUTDOOR, 600VOLT, 10KV BIL, 300:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.2 MINIMUM, MINIMUM RF = 3.0 @ 55C RISE/ 30C AMBIENT, 3.5 X

DURHAM INDUSTRIES (ASTRA)	602S

980101 METER R1 (3) FX CL20 4W ION PQ
METER, POWER QUALITY MEASUREMENT TYPE "ION8600", R1(3)FX, CLASS-20, 3 PHASE, 4-WIRE, 120-480 VOLTS, TA2.5, SOCKET-TYPE, 13-TERMINAL ELECTRONIC DEMAND TO DISPLAY KW/KWH, ACCURACY RANGE 0.001 AMP TO 10 AMPS AUTORANGING, MEETS ANSI STANDARD C12.20 CLASS

SCHNEIDER ELECTRIC	P8600B1E0E6C1B0A

980102 METER R1(3) FX CL20 4W Y/D AS(

METER, TYPE A3D, R1(3)FX, CLASS-20, 3-PHASE, 4-WIRE, 120-480 VOLTS, TA2.5, SOCKET-TYPE, 13-TERMINAL ELECTRONIC DEMAND TO DISPLAY KW/KWH, TO INCLUDE AN"INTERNAL TELEPHONE MODEM" AND TWO (2) "KYZ" RELAYS BROUGHT OUT THROUGH METER BASE AS " PIGTAILS"

ELSTER ELECTRICITY	ZD3203D0000

980290 Z1F08 CL200 4W Y/D FM16S

Z1F08 CL200 4W Y/D FM16S 120-480V W/D METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND,CLASS 200,3PH,4W WYE AND DELTA,FORM 16S,AUTO ADJ 120-480V,30A TES T,SELF-CONTAINED,SOCKET 7 TERMINAL BASE, 6 DIGITAL DIRECT READ KWH X 1 & MA

ABB POWER T & D CO	
GENERAL ELECTRIC	724X300001 EVX-4
LANDIS & GYR	4E0B0000-0000 AXS4
SCHLUMBERGER	34009 SV4SD

980332 Z1(3)FX CL20 4W Y/D FM 9S

Z1(3)FX CL20 4W Y/D FM 9S 120-480V W/DMD METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND,CLASS 20,3PH,4WYE & DELTA,FORM 9S,AUTO ADJ 120-480V,2.5ATEST,TRANSFORMER-RATED,SOCKET 13 TERMINAL BASE, 6 DIGITAL SECONDARY READING KWH X CTR &

ABB POWER T & D CO	
GENERAL ELECTRIC	725X450001 EVX-4
LANDIS & GYR	4E000000-0000 AXS4
SCHLUMBERGER	34005 SV4SD

980365 B1H08 CL200 3W NW

B1H08 CL200 3W NW FORM 12S 120V NO DMD METER,ELECTRICITY,ELECTROMECHANICAL,CLAS S 200,3W NETWORK, FORM 12S,120V,30A TEST,SELF-CONTAINED,SOCKET 5 TERMINAL (5 TH @ 9 O'CLOCK)BASE,5 POINTER DIRECT READING KWH REGISTER X 1,PER KUB SPECIFI

ABB POWER T & D CO	5531CLA5AA D5S-5
GENERAL ELECTRIC	700X001009 V-62-S
LANDIS & GYR	
SCHLUMBERGER	25222 SL2S

980431 Z1(2,4)CX CL20 3W DLT FM 5S

Z1(2,4)CX CL20 3W DLT FM 5S 120-480V W/D METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND,CLASS 20,3PH,3W DELTA,FORM 5S,AUTO ADJ 120-480V,2.5A TEST,TRANSFORM ER-RATED,SOCKET 8 TERMINAL BASE, 6 DIGITAL SECONDARY READING KWH X CTR &

ABB POWER T & D CO	
GENERAL ELECTRIC	725X500001 EVX-3
LANDIS & GYR	4E010000-0000 AXS4
SCHLUMBERGER	34000 SV3SD

980548 J2E08 CL200 3W 1PH

J2E08 CL200 3W 1PH FORM 2S 240V NO DMD METER,ELECTRICITY,ELECTROMECHANICAL,CLAS S 200,1PH,3W,FORM 2S, 240V,30A TEST,SELF-CONTAINED,SOCKET 4 TERMINAL BASE,5 POINTER DIRECT READING KWH REGISTER X 1 PRENUMBERED W/K

ABB POWER T & D CO	
GENERAL ELECTRIC	721X070215 I-70-S
LANDIS & GYR	91040250-2169 MX
SCHLUMBERGER	SIM. TO 96000 J5S

980688 R1(3)FX CL20 4W Y/DLT FM9S

R1(3)FX CL20 4W Y/DLT FM9S 120-480V REC VAR DMD TOU PF 32 MTR,ELECTRICITY,PROG ELECTRONIC W/D MDS & P.F. & TOU & 32K MIN.MASS MEMORY, CLASS 20,3PH,4W Y&D,FORM 9S,AUTO ADJ 120 -480V,2.5A TEST,TRANSF-RATED,SOCKET 13 TERMINAL BASE,6 DIGITAL SEC READING

ABB POWER T & D CO	

GENERAL ELECTRIC	744X900-004 KV
LANDIS & GYR	4P000000-0000 RXRS4
SCHLUMBERGER	32556 SV4SR

980704 R1(2,4)CX CL20 3W DLT FM 5S
R1(2,4)CX CL20 3W DLT FM 5S 120-480V REC VAR DMD TOU PF 3 MTR,ELECTRICITY,PROG ELECTRONIC W/D MDS & P.F. & TOU & 32K MIN.MASS MEM, CLASS 20,3PH,3W DLT,FORM 5S,AUTO ADJ 120 -480V,2.5A TEST,TRANSF-RATED,SOCKET 8 TERMINAL BASE,6DIGITAL SEC READING KWH &

ABB POWER T & D CO	
GENERAL ELECTRIC	744X500-004 KV
LANDIS & GYR	4P010000-0000 RXRS4
SCHLUMBERGER	32663 SV3SR

980795 H1K08 CL200 3W 1PH FORM 2S 240
H1K08 CL200 3W 1PH FORM 2S 240 V (FOR 120V SERIES AMPS) METER,ELECTRICITY,ELECTROMECHANICAL,CLAS S 200,1PH,3W,FORM 2S,240V,30A TEST, SELF-CONTAINED,SOCKET 4 TERMINAL BASE,5 POINTER DIRECT READING KWH REGISTER X 1 PRENUMBERED W/KUB LISTED S.N.,ER KUB S

ABB POWER T & D CO	SIM. 5570C10G10 D5S
GENERAL ELECTRIC	721X070215 I-70-S
LANDIS & GYR	91040250-2169 MX
SCHLUMBERGER	

980805 R1(3)FX CL20 4W Y/D FM 9S
R1(3)FX CL20 4W Y/D FM 9S

980845 K1(3)F21 CL400 4W Y W/DM
K1(3)F21 CL400 4W Y W/DM FM 16K 120-480V METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND,CLASS 400 MINIMUM,3PH,4W WYE,FORM 16K,AUTO ADJ 120-480V,50A TEST, SELF-CONTAINED,BOLT-IN 7 TERMINAL BASE, 6 DIGITAL DIRECT READING KWH X 1 & MAX.K

LANDIS & GYR	4E0G0000-0000 AXS4

980894 K1(2,4)C21 CL400 3W D
K1(2,4)C21 CL400 3W D FM 27K 120-480V /D METER, ELECTRICITY, PROGRAMMABLE ELECTRO NIC W/DEMAND, CLASS 400 MINIMUM, 3PH, 3W DELTA, FORM 27K,AUTO ADJ 120-480V, 50 A TEST, SELF-CONTAINED,BOLT-IN 5 TERMINAL BASE,6DIGITAL DIRECT READING KW

LANDIS & GYR	4EOH0000-0000 AXS4

980910 K2E21 CL400 3W 1PH W/ DMD
K2E21 CL400 3W 1PH W/ DMD FORM 2K 240V METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND, CLASS 400 MINIMUM, 1PH, 3W, FORM 2K,240V,50A TEST,SELF-CONTAINED ,BOLT-IN 4 TERMINAL BASE, 6 DIGITAL DIRECT READ KWHX1 AND MAX. KW REGISTERS,

LANDIS & GYR	65100600-DXMS

980925 K1F21 CL400 4W WYE
K1F21 CL400 4W WYE

980936 K3F21 CL400 4W WYE
K3F21 CL400 4W WYE

981017 B2EX CL20 3W 1PH
B2EX CL20 3W 1PH FORM 4S 240V W/DMD METER,ELECTRICITY,PROGRAMMABLE ELECTRONIC W/DEMAND,CLASS 20,1PH,3W,FORM 4S,240V ,2.5A TEST,TRANSF-RATED,SOCKET 6 TERMINAL BASE, SEC READING KWHXCT RATIO & MAX. KW

REGISTERS,PER KUB SPECIFICATION K99-7

ABB POWER T & D CO	PC220000 AID
GENERAL ELECTRIC	723X050009 EV-1

981076 CABLE MTR THHN 9/C 12CU 19-STR

CABLE METER 600V #12AWG/9C 19S CABLE, METER, #12/9CONDUCTOR 19STR CU, 6 00 V, 90DEGREE C, PVC JACKETED, TYPE TC TRAY CABLE W/ THHN SUNLIGHT RESIST CLEAR NYLON JACKET PVC INSULATED CONDUCTORS PVC COLORED W/ BLDG WIRE CODE BLACK, WHI

OMNI CABLE CORP.	129C500

981080 SOCKET METER 3PH 4W 20A 13TERM

SOCKT-ENCL MTR3PH4W20A 13TRM BASE 10P SW SOCKET-ENCL, METER, 3PH 4W 20A XFMR-RATED 600V, 13 TERM FRM 9S BASE W/ INTERNAL WIRED JAWS & PREWIRED W/ #12AWG 19STR CU THHN TO 10P TEST SW W/ CONFIGURATION & COLORS PER KUB A-11299 REV.1-96 & BASE &

METER DEVICES	602-3040C13-351
THOMAS & BETTS	TSS13-HPM-KUB W/ SW

981124 AIRSEAL 8" X 8" X 1/8"

AIRSEAL 8" X 8" X 1/8"

KEARNEY	18415-1

983343 SEAL MTR PLAS PADLOCK WHITE

SEAL PADLOCK WHITE PLASTIC W/WIRE HASP SEAL, PADLOCK, ULTRA VIOLET INHIBITED WHITE COLOR PLASTIC ROUND BOTTOM BODY W/ 0.047 GALV WIRE HASP NOT SCORED, HEAT/CO LD RESISTANT, HASP PUSH/LOCK INTO BODY, HEAT STAMPED W/ BLACK LOGO (K.U.B.) AND

AMERICAN CASTING	8001
E J BROOKS CO	
SEAL-RITE PLASTICS	PPS-1000
STOFFEL SALES CORP	PW-6

983350 SEAL PADLOCK BLUE PLASTIC (100

SEAL PADLOCK BLUE PLASTIC W/WIRE HASP SEAL, PADLOCK, ULTRA VIOLET INHIBITED CLEAR BODY W/BLUE INSERT. 0.047GALV WIRE HASP NOT SCORED, HEAT/COLD RESISTANT,HASP PUSH/LOCK INTO BODY, HEAT STAMPED W/ WHITE LOGO (K.U.B.) 100 PER BOX

AMERICAN CASTING	8001
E J BROOKS CO	607100327
SEAL-RITE PLASTICS	PPS-1000
STOFFEL SALES CORP	PW-6

983510 COVER BLANK METER-SOCKET

METER SOCKET BLANK COVER METER, SOCKET BLANK COVER -BLADED - MOLDED IN CLEAR LEXAN # 141 RESIN. MUST CONTAIN AN ULTRA-VIOLET INHIBITOR MODEL # 1-6002 EKSTROM

EKSTROM SUB OF EJ BROOKS	2-JAN

983525 TRANS CURR OUTD STA 15KV 1500/

TRANS CURR OUTD STA 15KV 1500/3000:5 BAR SPARE FOR TRANSFORMER, CURRENT, METERING, OUTDOOR, 15000VOLT,110KV BIL, 1500/3000:5A, 60HZ, MINIMUM 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 2.0 MINIMUM, MINIMUM RF = 2/ 1.33 @ 55C

GENERAL ELECTRIC	JCW-5 755X030012

983699 TRN VOLTAGE OUTDOOR 8400V 70:1

TRANS VOLT OUTD 8400V 70:1 ONE BUSH TRANSFORMER, VOLTAGE, METERING, OUTDOOR, 8400VOLT, 110KV BIL, 70:1, 60HZ, MINIMUM 0.15 ACCURACY @ ANSI BURDE NS W-X-M-Y MINIMUM & 0.3 @ Z, MINIMUM VA = 1500 @ 55C RISE/ 30C AMBIENT, H1 SI

GENERAL ELECTRIC	JVW-5A 765X032052

983848 TRANS CURR OUTD STA 15KV 1200:

TRANS CURR OUTD STA 15KV 1200:5 WOUND TRANSFORMER, CURRENT, METERING, OUTDOOR, 15000VOLT, 110KV BIL, 1200:5A, 60HZ, MIN 0.15 ACC @ ANSI BURDEN B-0.1 TO 0.5 MIN & O.3 ACC T0 B-1.8, MIN RF = 1 @ 55C RISE/ 30C AMBIENT, WOUND-TYPE
GENERAL ELECTRIC JKW-5A 755X053120

983855 TRN VOLTAGE INDOOR 8400V 70:1
TRANS VOLT INDR 8400V 70:1 TWOTERM TRANSFORMER, VOLTAGE, METERING, INDOOR, 8400VOLT, 110KV BIL, 70:1, 60HZ, MINIMUM 0.15 ACCURACY @ ANSI BURDE NS W-X-M-Y MINIMUM & 0.3 ACCURACY @ Z, MINIMUM VA = 2000 @ 55C RISE/ 30C
GENERAL ELECTRIC JVM-5A 765X023003

983863 TRANS CURR INDR ENCL 15KV 750/
TRANS CURR INDR ENCL 15KV 750/1500:5 BAR SPARE FOR TRANSFORMER, CURRENT, METERING, INDOOR, 15000VOLT, 110KV BIL, 750/1500:5A, 60HZ, MIN 0.3 ACCURACY @ ANSI BURDEN B-0 .1 TO 1.0 MIN & 0.6/0.3 ACC TO B-2, MIN RF=2/1.33 @ 55C RISE/ 30C AMBIENT, BAR-T
GENERAL ELECTRIC JCM-5 755X020010

983889 TRANS CURR OUTD STA 15KV 300/6
TRANS CURR OUTD STA 15KV 300/600:5A WOUN SPARE FOR TRANSFORMER, CURRENT, METERING, OUTDOOR, 15000VOLT, 110KV BIL, 300/600:5A, 60HZ, MIN 0.3 ACCURACY @ ANSI BURDEN B-0 .1 TO 0.5 MIN / B-0.1 TO 2 MIN, MIN RF= 2/1.5 @ 55C RISE/ 30C AMBIENT, WOUND-TYP
GENERAL ELECTRIC JKW-5 755X050129

984051 BRACKET MTR SOCKET-ENCL TO POL
BRACKET METER SKT-ENCL TO POLE BRACKET, METER SOCKET-ENCLOSURE MOUNTING TO POLE, 4 IN.X 9 IN. ANGLED ALUMINUM BASE PLATE 1-1/4 IN.X 5/8 IN.KEYHOLED FOR CENTERING AND HANGING ON POLE, AND WELDED TO AN 11
BARFIELD MFG. CO. BAPMB

984069 SOCKET METER 3PH 3W 20A 8TERM
SOCKT-ENCL MTR3PH3W20A 8TRM BASE 7P SW SOCKET-ENCL, METER, 3PH 3W 20A XFMR-RATED 600V, 8 TERM FRM 5S BASE W/ INTERNAL WIRED JAWS & PREWIRED W/ #12AWG 19STR CU THHN TO 7P TEST SW W/ CONFIGURATION & COLORS PER KUB A-11310 REV.3-96 & BASE &
THOMAS & BETTS TSS8-HPM-KUB W/ SW

984077 SOCKET METER 1PH 3W 20A 6TERM
SOCKT-ENCL MTR1PH3W20A 6TRM BASE 7P SW SOCKET-ENCL, METER, 1PH 3W 20A XFMR-RATED 600V, 6 TERM FRM 4S BASE W/ INTERNAL WIRED JAWS & PREWIRED W/ #12AWG 19STR CU THHN TO 7P TEST SW W/ CONFIGURATION & COLORS PER KUB A-11294 REV.3-96 & BASE &
THOMAS & BETTS TSS6-HPM-KUB W/ SW

984127 TRANS CURR INDR ENCL 15KV 300/
TRANS CURR INDR ENCL 15KV 300/600:5 WOUN SPARE TRANSFORMER, CURRENT, METERING, INDOOR, 15000VOLT, 110KV BIL, 300/600:5A, 60HZ, MIN 0.3 ACCURACY @ ANSI BURDEN B-0.1 TO 0.5 MIN / B-0.1 TO 1.8 MIN, MIN RF= 2/1.5 @ 55C RISE/ 30C AMBIENT, WOUND-TYP
GENERAL ELECTRIC JKM-5 755X042044

985926 SOCKET METER POLYPHASE
SOCKT-ENCL MTR POLYPHASE A TO S ADAPTER BASE EKSTROM POLYPHASE A TO S ADAPTER 2100 SERIES N-G2 CT RATED FORM #6S 9S 10S THHN TO 7P TEST SW W/ CONFIGURATION & COLORS PER KUB A-11294 REV.3-96 & BASE &
EKSTROM SUB OF EJ BROOKS 2100 N-G2 (CT RATED)

987591 METER ADAPTER 12PT A -BASE
METER ADAPTER 12PT A -BASE
EKSTROM SUB OF EJ BROOKS A-BASE PHD NETWORK/3W

987872 VOLTAGE TRANSFORMER PACK 2.4:1

VOLTAGE TRANSFORMER PACK 2.4:1 THREE-PHASE VOLTAGE TRANSFORMER (VT) PACK, 2.4:1 (288:120V) RATIO FOR 480Y/277V SERVICE METERING APPLICATIONS WITH TRANSFORMER-RATED METER

987880 HARNESS WIRING 8/C 6 FT VT-PAC
HARNESS WIRING FOR VT-PACK, 6-FOOT LENGTH PER EACH OF 8 CONDUCTORS, PRIMARY CONDUCTORS COLOR CODES SHALL BE BROWN & YELLOW & ORANGE, SECONDARY CONDUCTORS COLOR CODES SHALL BE RED & BLUE & BLACK, GROUND CONDUCTORS SHALL BE WHITE & WHITE

988516 METER LOCK BOTTOM INSTALLATION
METER LOCK BOTTOM INSTALLATION PROLOCK "B", BOTTOM MOUNTING PROLOCK. CASE HARDENED CARBON STEEL LATCH SYSTEM. MOUNTS TO THE BOTTOM OF A METER SOCKET. HARDENED CARBON STEEL HOUSING TO MOUNT ON THE OUTSIDE OF THE BO

DEWALCH TECHNOLOGIES	2344

988565 METER LOCK SIDE INSTALLATION P
METER LOCK SIDE INSTALLATION PROLOCK "C", PUNCHLESS-STYLE ENCLOSURE LOCK. NO DRILLING NECESSARY. CASE-HARDENED CARBON STEEL LATCH SYSTEM. MOUNTS TO THE SIDE OF A METER SOCKET. HARDENED CARBON STEEL HOUSING TO MOUNT ON THE OUTSIDE OF THE BOX.

DEWALCH TECHNOLOGIES	2222

998002 TRN OH 15KVA 13200 GRDY/7620-1
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,15KVA,13200GRDY/7620-120/ 240V,WITHOUT HV TAPS, WITH SINGLE COVER MOUNTED HV BUSHING & TANK WALL MOUNTED LV BUSHINGS,SHALL

COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998010 TRN OH 25KVA 13200 GRDY/7620-1
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,25KVA,13200V, WITHOUT HV TAPS,AND WITH SINGLE COVER MOUNTED HV BUSHING & TANK WALL MOUNTED LV BUSHINGS,SHALL BE AS

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998028 TRN OH 15KVA 7620/13200Y 120/2
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MI NERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,15KVA,7620/13200Y-120/240V,WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998036 TRN OH 25KVA 7620/13200Y 120/2
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,25KVA,7620/13200Y-120/240V, WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998044 TRN OH 37-1/2KVA 7620/13200Y 1
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MI NERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,37-1/2 KVA,7620/13200Y-120/ 240V,W/OUT HV TAPS,& W/TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998051 TRN OH 50KVA 7620/13200Y 120/2
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MI NERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,50KVA,7620/13200Y-120/240V WITHOUT HV TAPS & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	
KUHLMAN	N/A

998069 TRN OH 75KVA 7620/13200Y 120/2
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MI NERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,75KVA,7620/13200Y-120/240V, WITHOUT HV TAPS,AND WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	

998077 TRN OH 100KVA 7620/13200Y 120/
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE,MI NERAL-OIL-IMMERSED,OVERHEAD TYPE, 60HZ,SELF-COOLED,100KVA,7620/13200Y-120/ 240V,WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MO

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998085 TRN OH 167KVA 7620/13200Y 120/
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE, SELF-COOLED,167KVA,7620/13200Y-120/240 V BOLTS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHINGS

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998101 TRN OH 25KVA 14400/24940Y 120/
TRN OH 25KVA 14400/24940Y 120/

998127 TRN OH 50KVA 14400/24940Y 120/
TRN OH 50KVA 14400/24940Y 120/

998176 TRN OH 25KVA 14400/24940Y-277V
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,25KVA,14400/24940Y-277V,W/HV TAPS BELOW @ 13800,13200,12870,&12540V & W/TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHING

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998184 TRN OH 50KVA 14400/24940Y-277V
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,50KVA,14400/24940Y-277V,WITH HV TAPS BELOW @ 13800,13200,12870,& HV TAPS BELOW @ 13800,13200,12870,& 12540V,& W/TWO COVER MOUNTED HV

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998192 TRN OH 75KVA 14400/24940Y-277V
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,75KVA,14400/24940Y-277V,WITH HV TAPS BELOW @ 13800,13200,12870, & 12540 VOLTS,& WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNT

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	
KUHLMAN	N/A

998200 TRN OH 100KVA 14400/24940Y 277
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,100KVA,14400/24940Y-277 VOLT ,WITH HV TAPS BELOW @ 13800,13200, 12870,& 12540V, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL M

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	

998218 TRN OH 167KVA 14400/24940Y 277
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE, 60HZ,SELF-COOLED,167KVA,14400/24940Y- 277V,WITH HV TAPS BELOW @ 13800,13200, 12870,& 12540 VOLTS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL M

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998234 TRN OH 25KVA 14400/24940Y 240/
TRN OH 25KVA 14400/24940Y 240/

998242 TRN OH 50KVA 14400/24940Y 240/
TRN OH 50KVA 14400/24940Y 240/

998325 TRN PM 25KVA 13200GRDY/7620-24
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,25KVA,13200GRDY/7620-240/120 VOLTS,WITHOUT HV TAPS,COMPARTMENTAL- TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT, AND W/BUSHING WELLS F

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	
KUHLMAN	N/A

998341 TRN PM 50KVA 13200GRDY/7620-24
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,50KVA,13200GRDY/7620-240/ 120V,WITHOUT HV TAPS,COMPARTMENTAL- TYPE,LOOP FEED, FUSED PRIMARY,DEAD FRONT BUSHING WELLS FOR USE W/2

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	

998358 TRN PM 75KVA 13200GRDY/7620-24
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, NERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,75KVA,13200GRDY/7620-240/ 120V,WITHOUT HV TAPS,COMPARTMENTAL- TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT, & W/BUSHING WELLS FOR USE

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	

998366 TRN PM 100KVA 13200GRDY/7620-2
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ. SELF-COOLED,100KVA,13200GRDY/7620-240/ 120V,WITHOUT HV TAPS,COMPARTMENTAL TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT BUSHING WELLS FOR USE W/2

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998374 TRN PM 167KVA 13200GRDY/7620-2
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,167KVA,13200GRDY/7620-240/ 120V,WITHOUT HV TAPS,COMPARTMENTAL- TYPE,LOOP FEED,FUSED PRIMARY,DEAD FRONT, & W/BUSHING WELLS FOR U

ABB POWER T & D CO	
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998400 TRN PM 45KVA 13200Y-208Y/120V
TRANSFORMER, PAD-MOUNTED, DISTRIBUTION TYPE, RATED: 45 kVA, 13200Y/7620 95 kV BIL DEADFRONT-LOOP FED-FUSED PRIMARY VOLTAGE WITHOUT TAPS, 208Y120 30 kV BIL SECONDARY VOLTAGE, 3-PHASE, 60 Hz PER KUB SPEC K99-288 R18 DATED 10-

998408 TRN PM 75KVA 13200Y/7620-208Y/
TRANSFORMER, DISTRIBUTION, THREE-PHASE, MINERAL-OIL IMMERSED, PAD-MOUNTED,60HZ, SELF-COOLED,75 KVA, 13200Y/7620-208Y/120 VOLTS,W/0UT HV TAPS,COMPARTMENTAL- TYPE, LOOP FEED, FUSED PRIMARY, DEAD FRONT, AND W/BUSHING WELLS

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	N/A

998424 TRN PM 150KVA 13200Y/7620-208Y
TRANSFORMER,DISTRIBUTION,THREE-PHASE,MIN ERAL-OIL-IMMERSED,PAD-MOUNTED,60HZ, SELF-COOLED,150KVA,13200Y/7620-208Y/120V WITHOUT HV TAPS,COMPARTMENTAL-TYPE, LOOP FEED,FUSED PRIMARY,DEAD FRONT,W/ BUSHING WELLS FOR USE W/200

	ABB POWER T & D CO	
	COOPER POWER SYSTEMS	N/A
	GENERAL ELECTRIC	N/A
	HOWARD INDUSTRIES C/O YODER-BR	N/A
	PAUWELS	N/A

998440 TRN PM 300KVA 13200Y/7620-208Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD MOUNTED,60HZ,SELF- COOLED,300KVA,13200Y/7620-208Y-120V,W/ OUT HV TAPS,COMPARTMENTAL-TYPE,LOOP FEED.FUSED PRIMARY,DEAD FRONT,& W/BUSHIN BUSHING WELLS FOR USE W/2

	ABB POWER T & D CO	N/A
	COOPER POWER SYSTEMS	N/A
	GENERAL ELECTRIC	N/A
	HOWARD INDUSTRIES C/O YODER-BR	
	PAUWELS	N/A

998457 TRN PM 500KVA 13200Y/7620-208Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,500KVA,13200Y/7620-208Y/120V, W/HV TAPS ABOVE @ 13860 & 13530 AND BELOW @ 12870 & 12540 V, COMPARTMENTAL-T LOOP FEED, FUSED PRIMARY, D

	ABB POWER T & D CO	
	COOPER POWER SYSTEMS	N/A
	GENERAL ELECTRIC	N/A
	HOWARD INDUSTRIES C/O YODER-BR	N/A
	PAUWELS	N/A

998465 TRN PM 750KVA 13200Y/7620-208Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,750KVA,13200Y/7620-208Y/120V, W/HV TAPS ABOVE @ 13860 & 13530 AND BELOW @ 12870 & 12540 V,COMPARTMENTAL-TY LOOP FEED, FUSED PRIMARY, D

	ABB POWER T & D CO	N/A
	COOPER POWER SYSTEMS	N/A
	GENERAL ELECTRIC	N/A
	HOWARD INDUSTRIES C/O YODER-BR	N/A
	PAUWELS	

998473 TRN PM 1000KVA 13200Y/7620-208
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,1000KVA,13200Y/7620-208Y/120V, W/HV TAPS ABOVE @ 13860 & 13530 AND BELOW @ 12870 & 12540 V, COMPARTMENTAL-T LOOP FEED, FUSED PRIMARY,

	ABB POWER T & D CO	N/A
	COOPER POWER SYSTEMS	N/A
	GENERAL ELECTRIC	N/A
	HOWARD INDUSTRIES C/O YODER-BR	
	PAUWELS	N/A

998475 TRN PM 75KVA 13200Y-480Y/277V
TRANSFORMER, PAD-MOUNTED, DISTRIBUTION TYPE, RATED: 75 kVA, 13200Y/7620 95 kV BIL DEADFRONT-LOOP FED-FUSED PRIMARY VOLTAGE WITH TAPS, 480Y277 30 kV BIL SECONDARY VOLTAGE, 3-PHASE, 60 Hz PER KUB SPEC K99-288 R18 DATED 10-13-

998481 TRN PM 150KVA 13200Y/7620-480Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-

MOUNTED,60HZ,SELF- COOLED,150KVA,13200Y/7620-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	

998507 TRN PM 300KVA 13200Y/7620-480Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,300KVA,13200Y/7620-480Y/277V,W/HV TAPS ABOVE @ 13860 & 13530,& BELOW @ 12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	N/A

998515 TRN PM 500KVA 13200Y/7620-480Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,500KVA,13200Y/7620-480Y/277V,W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	

998523 TRN PM 750KVA 13200Y/7620-480Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,750KVA,13200Y/7620-480Y/277V W/HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V, COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DEAD

ABB POWER T & D CO	
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	N/A

998531 TRN PM 1000KVA 13200Y/7620-480
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,1000KVA,13200Y/7620-480Y/277V W/ HV TAPS ABOVE @ 13860 & 13530 & BELOW @ 12870 & 12540V,COMPARTMENTAL-TYPE,LOOP FEED,FUSED PRIMARY,DE

ABB POWER T & D CO	
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	N/A

998549 TRN PM 1500KVA 13200DELTA-480Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,1500KVA,13200DELTA-480Y/277V,W/HV TAPS @ 13860,13530,12870 & 12540V, COMPARTMENTAL-TYPE,LOOP FEED,W/OUT FUSED

PRIMARY,DEAD FRONT & W/B	
ABB POWER T & D CO	N/A
CARTE	
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	N/A

998556 TRN PM 2000KVA 13200DELTA-480Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,2000KVA,13200DELTA-480Y/277V WITH HV TAPS ABOVE @13860 & 13530 & BELOW @ 12870 & 12540V,COMPART-TYPE,LOOP FEED, W/OUT FUSED PRIMARY,DE

ABB POWER T & D CO	N/A
CARTE	N/A
COOPER POWER SYSTEMS	
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	N/A

998564 TRN PM 2500KVA 13200DELTA-480Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,2500KVA,13200DELTA-480Y/277V,W/HV TAPS @ 13860,13530,12870 & 12540V, COMPARTMENTAL-TYPE,LOOP FEED,W/OUT FUSED PRIMARY,DEAD FRONT,& W/B

ABB POWER T & D CO	N/A
CARTE	N/A
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	N/A

998572 TRN PM 3000KVA 13200DELTA-480Y
TRANSFORMER,DISTRIBUTION,3-PHASE,MINERAL -OIL-IMMERSED,PAD-MOUNTED,60HZ,SELF- COOLED,3000KVA,13200DELTA-480Y/277V,W/HV TAPS @ 13860,13530,12870 & 12540V, COMPARTMENTAL-TYPE,LOOP FEED,W/OUT FUSED PRIMARY,DEAD FRONT,& W/B

ABB POWER T & D CO	N/A
CARTE	N/A
COOPER POWER SYSTEMS	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
PAUWELS	

998671 TRN OH ST LT 15KVA 7620/13200Y
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,15KVA,7620/13200Y-240/480V, WITHOUT HV TAPS & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHINGS, SHALL BE

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998689 TRN OH ST LT 25KVA 7620/13200Y
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,25KVA,7620/13200Y-240/480V, WITHOUT HV TAPS & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHINGS, SHALL BE

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	N/A
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O	

	YODER-BR	
	KUHLMAN	N/A

998697 TRN OH ST LT 37-1/2K 7620/1320
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,37-1/2KVA,7620/13200Y-240/ 480 VOLTS,WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS & TANK WALL MOUNTED LV BUSHINGS

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998705 TRN OH ST LT 50KVA 7620/13200Y
TRANSFORMER,DISTRIBUTION,SINGLE-PHASE, MINERAL-OIL-IMMERSED,OVERHEAD TYPE,60HZ, SELF-COOLED,50KVA,7620/13200Y-240/480V, WITHOUT HV TAPS, & WITH TWO COVER MOUNTED HV BUSHINGS, & TANK WALL MOUNTED BUSHINGS,SHALL BE

ABB POWER T & D CO	N/A
COOPER POWER SYSTEMS	
ERMCO C/O UTILITY SALES	N/A
GENERAL ELECTRIC	N/A
HOWARD INDUSTRIES C/O YODER-BR	N/A
KUHLMAN	N/A

998794 TRN OH 15KVA 13200 GRDY/7620-1
TRN OH 15KVA 13200 GRDY/7620-1

998805 TRN OH 25KVA 13200GRDY/7620 12
TRN OH 25KVA 13200GRDY/7620 12

998816 TRN OH 37-1/2KVA 7620/13200Y 1
TRN OH 37-1/2KVA 7620/13200Y 1

998827 TRN OH 50KVA 7620/13200Y 120V
TRN OH 50KVA 7620/13200Y 120V

998838 TRN OH 75KVA 7620/13200Y 120V
TRN OH 75KVA 7620/13200Y 120V

998849 TRN OH 100KVA 7620/13200Y 120V
TRN OH 100KVA 7620/13200Y 120V